

## DAFTAR PUSTAKA

- Al-Faris, L. *et al.* (2012) "Blood transfusion practice in critically ill patients: A single institutional experience," *Medical Principles and Practice*, 21(6), hal. 560–565. Tersedia pada: <https://doi.org/10.1159/000338887>.
- Barichello, T. *et al.* (2021) "The blood-brain barrier dysfunction in sepsis," *Tissue Barriers*, 9(1), hal. 1–10. Tersedia pada: <https://doi.org/10.1080/21688370.2020.1840912>.
- Batara, M., Darmawati, S. dan Prastiyanto, M.E. (2018) "Keanekaragaman dan Pola Resistensi Bakteri Terhadap Antibiotik pada Sampel Darah Pasien yang Terdiagnosa Sepsis di Laboratorium Klinik Swasta di Semarang," *Jurnal Labora Medika*, 2(2), hal. 1–5. Tersedia pada: <https://jurnal.unimus.ac.id/index.php/JLabMed/article/view/3837>.
- Chao, J. *et al.* (2020) "Detection of early cytokine storm in patients with septic shock after abdominal surgery," *Journal of Translational Internal Medicine*, 8(2), hal. 91–98. Tersedia pada: <https://doi.org/10.2478/jtim-2020-0014>.
- Chen, Y. *et al.* (2024) "Blood pressure response index and clinical outcomes in patients with septic shock: a multicenter cohort study," *eBioMedicine*, 106, hal. 105257. Tersedia pada: <https://doi.org/10.1016/j.ebiom.2024.105257>.
- Constantin, M. *et al.* (2023) "Current data regarding homeostasis of tissues oxygenation in pathophysiological and therapeutic circumstances," *Balneo and PRM Research Journal*, 14(2), hal. 565. Tersedia pada: <https://doi.org/10.12680/balneo.2023.565>.
- De Gaudio, A.R. dan Romagnoli, S. (2019) "Sepsis and Septic Shock," in *Oh's Intensive Care Manual*. 8 ed. China: Elsevier, hal. 836–848.
- Hall, J.E. dan Hall, M.E. (2021) "Transport of Oxygen and Carbon Dioxide in the Blood," in *Medical Physiology*. 14 ed. Philadelphia: Elsevier, hal. 521–530.
- Harvey, J., Jayawardena, D. dan Ramanan, M. (2020) "Oxygen exposure as quantified by time-weighted area under curve for arterial oxygen content is associated with mortality in mechanically ventilated critically ill patients," *Research and Opinion in Anesthesia and Intensive Care*, 7(2), hal. 197. Tersedia pada: [https://doi.org/10.4103/roaic.roaic\\_84\\_19](https://doi.org/10.4103/roaic.roaic_84_19).
- Hotchkiss, R.S. *et al.* (2016) "Sepsis and septic shock," *Nature Reviews Disease Primers* 2 [Preprint]. Tersedia pada: <https://doi.org/10.1038/nrdp.2016.45.Sepsis>.
- Huang, J. *et al.* (2024) "Association of hemoglobin level trajectories with clinical outcomes in patients with sepsis or shock : a retrospective observational study," hal. 1–14. Tersedia pada: <https://doi.org/10.21203/rs.3.rs-3930372/v1>.
- Iten, M. *et al.* (2024) "Hyperoxaemia in acute trauma is common and associated with a longer hospital stay: a multicentre retrospective cohort study," *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 32(1), hal. 1–7. Tersedia pada: <https://doi.org/10.1186/s13049-024-01247-5>.
- Jarczak, D., Kluge, S. dan Nierhaus, A. (2021) "Sepsis—Pathophysiology and Therapeutic Concepts," *Frontiers in Medicine*, 8(May), hal. 1–22. Tersedia

pada: <https://doi.org/10.3389/fmed.2021.628302>.

Katz, M.J., Long, T. dan O'Toole, J. (2016) *Sepsis: Immune System Response Meltdown, ATrain Education*. Tersedia pada: <https://www.etrainceu.com/content/187-sepsis-immune-response-meltdown-course-intro>.

Konjety, P. dan Chakole, V.G. (2024) "Beyond the Horizon: A Comprehensive Review of Contemporary Strategies in Sepsis Management Encompassing Predictors, Diagnostic Tools, and Therapeutic Advances," *Cureus*, 16(7). Tersedia pada: <https://doi.org/10.7759/cureus.64249>.

Kumar, R. *et al.* (2023) "Quick Sequential Organ Failure Assessment Score, Lactate, and Neutrophil–Lymphocyte Ratio Help in Diagnosis and Mortality Prediction during Golden Hour of Sepsis in Emergency Department," *Journal of Emergencies, Trauma and Shock*, 16(4), hal. 161–166. Tersedia pada: [https://doi.org/10.4103/jets.jets\\_37\\_23](https://doi.org/10.4103/jets.jets_37_23).

Leach, R.M. dan Treacher, D.F. (2002) "The pulmonary physician in critical care · 2: Oxygen delivery and consumption in the critically ill," *Thorax*, 57(2), hal. 170–177. Tersedia pada: <https://doi.org/10.1136/thorax.57.2.170>.

Mallat, J. *et al.* (2022) "Pathophysiology, mechanisms, and managements of tissue hypoxia," *Anaesthesia Critical Care and Pain Medicine*, 41(4), hal. 101087. Tersedia pada: <https://doi.org/10.1016/j.accpm.2022.101087>.

Martin, L. (1999) *All You Really Need to Know to Interpret Arterial Blood Gases*. 2 ed. Philadelphia: Lippincott Williams & Wilkins.

Nagel, M.J., Jarrard, C.P. dan Lalande, S. (2020) "Effect of a single session of intermittent hypoxia on erythropoietin and oxygen-carrying capacity," *International Journal of Environmental Research and Public Health*, 17(19), hal. 1–10. Tersedia pada: <https://doi.org/10.3390/ijerph17197257>.

Niaussat, V. *et al.* (2024) "Real-Time Machine Learning for ICU Hypoxia Prediction: A Pilot Study," *Neuroergonomics and Cognitive Engineering*, 126(January). Tersedia pada: <https://doi.org/10.54941/ahfe1004734>.

Panditrao, Minnu M. dan Panditrao, Mridul M. (2019) "Optimizing oxygen delivery in sepsis: A review," *Adesh University Journal of Medical Sciences & Research*, 1(1), hal. 8–15. Tersedia pada: [https://doi.org/10.25259/aujmsr\\_4\\_2019](https://doi.org/10.25259/aujmsr_4_2019).

Pradipta, I.S. *et al.* (2013) "Antibiotic resistance in sepsis patients: Evaluation and recommendation of antibiotic use," *North American Journal of Medical Sciences*, 5(6), hal. 344–352. Tersedia pada: <https://doi.org/10.4103/1947-2714.114165>.

Ray, S. *et al.* (2021) "Ensuring administration of first dose of antibiotics within the golden hour of management in neonates with sepsis," *BMJ Open Quality*, 10, hal. 1–9. Tersedia pada: <https://doi.org/10.1136/bmjoq-2021-001365>.

Rhodes, A. *et al.* (2017) *Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016*, *Intensive Care Medicine*. Springer Berlin Heidelberg. Tersedia pada: <https://doi.org/10.1007/s00134-017-4683-6>.

Rhodes, C.E., Denault, D. dan Varacallo, M. (2023) *Physiology, Oxygen Transport*. Treasure Island (FL): StatPearls. Tersedia pada:

<https://www.ncbi.nlm.nih.gov/books/NBK538336/>.

Rudd, K.E. *et al.* (2020) "Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study," *The Lancet*, 395(10219), hal. 200–211. Tersedia pada: [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7).

Shoemaker, W.C. *et al.* (1993) "Temporal hemodynamic and oxygen transport patterns in medical patients: Septic shock," *Chest*, 104(5), hal. 1529–1536. Tersedia pada: <https://doi.org/10.1378/chest.104.5.1529>.

Singer, M. *et al.* (2016) "The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3)," *JAMA*, 315(8), hal. 801–810. Tersedia pada: <https://doi.org/10.1001/jama.2016.0287>.

Thomas, K. *et al.* (2022) "Turn Up the Hydroxyeicosatetraenoic on Septic Shock," *Journal of Cardiovascular Pharmacology*, 80(2), hal. 206–209. Tersedia pada: <https://doi.org/10.1097/FJC.0000000000001300>.

Tuchs Schmidt, J.M., Oblitas, D.M. dan Fried, J.C.M. (1991) "Oxygen consumption in sepsis and septic shock," *Critical Care Medicine*, 19(5), hal. 664–671. Tersedia pada: <https://doi.org/10.1097/00003246-199105000-00013>.

Vadlani, V.B. *et al.* (2023) "A study on Multiple organ failure in patients with septic shock," *IAR Journal of Medicine and Surgery Research*, 4(6), hal. 5–9. Tersedia pada: <https://doi.org/10.47310/iarjmsr.2023.v04i06.02>.

Wu, K. *et al.* (2023) "Factors influencing mortality in ICU hospitalized patients with severe sepsis: A systematic review and meta-analysis," *Indian Journal of Experimental Biology*, 61(08), hal. 597–605. Tersedia pada: <https://doi.org/10.56042/ijeb.v61i08.4373>.