



DAFTAR PUSTAKA

- Ahmed, M.H., Ghatge, M.S. and Safo, M.K. (2020). Hemoglobin: Structure, Function and Allostery. *Sub-cellular biochemistry*, pp.345–382. https://doi.org/10.1007/978-3-030-41769-7_14.
- Alshwaiyat, N.M., Ahmad, A., Mohd, W. and Nagi, A. (2021). Association between obesity and iron deficiency (Review). *Experimental and Therapeutic Medicine*, 22(5). <https://doi.org/10.3892/etm.2021.10703>
- Anderson, G.J. and Frazer, D.M. (2017). Current understanding of iron homeostasis. *The American Journal of Clinical Nutrition*, 106, pp.1559S–1566S. <https://doi.org/10.3945/ajcn.117.155804>
- Barney, J. and Moosavi, L. (2023). *Iron*. Nih.gov. <https://www.ncbi.nlm.nih.gov/books/NBK542171/>
- Billett, H.H. (1990). *Hemoglobin and Hematocrit*. Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK259/>
- Brancaleoni, V., Pierro, E. D., Motta, I., & Cappellini, M.D. (2016). Laboratory diagnosis of thalassemia. *International Journal of Laboratory Hematology*, 38(S1), pp.32–40. doi:<https://doi.org/10.1111/ijlh.12527>.
- CDC. (2008). *Iron-status indicators - Centers for Disease Control and Prevention, Nutrition Report*. https://www.cdc.gov/nutritionreport/pdf/nr_ch3.pdf
- Cheng, H.L., Bryant, C., Cook, R., H. O'Connor, Rooney, K. and Steinbeck, K. (2011). The relationship between obesity and hypoferaemia in adults: a systematic review. *Obesity Reviews*, 13(2), pp.150–161. <https://doi.org/10.1111/j.1467-789x.2011.00938.x>
- Collins, J.F., Wessling-Resnick, M. and Knutson, M.D. (2008). Hepcidin Regulation of Iron Transport. *PubMed Central*, 138(11), pp.2284–2288. <https://doi.org/10.3945/jn.108.096347>
- Demirdjian, S.P., Kerr, M.A., Mulhern, M.S., Thompson, P.D., Ledwidge, M. and McCann, M.T. (2024). Association between Adiposity and Iron Status in Women of Reproductive Age: Data from the UK National Diet and Nutrition Survey (NDNS) 2008–2019. *The Journal of Nutrition*, [online] 154(10), pp.3048–3059. doi:<https://doi.org/10.1016/j.jn.2024.08.026>.



- Dhanorkar, A. (2020). *What Are the 3 Stages of Iron Deficiency?* MedicineNet. https://www.medicinenet.com/what_are_the_3_stages_of_iron_deficiency/article.htm
- Dhawan, D., Sharma, S. (2020). Abdominal Obesity, Adipokines and Non-communicable Diseases. *The Journal of Steroid Biochemistry and Molecular Biology*, [online] 203, pp.105737–105737. doi:<https://doi.org/10.1016/j.jsbmb.2020.105737>
- Deivita, Y., Syarif Syafruddin, Usman Andi Nilawati, Aminuddin Aminuddin, Bahar Burhanuddin and Zahir, Z. (2021). Overview of Anemia; risk factors and solution offering. *Gaceta Sanitaria*, 35, pp.S235–S241. <https://doi.org/10.1016/j.gaceta.2021.07.034>
- Dinas Pemberdayaan Perempuan dan Perlindungan Anak, Pengendalian Penduduk dan Keluarga Berencana (DP3APPKB). (2022). *Dinas Pemberdayaan Perempuan dan Perlindungan Anak, Pengendalian Penduduk dan Keluarga Berencana*. <https://dp3appkb.bantulkab.go.id/news/dampak-gizi-buruk-terhadap-kesehatan-dan-daya-tahan-tubuh>
- Devkota, B. (2023). *Ferritin: Reference Range, Interpretation, Collection and Panels*. Medscape.com. <https://emedicine.medscape.com/article/2085454-overview#a2>
- Eckhardt, C.L., Torheim, L.E., Monterrubio, E., Barquera, S. and Ruel, M.T. (2008). The overlap of overweight and anaemia among women in three countries undergoing the nutrition transition. *European Journal of Clinical Nutrition*, 62(2), pp.238–246. <https://doi.org/10.1038/sj.ejcn.1602727>
- Eftekhari, M., Mozaffari-Khosravi, H., & Shidfar, F. (2009). The relationship between BMI and iron status in iron-deficient adolescent Iranian girls. *Public health nutrition* (Wallingford), 12(12), pp.2377–2381. <https://doi.org/10.1017/s1368980009005187>.
- Elmoslemany, A., Elbbandrawy, A., Elhosary, E. & Gabr, A. (2019). *Relation between body mass index and iron deficiency anemia in adolescent females*. <https://www.curesweb.com/csi/csi/2019/403-410.pdf>.
- Erdman, J.W., MacDonald, I. and Zeisel, S.H. (2012). *Present knowledge in nutrition*. Washington, DC: International Life Sciences Institute.



- Fairweather-Tait, S. J., Wawer, A. A., Gillings, R., Jennings, A., & Myint, P. K. (2014). Iron status in the elderly. *Mechanisms of ageing and development*, 136-137, 22–28. <https://doi.org/10.1016/j.mad.2013.11.005>
- Farid, Y., Bowman, N.S. and Lecat, P. (2023). *Biochemistry, Hemoglobin Synthesis*. Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK536912/>
- Feng, W.-Y., Li, X.-D., Li, J., Shen, Y. and Li, Q. (2021). Prevalence and Risk Factors of Central Obesity among Adults with Normal BMI in Shaanxi, China: A Cross-Sectional Study. *International Journal of Environmental Research and Public Health*, [online] 18(21), pp.11439–11439. doi:<https://doi.org/10.3390/ijerph182111439>
- Fernández-Lázaro, D., Seco-Calvo, J. (2023). Nutrition, Nutritional Status and Functionality. *Nutrients*, 15(8), pp.1944–1944. <https://doi.org/10.3390/nu15081944>.
- Fertrin, K.Y. (2020) ‘Diagnosis and management of iron deficiency in chronic inflammatory conditions (CIC): Is too little iron making your patient sick?’, *Hematology*, 2020(1), pp. 478–486. doi:10.1182/hematology.2020000132.
- Gangat, N., & Wolanskyj, A.P. (2013). Anemia of Chronic Disease. *Seminars in Hematology*, [online] 50(3), pp.232–238. <https://doi.org/10.1053/j.seminhematol.2013.06.006>
- Ganz, T. and Nemeth, E. (2012). Hepcidin and iron homeostasis. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1823(9), pp.1434–1443. <https://doi.org/10.1016/j.bbamcr.2012.01.014>
- Gerber, G.F. (2023). *Iron Deficiency Anemia*. MSD Manual Professional Edition. <https://www.msmanuals.com/professional/hematology-and-oncology/anemias-caused-by-deficient-erythropoiesis/iron-deficiency-anemia>
- Ginzburg, Y., An, X., Stefano Rivella and Goldfarb, A. (2023). Normal and dysregulated crosstalk between iron metabolism and erythropoiesis. *eLife*, 12. <https://doi.org/10.7554/elife.90189>
- Gokhale, M., Agarwal, P. and Biswas, D. (2022). Does Fat Distribution Play a Role in Obesity-Associated Iron Deficiency Anemia? An Anthropometry-based Analysis in Young Women. *DOAJ (DOAJ: Directory of Open Access Journals)*. <https://doi.org/10.30485/ijsrms.2022.351785.1335>



Gregg, E.W. and Shaw, J.E. (2017). Global Health Effects of Overweight and Obesity. PubMed, 377(1), pp.80–81. <https://doi.org/10.1056/nejme1706095>

Päivi Hämäläinen, Juha Saltevo, Hannu Kautiainen, Pekka Mäntyselkä and Mauno Vanhala (2012). Erythropoietin, ferritin, haptoglobin, hemoglobin and transferrin receptor in metabolic syndrome: a case control study. *Cardiovascular Diabetology*, 11(1), pp.116–116. <https://doi.org/10.1186/1475-2840-11-116>

Hanif, N. & Anwer, F. (2023). *Chronic Iron Deficiency*. Nih.gov. <https://www.ncbi.nlm.nih.gov/books/NBK560876/>

Harper, J.L. (2024). Iron Deficiency Anemia: Practice Essentials, Background, Pathophysiology. <https://emedicine.medscape.com/article/202333-overview#a1>

Hartono. (2017). *Status Gizi Balita dan Interaksinya*. Sehat Negeriku. [https://sehatnegeriku.kemkes.go.id/baca/blog/20170216/0519737/status-gizi-balita-dan-interaksinya/#:~:text=Berdasarkan%20baku%20WHO%20%E2%80%93%20NCHS%20status,PCM%20\(Protein%20Calori%20Malnutrition\)](https://sehatnegeriku.kemkes.go.id/baca/blog/20170216/0519737/status-gizi-balita-dan-interaksinya/#:~:text=Berdasarkan%20baku%20WHO%20%E2%80%93%20NCHS%20status,PCM%20(Protein%20Calori%20Malnutrition))

Hendarto, A., Febriyanto, R. and Kaban, R.K. (2018). Defisiensi Besi dan Anemia Defisiensi Besi pada Anak Remaja Obes. *Sari Pediatri*, 20(1), p.1. doi:<https://doi.org/10.14238/sp20.1.2018.1-6>.

Office of Disease Prevention and Health Promotion (ODPHP). (2015). *Reduce iron deficiency in females aged 12 to 49 years — NWS-17 - Healthy People 2030 / health.gov.* <https://health.gov/healthypeople/objectives-and-data/browse-objectives/nutrition-and-healthy-eating/reduce-iron-deficiency-females-aged-12-49-years-nws-17#:~:text=Women%20are%20more%20likely%20than,help%20women%20get%20enough%20iron.>

Jordaan, E., Van den Berg, V., Van Rooyen, F., & Walsh, C. (2018). Obesity is associated with anaemia and iron deficiency indicators among women in the rural Free State, South Africa. *South African Journal of Clinical Nutrition*, 33(3), 72–78. <https://doi.org/10.1080/16070658.2018.1553361>

Kemenkes. (2015). *Direktorat Jenderal Pelayanan Kesehatan*. <https://www.kemkes.go.id/article/view/15012300021/25-januari-hari-gizi-nasional.html#:~:text=Obesitas%20sentral%20merupakan%20kondisi%20sebagaimana,dengan%20lingkar%20perut%20%3E80%20cm>



- Kemenkes. (2019). *Tabel Batas Ambang indeks Massa tubuh (IMT) - Direktorat P2PTM.* <https://p2ptm.kemkes.go.id/infographicp2ptm/obesitas/tabel-batas-ambang-indeks-massa-tubuh-imt>
- Kemenkes. (2022). *Direktorat Jenderal Pelayanan Kesehatan.* [https://yankes.kemkes.go.id/view_artikel/1546/indeks-massa-tubuh-remaja#:~:text=Indeks%20massa%20tubuh%20\(IMT\)%20merupakan,tubuh%20anak%20dan%20remaja](https://yankes.kemkes.go.id/view_artikel/1546/indeks-massa-tubuh-remaja#:~:text=Indeks%20massa%20tubuh%20(IMT)%20merupakan,tubuh%20anak%20dan%20remaja)
- Kemkes.go.id. (2022). *Direktorat Jenderal Pelayanan Kesehatan.* https://yankes.kemkes.go.id/view_artikel/728/konsep-dasar-dan-sejarah-perkembangan-ilmu-gizi
- Laporan Nasional Riskesdas 2018. Jakarta: Kementerian Kesehatan RI; 2018. <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan%20Riskesdas%202018%20Nasional.pdf>
- Kerkadi, A., Ali, R.H., Shehada, A.A.H., AbouHassanein, E.A., Moawad, J., Bawadi, H., and Shi, Z. (2021). Association between central obesity indices and iron status indicators among Qatari adults. *PLOS ONE*, 16(4), pp.e0250759–e0250759. <https://doi.org/10.1371/journal.pone.0250759>.
- Kernan, K.F. and Carillo, J.A. (2017). Hyperferritinemia and inflammation. *International Immunology*, 29(9), pp.401–409. <https://doi.org/10.1093/intimm/dxx031>.
- Kesari, A., Noel, J.Y. (2023). *Nutritional Assessment.* Nih.gov. <https://www.ncbi.nlm.nih.gov/books/NBK580496/>
- Kesztyüs, D., Erhardt, J., Dorothée Schönsteiner and Tibor Kesztyüs (2018). Therapeutic Treatment for Abdominal Obesity in Adults. *Deutsches Arzteblatt International.* <https://doi.org/10.3238/arztebl.2018.0487>.
- Kesari, A., and Noel, J.Y. (2023). *Nutritional Assessment.* Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK580496/>.
- Knovich, M.A., Storey, J.A., Coffman, L.G., Torti, S.V. and Torti, F.M. (2009). Ferritin for the clinician. *Blood Reviews*, 23(3), pp.95–104. <https://doi.org/10.1016/j.blre.2008.08.001>
- Koerper, M.A. and Dallman, P.R. (1977). Serum iron concentration and transferrin saturation in the diagnosis of iron deficiency in children: Normal developmental changes. *The Journal of Pediatrics*, 91(6), pp.870–874. [https://doi.org/10.1016/s0022-3476\(77\)80879-2](https://doi.org/10.1016/s0022-3476(77)80879-2).



- Koleini, N., Shapiro, J.S., Geier, J. and Hossein Ardehali (2021). Ironing out mechanisms of iron homeostasis and disorders of iron deficiency. *Journal of Clinical Investigation*, 131(11). <https://doi.org/10.1172/jci148671>
- Kumar, A., Sharma, E., Marley, A., Samaan, M.A. and Matthew James Brookes (2022). Iron deficiency anaemia: pathophysiology, assessment, practical management. *BMJ Open Gastroenterology*, 9(1), pp.e000759–e000759. <https://doi.org/10.1136/bmjgast-2021-000759>
- Lopez, A., Cacoub, P., Macdougall, I.C. and Laurent Peyrin-Biroulet (2016). Iron deficiency anaemia. *The Lancet*, 387(10021), pp.907–916. [https://doi.org/10.1016/s0140-6736\(15\)60865-0](https://doi.org/10.1016/s0140-6736(15)60865-0)
- Matsuzawa, Y., Shimomura, I., Nakamura, T., Keno, Y., Kotani, K. and Tokunaga, K. (1995). Pathophysiology and Pathogenesis of Visceral Fat Obesity. *Obesity Research*, 3(S2). <https://doi.org/10.1002/j.1550-8528.1995.tb00462.x>
- McCance, K. L, & Rote, N. S. (2019). Alterations of erythrocyte, platelet, and hemostatic function. In V. L. Brashers & N. S. Rote (Eds.), *Pathophysiology: the biologic bases for disease in adults and children* (926-962). St. Louis, MO: Elsevier.
- McNeely, M.J., Boyko, E.J., Shofer, J.B., Newell-Morris, L., Leonetti, D.L. and Fujimoto, W.Y. (2001). Standard definitions of overweight and central adiposity for determining diabetes risk in Japanese Americans. *The American Journal of Clinical Nutrition*, 74(1), pp.101–107. <https://doi.org/10.1093/ajcn/74.1.101>
- Merrit, B.Y. (2021). *Hemoglobin Concentration (Hb): Reference Range, Interpretation, Collection and Panels*. Medscape.com. <https://emedicine.medscape.com/article/2085614-overview#showall>
- Metanat, M., Mashhadi, M., Alavi-Naini, R., Rezaie-Kahkhaie, L., Sepehri-Rad, N., & Afshari, M. (2020). *The Prevalence of Absolute and Functional Iron Deficiency Anemia in New Cases of Smear-positive Pulmonary Tuberculosis and Their Sputum Conversion Rate at the End of Intensive Tuberculosis Treatment Phase*. Prague Medical Report. <https://www.semanticscholar.org/paper/The-Prevalence-of-Absolute-and-Functional-Iron-in-Metanat-Mashhadi/e288f682211f4e6e4e68a9f1aff9b58779136830>
- Moreira, A.C., Mesquita, G. and Maria Salomé Gomes (2020). Ferritin: An Inflammatory Player Keeping Iron at the Core of Pathogen-Host



Interactions. *Microorganisms*, 8(4), pp.589–589.
<https://doi.org/10.3390/microorganisms8040589>

Moreno-Navarrete, J.M., Moreno, M., Puig, J., Blasco, G., Ortega, F., Xifra, G., Ricart, W. and José Manuel Fernández-Real (2017). Hepatic iron content is independently associated with serum hepcidin levels in subjects with obesity. *Clinical Nutrition*, 36(5), pp.1434–1439.
<https://doi.org/10.1016/j.clnu.2016.09.022>

Naigamwalla, D.Z., Webb, J.A. and Giger, U. (2012). Iron deficiency anemia. *The Canadian veterinary journal = La revue veterinaire canadienne*, [online] 53(3), pp.250–6.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3280776/#:~:text=Iron%20deficiency%20anemia%20may%20be,preferentially%20utilized%20for%20accelerated%20erythropoiesis>

National Heart, Lung, and Blood Institute (NHLBI). (2022). *What Is Anemia?*. <https://www.nhlbi.nih.gov/health/anemia>

National Institutes of Health. (2015). *Office of Dietary Supplements - Iron*.
<https://ods.od.nih.gov/factsheets/Iron-HealthProfessional/#en1>

National Institutes of Health. (2023). *Office of Dietary Supplements - Iron*.
<https://ods.od.nih.gov/factsheets/Iron-Consumer/>

Napitupulu, D., Rahim, R., Abdullah, D., Setiawan, M., Abdillah, L., Ahmar, A., Simarmata, J., Hidayat, R., Nurdyantoro, H. and Pranolo, A. (2018). Analysis of Student Satisfaction Toward Quality of Service Facility. *Journal of Physics: Conference Series*, 954(1), p.012019. doi:<https://doi.org/10.1088/1742-6596/954/1/012019>.

Nuttall, F.Q. (2015). Body Mass Index. *Nutrition Today*, 50(3), pp.117–128.
<https://doi.org/10.1097/nt.0000000000000092>.

Pagana, K.D., Pagana, T. J., Pagana T. N. (2019). *Mosby's Diagnostic & Laboratory Test Reference*. 14th ed. St. Louis, Mo: Elsevier.

Paruthi, S. (2022). *Transferrin Saturation: Reference Range, Interpretation, Collection and Panels*. <https://emedicine.medscape.com/article/2087960-overview>

Pfeiffer, C.M. and Looker, A.C. (2017). Laboratory methodologies for indicators of iron status: strengths, limitations, and analytical challenges. *The American Journal of Clinical Nutrition*, 106, pp.1606S1614S.
<https://doi.org/10.3945/ajcn.117.155887>



- Qin, Y., Melse-Boonstra, A., Pan, X., Yuan, B., Dai, Y., Zhao, J., Zimmermann, M.B., Kok, F.J., Zhou, M. and Shi, Z. (2013). Anemia in relation to body mass index and waist circumference among chinese women. *Nutrition Journal*, 12(1). <https://doi.org/10.1186/1475-2891-12-10>
- Rhodes, C.E., Denault, D. and Varacallo, M. (2022). *Physiology, Oxygen Transport*. Nih.gov. <https://www.ncbi.nlm.nih.gov/books/NBK538336/>
- Saboor, M., Zehra, A., Qamar, K., and Moinuddin (1969). Disorders associated with malabsorption of iron; a critical review. *Pakistan Journal of Medical Sciences*, [online] 31(6). doi:<https://doi.org/10.12669/pjms.316.8125>.
- Santika, P.D., Susetyowati, and Ratnaningsih, T. (2015). *Korelasi antara Indeks Masa Tubuh dan Persen Lingkar Lengan Atas (%LLA) dengan Status Besi pada Pendonor Darah di Yogyakarta*. ugm.ac.id. Available at: <https://etd.repository.ugm.ac.id/penelitian/detail/82264>
- Sarah, S.L. & Gordeuk, V.R. (2020). Iron. *Essential and Toxic Trace Elements and Vitamins in Human Health*, pp.83–102. doi:<https://doi.org/10.1016/b978-0-12-805378-2.00006-1>.
- Schäffler, A., Jürgen Schölmerich and Büchler, C. (2005). Mechanisms of Disease: adipocytokines and visceral adipose tissue—emerging role in intestinal and mesenteric diseases. *Nature Clinical Practice Gastroenterology & Hepatology*, 2(2), pp.103–111. <https://doi.org/10.1038/ncpgasthep0090>.
- Sediaoetama, A. D. (2004) Ilmu Gizi untuk Mahasiswa dan Profesi jilid 1. Jakarta: Dian Rakyat
- Shim, Y.S., Kang, M.J., Oh, Y.J., Baek, J.W., Yang, S. and Hwang, I.T. (2017). Association of serum ferritin with insulin resistance, abdominal obesity, and metabolic syndrome in Korean adolescent and adults. *Medicine*, 96(8), pp.e6179–e6179. doi:<https://doi.org/10.1097/md.00000000000006179>.
- Skolmowska, D., and Głabska, D. (2019). Analysis of Heme and Non-Heme Iron Intake and Iron Dietary Sources in Adolescent Menstruating Females in a National Polish Sample. *Nutrients*, 11(5), pp.1049–1049. <https://www.mdpi.com/2072-6643/11/5/1049>
- Sofiantin, N., Kurniawan, L. B. and Arif, M. (2021) “Analysis of Ferritin Levels, TIBC and Fe Serum In Central Obesity And Non Central Obesity”, *STRADA Jurnal Ilmiah Kesehatan*, 10(1), pp. 1265–1271. doi: 10.30994/sjik.v10i1.691.
- Soldin, O.P., Bierbower, L.H., Choi, J.J., Choi, J.J., Thompson-Hoffman, S. and Soldin, S.J. (2004). Serum iron, ferritin, transferrin, total iron binding capacity, hs-CRP, LDL cholesterol and magnesium in children; new reference intervals



- using the Dade Dimension Clinical Chemistry System. *Clinica Chimica Acta*, 342(1-2), pp.211–217. <https://doi.org/10.1016/j.cccn.2004.01.002>
- Sopiyudin, M. (2010). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Edisi3. Jakarta: Salemba Medika.
- Stoffel, N.U., El-Mallah, C., Herter-Aeberli, I., Nour Bissani, Wehbe, N., Obeid, O. and Zimmermann, M.B. (2020). The effect of central obesity on inflammation, hepcidin, and iron metabolism in young women. *International Journal of Obesity*, 44(6), pp.1291–1300. <https://doi.org/10.1038/s41366-020-0522-x>.
- Sumarmi, S., Puspitasari, N., Handajani, R., & Wirjatmadi, B. (2016). Underweight as a risk factor for Iron depletion and Iron-Deficient erythropoiesis among young women in Rural Areas of East Java, Indonesia. *Malaysian Journal of Nutrition*, 22(2), 219-232.
- Sukhbaatar, N., Weichhart, T. (2018). Iron Regulation: Macrophages in Control. *Pharmaceuticals*, 11(4), pp.137–137. <https://doi.org/10.3390/ph11040137>.
- Swenson, E.R., Porcher, R. and Michaël Piagnerelli (2018). Iron deficiency and infection: another pathway to explore in critically ill patients? *Intensive Care Medicine*, [online] 44(12), pp.2260–2262. doi:<https://doi.org/10.1007/s00134-018-5438-8>.
- Syari, F. R., Hendrianingtyas, M., and Retnoningrum, D., 2019. HUBUNGAN LINGKAR PINGGANG DAN VISCELAR FAT DENGAN KADAR FERRITIN SERUM PADA OBESITAS. Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal), [Online] Volume 8(2), pp. 701-712. <https://doi.org/10.14710/dmj.v8i2.23789>
- Turner, J., Parsi, M. and Madhu Badireddy (2023). *Anemia*. Nih.gov. <https://www.ncbi.nlm.nih.gov/books/NBK499994/#:~:text=Patients%20with%20anemia%20typically%20present,breath%2C%20and%20reduced%20exercise%20tolerance>
- Ullrich, C., Wu, A., Armsby, C., Rieber, S., Wingerter, S., Brugnara, C., Shapiro, D. and Bernstein, H. (2005). Screening Healthy Infants for Iron Deficiency Using Reticulocyte Hemoglobin Content. *JAMA*, 294(8), pp.924–924. <https://doi.org/10.1001/jama.294.8.924>
- Vaquero, M.P., Martínez-Suárez, M., García-Quismondo, A., Francisco, & Sánchez-Muniz, F.J. (2021). Diabetes negatively affects transferrin saturation and iron status. The DICARIVA study. *Diabetes Research and Clinical Practice*, 172, pp.108653–108653. <https://doi.org/10.1016/j.diabres.2021.108653>.



Warner, M.J. & Kamran, M.T. (2023). *Iron Deficiency Anemia*. NIH. Available at:
<https://www.ncbi.nlm.nih.gov/books/NBK448065/>

World Health Organization. (1968). Nutritional anaemias. *Report of a WHO scientific group. World Health Organization technical report series*, 405. Available at:
<https://pubmed.ncbi.nlm.nih.gov/4975372/>

World Health Organization. (2004). Appropriate body-mass index for Asian populations and its implications for policy and Intervention Strategies, *The Lancet*, 363(9403), pp. 157–163. doi:10.1016/s0140-6736(03)15268-3

World Health Organization. (2008). Worldwide prevalence of anaemia 1993-2005 : WHO global database on anaemia. / Edited by Bruno de Benoist, Erin McLean, Ines Egli and Mary Cogswell. World Health Organization.

World Health Organization. (2010). *A healthy lifestyle - WHO recommendations*. Who.int. <https://www.who.int/europe/news-room/fact-sheets/item/a-healthy-lifestyle---who-recommendations>

World Health Organization. (2018). *Malnutrition in children*.
<https://www.who.int/data/nutrition/nlis/info/malnutrition-in-children>

World Health Organization. (2019). *Anaemia*. Who.int. https://www.who.int/health-topics/anaemia#tab=tab_1

Williamson, M.A. and Snyder, L.M. (2011) Wallach's Interpretation of Diagnostic Tests. 9th Edition, Lippincott Williams & Wilkins, Philadelphia.

Wu, A.C., Lesperance, L. and Bernstein, H. (2002). Screening for Iron Deficiency. *Pediatrics in Review*, 23(5), pp.171–178.
<https://doi.org/10.1542/pir.23-5-171>.

Zhang, D.L., Ghosh, M.C., Ollivierre, H., Li, Y. and Rouault, T.A. (2018). Ferroportin deficiency in erythroid cells causes serum iron deficiency and promotes hemolysis due to oxidative stress. *Blood*, 132(19), pp.2078–2087.
<https://doi.org/10.1182/blood-2018-04-842997>.