



DAFTAR PUSTAKA

- Abalos E, Cuesta C, Carroli G, Qureshi Z, Widmer M, Vogel J, et al. Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. *Bjog Int J Obstetrics Gynaecol.* 2014;121:14–24.
- Abalos E, Cuesta C, Gross AL, Chou D, Say L. Global and regional estimates of preeclampsia and eclampsia: a systematic review. *Eur J Obstet Gyn R B.* 2013;170(1):1–7.
- ACOG Practice Bulletin No. 202: Gestational Hypertension and Preeclampsia. *Obstet Gynecol.* 2018;133(1):1.
- Altman D, Carroli G, Duley L, Farrell B, Moodley J, Neilson J, et al. Do women with pre-eclampsia, and their babies, benefit from magnesium sulphate? The Magpie Trial: a randomised placebo-controlled trial. *Lancet.* 2002;359(9321):1877–90.
- Alves JAG, Brennecke SP, Costa F da S. OS088. First trimester triple vascular test for pre-eclampsia prediction. *Pregnancy Hypertens Int J Women's Cardiovasc Heal.* 2012;2(3):226.
- Alves JAG, Moura SBM e H, Júnior EA, Tonni G, Martins WP, Costa FDS. Predicting small for gestational age in the first trimester of pregnancy using maternal ophthalmic artery Doppler indices. *J Maternal-fetal Neonatal Medicine.* 2016;29(7):1190–4.
- Alves JAG, Yang B, Sousa PCP, Moura SBM e H, Kane S, Costa FS. Reference values of maternal ophthalmic artery doppler variables in the first trimester of normal pregnancy. *J Clin Ultrasound.* 2014;42(4):199–204.
- Armaly Z, Jadaon JE, Jabbour A, Abassi ZA. Preeclampsia: Novel Mechanisms and Potential Therapeutic Approaches. *Front Physiol.* 2018: 1-15
- August P, Malha L. Postpartum Hypertension: “It Ain’t Over ‘til It’s Over.” *Circulation.* 2015;132(18):1690–2.
- Ayaz T, Akansel G, Hayirlioglu A, Arslan A, Suer N, Kuru I. Ophthalmic artery color Doppler ultrasonography in mild-to-moderate preeclampsia. *Eur J Radiol.* 2003;46(3):244–9.
- Barbosa AS, Pereira AK, Reis ZSN, Lage EM, Leite HV, Cabral ACV. Ophthalmic Artery-Resistive Index and Evidence of Overperfusion-Related Encephalopathy in Severe Preeclampsia. *Hypertension.* 2010;55(1):189–93.



- Bartsch E, Medcalf KE, Park AL, Ray JG, Group HR of P eclampsia I. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies. *Bmj.* 2016;353:i1753.
- Belfort MA, Gianinna G, Herd JA. Transcranial and Orbital Doppler Ultrasound in Normal Pregnancy and Preeclampsia. *Clin Obstet Gynecol.* 1999;42(3):479.
- Belfort MA, Saade GR, Grunewald C, Dildy GA, Abedejos P, Herd JA, et al. Association of cerebral perfusion pressure with headache in women with pre-eclampsia. *Bjog Int J Obstetrics Gynaecol.* 1999a;106(8):814–21.
- Belfort MA, Varner MW, Dizon-Townson DS, Grunewald C, Nisell H. Cerebral perfusion pressure, and not cerebral blood flow, may be the critical determinant of intracranial injury in preeclampsia: A new hypothesis. *Am J Obstet Gynecol.* 2002;187(3):626–34.
- Bhide, A.; Acharya, G.; Baschat, A.; Bilardo, C.M.; Brezinka, C.; Cafici, D.; Ebbing, C.; Hernandez-Andrade, E.; Kalache, K.; Kingdom, J.; et al. ISUOG Practice Guidelines (Updated): Use of Doppler Velocimetry in Obstetrics. *Ultrasound Obstet. Gynecol.* 2021, 58, 331–339
- Borges JHA, Goes DA, Araújo LB de, Santos MC dos, Diniz ALD. Prospective study of the hemodynamic behavior of ophthalmic arteries in postpartum preeclamptic women: A doppler evaluation. *Hypertens Pregnancy.* 2016;35(1):100–11.
- Brown MA, Magee LA, Kenny LC, Karumanchi SA, McCarthy FP, Saito S, et al. The hypertensive disorders of pregnancy: ISSHP classification, diagnosis & management recommendations for international practice. *Pregnancy Hypertens.* 2018;13:291–310.
- Carneiro RS, Sass N, Diniz AL, Souza EV, Torloni MR, Moron AF. Ophthalmic artery Doppler velocimetry in healthy pregnancy. *Int J Gynecol Amp Obstetrics.* 2008;100(3):211–5.
- Caruana EJ, Roman M, Hernández-Sánchez J, Solli P. Longitudinal studies. *J Thorac Dis.* 2015;7(11):E537-40.
- Chapman AB, Abraham WT, Zamudio S, Coffin C, Merouani A, Young D, et al. Temporal relationships between hormonal and hemodynamic changes in early human pregnancy. *Kidney Int.* 1998;54(6):2056–63.
- Corrêa-Silva EP, Surita FG, Barbieri C, Morais SS, Cecatti JG. Reference values for Doppler velocimetry of the ophthalmic and central retinal arteries in low-risk pregnancy. *Int J Gynaecol Obstetrics Official Organ Int Fed Gynaecol Obstetrics.* 2012;117(3):251–6.



Dekker GA, Sibai BM. Etiology and pathogenesis of preeclampsia: Current concepts. Am J Obstet Gynecol. 1998;179(5):1359–75.

Diniz ALD, Moron AF, Santos MC dos, Sass N, Pires CR, Debs CL. Ophthalmic artery Doppler as a measure of severe pre-eclampsia. Int J Gynecol Amp Obstetrics. 2008;100(3):216–20.

Foo FL, McEnery CM, Lees C, Khalil A, Hemodynamics IWG on M. Assessment of arterial function in pregnancy: recommendations of the International Working Group on Maternal Hemodynamics. Ultrasound Obst Gyn. 2017;50(3):324–31.

Garovic VD, Dechend R, Easterling T, Karumanchi SA, McMurry Baird S, Magee LA et al. Hypertension in pregnancy, diagnosis, blood pressure goals, and pharmacotherapy: a scientific statement from the American Heart Association. Hypertension. 2022;79:e21-41

Giannina G, Belfort MA, Cruz AL, Herd JA. Persistent cerebrovascular changes in postpartum preeclamptic women: A Doppler evaluation. Am J Obstet Gynecol. 1997;177(5):1213–8.

Hata T, Hata K, Moritake K. Maternal ophthalmic artery Doppler velocimetry in normotensive pregnancies and pregnancies complicated by hypertensive disorders. Am J Obstet Gynecol. 1997;177(1):174–8.

Hata T, Senoh D, Hata K, Kitao M. Ophthalmic artery velocimetry in pregnant women. Lancet. 1992;340(8812):182–3.

Hata T, Senoh D, Hata K, Kitao M. Ophthalmic Artery Velocimetry in Preeclampsia. Gynecol Obstet Inves. 1995;40(1):32–5.

Ilham M, Akbar MA, Ermawati E. The Hypertension in Pregnancy Problems in Indonesia Peran IL-10 dan Indeks Resistensi Arteri Uterina dalam Memprediksi Pertumbuhan Janin Terhambat pada Preeklamsia Onset Dini View Project. <https://www.researchgate.net/publication/332212667>

Kalafat E, Laoreti A, Khalil A, Costa FDS, Thilaganathan B. Ophthalmic artery Doppler for prediction of pre-eclampsia: systematic review and meta-analysis: Ophthalmic artery Doppler and pre-eclampsia. Ultrasound Obst Gyn. 2018;51(6):731–7.

Kane SC, Brennecke SP, Costa F da S. Ophthalmic artery Doppler analysis: a window into the cerebrovasculature of women with pre-eclampsia. Ultrasound Obst Gyn. 2018;49(1):15–21.



Kane SC, Dennis A, Costa F da S, Kornman L, Brennecke S. Contemporary Clinical Management of the Cerebral Complications of Preeclampsia. *Obstetrics Gynecol Int.* 2013;2013:985606.

Kane SC, Khong SL, Costa F da S. Preeclampsia, Methods and Protocols. *Methods Mol Biology.* 2017;1710:1–8.

Kementerian Kesehatan Republik Indonesia. 2020. Profil Kesehatan Indonesia 2019. eds. Boga Hardhana, Farida Sibuea, and Winne Widiantini. Jakarta: Kementerian Kesehatan Republik Indonesia Sekretaris Jendral.

Magee LA, Smith GN, Bloch C, Côté AM, Jain V, Nerenberg K, et al. Guideline No. 426: Hypertensive Disorders of Pregnancy: Diagnosis, Prediction, Prevention, and Management. *J Obstetrics Gynaecol Can.* 2022;44(5):547–571.e1.

Matias DS, Costa RF, Matias B, Gordiano L, Correia LCL. Ophthalmic Artery Doppler Velocimetric Values in Pregnant Women at Risk for Preeclampsia. *J Ultras Med.* 2012;31(10):1659–64.

Matias DS, Costa RF, Matias BS, Gordiano L, Correia LCL. Predictive value of ophthalmic artery Doppler velocimetry in relation to development of pre-eclampsia. *Ultrasound Obst Gyn.* 2014;44(4):419–26.

Matias DS, Santos R, Ferreira T, Matias BS, Correia LCL. Predictive value of ophthalmic artery Doppler velocimetry in relation to hypertensive disorders of pregnancy. *J Clin Ultrasound Jcu.* 2019;48(7):388–95.

Meah VL, Cockcroft JR, Backx K, Shave R, Stöhr EJ. Cardiac output and related haemodynamics during pregnancy: a series of meta-analyses. *Heart.* 2016;102(7):518.

Melchiorre K, Sharma R, Khalil A, Thilaganathan B. Maternal Cardiovascular Function in Normal Pregnancy: Evidence of Maladaptation to Chronic Volume Overload. *Hypertension.* 2016;67(4):754–62.

Melchiorre K, Sharma R, Thilaganathan B. Cardiovascular Implications in Preeclampsia: An Overview. *Circulation.* 2014;130(8):703–14.

Melo NADB, Júnior EA, Helfer TM, Caetano ACR, Zamarian ACP, Moron AF, et al. Assessment of maternal Doppler parameters of ophthalmic artery in fetuses with growth restriction in the third trimester of pregnancy: A case-control study. *J Obstet Gynaecol Res.* 2015;41(9):1330–6.

Melo PFMV de, Roever L, Mendonça TMS, Costa F da S, Rolnik DL, Diniz ALD. Ophthalmic artery Doppler in the complementary diagnosis of preeclampsia: a systematic review and meta-analysis. *Bmc Pregnancy Childb.* 2023;23(1):343.



Mol BWJ, Roberts CT, Thangaratinam S, Magee LA, Groot CJM de, Hofmeyr GJ. Pre-eclampsia. *Lancet*. 2016;387(10022):999–1011.

Monteiro VNP, Sá RAM de, Oliveira CA de, Vellarde G. Doppler Velocimetry of the Ophthalmic Artery Behavior in Twin Pregnancy. *Ultrasound Q*. 2020;36(3):263–7.

Mou AD, Barman Z, Hasan M, Miah R, Hafsa JM, Das Trisha A, Ali N. Prevalence of preeclampsia and the associated risk factors among pregnant women in Bangladesh. *Sci Rep*. 2021 Oct 29;11(1):21339

Nakatsuka M, Takata M, Tada K, Kudo T. Effect of a Nitric Oxide Donor on the Ophthalmic Artery Flow Velocity Waveform in Preeclamptic Women. *J Ultras Med*. 2002;21(3):309–13.

Nicolaides KH, Sarno M, Wright A. Ophthalmic artery Doppler in the prediction of preeclampsia. *Am J Obstet Gynecol*. 2022;226(2):S1098–101.

Ohno Y, Kawai M, Wakahara Y, Kitagawa T, Kakihara M, Arii Y. Ophthalmic Artery Velocimetry in Normotensive and Preeclamptic Women With or Without Photophobia. *Obstetrics Gynecol*. 1999;94(3):361–3.

Oliveira CA de, Sá RAM de, Velarde LGC, Marchiori E, Netto HC, Ville Y. Doppler velocimetry of the ophthalmic artery in normal pregnancy: reference values. *J Ultrasound Medicine Official J Am Inst Ultrasound Medicine*. 2009;28(5):563–9.

Oliveira CA de, Sá RAM de, Velarde LGC, Silva FC da, Vale FA do, Netto HC. Changes in Ophthalmic Artery Doppler Indices in Hypertensive Disorders During Pregnancy. *J Ultras Med*. 2013;32(4):609–19.

Onwudiegwu C, Adekanmi A, Olusanya B, Lawal O, Adedokun B, Morhason-Bello I, et al. Case-control study on ocular changes and ophthalmic Doppler velocimetric indices among preeclamptic and normotensive pregnant women in Ibadan, Nigeria. *BMJ Open Ophthalmol*. 2020;5(1):e000550.

Ozdemir ME, Demirci O, Ozturkmen HA, Ulusoy NB, Ohanoglu K, Cilingir IU. What Is the Role of the Maternal Ophthalmic and Cervical Internal Carotid Arteries in Predicting Maternal Adverse Outcomes in Preeclampsia? *J Ultrasound Medicine*. 2020;39(8):1527–35.

Paes MMBM, Diniz ALD. Chronic perfusion changes and reduction in preeclampsia incidence in pregnant smokers: an ophthalmic artery Doppler study. *J Maternal-fetal Neonatal Medicine*. 2015;28(17):2074–9.

Richards A, Graham D, Bullock R. Clinicopathological study of neurological complications due to hypertensive disorders of pregnancy. *J Neurology Neurosurg Psychiatry*. 1988;51(3):416.



- Robson SC. Assessment of hemodynamics using doppler ultrasound. *Ultrasound Obstet Gynecol* 2000; 15: 456–459.
- Safar ME, Levy BI, Struijker-Boudier H. Current Perspectives on Arterial Stiffness and Pulse Pressure in Hypertension and Cardiovascular Diseases. *Circulation*. 2003;107(22):2864–9.
- Sarno M, Wright A, Vieira N, Sapantzoglou I, Charakida M, Nicolaides KH. Ophthalmic artery Doppler in prediction of pre-eclampsia at 35–37 weeks' gestation. *Ultrasound Obst Gyn*. 2020;56(5):717–24.
- Takata M, Nakatsuka M, Kudo T. Differential Blood Flow in Uterine, Ophthalmic, and Brachial Arteries of Preeclamptic Women. *Obstetrics Gynecol*. 2002;100(5, Part 1):931–9.
- Thilaganathan B. Pre-eclampsia and the cardiovascular-placental axis: Pre-eclampsia and the cardiovascular-placental axis. *Ultrasound Obstet Gynecol*. 2018;51(6):714–7.
- Thilaganathan B, Kalafat E. Cardiovascular System in Preeclampsia and Beyond. *Hypertension*. 2019;73(3):522–31.
- Tranquilli AL, Brown MA, Zeeman GG, Dekker G, Sibai BM. The definition of severe and early-onset preeclampsia. Statements from the International Society for the Study of Hypertension in Pregnancy (ISSHP). *Pregnancy Hypertens Int J Women's Cardiovasc Heal*. 2013;3(1):44–7.
- Umesawa M, Kobashi G. Epidemiology of hypertensive disorders in pregnancy: prevalence, risk factors, predictors and prognosis. *Hypertens Res*. 2017; 40(3): 213-20
- Veen TR van, Panerai RB, Haeri S, Griffioen AC, Zeeman GG, Belfort MA. Cerebral Autoregulation in Normal Pregnancy and Preeclampsia. *Obstetrics Gynecol*. 2013;122(5):1064–9.
- Wang J, Hu H, Liu X, Zhao S, Zheng Y, Jia Z, Chen L, Zhang C, Xie X, Zhong J, Dong Y, Liu J, Lu Y, Zhao Z, Zhai Y, Zhao J, Cao Z. Predictive values of various serum biomarkers in women with suspected preeclampsia: A prospective study. *J Clin Lab Anal*. 2021 May;35(5):e23740
- Williamson TH, Harris A. Color Doppler ultrasound imaging of the eye and orbit. *Surv Ophthalmol*. 1996;40(4):255–67.
- Wójtowicz A, Zembala-Szczerba M, Babczyk D, Kołodziejczyk-Pietruszka M, Lewaczyńska O, Huras H. Early- and Late-Onset Preeclampsia: A Comprehensive Cohort Study of Laboratory and Clinical Findings according to the New ISHHP Criteria. *Int J Hypertens*. 2019;2019:4108271.



Zeeman GG. Neurologic Complications of Pre-eclampsia. Semin Perinatol.
2009;33(3):166–72.