

REFERENSI

- Alqurashi, A. F., & Kumar, L. (2013). Investigating the Use of Remote Sensing and GIS Techniques to Detect Land Use and Land Cover Change: A Review. *Advances in Remote Sensing*, 02(02), 193–204. <https://doi.org/10.4236/ars.2013.22022>
- Ananda, I. N., Umela, A. F., Ratnasari, N., Putri, D. A., Wulandari, Y. S., & Danoedoro, P. (2019). Development of land-cover spatial database using satellite imagery: lesson learned from southern part of Sumatera. In S. B. Wibowo, A. B. Rimba, A. A. Aziz, S. Phinn, J. T. Sri Sumantyo, H. Widyasamratri, & S. Arjasakusuma (Eds.), *Sixth Geoinformation Science Symposium* (Issue March 2021, p. 32). SPIE. <https://doi.org/10.1117/12.2548890>
- Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, R. E. (1976). *A Land Use And Land Cover Classification System For Use With Remote Sensor Data* (Vol. 1). <https://pubs.er.usgs.gov/publication/pp964>
- Aplin, P. (2003). Using Remote Sensing. In N. Clifford, M. Cope, & T. Gillespie (Eds.), *Key Methods in Geography* (pp. 291–308). SAGE Publication.
- Aplin, P. (2004). Remote sensing: Land cover. *Progress in Physical Geography*, 28(2), 283–293. <https://doi.org/10.1191/0309133304pp413pr>
- Araya, Y. H., & Hergarten, C. (2008). A comparison of pixel and object-based land cover classification: a case study of the Asmara region, Eritrea. *Geo-Environment and Landscape Evolution III, I*, 233–243. <https://doi.org/10.2495/GEO080231>
- Arnett, J. T. T. R., Coops, N. C., Gergel, S. E., Falls, R. W., & Baker, R. H. (2014). Detecting stand-replacing disturbance using RapidEye imagery: A tasseled cap transformation and modified disturbance index. *Canadian Journal of Remote Sensing*, 40(1), 1–14. <https://doi.org/10.1080/07038992.2014.899878>
- Aronoff, S. (2005). *Remote Sensing for GIS Managers* (1st ed.). Esri Press.
- Arvor, D., Jonathan, M., Meirelles, M. S. P., Dubreuil, V., & Durieux, L. (2011). Classification of MODIS EVI time series for crop mapping in the state of Mato Grosso, Brazil. *International Journal of Remote Sensing*, 32(22), 7847–7871. <https://doi.org/10.1080/01431161.2010.531783>
- Atkinson, P. M. (2005). Sub-pixel Target Mapping from Soft-classified, Remotely Sensed Imagery. *Photogrammetric Engineering & Remote Sensing*, 71(7), 839–846. <https://doi.org/10.14358/PERS.71.7.839>
- Baig, M. H. A., Zhang, L., Shuai, T., & Tong, Q. (2014). Derivation of a tasselled cap transformation based on Landsat 8 at-satellite reflectance. *Remote Sensing Letters*, 5(5), 423–431. <https://doi.org/10.1080/2150704X.2014.915434>
- Baker, C., Lawrence, R. L., Montagne, C., & Patten, D. (2007). Change detection of wetland ecosystems using Landsat imagery and change vector analysis. *Wetlands*, 27(3), 610–619. [https://doi.org/10.1672/0277-5212\(2007\)27\[610:CDOWEU\]2.0.CO;2](https://doi.org/10.1672/0277-5212(2007)27[610:CDOWEU]2.0.CO;2)
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Benediktsson, J. A., Swain, P. H., & Ersoy, O. K. (1990). Neural Network Approaches Versus Statistical Methods In Classification Of Multisource Remote Sensing Data. *IEEE Transactions on Geoscience and Remote Sensing*, 28(4), 540–552. <https://doi.org/10.1109/TGRS.1990.572944>
- Bhatta, B. (2013). Introduction to Remote Sensing and Research. In *Research Methods in Remote Sensing* (pp. 1–20). Springer. https://doi.org/10.1007/978-94-007-6594-8_1
- Blaschke, T. (2010). Object based image analysis for remote sensing. *ISPRS Journal of Photogrammetry and Remote Sensing*, 65(1), 2–16. <https://doi.org/10.1016/j.isprsjprs.2009.06.004>



- Bouhennache, R., Bouden, T., Taleb, A. A., & Chaddad, A. (2015). Extraction of urban land features from TM Landsat image using the land features index and Tasseled cap transformation. *Recent Advances in Electrosience and Computers*, 2(7), 142–147.
- Breiman, L. (2001). Random Forest. *Machine Learning*, 45, 5–32. <https://doi.org/https://doi.org/10.1023/A:1010933404324>
- BSN (Badan Standarisasi Nasional). (2010). *Standar Nasional Indonesia 7645:2010 Tentang Klasifikasi Penutup Lahan*. BSN.
- BSN (Badan Standarisasi Nasional). (2014). *Standar Nasional Indonesia 7645-1:2014 Tentang Klasifikasi Penutup Lahan Bagian 1 - Skala Kecil dan Menengah*. BSN.
- Cai, G., Ren, H., Yang, L., Zhang, N., Du, M., & Wu, C. (2019). Detailed Urban Land Use Land Cover Classification at the Metropolitan Scale Using a Three-Layer Classification Scheme. *Sensors*, 19(14), 3120. <https://doi.org/10.3390/s19143120>
- Campbell, J. B. (1981). Spatial Correlation Effects upon Accuracy of Supervised Classification of Land Cover. *Photogrammetric Engineering & Remote Sensing*, 47(3), 355–363.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). The Guilford Press.
- Chen, C., Bu, J., Zhang, Y., Zhuang, Y., Chu, Y., Hu, J., & Guo, B. (2019). The application of the tasseled cap transformation and feature knowledge for the extraction of coastline information from remote sensing images. *Advances in Space Research*, 64(9), 1780–1791. <https://doi.org/10.1016/j.asr.2019.07.032>
- Chen, C., Fu, J., Zhang, S., & Zhao, X. (2019). Coastline information extraction based on the tasseled cap transformation of Landsat-8 OLI images. *Estuarine, Coastal and Shelf Science*, 217(October 2018), 281–291. <https://doi.org/10.1016/j.ecss.2018.10.021>
- Chen, C. H., & Peter Ho, P.-G. (2008). Statistical pattern recognition in remote sensing. *Pattern Recognition*, 41(9), 2731–2741. <https://doi.org/10.1016/j.patcog.2008.04.013>
- Chen, F., Zhang, W., Song, Y., Liu, L., & Wang, C. (2023). Comparison of Simulated Multispectral Reflectance among Four Sensors in Land Cover Classification. *Remote Sensing*, 15(9), 2373. <https://doi.org/10.3390/rs15092373>
- Chen, Y., Zhou, Y., Ge, Y., An, R., & Chen, Y. (2018). Enhancing land cover mapping through integration of pixel-based and object-based classifications from remotely sensed imagery. *Remote Sensing*, 10(1). <https://doi.org/10.3390/rs10010077>
- Cheridayat, A. M. (2003). *Limitations of Principal Component Analysis for Dimensionality-Reduction for Classification of Hyperspectral Data*. Mississippi State University.
- Cihlar, J. (2000). Land cover mapping of large areas from satellites: Status and research priorities. *International Journal of Remote Sensing*, 21(6–7), 1093–1114. <https://doi.org/10.1080/014311600210092>
- Cihlar, J., & Jansen, L. J. M. (2001). From Land Cover to Land Use: A Methodology for Efficient Land Use Mapping over Large Areas. *The Professional Geographer*, 53(2), 275–289. <https://doi.org/10.1080/00330124.2001.9628460>
- Comber, A. J., Wadsworth, R. A., & Fisher, P. F. (2008). Using semantics to clarify the conceptual confusion between land cover and land use : the example of ‘forest.’ *Journal of Land Use Science*, 3(2–3), 185–198. <https://doi.org/10.1080/17474230802434187>
- Congalton, R. G., & Green, K. (2008). *Assessing the Accuracy of Remotely Sensed Data* (2nd ed.). CRC Press. <https://doi.org/10.1201/9781420055139>
- Congalton, R., Gu, J., Yadav, K., Thenkabail, P., & Ozdogan, M. (2014). Global Land Cover Mapping: A Review and Uncertainty Analysis. *Remote Sensing*, 6(12), 12070–12093. <https://doi.org/10.3390/rs61212070>
- Crawford, C. J., Roy, D. P., Arab, S., Barnes, C., Vermote, E., Hulley, G., Gerace, A., Choate, M., Engebretson, C., Micijevic, E., Schmidt, G., Anderson, C., Anderson, M.,

- Bouchard, M., Cook, B., Dittmeier, R., Howard, D., Jenkerson, C., Kim, M., ... Zahn, S. (2023). The 50-year landsat collection 2 archive. *Science of Remote Sensing*, 8(September), 100103. <https://doi.org/10.1016/j.srs.2023.100103>
- Crippen, R., Buckley, S., Agram, P., Belz, E., Gurrola, E., Hensley, S., Kobrick, M., Lavalley, M., Martin, J., Neumann, M., Nguyen, Q., Rosen, P., Shimada, J., Simard, M., & Tung, W. (2016). NASADEM Global Elevation Model: Methods And Progress. *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, XLI-B4*, 125–128. <https://doi.org/10.5194/isprsarchives-XLI-B4-125-2016>
- Crist, E. P., & Cicone, R. C. (1984). A Physically-Based Transformation of Thematic Mapper Data-The TM Tasseled Cap. *IEEE Transactions on Geoscience and Remote Sensing*, 3, 256–263.
- Curran, P. . (1985). *Principle of Remote Sensing*. Longman.
- Danoedoro, P. (2003). Multisource classification for land-use mapping based on spectral, textural, and terrain information using landsat thematic mapper imagery: A Case Study of Semarang-Ungaran Area, Central Java. *Indonesian Journal of Geography*, 35(2), 81. <https://doi.org/10.22146/ijg.57273>
- Danoedoro, P. (2006). Extracting Land-Use Information Related to Socio-Economic Function From Quickbird Imagery: A Case Study of Semarang Area, Indonesia. *Map Asia*, 1(August).
- Danoedoro, P. (2008a). *Land Use Information From Satellite Imagery: Versatility and Contents for Local Physical Planning* (1st ed.). Lambert Academic Publishing.
- Danoedoro, P. (2008b). Physical Planning and the Need for Versatile Land-use Information : A Geoinformation Technology Perspective on the Classification System Development Physical Planning and the Need for Versatile Land-Use Information : A Geoinformation Technology Perspectiv. In C. Knie & Shahnawaz (Eds.), *Geographical Information Science for Urban and Regional Development in Asia and Africa* (1st ed., Issue December, pp. 1–12). Department of Geography, University of Cologne, Germany.
- Danoedoro, P. (2012). *Penginderaan Jauh Digital* (1st ed.). Andi Yogyakarta.
- Danoedoro, P. (2019). Multidimensional land-use information for local planning and land resources assessment in Indonesia: Classification scheme for information extraction from high-spatial resolution imagery. *Indonesian Journal of Geography*, 51(2), 131–146. <https://doi.org/10.22146/ijg.32781>
- Danoedoro, P., Ananda, I. N., Kartika, C. S. D., Umela, A. F., & Indayani, A. B. (2020). Testing a detailed classification scheme for land-cover/ land-use mapping of typical Indonesian landscapes: case study of Sarolangun, Jambi and Salatiga, Central Java. *Indonesian Journal of Geography*, 52(3), 327. <https://doi.org/10.22146/ijg.50080>
- Danoedoro, P., Ananda, I. N., Wulandari, Y., Umela, A. F., Ratnasari, N., Rasyidi, E. S., Pahlefi, M. R., Ramadanningrum, D. P., Kulsum, I. I., Juniansah, A., Tyas, B. I., Rosalina, L., & Narmaningrum, D. A. (2019). Developing interpretation methods for detailed categorisation-based land-cover/land-use mapping at 1:50,000 scale in Indonesia. In T. D. Pham, K. D. Kanniah, K. Arai, G. J. P. Perez, Y. Setiawan, L. B. Prasetyo, & Y. Murayama (Eds.), *Sixth International Symposium on LAPAN-IPB Satellite* (Vol. 1137205, Issue December, p. 116). SPIE. <https://doi.org/10.1117/12.2541857>
- Danoedoro, P., Phinn, S., & McDonald, G. (2004). Developing A Versatile Land-Use Information System Based on Satellite Imagery for Local Planning in Indonesia Phase I : Establishment of Classification Scheme. *GISDECO 2004: 7th Seventh International on GIS in Developing Countries*, May, 10–12.
- Danoedoro, P., Widayani, P., Hidayati, I. N., Kartika, C. S. D., & Alfani, F. (2024). Incorporating landscape ecological approach in machine learning classification for

- agricultural land-use mapping based on a single date imagery. *Geocarto International*, 39(1). <https://doi.org/10.1080/10106049.2024.2356844>
- DeFries, R. S., & Chan, J. C.-W. (2000). Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data. *Remote Sensing of Environment*, 74(3), 503–515. [https://doi.org/10.1016/S0034-4257\(00\)00142-5](https://doi.org/10.1016/S0034-4257(00)00142-5)
- DeFries, R. S., Houghton, R. A., Hansen, M. C., Field, C. B., Skole, D., & Townshend, J. (2002). Carbon emissions from tropical deforestation and regrowth based on satellite observations for the 1980s and 1990s. *Proceedings of the National Academy of Sciences*, 99(22), 14256–14261. <https://doi.org/10.1073/pnas.182560099>
- Dharani, M., & Sreenivasulu, G. (2021). Land use and land cover change detection by using principal component analysis and morphological operations in remote sensing applications. *International Journal of Computers and Applications*, 43(5), 462–471. <https://doi.org/10.1080/1206212X.2019.1578068>
- Di Gregorio, A., & Jansen, L. J. . (2001). Land Cover Classification System: Classification Concepts and User Manual. In *United Nations Environment Programme* (2nd ed.). Food and Agriculture Organization (FAO).
- Di Gregorio, A., & O'Brien, D. (2012). Overview of Land-Cover Classifications and Their Interoperability. In C. P. Giri (Ed.), *Remote Sensing of Land Use and Land Cover: Principle and Application* (1st ed.). Taylor & Francis.
- Dorren, L. K. A., Maier, B., & Seijmonsbergen, A. C. (2003). Improved Landsat-based forest mapping in steep mountainous terrain using object-based classification. *Forest Ecology and Management*, 183(1–3), 31–46. [https://doi.org/10.1016/S0378-1127\(03\)00113-0](https://doi.org/10.1016/S0378-1127(03)00113-0)
- Doyle, F. . (1984). Surveying and mapping with space data. *ITC Journal*, 4, 314–321.
- Dwiputra, A. J., Suharyadi, R., & Danoedoro, P. (2016). Pengaruh Jumlah Kelas Dan Skema Klasifikasi Terhadap Akurasi Informasi Penggunaan Lahan Hasil Klasifikasi Berbasis Objek Dengan Teknik Support Vector Machine Di Sebagian Kabupaten Kebumen Provinsi Jawa Tengah. *Majalah Geografi Indonesia*, 30(2), 120. <https://doi.org/10.22146/mgi.15632>
- Dymond, C. C., Mladenoff, D. J., & Radeloff, V. C. (2002). Phenological differences in Tasseled Cap indices improve deciduous forest classification. *Remote Sensing of Environment*, 80(3), 460–472. [https://doi.org/10.1016/S0034-4257\(01\)00324-8](https://doi.org/10.1016/S0034-4257(01)00324-8)
- Eisavi, V., Homayouni, S., Yazdi, A. M., & Alimohammadi, A. (2015). Land cover mapping based on random forest classification of multitemporal spectral and thermal images. *Environmental Monitoring and Assessment*, 187(5), 291. <https://doi.org/10.1007/s10661-015-4489-3>
- Enderle, D. I., & Weih Jr, R. C. (2005). Integrating Supervised and Unsupervised Classification Methods to Develop a More Accurate Land Cover Classification. *Journal of the Arkansas Academy of Science*, 59, 10. <http://scholarworks.uark.edu/jaashttp://scholarworks.uark.edu/jaas/vol59/iss1/10>
- Estornell, J., Martí-Gavliá, J. M., Sebastiá, M. T., & Mengual, J. (2013). Principal component analysis applied to remote sensing. *Modelling in Science Education and Learning*, 6(7), 83. <https://doi.org/10.4995/msel.2013.1905>
- Feizizadeh, B., Omarzadeh, D., Kazemi Garajeh, M., Lakes, T., & Blaschke, T. (2023). Machine learning data-driven approaches for land use/cover mapping and trend analysis using Google Earth Engine. *Journal of Environmental Planning and Management*, 66(3), 665–697. <https://doi.org/10.1080/09640568.2021.2001317>
- Feng, M., & Bai, Y. (2019). A global land cover map produced through integrating multi-source datasets. *Big Earth Data*, 3(3), 191–219. <https://doi.org/10.1080/20964471.2019.1663627>
- Feng, M., & Li, X. (2020). Land cover mapping toward finer scales. *Science Bulletin*, 65(19),

- Feranec, J., Solin, L., Kopecka, M., Otahel, J., Kupkova, L., Stych, P., Bicik, I., Kolar, J., Cerba, O., Soukup, T., & Brodsky, L. (2014). Analysis and expert assessment of the semantic similarity between land cover classes. *Progress in Physical Geography*, 38(3), 301–327. <https://doi.org/10.1177/0309133314532001>
- Fisher, P., Comber, A. J., & Wadsworth, R. (2005). Land Use and Land Cover: Contradiction or Complement. In P. Fisher & D. J. Unwin (Eds.), *Re-presenting GIS*. John Wiley and Sons.
- Fitzpatrick-Lins, K. (1981). Comparison of sampling procedures and data analysis for a land-use and land-cover map. *Photogrammetric Engineering & Remote Sensing*, 47(3), 343–351.
- Foody, G. M. (2002a). Hard and soft classifications by a neural network with a non-exhaustively defined set of classes. *International Journal of Remote Sensing*, 23(18), 3853–3864. <https://doi.org/10.1080/01431160110109570>
- Foody, G. M. (2002b). Status of land cover classification accuracy assessment. *Remote Sensing of Environment*, 80(1), 185–201. [https://doi.org/10.1016/S0034-4257\(01\)00295-4](https://doi.org/10.1016/S0034-4257(01)00295-4)
- Foody, G. M. (2004a). Sub-Pixel Methods in Remote Sensing. In S. M. . Jong & F. D. . Meer (Eds.), *Remote Sensing Image Analysis: Including The Spatial Domain. Remote Sensing and Digital Image Processing, vol 5* (pp. 37–49). Springer. https://doi.org/10.1007/978-1-4020-2560-0_3
- Foody, G. M. (2004b). Thematic Map Comparison: Evaluating the Statistical Significance of Differences in Classification Accuracy. *Photogrammetric Engineering & Remote Sensing*, 70(5), 627–633. <https://doi.org/10.14358/PERS.70.5.627>
- Foody, G. M. (2020). Explaining the unsuitability of the kappa coefficient in the assessment and comparison of the accuracy of thematic maps obtained by image classification. *Remote Sensing of Environment*, 239, 111630. <https://doi.org/10.1016/j.rse.2019.111630>
- Foody, G. M. (2024). Ground Truth in Classification Accuracy Assessment: Myth and Reality. *Geomatics*, 4(1), 81–90. <https://doi.org/10.3390/geomatics4010005>
- Foody, G. M., & Arora, M. K. (1997). An evaluation of some factors affecting the accuracy of classification by an artificial neural network. *International Journal of Remote Sensing*, 18(4), 799–810. <https://doi.org/10.1080/014311697218764>
- Foody, G. M., & Mathur, A. (2004). Toward intelligent training of supervised image classifications: directing training data acquisition for SVM classification. *Remote Sensing of Environment*, 93(1–2), 107–117. <https://doi.org/10.1016/j.rse.2004.06.017>
- Foody, G. M., Sargent, I. M. J., Atkinson, P. M., & Williams, J. W. (2001). Land cover classification from hyperspectral remotely sensed data: an investigation of spectral, spatial and noise issues. *IGARSS 2001. Scanning the Present and Resolving the Future. Proceedings. IEEE 2001 International Geoscience and Remote Sensing Symposium (Cat. No.01CH37217)*, 6, 2728–2730. <https://doi.org/10.1109/IGARSS.2001.978143>
- Franklin, S. E., & Wulder, M. A. (2002). Remote sensing methods in medium spatial resolution satellite data land cover classification of large areas. *Progress in Physical Geography*, 26(2), 173–205. <https://doi.org/10.1191/0309133302pp332ra>
- Gao, J. (2009). Digital Analysis Of Remotely Sensed Imagery. In *McGraw-Hill* (Vol. 4, Issue 3). McGraw-Hill.
- García-álvarez, D., Teresa, M., & Olmedo, C. (2022). Land Use Cover Datasets and Validation Tools. In D. García-Álvarez, M. T. Camacho Olmedo, M. Paegelow, & J. F. Mas (Eds.), *Springer*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-90998-7>
- Ghasempour, F., Sekertekin, A., & Kutoglu, S. H. (2023). How Landsat 9 Is Superior To

Landsat 8: Comparative Assessment of Land Use Land Cover Classification and Land Surface Temperature. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 10(4/W1-2022), 221–227. <https://doi.org/10.5194/isprs-annals-X-4-W1-2022-221-2023>

- Giri, C. P. (2012a). Brief Overview of Remote Sensing of Land Cover. In C. P. Giri (Ed.), *Remote Sensing of Land Use and Land Cover: Principle and Application* (1st ed.). Taylor & Francis.
- Giri, C. P. (2012b). *Remote Sensing of Land Use and Land Cover: Principle and Applications* (1st ed., Vol. 4, Issue 1). Taylor & Francis.
- Giri, C., Pengra, B., Long, J., & Loveland, T. R. (2013). Next generation of global land cover characterization, mapping, and monitoring. *International Journal of Applied Earth Observation and Geoinformation*, 25, 30–37. <https://doi.org/10.1016/j.jag.2013.03.005>
- Gislason, P. O., Benediktsson, J. A., & Sveinsson, J. R. (2006). Random forests for land cover classification. *Pattern Recognition Letters*, 27(4), 294–300. <https://doi.org/10.1016/j.patrec.2005.08.011>
- Gómez, C., White, J. C., & Wulder, M. A. (2016). Optical remotely sensed time series data for land cover classification: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 116, 55–72. <https://doi.org/10.1016/j.isprsjprs.2016.03.008>
- Griffiths, P., van der Linden, S., Kuemmerle, T., & Hostert, P. (2013). A Pixel-Based Landsat Compositing Algorithm for Large Area Land Cover Mapping. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 6(5), 2088–2101. <https://doi.org/10.1109/JSTARS.2012.2228167>
- Hermosilla, T., Wulder, M. A., White, J. C., & Coops, N. C. (2022). Land cover classification in an era of big and open data: Optimizing localized implementation and training data selection to improve mapping outcomes. *Remote Sensing of Environment*, 268, 112780. <https://doi.org/10.1016/j.rse.2021.112780>
- Herold, M., & Di Gregorio, A. (2012). Evaluating Land-Cover Legends Using the UN Land-Cover Classification System. In C. P. Giri (Ed.), *Remote Sensing of Land Use and Land Cover: Principle and Application* (1st ed.). Taylor & Francis.
- Hirayama, H., Sharma, R. C., Tomita, M., & Hara, K. (2019). Evaluating multiple classifier system for the reduction of salt-and-pepper noise in the classification of very-high-resolution satellite images. *International Journal of Remote Sensing*, 40(7), 2542–2557. <https://doi.org/10.1080/01431161.2018.1528400>
- Houghton, R. A., House, J. I., Pongratz, J., van der Werf, G. R., DeFries, R. S., Hansen, M. C., Le Quéré, C., & Ramankutty, N. (2012). Carbon emissions from land use and land-cover change. *Biogeosciences*, 9(12), 5125–5142. <https://doi.org/10.5194/bg-9-5125-2012>
- Huang, C., Wylie, B., Yang, L., Homer, C., & Zylstra, G. (2002). Derivation of a tasseled cap transformation based on Landsat 7 at-satellite reflectance. *International Journal of Remote Sensing*, 23(8), 1741–1748. <https://doi.org/10.1080/01431160110106113>
- Huang, X., & Jensen, J. R. (1997). A Machine-Learning Approach to Automated Knowledge-Base Building for Remote Sensing Image Analysis with GIS Data. *Photogrammetric Engineering & Remote Sensing*, 63(10), 1185–1194.
- Hubert-Moy, L., Cotonnec, A., Le Du, L., Chardin, A., & Perez, P. (2001). A Comparison of Parametric Classification Procedures of Remotely Sensed Data Applied on Different Landscape Units. *Remote Sensing of Environment*, 75(2), 174–187. [https://doi.org/10.1016/S0034-4257\(00\)00165-6](https://doi.org/10.1016/S0034-4257(00)00165-6)
- Hussain, M., Chen, D., Cheng, A., Wei, H., & Stanley, D. (2013). Change detection from remotely sensed images: From pixel-based to object-based approaches. *ISPRS Journal of Photogrammetry and Remote Sensing*, 80, 91–106.

- Irons, J. R., Dwyer, J. L., & Barsi, J. A. (2012). The next Landsat satellite: The Landsat Data Continuity Mission. *Remote Sensing of Environment*, 122, 11–21. <https://doi.org/10.1016/j.rse.2011.08.026>
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th ed., Vol. 4, Issue 1). Pearson Series in Geographic Information Science.
- Jia, K., Wei, X., Gu, X., Yao, Y., Xie, X., & Li, B. (2014). Land cover classification using Landsat 8 Operational Land Imager data in Beijing, China. *Geocarto International*, 29(8), 941–951. <https://doi.org/10.1080/10106049.2014.894586>
- Jin, Y., Liu, X., Chen, Y., & Liang, X. (2018). Land-cover mapping using Random Forest classification and incorporating NDVI time-series and texture: a case study of central Shandong. *International Journal of Remote Sensing*, 39(23), 8703–8723. <https://doi.org/10.1080/01431161.2018.1490976>
- Kannegeiter, A. (1988). Mapping Land Use. In A. . Küchler & I. . Zonneveld (Eds.), *Vegetation Mapping* (10th ed.). Dordrecht: Kluwer Academic Publisher.
- Kaur, R., & Pandey, P. (2022). A review on spectral indices for built-up area extraction using remote sensing technology. *Arabian Journal of Geosciences*, 15(5). <https://doi.org/10.1007/s12517-022-09688-x>
- Kauth, R. J., & Thomas, G. . (1976). Tasseled Cap - A Graphic Description of the Spectral-Temporal Development of Agricultural Crops As Seen By Landsat. *Symposium on Machine Processing of Remotely Sensed Data*, 41–51.
- Khatami, R., Mountrakis, G., & Stehman, S. V. (2016). A meta-analysis of remote sensing research on supervised pixel-based land-cover image classification processes: General guidelines for practitioners and future research. *Remote Sensing of Environment*, 177, 89–100. <https://doi.org/10.1016/j.rse.2016.02.028>
- Klonus, S., & Ehlers, M. (2009). Performance of evaluation methods in image fusion. *12th International Conference on Information Fusion*, 1409–1416.
- Knight, J. F., & Lunetta, R. S. (2003). An experimental assessment of minimum mapping unit size. *IEEE Transactions on Geoscience and Remote Sensing*, 41(9), 2132–2134. <https://doi.org/10.1109/TGRS.2003.816587>
- Leben, C. A., & Brower, B. V. (2000). *Process for enhancing the spatial resolution of multispectral imagery using pan-sharpening* (Patent No. 6011875). US Patent. <https://www.freepatentsonline.com/6011875.html>
- Lein, J. . (2003). *Integrated Enviromental Planning*. Blackwell Publishing.
- Li, G., Lu, D., Moran, E., & Sant’Anna, S. J. S. (2012). Comparative analysis of classification algorithms and multiple sensor data for land use/land cover classification in the Brazilian Amazon. *Journal of Applied Remote Sensing*, 6(1), 061706. <https://doi.org/10.1117/1.JRS.6.061706>
- Li, W., Liu, H., Wang, Y., Li, Z., Jia, Y., & Gui, G. (2019). Deep Learning-Based Classification Methods for Remote Sensing Images in Urban Built-Up Areas. *IEEE Access*, 7, 36274–36284. <https://doi.org/10.1109/ACCESS.2019.2903127>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). Remote Sensing and Image Interpretation. In *Wiley* (7th ed., Vol. 7, Issue April). John Wilery and Sons.
- Lindgren, D. T. (1985). *Land Use Planning and Remote Sensing*. Martinus Nijhoff.
- Ling, F., & Foody, G. M. (2019). Super-resolution land cover mapping by deep learning. *Remote Sensing Letters*, 10(6), 598–606. <https://doi.org/10.1080/2150704X.2019.1587196>
- Liu, D., & Xia, F. (2010). Assessing object-based classification: advantages and limitations. *Remote Sensing Letters*, 1(4), 187–194. <https://doi.org/10.1080/01431161003743173>
- Liu, Q., Guo, Y., Liu, G., & Zhao, J. (2014). Classification of landsat 8 OLI image using

- support vector machine with tasseled cap transformation. *2014 10th International Conference on Natural Computation, ICNC 2014, 2013*, 665–669. <https://doi.org/10.1109/ICNC.2014.6975915>
- Liu, Q., & Liu, G. (2010). Combining tasseled cap transformation with support vector machine to classify landsat TM imagery data. *Proceedings - 2010 6th International Conference on Natural Computation, ICNC 2010, 7(Icnc)*, 3570–3572. <https://doi.org/10.1109/ICNC.2010.5582727>
- Liu, X. H., Skidmore, A. K., & Van Oosten, H. (2002). Integration of classification methods for improvement of land-cover map accuracy. *ISPRS Journal of Photogrammetry and Remote Sensing*, *56*(4), 257–268. [https://doi.org/10.1016/S0924-2716\(02\)00061-8](https://doi.org/10.1016/S0924-2716(02)00061-8)
- Lobser, S. E., & Cohen, W. B. . (2007). MODIS tasselled cap: land cover characteristics expressed through transformed MODIS data. *International Journal of Remote Sensing*, *28*(22), 5079–5101. <https://doi.org/10.1080/01431160701253303>
- Loveland, T. R. (2012). History of Land Cover Mapping. In C. P. Giri (Ed.), *Remote Sensing of Land Use and Land Cover: Principle and Application* (1st ed.). Taylor and Francis.
- Loveland, T. R., Sohl, T., Stehman, S. V., Gallant, A. ., Sayler, K. ., & Naptop, D. . (2002). A strategy for estimating the rates of recent United States land-cover changes. *Photogrammetric Engineering and Remote Sensing*, *68*(10), 1091–1099.
- Lu, D., & Weng, Q. (2007). A survey of image classification methods and techniques for improving classification performance. *International Journal of Remote Sensing*, *28*(5), 823–870. <https://doi.org/10.1080/01431160600746456>
- Lu, D., Weng, Q., Moran, E., Li, G., & Hetrick, S. (2011). Remote Sensing Image Classification. In Q. Weng (Ed.), *Advances in Environmental Remote Sensing: Sensors, Algorithms, and Applications* (1st ed.). CRC Press. <https://doi.org/https://doi.org/10.1201/b10599>
- Lumbierres, M., Dahal, P. R., Di Marco, M., Butchart, S. H. M., Donald, P. F., & Rondinini, C. (2022). Translating habitat class to land cover to map area of habitat of terrestrial vertebrates. *Conservation Biology*, *36*(3). <https://doi.org/10.1111/cobi.13851>
- Lunetta, R. S., Congalton, R. G., Fenstermaker, L. K., Jensen, J. R., McGwire, K. C., & Tinney, L. R. (1991). Remote Sensing and Geographic Information System Data Integration: Error Sources and Research Issues. *Photogrammetric Engineering & Remote Sensing*, *57*(6), 677–687.
- Ma, Z., & Redmond, R. L. (1995). Tau Coefficients for Accuracy Assessment of Classification of Remote Sensing Data. *Photogrammetric Engineering & Remote Sensing*, *65*, 435–439.
- Madugundu, R., Al-Gaadi, K. A., Patil, V. C., & Tola, E. (2014). Detection of land use and land cover changes in dirab region of Saudi Arabia using remotely sensed imageries. *American Journal of Environmental Sciences*, *10*(1), 8–18. <https://doi.org/10.3844/ajessp.2014.8.18>
- Mahdianpari, M., Salehi, B., Mohammadimanesh, F., & Motagh, M. (2017). Random forest wetland classification using ALOS-2 L-band, RADARSAT-2 C-band, and TerraSAR-X imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, *130*, 13–31. <https://doi.org/10.1016/j.isprsjprs.2017.05.010>
- Malingreau, J. ., & Christiani, R. (1981). A Land Cover/Land Use Classification for Indonesia -- First Revision. *Indonesian Journal of Geography*, *11*(42), 13–47.
- Mancino, G., Falciano, A., Console, R., & Trivigno, M. L. (2023). Comparison between Parametric and Non-Parametric Supervised Land Cover Classifications of Sentinel-2 MSI and Landsat-8 OLI Data. *Geographies*, *3*(1), 82–109. <https://doi.org/10.3390/geographies3010005>
- Martínez, S., & Mollicone, D. (2012). From Land Cover to Land Use: A Methodology to

Assess Land Use from Remote Sensing Data. *Remote Sensing*, 4(4), 1024–1045. <https://doi.org/10.3390/rs4041024>

- Mas, J.-F., García-Álvarez, D., Paegelow, M., Domínguez-Vera, R., & Castillo-Santiago, M. Á. (2022). Metrics Based on a Cross-Tabulation Matrix to Validate Land Use Cover Maps. In *Land Use Cover Datasets and Validation Tools* (pp. 127–151). Springer International Publishing. https://doi.org/10.1007/978-3-030-90998-7_8
- Mather, P. M. (2004). *Computer Processing of Remotely-Sensed Images: An Introduction* (3rd ed.). John Wiley and Sons.
- Mather, P., & Tso, B. (2016). *Classification Methods for Remotely Sensed Data* (2nd ed.). CRC Press. <https://doi.org/10.1201/9781420090741>
- Matsuyama, T. (1987). Knowledge-Based Aerial Image Understanding Systems and Expert Systems for Image Processing. *IEEE Transactions on Geoscience and Remote Sensing*, GE-25(3), 305–316. <https://doi.org/10.1109/TGRS.1987.289802>
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: an applied review. *International Journal of Remote Sensing*, 39(9), 2784–2817. <https://doi.org/10.1080/01431161.2018.1433343>
- Mellor, A., Boukir, S., Haywood, A., & Jones, S. (2015). Exploring issues of training data imbalance and mislabelling on random forest performance for large area land cover classification using the ensemble margin. *ISPRS Journal of Photogrammetry and Remote Sensing*, 105, 155–168. <https://doi.org/10.1016/j.isprsjprs.2015.03.014>
- Miranda, E., Mutiara, A. B., Ernastuti, & Wibowo, W. C. (2018). Classification of Land Cover from Sentinel-2 Imagery Using Supervised Classification Technique (Preliminary Study). *2018 International Conference on Information Management and Technology (ICIMTech), September*, 69–74. <https://doi.org/10.1109/ICIMTech.2018.8528122>
- MohanRajan, S. N., Loganathan, A., & Manoharan, P. (2020). Survey on Land Use/Land Cover (LU/LC) change analysis in remote sensing and GIS environment: Techniques and Challenges. *Environmental Science and Pollution Research*, 27(24), 29900–29926. <https://doi.org/10.1007/s11356-020-09091-7>
- Moharram, M. A., & Sundaram, D. M. (2023). Dimensionality reduction strategies for land use land cover classification based on airborne hyperspectral imagery: a survey. *Environmental Science and Pollution Research*, 30(3), 5580–5602. <https://doi.org/10.1007/s11356-022-24202-2>
- Moon, H., Choi, T., Kim, G., Park, N., Park, H., & Choi, J. (2017). Land Cover Classification of RapidEye Satellite Images Using Tasseled Cap Transformation (TCT). *Korean Journal of Remote Sensing*, 33(1), 79–88. <https://doi.org/10.7780/kjrs.2017.33.1.8>
- Moreno, A. J. P., & De Larriva, J. E. M. (2012). Comparison between New Digital Image Classification Methods and Traditional Methods for Land-Cover Mapping. In *Remote Sensing of Land Use and Land Cover: Principle and Application* (1st ed.). Taylor & Francis.
- Mostafiz, C., & Chang, N. Bin. (2018). Tasseled cap transformation for assessing hurricane landfall impact on a coastal watershed. *International Journal of Applied Earth Observation and Geoinformation*, 73(August), 736–745. <https://doi.org/10.1016/j.jag.2018.08.015>
- Nedkov, R. (2017). Orthogonal transformation of segmented images from the satellite Sentinel-2. *Comptes Rendus de l'Academie Bulgare Des Sciences*, 70(5), 687–692.
- Nghiyalwa, H. S., Urban, M., Baade, J., Smit, I. P. J., Ramoelo, A., Mogonong, B., & Schullius, C. (2021). Spatio-temporal mixed pixel analysis of savanna ecosystems: A review. *Remote Sensing*, 13(19). <https://doi.org/10.3390/rs13193870>
- Norovsuren, B., Tseveen, B., Batomunkuev, V., Renchin, T., Natsagdorj, E., Yangiv, A., & Mart, Z. (2019). Land cover classification using maximum likelihood method (2000 and

2019) at Khandgait valley in Mongolia. *IOP Conference Series: Earth and Environmental Science*, 381(1), 012054. <https://doi.org/10.1088/1755-1315/381/1/012054>

- Nugroho, E. A. (2013). *Pengaruh Jumlah Kendaraan Terhadap Kerusakan Jalan Aspal Kelas II di Kabupaten Semarang*. Universitas Negeri Semarang.
- Nugroho, F. S. (2015). Pengaruh Jumlah Saluran Spektral, Korelasi Antar Saluran Spektral dan Jumlah Kelas Objek terhadap Akurasi Klasifikasi Penutup Lahan. *Jurnal Ilmiah Geomatika*, 21(1), 9–16.
- NV5. (2023). *ENVI - Environment for Visualizing Images User Guide*. ENVI Docs Center. <https://www.nv5geospatialsoftware.com/docs/RegionOfInterestTool.html#ROISeparability>
- Otukei, J. R., & Blaschke, T. (2010). Land cover change assessment using decision trees, support vector machines and maximum likelihood classification algorithms. *International Journal of Applied Earth Observation and Geoinformation*, 12, S27–S31. <https://doi.org/10.1016/j.jag.2009.11.002>
- Pal, M. (2005). Random forest classifier for remote sensing classification. *International Journal of Remote Sensing*, 26(1), 217–222. <https://doi.org/10.1080/01431160412331269698>
- Pal, M., & Mather, P. M. (2004). Assessment of the effectiveness of support vector machines for hyperspectral data. *Future Generation Computer Systems*, 20(7), 1215–1225. <https://doi.org/10.1016/j.future.2003.11.011>
- Parece, T. E., & Campbell, J. B. (2015). Land Use/Land Cover Monitoring and Geospatial Technologies: An Overview. In T. Younos & T. E. Parece (Eds.), *Advances in Watershed Science and Assessment* (Vol. 33, Issue February, pp. 1–32). Springer International Publishing. https://doi.org/10.1007/978-3-319-14212-8_1
- Patra, S. K., Shekher, M., Solanki, S. S., Ramachandran, R., & Krishnan, R. (2006). A technique for generating natural colour images from false colour composite images. *International Journal of Remote Sensing*, 27(14), 2977–2989. <https://doi.org/10.1080/01431160600554322>
- Phiri, D., & Morgenroth, J. (2017). Developments in Landsat Land Cover Classification Methods: A Review. *Remote Sensing*, 9(9), 967. <https://doi.org/10.3390/rs9090967>
- Pontius Jr, R. G. (2019). Component intensities to relate difference by category with difference overall. *International Journal of Applied Earth Observation and Geoinformation*, 77, 94–99. <https://doi.org/10.1016/j.jag.2018.07.024>
- Pontius Jr, R. G. (2020). *PontiusMatrix42.xlsx*. Clark University.
- Pontius, R. G., & Millones, M. (2011). Death to Kappa: birth of quantity disagreement and allocation disagreement for accuracy assessment. *International Journal of Remote Sensing*, 32(15), 4407–4429. <https://doi.org/10.1080/01431161.2011.552923>
- Pontius, R. G., & Santacruz, A. (2014). Quantity, exchange, and shift components of difference in a square contingency table. *International Journal of Remote Sensing*, 35(21), 7543–7554. <https://doi.org/10.1080/2150704X.2014.969814>
- Pour, A. B., & Hashim, M. (2015). Hydrothermal alteration mapping from Landsat-8 data, Sar Cheshmeh copper mining district, south-eastern Islamic Republic of Iran. *Journal of Taibah University for Science*, 9(2), 155–166. <https://doi.org/10.1016/j.jtusci.2014.11.008>
- Powell, S. L., Cohen, W. B., Healey, S. P., Kennedy, R. E., Moisen, G. G., Pierce, K. B., & Ohmann, J. L. (2010). Quantification of live aboveground forest biomass dynamics with Landsat time-series and field inventory data: A comparison of empirical modeling approaches. *Remote Sensing of Environment*, 114(5), 1053–1068. <https://doi.org/10.1016/j.rse.2009.12.018>



- Putri, E. A. W. A., Danoedoro, P., & Farda, N. M. M. (2019). Comparing land-cover maps accuracies generated from multispectral classification of Landsat-8 OLI dan Pleiades images using two different classification schemes. In S. B. Wibowo, A. B. Rimba, A. A. Aziz, S. Phinn, J. T. Sri Sumantyo, H. Widyasamratri, & S. Arjasakusuma (Eds.), *Sixth Geoinformation Science Symposium* (Issue August 2020, p. 31). SPIE. <https://doi.org/10.1117/12.2548888>
- Raab, C., Tonn, B., Meißner, M., Balkenhol, N., & Isselstein, J. (2019). Multi-temporal RapidEye Tasseled Cap data for land cover classification. *European Journal of Remote Sensing*, 52(1), 653–666. <https://doi.org/10.1080/22797254.2019.1701560>
- Rahman, S., & Mesev, V. (2019). Change Vector Analysis, Tasseled Cap, and NDVI-NDMI for Measuring Land Use/Cover Changes Caused by a Sudden Short-Term Severe Drought: 2011 Texas Event. *Remote Sensing*, 11(19), 2217. <https://doi.org/10.3390/rs11192217>
- Ramankutty, N., & Foley, J. A. (1998). Characterizing patterns of global land use: An analysis of global croplands data. *Global Biogeochemical Cycles*, 12(4), 667–685. <https://doi.org/10.1029/98GB02512>
- Rana, V. K., & Venkata Suryanarayana, T. M. (2020). Performance evaluation of MLE, RF and SVM classification algorithms for watershed scale land use/land cover mapping using sentinel 2 bands. *Remote Sensing Applications: Society and Environment*, 19, 100351. <https://doi.org/10.1016/j.rsase.2020.100351>
- Richards, J. A. (2013a). Image Classification in Practice. In *Remote Sensing Digital Image Analysis* (pp. 381–435). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-30062-2_11
- Richards, J. A. (2013b). Spectral Domain Image Transforms. In *Remote Sensing Digital Image Analysis* (pp. 161–201). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-30062-2_6
- Richards, J. A. (2013c). Supervised Classification Techniques. In *Remote Sensing Digital Image Analysis* (pp. 247–318). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-30062-2_8
- Richards, J. A. (2022). Remote Sensing Digital Image Analysis. In *Springer* (5th ed.). Springer International Publishing. <https://doi.org/10.1007/978-3-030-82327-6>
- Rini, M. S. (2018). Kajian kemampuan metode neural network untuk klasifikasi penutup lahan dengan menggunakan Citra Landsat-8 OLI (kasus di Kota Yogyakarta dan sekitarnya). *Geomedia: Majalah Ilmiah Dan Informasi Kegeografian*, 16(1), 1–12. <https://doi.org/10.21831/gm.v16i1.20974>
- Robertson, L. D., & King, D. J. (2011). Comparison of pixel- and object-based classification in land cover change mapping. *International Journal of Remote Sensing*, 32(6), 1505–1529. <https://doi.org/10.1080/01431160903571791>
- Rodriguez-Galiano, V. F., Ghimire, B., Rogan, J., Chica-Olmo, M., & Rigol-Sanchez, J. P. (2012). An assessment of the effectiveness of a random forest classifier for land-cover classification. *ISPRS Journal of Photogrammetry and Remote Sensing*, 67(1), 93–104. <https://doi.org/10.1016/j.isprsjprs.2011.11.002>
- Roy, D. P., Wulder, M. A., Loveland, T. R., C.E., W., Allen, R. G., Anderson, M. C., Helder, D., Irons, J. R., Johnson, D. M., Kennedy, R., Scambos, T. A., Schaaf, C. B., Schott, J. R., Sheng, Y., Vermote, E. F., Belward, A. S., Bindaschadler, R., Cohen, W. B., Gao, F., ... Zhu, Z. (2014). Landsat-8: Science and product vision for terrestrial global change research. *Remote Sensing of Environment*, 145, 154–172. <https://doi.org/10.1016/j.rse.2014.02.001>
- Rußwurm, M., & Körner, M. (2017). Multi-Temporal Land Cover Classification With Long Short-Term Memory Neural Networks. *The International Archives of the*

Photogrammetry, Remote Sensing and Spatial Information Sciences, XLII-1/W1, 551–558. <https://doi.org/10.5194/isprs-archives-XLII-1-W1-551-2017>

Sandy, I. M. (1982). *Penggunaan Tanah (Land Use) di Indonesia*.

Sari, M. I., Danoedoro, P., & Widayani, P. (2021). Image Interpretation Keys for 1:50.000 Scaled of Landuse Mapping Using Landsat 8 with SNI 7645:2014 Classification. *The 3rd International Conference of Geography and Education*, July.

Schönert, M., Weichelt, H., Zillmann, E., & Jürgens, C. (2014). Derivation of Tasseled Cap Coefficients for RapidEye Data. In U. Michel & K. Schulz (Eds.), *Earth Resources and Environmental Remote Sensing/GIS Applications V* (Vol. 9245, p. 92450Q). SPIE. <https://doi.org/10.1117/12.2066842>

Sekertekin, A., Marangoz, A. M., & Akcin, H. (2017). Pixel-based classification analysis of land use land cover using Sentinel-2 and Landsat-8 data. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4W6), 91–93. <https://doi.org/10.5194/isprs-archives-XLII-4-W6-91-2017>

Serpico, S. B., Bruzzone, L., & Roli, F. (1996). An experimental comparison of neural and statistical non-parametric algorithms for supervised classification of remote-sensing images. *Pattern Recognition Letters*, 17(13), 1331–1341. [https://doi.org/10.1016/S0167-8655\(96\)00090-6](https://doi.org/10.1016/S0167-8655(96)00090-6)

Seto, K. C., Woodcock, C. E., Song, C., Huang, X., Lu, J., & Kaufmann, R. K. (2002). Monitoring land-use change in the Pearl River Delta using Landsat TM. *International Journal of Remote Sensing*, 23(10), 1985–2004. <https://doi.org/10.1080/01431160110075532>

Sheng, L., Huang, J., & Tang, X. (2011). A tasseled cap transformation for CBERS-02B CCD data. *Journal of Zhejiang University SCIENCE B*, 12(9), 780–786. <https://doi.org/10.1631/jzus.B1100088>

Sheykhmousa, M., Mahdianpari, M., Ghanbari, H., Mohammadimanesh, F., Ghamisi, P., & Homayouni, S. (2020). Support Vector Machine Versus Random Forest for Remote Sensing Image Classification: A Meta-Analysis and Systematic Review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 6308–6325. <https://doi.org/10.1109/JSTARS.2020.3026724>

Shi, T., & Xu, H. (2019). Derivation of Tasseled Cap Transformation Coefficients for Sentinel-2 MSI At-Sensor Reflectance Data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(10), 4038–4048. <https://doi.org/10.1109/JSTARS.2019.2938388>

Shresta, D. . (1991). *Digital Image Processing*. International Institute for Aeospace Survey and Science.

Sisodia, P. S., Tiwari, V., & Kumar, A. (2014). Analysis of Supervised Maximum Likelihood Classification for remote sensing image. *International Conference on Recent Advances and Innovations in Engineering, ICRAIE 2014*, 14–17. <https://doi.org/10.1109/ICRAIE.2014.6909319>

Stehman, S. V. (1997). Selecting and interpreting measures of thematic classification accuracy. *Remote Sensing of Environment*, 62(1), 77–89. [https://doi.org/10.1016/S0034-4257\(97\)00083-7](https://doi.org/10.1016/S0034-4257(97)00083-7)

Stehman, S. V. (2009). Sampling designs for accuracy assessment of land cover. *International Journal of Remote Sensing*, 30(20), 5243–5272. <https://doi.org/10.1080/01431160903131000>

Stehman, S. V., & Czaplewski, R. L. (1998). Design and Analysis for Thematic Map Accuracy Assessment. *Remote Sensing of Environment*, 64(3), 331–344. [https://doi.org/10.1016/S0034-4257\(98\)00010-8](https://doi.org/10.1016/S0034-4257(98)00010-8)

Stehman, S. V., & Wickham, J. D. (2011). Pixels, blocks of pixels, and polygons: Choosing a

- spatial unit for thematic accuracy assessment. *Remote Sensing of Environment*, 115(12), 3044–3055. <https://doi.org/10.1016/j.rse.2011.06.007>
- Storey, J., Choate, M., & Lee, K. (2014). Landsat 8 Operational Land Imager On-Orbit Geometric Calibration and Performance. *Remote Sensing*, 6(11), 11127–11152. <https://doi.org/10.3390/rs6111127>
- Story, M., & Congalton, R. G. (1986). Remote Sensing Brief Accuracy Assessment: A User's Perspective. *Photogrammetric Engineering and Remote Sensing*, 52(3), 397–399. https://www.asprs.org/wp-content/uploads/pers/1986journal/mar/1986_mar_397-399.pdf
- Strahler, A. H. (1980). The use of prior probabilities in maximum likelihood classification of remotely sensed data. *Remote Sensing of Environment*, 10(2), 135–163. [https://doi.org/10.1016/0034-4257\(80\)90011-5](https://doi.org/10.1016/0034-4257(80)90011-5)
- Sun, L., & Schulz, K. (2015). The Improvement of Land Cover Classification by Thermal Remote Sensing. *Remote Sensing*, 7(7), 8368–8390. <https://doi.org/10.3390/rs70708368>
- Sutanto. (2016). *Metode Penelitian Penginderaan Jauh* (2nd ed.). Penerbit Ombak.
- Talukdar, S., Singha, P., Mahato, S., Shahfahad, Pal, S., Liou, Y.-A., & Rahman, A. (2020). Land-Use Land-Cover Classification by Machine Learning Classifiers for Satellite Observations—A Review. *Remote Sensing*, 12(7), 1135. <https://doi.org/10.3390/rs12071135>
- Thakkar, A. K., Desai, V. R., Patel, A., & Potdar, M. B. (2016). An effective hybrid classification approach using tasseled cap transformation (TCT) for improving classification of land use/land cover (LU/LC) in semi-arid region: a case study of Morva-Hadaf watershed, Gujarat, India. *Arabian Journal of Geosciences*, 9(3). <https://doi.org/10.1007/s12517-015-2267-8>
- Thomas, I. L., Benning, V. M., & Ching, N. P. (1987). Classification of remotely sensed images. *Geocarto International*, 2(3), 77–77. <https://doi.org/10.1080/10106048709354113>
- Thompson, M. (1996). A standard land-cover classification scheme for remote-sensing applications in South Africa. *South African Journal of Science*, 92, 34–42.
- Tou, J. ., & Gonzalez, R. . (1977). *Pattern Recognition Principles*. Addison-Wesley.
- Townshend, J., Justice, C., Li, W., Gurney, C., & McManus, J. (1991). Global land cover classification by remote sensing: present capabilities and future possibilities. *Remote Sensing of Environment*, 35(2–3), 243–255. [https://doi.org/10.1016/0034-4257\(91\)90016-Y](https://doi.org/10.1016/0034-4257(91)90016-Y)
- Treitz, P., & Rogan, J. (2004). Remote sensing for mapping and monitoring land-cover and land-use change—an introduction. *Progress in Planning*, 61(4), 269–279. [https://doi.org/10.1016/S0305-9006\(03\)00064-3](https://doi.org/10.1016/S0305-9006(03)00064-3)
- U.S. Geological Survey. (2019). Landsat 8 Data Users Handbook. *NASA*, 8(June), 97. <https://landsat.usgs.gov/documents/Landsat8DataUsersHandbook.pdf>
- USGS. (2023). *Landsat 8-9 Collection 2 Level 2 Science Product Guide*. <https://www.usgs.gov/media/files/landsat-8-9-collection-2-level-2-science-product-guide>
- Verdin, J. ., Eckhardt, D. ., & Lyford, G. . (1988). Evaluation of SPOT imagery for monitoring irrigated lands. In SPOT 1. *SPOT 1: Utilisation Des Images, Bilan, Résultats. Colloque International*, 2, 81–91.
- Waspadi, E. A., & Danoedoro, P. (2019). Comparing per-pixel and object-based classification results using two different land-cover/land-use classification schemes: a case study using Landsat-8 OLI imagery. In T. D. Pham, K. D. Kanniah, K. Arai, G. J. P. Perez, Y. Setiawan, L. B. Prasetyo, & Y. Murayama (Eds.), *Sixth International Symposium on LAPAN-IPB Satellite* (Issue March, p. 126). SPIE.

- Weih Jr, R. C., & Riggan, N. D. (2010). Object-based classification vs. pixel-based classification: Comparative importance of multi-resolution imagery. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXVIII, 1–6.
- Wulder, M. A., Coops, N. C., Roy, D. P., White, J. C., & Hermosilla, T. (2018). Land cover 2.0. *International Journal of Remote Sensing*, 39(12), 4254–4284. <https://doi.org/10.1080/01431161.2018.1452075>
- Xiuwan, C., Heping, H., Tateishi, R., & Ahn, C.-H. (1999). A Method on Land Cover Classification by Combining Unsupervised Algorithm and Training Data. *Geocarto International*, 14(4), 15–20. <https://doi.org/10.1080/10106049908542124>
- Yan, D., Yao, X., Li, J., Qi, L., & Luan, Z. (2021). Shoreline Change Detection and Forecast along the Yancheng Coast Using a Digital Shoreline Analysis System. *Wetlands*, 41(4). <https://doi.org/10.1007/s13157-021-01444-3>
- Yang, H., Li, S., Chen, J., Zhang, X., & Xu, S. (2017). The Standardization and Harmonization of Land Cover Classification Systems towards Harmonized Datasets: A Review. *ISPRS International Journal of Geo-Information*, 6(5), 154. <https://doi.org/10.3390/ijgi6050154>
- Yarbrough, L., Easson, G., & Kuzmaul, J. S. (2005). Tasseled Cap Coefficients for the QuickBird 2 Sensor: A Comparison of Methods and Development. *Pecora 16 "Global Priorities in Land Remote Sensing,"* 16(0), 23–27.
- Yu, Z., Di, L., Yang, R., Tang, J., Lin, L., Zhang, C., Rahman, M. S., Zhao, H., Gaigalas, J., Yu, E. G., & Sun, Z. (2019). Selection of Landsat 8 OLI Band Combinations for Land Use and Land Cover Classification. *2019 8th International Conference on Agro-Geoinformatics (Agro-Geoinformatics)*, 1–5. <https://doi.org/10.1109/Agro-Geoinformatics.2019.8820595>
- Zeferino, L. B., Souza, L. F. T. de, Amaral, C. H. do, Fernandes Filho, E. I., & Oliveira, T. S. de. (2020). Does environmental data increase the accuracy of land use and land cover classification? *International Journal of Applied Earth Observation and Geoinformation*, 91, 102128. <https://doi.org/10.1016/j.jag.2020.102128>
- Zerrouki, N., & Bouchaffra, D. (2014). Pixel-based or object-based: Which approach is more appropriate for remote sensing image classification? *IEEE International Conference on Systems, Man and Cybernetics, January*, 864–869. <https://doi.org/10.1109/SMC.2014.6974020>
- Zhai, H., Zhang, H., Zhang, L., Li, P., & Plaza, A. (2017). A New Sparse Subspace Clustering Algorithm for Hyperspectral Remote Sensing Imagery. *IEEE Geoscience and Remote Sensing Letters*, 14(1), 43–47. <https://doi.org/10.1109/LGRS.2016.2625200>
- Zhai, Y., Roy, D. P., Martins, V. S., Zhang, H. K., Yan, L., & Li, Z. (2022). Conterminous United States Landsat-8 top of atmosphere and surface reflectance tasseled cap transformation coefficients. *Remote Sensing of Environment*, 274(February), 112992. <https://doi.org/10.1016/j.rse.2022.112992>
- Zhang, C., & Li, X. (2022). Land Use and Land Cover Mapping in the Era of Big Data. *Land*, 11(10), 1692. <https://doi.org/10.3390/land11101692>
- Zhang, Q., & Ban, Y. (2010). Monitoring impervious surface sprawl using tasseled cap transformation of Landsat data. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 38, 310–315.
- Zhang, X., Schaaf, C. B., Friedl, M. A., Strahler, A. H., Gao, F., & Hodges, J. C. F. (2002). MODIS tasseled cap transformation and its utility. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2(C), 1063–1065. <https://doi.org/10.1109/igarss.2002.1025776>



- Zhang, Y., Liu, J., & Shen, W. (2022). A Review of Ensemble Learning Algorithms Used in Remote Sensing Applications. *Applied Sciences*, 12(17), 8654. <https://doi.org/10.3390/app12178654>
- Zhao, J., Yu, L., Xu, Y., Ren, H., Huang, X., & Gong, P. (2019). Exploring the addition of Landsat 8 thermal band in land-cover mapping. *International Journal of Remote Sensing*, 40(12), 4544–4559. <https://doi.org/10.1080/01431161.2019.1569281>
- Zulfajri, Danoedoro, P., & Murti, S. H. (2021). Klasifikasi Tutupan Lahan Data Landsat 8 OLI Menggunakan Metode Random Forest. *Jurnal Penginderaan Jauh Indonesia*, 3(February).