

DAFTAR PUSTAKA

- Abu Taha, A., Yaseen, A., Suleiman, S., Abu Zenah, O., Ali, H., Abu Seir, R., *et al.* (2019). Study of Frequency and Characteristics of Red Blood Cell Alloimmunization in Thalassemic Patients: Multicenter Study from Palestine. *Adv. Hematol.* 2019.
- Ackfeld, T., Schmutz, T., Guechi, Y., & Le Terrier, C. (2022). Blood Transfusion Reactions—A Comprehensive Review of the Literature including a Swiss Perspective. *J. Clin. Med.* 11.
- Aggarwal, R., Aggarwal, M., & Prakash, A. (2014). Talasemia: An overview. *J. Sci. Soc.* 41 : 3.
- Ahmed Meri, M., Hamid Al-Hakeem, A., & Saad Al-Abeadi, R. (2022). Overview on Talasemia: a Review Article. *Med. Sci. J. Adv. Res.* 3 : 26–32.
- Aishwarya, M.S., Patil, S.Y., & Haridas, A. (2024). Study of Alloimmunization in Transfusion-dependent Talasemia Patients at a Tertiary Care Hospital. *J. Appl. Hematol.* 15 : 121–129.
- Al-riyami, A.Z., & Daar, S. (2019). Red cell alloimmunization in transfusion-dependent and transfusion-independent beta talasemia : A review from the Eastern Mediterranean Region (EMRO). *Transfus. Apher. Sci.* 58 : 102678.
- Al-Riyami, A.Z., & Daar, S. (2019). Red cell alloimmunization in transfusion-dependent and transfusion-independent beta talasemia: A review from the Eastern Mediterranean Region (EMRO). *Transfus. Apher. Sci.* 58 : 102678.
- Almorish, M.A.W., Al-absi, B., Elkhalfifa, A.M.E., Alhamidi, A.H., & Abdelrahman, M. (2024). Red blood cell alloimmunization in blood transfusion-dependent β talasemia major patients in Sana'a City-Yemen. *Sci. Rep.* 14 : 1–7.
- Ameen, R., Al Shemmari, S., & Al-Bashir, A. (2009). Red blood cell alloimmunization among sickle cell Kuwaiti Arab patients who received red blood cell transfusion. *Transfusion* 49 : 1649–1654.
- Anderson, R., Vege, S., Aeschlimann, J., Westhoff, C., Banerjee, S., & Yang, J. (2020). RHCE*02 (c.148G>A, p.Val50Ile) allele with silenced RHCE*Ce expression. *Transfusion* 60 : E23–E24.
- Arab-Zozani, M., Kheyrandish, S., Rastgar, A., & Miri-Moghaddam, E. (2021). A systematic review and meta-analysis of stature growth complications in β -talasemia major patients. *Ann. Glob. Heal.* 87 : 1–17.
- Arthur, C.M., & Stowell, S.R. (2023). The Development and Consequences of Red Blood Cell Alloimmunization. *Annu. Rev. Pathol. Mech. Dis.* 18 : 537–564.
- Atmakusuma, T.D., Saragih, E.Y.P., & Rajabto, W. (2021). Achievement of pre-and post-transfusion hemoglobin levels in adult transfusion-dependent beta talasemia: Associated factors and relationship to reduction of spleen enlargement. *Int. J. Gen. Med.* 14 : 7515–7521.
- Avent, N.D. (2009). Large-scale blood group genotyping - Clinical implications. *Br. J. Haematol.* 144 : 3–13.

- Aydin, M., Susam, İ., Çabuk, A.K., & Çabuk, G. (2015). Leriche sendromu ve renal arter stenozunun eş zamanlı endovasküler tedavisi, *Anatolian Journal of Clinical Investigation*.
- Azarkeivan, A., Ansari, S., Ahmadi, M.H., Hajibeigy, B., Maghsudlu, M., Nasizadeh, S., *et al.* (2011). Blood Transfusion and Alloimmunization in Patients With Talasemia: Multicenter Study. *Pediatr. Hematol. Oncol.* 28 : 479–485.
- Barcellini, W., & Fattizzo, B. (2015). Clinical Applications of Hemolytic Markers in the Differential Diagnosis and Management of Hemolytic Anemia. *Dis. Markers* 2015.
- Belsito, A., Costa, D., Signoriello, S., Fiorito, C., Tartaglione, I., Casale, M., *et al.* (2019). Clinical outcome of transfusions with extended red blood cell matching in β -talasemia patients: A single-center experience. *Transfus. Apher. Sci.* 58 : 65–71.
- Betts, M., Flight, P.A., Paramore, L.C., Tian, L., Milenković, D., & Sheth, S. (2020). Systematic Literature Review of the Burden of Disease and Treatment for Transfusion-dependent β -Talasemia. *Clin. Ther.* 42 : 322-337.e2.
- Bolcato, M., Russo, M., Trentino, K., Isbister, J., Rodriguez, D., & Aprile, A. (2020). Patient blood management: The best approach to transfusion medicine risk management. *Transfus. Apher. Sci.* 59 : 102779.
- Cai, X., Qian, C., Wu, W., Lei, H., Ding, Q., Zou, W., *et al.* (2017). An exonic missense mutation c.28G>A is associated with weak B blood group by affecting RNA splicing of the ABO gene. *Transfusion* 57 : 2140–2149.
- Cappellini, M., Farmakis, D., Porter, J., & Taher, A. (Eds.) (2021). 2021 Guidelines for The Management of Transfusion Dependent Thalassaemia (TDT). Thalassaemia International Federation.
- Castilho, L. (2021). Molecular typing of blood group genes in diagnostics. *Ann. Blood* 6.
- Chao, Y.H., Wu, K.H., Lu, J.J., Shih, M.C., Peng, C.T., & Chang, C.W. (2013). Red blood cell alloimmunisation among Chinese patients with β -thalassaemia major in Taiwan. *Blood Transfus.* 11 : 71–74.
- Chen, C., Jie, X., Tian, L., & Ying, B. (2019). Weak A variant caused by c.940A>G missense mutation of the ABO gene. *Transfusion* 59 : E13–E14.
- Chowdhury, S., & Chakraborty, P. pratim (2017). Universal health coverage - There is more to it than meets the eye. *J. Fam. Med. Prim. Care* 6 : 169–170.
- Compernelle, V., Chou, S.T., Tanael, S., Savage, W., Howard, J., Josephson, C.D., *et al.* (2018). Red blood cell specifications for patients with hemoglobinopathies: a systematic review and guideline. *Transfusion* 58 : 1555–1566.
- Cone Sullivan, J.K., Gleadall, N., & Lane, W.J. (2021). Blood Group Genotyping. *Adv. Mol. Pathol.* 4 : 127–143.
- Dale, J.W von Schantz, M. (2007). From Genes to Genome: Concepts and Applications of DNA Technology.

- Darvishi, P., Azami, M., Sayehmiri, K., Sayehmiri, F., Goodarzi, A., Azarkeivan, A., *et al.* (2016). Red blood cell alloimmunization in Iranian beta-talasemia patients: a systematic review and meta-analysis. *ISBT Sci. Ser.* 11 : 163–173.
- Davari, K., & Soltanpour, M.S. (2016). Study of alloimmunization and autoimmunization in Iranian β -thalasemia major patients. *Asian J. Transfus. Sci.* 10 : 88–92.
- Davoudi-Kiakalayeh, A., Mohammadi, R., Pourfathollah, A.A., Siery, Z., & Davoudi-Kiakalayeh, S. (2017). Alloimmunization in talasemia patients: New insight for healthcare. *Int. J. Prev. Med.* 8 : 1–4.
- de Brevern, A.G., Floch, A., Barrault, A., Martret, J., Bodivit, G., Djoudi, R., *et al.* (2018). Alloimmunization risk associated with amino acid 223 substitution in the RhD protein: analysis in the light of molecular modeling. *Transfusion* 58 : 2683–2692.
- De Oliveira, M.C., & Segatti Ido, A.A. (2020). Main erythrocyte antigens involved in the alloimmunization process. *Open Sci. J.* 5 : 1–10.
- Dezan, M.R., Oliveira, V.B., Conrado, M.C.A.V., da Rocha, M.C., Luz, F., Gallucci, A., *et al.* (2021). Variant genotypes associated with reduced expression of RhCE antigens among Brazilian blood donors. *Transfusion* 61 : 1923–1931.
- Dhawan, H.K., Kumawat, V., Marwaha, N., Sharma, R.R., Sachdev, S., Bansal, D., *et al.* (2014). Alloimmunization and autoimmunization in transfusion dependent talasemia major patients: Study on 319 patients. *Asian J. Transfus. Sci.* 8 : 84–88.
- Dogra, A., Sidhu, M., Kapoor, R., & Kumar, D. (2015). Study of red blood cell alloimmunization in multitransfusid thalassemic children of Jammu region. *Asian J. Transfus. Sci.* 9 : 78–81.
- Dufour, N., Radjou, A., & Thuong, M. (2020). Hemolysis and Plasma Free Hemoglobin during Extracorporeal Membrane Oxygenation Support: From Clinical Implications to Laboratory Details. *ASAIO J.* 66 : 239–246.
- Ebrahimisadr, P., Bakhshandeh, Z., & Majidiani, H. (2021). Red cell alloantibodies in beta-thalassaemia major patients' blood referring to the regional blood transfusion center of Tehran, Iran. *BioImpacts* 11 : 129–133.
- Farmakis, D., Porter, J., Taher, A., Domenica Cappellini, M., Angastiniotis, M., & Eleftheriou, A. (2022). 2021 Thalassaemia International Federation Guidelines for the Management of Transfusion-dependent Talasemia. *HemaSphere* 6 : e732.
- Fatima, S., Aziz, M., Rehman, S., Asif, M., Akhtar, N., & Batool, Y. (2019). Kell Blood Group Antigens in the Blood Donors Attending Blood Banks of Tertiary Care Hospitals of Lahore, Pakistan. *Prof. Med. J.* 26 : 1167–1171.
- Filosa, L., Izard, C., Chiaroni, J., Bailly, P., & Silvy, M. (2019). Identification and characterization of three novel RHCE*ce variant alleles affecting Rhc (RH4) reactivity. *Transfusion* 59 : 2754–2755.

- Flegel, W.A. (2015). Pathogenesis and mechanisms of antibody-mediated hemolysis. *Transfusion* 55 : S47–S58.
- Floch, A., Barbey, C., Müller, J. Y., et al. (2016). Autoimmune hemolytic anemia associated with anti-e autoantibody: Report of 5 cases. *Transfusion Medicine Reviews*, 30(3), 159-163.
- Franchini, M., Forni, G.L., Marano, G., Cruciani, M., Mengoli, C., Pinto, V., et al. (2019). Red blood cell alloimmunisation in transfusion-dependent thalassaemia: A systematic review. *Blood Transfus.* 17 : 4–15.
- Fridawati, V., Triyono, T., & Sukorini, U. (2018). The risk factor of alloantibodi formation in talasemia patients receiving multiple transfusion (Faktor Kebahayaan Terbentuknya Aloantibodi pada Pasien Talasemia yang Menerima Transfusi Darah Berulang). *Indones. J. Clin. Pathol. Med. Lab.* 22 : 241–245.
- Fürst, D., Tsamadou, C., Neuchel, C., Schrezenmeier, H., Mytilineos, J., & Weinstock, C. (2020). Next-Generation Sequencing Technologies in Blood Group Typing. *Transfus. Med. Hemotherapy* 47 : 4–13.
- Garraud, O., & Chiaroni, J. (2022). An overview of red blood cell and platelet alloimmunisation in transfusion. *Transfus. Clin. Biol.* 29 : 297–306.
- General, I., & Kell, T. (2021). Names for KEL (ISBT 006) Blood Group Alleles Intro General description : The Kell blood group system consists of 36 antigens carried on a type II transmembrane glycoprotein of 732 amino acids (aka CD238). The Kell have endothelin-3-converting enzyme a 1–25.
- Ghasemi, A., Abbasian, S., Ghaffari, K., & Salmanpour, Z. (2016). Prevalence of alloantibodies and autoantibodies in transfusion dependent talasemia patients. *Iran. J. Blood Cancer* 8 : 80–85.
- Gholami, M.S., Shahidi, M., Tabibian, S., Naderi, M., & Dorgalaleh, A. (2021). Genotyping of blood groups in alloimmunized patients with β -talasemia major by T-ARMS-PCR and multiplex-aso-pcr. *Transfus. Apher. Sci.* 60 : 102984.
- Goldman, M., Cemborain, A., Cote, J., El Hamss, R., Flower, R.L., Garaizar, A., et al. (2016). Identification of six new RHCE variant alleles in individuals of diverse racial origin. *Transfusion* 56 : 244–248.
- Gonnade, N., Bajpayee, A., Elhence, A., Lokhande, V., Mehta, N., & Mishra, M. (2017). and using cord blood for transfusion Azikiwe University Teaching Hospital , 12 : 105–111.
- Goss, C., Giardina, P., Degtyaryova, D., Kleinert, D., Sheth, S., & Cushing, M. (2014). Red blood cell transfusions for talasemia: Results of a survey assessing current practice and proposal of evidence-based guidelines. *Transfusion* 54 : 1773–1781.
- Halawani, A.J., Mobarki, A.A., Arjan, A.H., Saboor, M., Hamali, H.A., Dobie, G., et al. (2022). Red Cell Alloimmunization and Autoimmunization Among Sickle Cell Disease and Talasemia Patients in Jazan Province, Saudi Arabia. *Int. J. Gen. Med.* 15 : 4093–4100.
- Hammod, H., Mokif, T.A., & Al-Harbi, H.J. (2018). The correlation between talasemia with body mass index and blood groups in children and adult

- patient in the province of babylon, iraq. *Asian J. Pharm. Clin. Res.* 11 : 509–512.
- Harmening, D. (2019). Antigen-Antibody Characteristic Chart*.
- Hendrickson, J.E. (2020). Recipient factors influencing red blood cell alloimmunization. *ISBT Sci. Ser.* 15 : 194–200.
- Hendrickson, J.E., Eisenbarth, S.C., & Tormey, C.A. (2016). Red blood cell alloimmunization. *Curr. Opin. Hematol.* 23 : 543–549.
- Hendrickson, J.E., Tormey, C.A., & Shaz, B.H. (2014). Red blood cell alloimmunization mitigation strategies. *Transfus. Med. Rev.* 28 : 137–144.
- Hod, E.A. (2019). Consequences of hemolysis: Pro-inflammatory cytokine response to erythrophagocytosis. *Transfus. Clin. Biol.* 26 : 125–127.
- Hojjati, M.T., Einollahi, N., Nabatchian, F., Pourfathollah, A.A., & Mahdavi, M.R. (2011). Allele-specific oligonucleotide polymerase chain reaction for the determination of Rh C/c and Rh E/e antigens in thalassaemic patients. *Blood Transfus.* 9 : 301–305.
- Hong, X., Ying, Y., Zhang, J., Chen, S., Xu, X., He, J., *et al.* (2021). Six splice site variations, three of them novel, in the ABO gene occurring in nine individuals with ABO subtypes. *J. Transl. Med.* 19 : 1–7.
- Hult, A., Malm, C., & Oldenborg, P.A. (2013). Transfusion of cryopreserved human red blood cells into healthy humans is associated with rapid extravascular hemolysis without a proinflammatory cytokine response. *Transfusion* 53 : 28–33.
- Huw Morris, Manuela MX Tan, Donald G Grosset, N.M.W. (2022). SNP Genotyping and ApoE Genotyping. *protocols.io* 5 : 7–12.
- Ibraheem, S.M., Sathar, J., Seman, Z., & Khalid, B. (2022). Malaysian socio-demographic characteristics, mean haemoglobin levels and BMI distribution of the monthly transfused group (MTG) and non-monthly transfused group (NMTG) talasemia patients. *Int. J. Health Sci. (Qassim)*. 6 : 1931–1942.
- Iqbal, I., & Ahmed, N. (n.d.). Frequency of Red Cell Alloantibodies and 25–28.
- ISBT (2022). Blood group allele tables RHD, RHCE 1–41.
- Jain, R., Choudhury, N., Chudgar, U., Harimoorthy, V., Desai, P., Perkins, J., *et al.* (2014). Detection and Identification of Red Cell Alloantibodies in Multiply Transfused Talasemia Major Patients: A Prospective Study. *Indian J. Hematol. Blood Transfus.* 30 : 291–296.
- Jalali Far, M.A., Oodi, A., Amirizadeh, N., Mohammadipour, M., & Keikhaei Dehdezi, B. (2021). The Rh blood group system and its role in alloimmunization rate among sickle cell disease and sickle talasemia patients in Iran. *Mol. Genet. Genomic Med.* 9 : 1–9.
- Kalendar, R., Baidyussen, A., Serikbay, D., Zotova, L., Khassanova, G., Kuzbakova, M., *et al.* (2022). Modified “Allele-Specific qPCR” Method for SNP Genotyping Based on FRET. *Front. Plant Sci.* 12 : 1–16.
- Kato, G.J., McGowan, V., Machado, R.F., Little, J.A., Taylor VI, J., Morris, C.R., *et al.* (2006). Lactate dehydrogenase as a biomarker of hemolysis-

- associated nitric oxide resistance, priapism, leg ulceration, pulmonary hypertension, and death in patients with sickle cell disease. *Blood* 107 : 2279–2285.
- Kattamis, A., Forni, G.L., Aydinok, Y., & Viprakasit, V. (2020). Changing patterns in the epidemiology of β -thalasemia. *Eur. J. Haematol.*
- Kausar, T., Fatima, M., Noureen, S., Javed, S., Abdulsattar, S., Shahid, F., *et al.* (2022). Kell Blood Group System: A Systematic Review and Meta-Analysis 1–20.
- Kementerian Kesehatan Republik Indonesia. Standar Pelayanan Transfusi Darah. (2015):1-290.
- Khaled, M. Ben, Ouederni, M., Sahli, N., Dhouib, N., Abdelaziz, A. Ben, Rekaya, S., *et al.* (2019). Predictors of autoimmune hemolytic anemia in beta-talasemia patients with underlying red blood cells autoantibodies. *Blood Cells, Mol. Dis.* 79 : 102342.
- Khosroshahi, B.N., Oodi, A., Namjou, S., Gholamali, T., & Amirizadeh, N. (2019). RHD Genotyping by Molecular Analysis of Hybrid Rhesus box in RhD-Negative Blood Donors from Iran. *Indian J. Hematol. Blood Transfus.* 35 : 119–124.
- Kim, T.Y., Yu, H.B., Phan, M.T.T., Jang, J.H., & Cho, D. (2022). Application of Blood Group Genotyping by Next-Generation Sequencing in Various Immunohaematology Cases. *Transfus. Med. Hemotherapy* 49 : 88–97.
- L'Acqua, C., Bandyopadhyay, S., Francis, R.O., McMahon, D.J., Nellis, M., Sheth, S., *et al.* (2015). Red blood cell transfusion is associated with increased hemolysis and an acute phase response in a subset of critically ill children. *Am. J. Hematol.* 90 : 915–920.
- Lang, K., Wagner, I., Schöne, B., Schöfl, G., Birkner, K., Hofmann, J.A., *et al.* (2016). ABO allele-level frequency estimation based on population-scale genotyping by next generation sequencing. *BMC Genomics* 17 : 1–11.
- Lin, M., Liu, M., Zhang, S., Chen, C., & Wang, J. (2021). Different types of minor blood group incompatibility causing haemolytic disease of neonates in one of the national children's medical centre in China. *J. Blood Med.* 12 : 497–504.
- Liu, A., Curtis, S., Sebastiani, P., Brambilla, D., & Glassberg, J.A. (2022). Plasma Free Hemoglobin Is Associated with LDH, AST, Total Bilirubin, and the Hemolytic Component in Patients with Sickle Cell Anemia. *Blood* 140 : 5438–5439.
- Liu, J., Huang, S., Sun, M., Liu, S., Liu, Y., Wang, W., *et al.* (2012). An improved allele-specific PCR primer design method for SNP marker analysis and its application. *Plant Methods* 8 : 1–9.
- Loutit, J.F. (1944). Human blood groups. *Nature* 153 : 97–99.
- Maitta, R.W. (2020). Transfusion-Related Immunomodulation, Immunologic Concepts in Transfusion Medicine. Elsevier.
- Marbut, S.M.M., Hamdi, M.A., & Jumaa, A.M. (2018). Distribution of ABO blood groups in beta talasemia patients dependent on blood transfusion In Bagdad city. *J. Madenat Alelem Univ. Coll.* 10 : 1–11.

- Minhas, K., Ejaz, M.S., Tukruna, A., Haider, M., Arif, A., & Saleem Tebha, S. (2022). Red Blood Cell Alloimmunization in Pediatric group with Beta Talasemia: A Five-Year Experience. *Glob. Pediatr. Heal.* 9.
- Mota, M., Dezan, M., Valgueiro, M.C., Sakashita, A.M., Kutner, J.M., & Castilho, L. (2012). RHD Allelic Identification Among D-Brazilian Blood Donors as a Routine Test Using Pools of DNA. *J. Clin. Lab. Anal.* 26 : 104–108.
- Moussa, H., Ghommen, N., Romdhane, H., Abdelkefi, S., Chakroun, T., Houissa, B., *et al.* (2014). (C)ces haplotype screening in Tunisian blood donors. *Blood Transfus.* 12 : 405–409.
- Munoz, C.J., Pires, I.S., Jani, V., Gopal, S., Palmer, A.F., & Cabrales, P. (2022). Apohemoglobin-haptoglobin complex alleviates iron toxicity in mice with β -thalasemia via scavenging of cell-free hemoglobin and heme. *Biomed. Pharmacother.* 156 : 113911.
- Muro, T., Fujihara, J., Imamura, S., Nakamura, H., Kimura-Kataoka, K., Toga, T., *et al.* (2012). Determination of ABO genotypes by real-time PCR using allele-specific primers. *Leg. Med.* 14 : 47–50.
- Murphy, M.F., Roberts, D.J., & Yazer, M.H. (Eds.) (2017). *Practical Transfusion Medicine*, 5th ed. Wiley Blackwell.
- Needs, T., Gonzalez-Mosquera, L.F., & Lynch, D.T. (2022). *Beta Talasemia*. Treasure Island (FL) : .
- Ngoma, A.M., Mutombo, P.B., Ikeda, K., Nollet, K.E., Natukunda, B., & Ohto, H. (2016). Red blood cell alloimmunization in transfused patients in sub-Saharan Africa: A systematic review and meta-analysis. *Transfus. Apher. Sci.* 54 : 296–302.
- Omar, H.R., Mirsaeidi, M., Socias, S., Sprenger, C., Caldeira, C., Camporesi, E.M., *et al.* (2015). Plasma free hemoglobin is an independent predictor of mortality among patients on extracorporeal membrane oxygenation support. *PLoS One* 10 : 1–10.
- Orzińska, A., Guz, K., Mikula, M., Kulecka, M., Kluska, A., Balabas, A., *et al.* (2018). A preliminary evaluation of Next-generation sequencing as a screening tool for targeted genotyping of erythrocyte and platelet antigens in blood donors. *Blood Transfus.* 16 : 285–292.
- Osman, N.H., Sathar, J., Leong, C.F., Zulkifli, N.F., Raja Sabudin, R.Z.A., Othman, A., *et al.* (2017). Importance of extended blood group genotyping in multiply transfused patients. *Transfus. Apher. Sci.* 56 : 410–416.
- Patnaik, S.K., Helmsberg, W., & Blumenfeld, O.O. (2014). BGMUT database of allelic variants of genes encoding human blood group antigens. *Transfus. Med. Hemotherapy* 41 : 346–351.
- Patterson, S., Singleton, A., Branscomb, J., Nsonwu, V., & Spratling, R. (2022). Transfusion Complications in Talasemia: Patient Knowledge and Perspectives. *Front. Med.* 9 : 1–7.
- Pazgal, I., Yahalom, V., Shalev, B., Raanani, P., & Stark, P. (2020). Alloimmunization and autoimmunization in adult transfusion-dependent talasemia patients: a report from a comprehensive center in Israel. *Ann.*

Hematol. 99 : 2731–2736.

- Pessoni, L.L., Ferreira, M.A., Silva, J.C.R. da, & Alcântara, K.C. de (2018). Red blood cell alloimmunization among hospitalized patients: transfusion reactions and low alloantibodi identification rate. *Hematol. Transfus. Cell Ther.* 40 : 326–331.
- Peters, M., Heijboer, H., Smiers, F., & Giordano, P.C. (2012). Diagnosis and management of thalassaemia. *BMJ* 344.
- Pradhan, M. (2015). Determination of Rhd Zygosity in India: To Prevent Hemolytic Disease of Newborn. *Obstet. Gynecol. Int. J.* 3 : 4–6.
- Quirino, M.G., Colli, C.M., Macedo, L.C., Sell, A.M., & Visentainer, J.E.L. (2019). Methods for blood group antigens detection: cost-effectiveness analysis of phenotyping and genotyping. *Hematol. Transfus. Cell Ther.* 41 : 44–49.
- Reyhaneh, S., Naser, A., & Arezoo, O. (2020). Genomic analyses of KEL alleles in alloimmunized talasemia patients from Iran. *Transfus. Apher. Sci.* 59 : 102840.
- Rieux, C., Brittenham, G., Bachir, D., De Meyer, E., & Boudjedir, K. (2019). Delayed hemolytic transfusion reaction in the French hemovigilance system. *Transfus. Clin. Biol.* 26 : 109–111.
- Rofinda, Z.D., Darwin, E., Nasrul, E., & Wahid, I. (2022). Erythrocyte Antibody Due to Alloimmunization in Repeated Transfusion: A Meta-Analysis. *Open Access Maced. J. Med. Sci.* 10 : 257–262.
- Rujito, L. (2021). Talasemia Genetik Dasar dan Pengelolaan Terkini, Nuevos sistemas de comunicación e información.
- Rund, D., & Rachmikwitz, E. (2001). Pathophysiology Implications of α and β -Talasemia: Therapeutic, in: *Seminars in Hematology*. pp. 343–349.
- Sadeghian, M.H., Keramati, M.R., Badiei, Z., Ravarian, M., Ayatollahi, H., Rafatpanah, H., *et al.* (2009). Alloimmunization among transfusion-dependent talasemia patients. *Asian J. Transfus. Sci.* 3 : 95–98.
- Sarihi, R., Oodi, A., Dadkhah Tehrani, R., Jalali, S.F., Mardani, F., Azarkeivan, A., *et al.* (2021). Blood group genotyping in alloimmunized multi-transfusid talasemia patients from Iran. *Mol. Genet. Genomic Med.* 9 : 1–11.
- Schaer, D.J., Buehler, P.W., Alayash, A.I., Belcher, J.D., & Vercellotti, G.M. (2013). Hemolysis and free hemoglobin revisited: Exploring hemoglobin and hemin scavengers as a novel class of therapeutic proteins. *Blood* 121 : 1276–1284.
- Seferi, I., Xhetani, M., Face, M., Burazeri, G., Nastas, E., & Vyshka, G. (2015). Frequency and specificity of red cell antibodies in talasemia patients in Albania. *Int. J. Lab. Hematol.* 37 : 569–574.
- Senavirathna, S., Ranasinghe, L., & Thilakarathne, Y. (2021). Estimation of prevalence of red cell alloantibodies in patients with Beta Thalassaemia Major in Sri Lanka. *Ceylon Med. J.* 66 : 96.
- Shafique, F., Ali, S., Almansouri, T., Van Eeden, F., Shafi, N., Khalid, M., *et al.* (2023). Talasemia, a human blood disorder. *Brazilian J. Biol.* 83 : 1–8.

- Shah, A., Patel, P., Patel, K., Patel, B., Jariwala, K., Sharma, P., *et al.* (2020). Comparison of serology and molecular detection of common red cell antigens in multitransfusid talasemia major and sickle cell disease patients. *Transfus. Apher. Sci.* 59 : 1–7.
- Shah, F.T., Sayani, F., Trompeter, S., Drasar, E., & Piga, A. (2019). Challenges of blood transfusions in β -thalasemia. *Blood Rev.* 37.
- Shao, C.P., Zhao, C.J., Wu, C.L., Xu, H., Wang, X.D., Wu, X.Y., *et al.* (2018). Rh-matched transfusion through molecular typing for β -thalasemia patients is required and feasible in Chinese. *Transfus. Med. Hemotherapy* 45 : 252–257.
- Shastri, S., Chenna, D., Basavarajegowda, A., Das, S., & Chaudhary, R.K. (2022). Red blood cell alloimmunization among recipients of blood transfusion in India: A systematic review and meta-analysis. *Vox Sang.* 117 : 1057–1069.
- Shih, A.W.Y., Mcfarlane, A., & Verhovsek, M. (2014). Haptoglobin testing in hemolysis: Measurement and interpretation. *Am. J. Hematol.* 89 : 443–447.
- Simtong, P., Phothi, R., Puapairoj, C., Leelayuwat, C., & Romphruk, A. V. (2022). RHD 1227 A and hybrid Rhesus box analysis in Thai RhD+ and RhD- blood donors: Prevalence, RHD zygosity, and molecular screening. *Transfus. Apher. Sci.* 61 : 103496.
- Singer, S.T., Wu, V., Mignacca, R., Kuypers, F.A., Morel, P., & Vichinsky, E.P. (2000). Alloimmunization and erythrocyte autoimmunization in transfusion-dependent talasemia patients of predominantly Asian descent. *Blood* 96 : 3369–3373.
- Singh A, P., S Rathod, S., K Kodumuru, P., JM, D., & Nagose, V. (2014). A Complete Review Article on ABC of Blood Groups. *Asian J. Heal. Sci.* 2.
- Sinha, P.A., Mulkutkar, S.H., & Bhavani, J.B. (2017). Study of distribution of ABO blood groups in β -thalasemia patients. *Int. J. Res. Med. Sci.* 5 : 3479.
- Sukhumsirichart, W. (2018). Polymorphisms. IntechOpen.
- Syafitri, R., Gantini, E., Gatot, D., Sofro, A.S., Siti, Y., & Soedarmono, M. (2019). Research of Red Blood Cell Genotype Antigen of The Multitransfusid Patients: An Effort to Match The Blood Type in Talasemia Patients As a Model. *Indones. J. Biotechnol. Biodivers.* 3 : 75–80.
- Tangvarasittichai, S. (2017). Impact of alloimmunization on transfusion-dependent patient. *Ann. Adv. Chem.* 1 : 070–082.
- Tiwari, A.K., Upadhyay, A.P., Arora, D., Wadhwa, T., Aggarwal, G., Pabbi, S., *et al.* (2020). Head-to-head comparison of Enzyme Linked Immunosorbent Assay (ELISA) and Enhanced Chemiluminescence Immunoassay (ECLIA) for the detection of Transfusion Transmitted Disease (TTD) Markers; HIV, HCV and HBV in blood donors, in India. *J. Virol. Methods* 285 : 113962.
- Tounsi, W.A., Madgett, T.E., & Avent, N.D. (2018). Complete RHD next-

- generation sequencing: Establishment of reference RHD alleles. *Blood Adv.* 2 : 2713–2723.
- Usman, M., Moin, S., Moinuddin, M., Ahmad, S., Perveen, R., Azmi, M.A., *et al.* (2011). Frequency of red cell alloimmunization among patients with transfusion dependent beta talasemia in Pakistan. *UHOD - Uluslararasi Hematol. Derg.* 21 : 166–169.
- Verduin, E.P., Brand, A., & Schonewille, H. (2012). Is Female Sex a Risk Factor for Red Blood Cell Alloimmunization After Transfusion? A Systematic Review. *Transfus. Med. Rev.* 26 : 342-353.e5.
- Wagner, F.F. (2014). Why do we use serological blood group phenotype determination in chronically transfused patients? *Blood Transfus.* 12 : 1–2.
- Waheed, K., Rizvi, S.M.A., & Mubarak, B. (2023). Association of β -Talasemia and its Types with ABO and Rh Blood Groups in Lahore, Pakistan. *Biosci. Rev.* 5 : 10–17.
- Waldis, S.J., Uter, S., Kavitsky, D., Flickinger, C., Vege, S., Friedman, D.F., *et al.* (2021). Rh alloimmunization in chronically transfused patients with talasemia receiving RhD, C, E, and K matched transfusions. *Blood Adv.* 5 : 737–744.
- Westhoff, C.M. (2019). Blood group genotyping. *Blood* 133 : 1814–1820.
- William, V., Rusmawatingtyas, D., Makrufardi, F., & Widjajanto, P.H. (2021). Comprehensive management of refractory autoimmune hemolytic anemia in pediatric beta-talasemia major patient: A case report. *Ann. Med. Surg.* 70 : 102853.
- Wilopo, S.A. (2021). Sampling dan Estimasi Besar Sampel : Aplikasi di Bidang Kedokteran dan Kesehatan Masyarakat. Pusat Kesehatan Reproduksi FKKMK, UGM.
- Yamamoto, F. (2022). A historical overview of advances in molecular genetic/genomic studies of the ABO blood group system. *Glycoconj. J.* 39 : 207–218.
- Yamamoto, F. (2021). Molecular genetics and genomics of the ABO blood group system. *Ann. Blood* 6.
- Younis, M.S., Saeed Ibrahim, H.B., & Abdelbagi Talha, A. (2020). Detection of Rhesus Antigens and Rh Phenotype in Donors at National Blood Transfusion Center, Khartoum, Sudan. *Sch. Acad. J. Pharm.* 09 : 124–127.
- Zaidi, U., Borhany, M., Ansari, S., Parveen, S., Boota, S., Shamim, I., *et al.* (2015). Red cell alloimmunisation in regularly transfused beta talasemia patients in Pakistan. *Transfus. Med.* 25 : 106–110.
- Zaremba, R., Brooks, A., & Thomovsky, E. (2019). Transfusion Medicine: An Update on Antigens, Antibodies and Serologic Testing in Dogs and Cats. *Top. Companion Anim. Med.* 34 : 36–46.
- Zarrabian, D., & Hanna, M. (2023). Characterization of pediatric transfusion-dependent talasemia patients in a large academic center. *J. Clin. Lab. Anal.* 37 : 1–10.
- Zhang, Jian, Yang, J., Zhang, L., Luo, J., Zhao, H., Zhang, Jianan, *et al.*



- (2020). A new SNP genotyping technology Target SNP-seq and its application in genetic analysis of cucumber varieties. *Sci. Rep.* 10 : 1–11.
- Zhang, X., Li, Y., Yan, B., Li, X., Gui, S., & Sun, A. (2023). Red Blood Cell Alloimmunizations in Thalassaemia Patients With Regular Transfusion in China: a Systematic Review and Meta-Analysis. *Transfus. Clin. Biol.* 30 : 256–262.
- Zhao, Y., Yao, N., Lv, Y., Cui, D., & Xie, J. (2024). Analysis of Rhesus (Rh) Antigen Distributions in Donors and Multi-transfusid Patients for Phenotype-Matched Transfusion. *Indian J. Hematol. Blood Transfus.* 40 : 130–138.