

BIBLIOGRAPHY

- Balesdent, J., Mariotti, A., & Guillet, B. (1987). Natural ¹³C Abundance of SOIL Organic As A Tracer For Studies of Soil Organic Matter Dynamic. *Soil Biology Biochemical*, 19(1), 25–30.
- Bräutigam, A., & Gowik, U. (2016). Photorespiration connects C3 and C4 photosynthesis. *Journal of Experimental Botany*, 67(10), 2953–2962. <https://doi.org/10.1093/jxb/erw056>
- Bimantara, P. O., Kimani, S. M., Kautsar, V., Egashira, H., Kikuchi, S. ichi, Tawaraya, K., & Cheng, W. (2022). Seasonal changes in soil properties caused by slash and burn agriculture practice in a humid temperate region of northeast Japan. *Soil Science and Plant Nutrition*, 68(1), 81–87.
- Brown, R. H. (1978). A Difference in N Use Efficiency in C3 and C4 Plants and its Implications in Adaptation and Evolution. *Crop Science* 18(1).
- Chen, J., Wang, Q., Li, M., Liu, F., & Li, W. (2016). Does the different photosynthetic pathway of plants affect soil respiration in a subtropical wetland? *Ecology and Evolution*, 6(22), 8010–8017. <https://doi.org/10.1002/ece3.2523>
- Chen, X., Hu, Y., Xia, Y., Zheng, S., Ma, C., Rui, Y., He, H., Huang, D., Zhang, Z., Ge, T., Wu, J., Guggenberger, G., Kuzyakov, Y., & Su, Y. (2021). Contrasting pathways of carbon sequestration in paddy and upland soils. *Global Change Biology*, 27(11), 2478–2490. <https://doi.org/10.1111/gcb.15595>
- Cheng, W., S. M. Kimani, T. Kanno, S. Tang, A. Z. Oo, K. Tawaraya, S. Sudo, Y. Sasaki, and N. Yoshida. 2018. “Forage Rice Varieties Fukuhibiki and Tachisuzuka Emit Larger CH₄ than Edible Rice Haenuki.” *Soil Science and Plant Nutrition* 64 (1): 77–83. doi:10.1080/00380768.2017.1378569.
- Cheng, W. (2020). Soil carbon and nitrogen dynamics by land use and management changes in East and Southeast Asian countries (soil C and N by LUMC). *Soil Science and Plant Nutrition*, 66(1), 34–36. <https://doi.org/10.1080/00380768.2020.1718923>.
- Cheng, W., Sakai, H., Yagi, K., & Hasegawa, T. (2009). Interactions of elevated [CO₂] and night temperature on rice growth and yield. *AGRICULTURAL AND FOREST METEOROLOGY*, 149, 51–58. <https://doi.org/10.1016/j.agrformet.2008.07.006>
- Choi, W. J., Müller, C., Zaman, M., & Nannipieri, P. (2023). Stable isotopes for the study of soil C and N under global change. *Biology and Fertility of Soils*, 59(5), 485–486. <https://doi.org/10.1007/s00374-023-01747-z>
- Cui, H. (2021). Challenges and Approaches to Crop Improvement Through C3-to-C4 Engineering. *Frontiers in Plant Science*, 12(September).

<https://doi.org/10.3389/fpls.2021.715391>.

Dale, V. H. (1997). The relationship between land-use change and climate change. *Ecological Applications*, 7(3), 753–769. [https://doi.org/10.1890/1051-0761\(1997\)007\[0753:TRBLUC\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1997)007[0753:TRBLUC]2.0.CO;2).

Dewi, I. L., Tang, S., Maimunah, M. A., Cantona, E., Dukuzumuremyi, J. Y., Nkurunziza, C., Utami, S. N. H., Hanudin, E., Hattori, S., Tawaraya, K., & Cheng, W. (2024). Long-term conversion of upland to paddy increased SOC content and N availability in a sand dune of Japan. *Catena*, 234 (October 2 2023), 107603. <https://doi.org/10.1016/j.catena.2023.107603>

Ehleringer, J. R., Cerling, T. E., & Helliker, B. R. (1997). C4 Photosynthesis, atmospheric CO₂, and climate. *Oecologia*, 112, 285–299.

Ehleringer, J. R., & Monson, R. K. (1993). Evolutionary and Ecological Aspects of Photosynthetic Pathway Variation. *Annual Review of Ecology and Systematics*, 24, 411–439.

Ehleringer, J. R., & Cerling, T. E. (2005). *A History of Atmospheric CO₂ and Its Effects on Plants, Animals, and Ecosystems* (M. D. Dearing (ed.)). Springer Science+Business Media, Inc.

FAO. 2017. *Soil Organic Carbon: The Hidden Potential*. Rome, Italy: Food and Agriculture Organization of the United Nations.

Fan, L., Dippold, M. A., Ge, T., Wu, J., Thiel, V., Kuzyakov, Y., & Dorodnikov, M. (2020). Anaerobic oxidation of methane in paddy soil: Role of electron acceptors and fertilization in mitigating CH₄ fluxes. *Soil Biology and Biochemistry*, 141, 107685. <https://doi.org/10.1016/j.soilbio.2019.107685>

Farquhar, G. D., O’Leary, M. H., & Berry, J. A. (1982). On the relationship between carbon isotope discrimination and the intercellular carbon dioxide concentration in leaves. *Australian Journal of Plant Physiology*, 9(2), 121–137. <https://doi.org/10.1071/PP9820121>

Farzadfar, S., Knight, J. D., & Congreves, K. A. (2021). Soil organic nitrogen: an overlooked but potentially significant contribution to crop nutrition. *Plant and Soil*, 462(1–2), 7–23. <https://doi.org/10.1007/s11104-021-04860-w>

Furbank, R. T., & Taylor, W. C. (1995). Regulation of photosynthesis in C3 and C4 plants: A molecular approach. *Plant Cell*, 7(7), 797–807. <https://doi.org/10.2307/3870037>

Fornara, D. A., & Tilman, D. (2008). Plant functional composition influences rates of soil carbon and nitrogen accumulation. *Journal of Ecology*, 96(2), 314–322. <https://doi.org/10.1111/j.1365-2745.2007.01345.x>

- Garrard, G., & Bekessy, S. (2014). Land use and land management. *Australian Environmental Planning: Challenges and Future Prospects*, 61–72. <https://doi.org/10.4324/9781315813110-18>
- Getino-Álvarez, M., San-Martin, R., Pretzsch, H., Pach, M., Bravo, F., & Turrión, M. B. (2023). Assessing soil C stock and C to N ratio of soil organic matter under mixed pine-beech forests at different scales. *European Journal of Forest Research*, 142(5), 1081–1098. <https://doi.org/10.1007/s10342-023-01578-5>
- Gowik, U., Brautigam, A., Weber, K. L., Weber, A. P., and Westhoff, P. (2011). Evolution of C4 photosynthesis in the genus flaveria: how many and which genes does it take to make C4? *Plant Cell* 23, 2087–2105. doi: 10.1105/tpc.111.086264
- Guan S, An N, Zong N, He YT, Shi P, Zhang JJ, He NP (2018) Climate warming impacts on soil organic carbon fractions and aggregate stability in a Tibetan alpine meadow. *Soil Biol Biochem* 116:224–236. <https://doi.org/10.1016/j.soilbio.2017.10.011>
- Hobbie, E. A., & Ouimette, A. P. (2009). Controls of nitrogen isotope patterns in soil profiles. *Biogeochemistry*, 95(355), 355–371. <https://doi.org/10.1007/s10533-009-9328-6>
- Hosogoe, Y., Nguyen-Sy, T., Tang, S., Bimantara, P. O., Sekikawa, Y., Kautsar, V., Kimani, S. M., Xu, X., Tawaraya, K., & Cheng, W. (2024). Five-year vegetation conversion from pasture to C3 and C4 plants affects dynamics of SOC and TN and their natural stable C and N isotopes via mediating C input and N leaching. *Science of the Total Environment*, 912(October 2023), 169481. <https://doi.org/10.1016/j.scitotenv.2023.169481>
- Huang, W., & Hall, S. J. (2017). Elevated moisture stimulates carbon loss from mineral soils by releasing protected organic matter. *Nature Communications*, 8, 1774. <https://doi.org/10.1038/s41467-017-01998-z>
- IPCC, 2013. Climate change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., Qin, D., Plattner, G.K., Tignor, M., Allen, S.K., Boschung, J., Nauels, A., Xia, Y., Bex, V., Midgley, P.M. (eds.)]. Cambridge: Cambridge University Press.
- Jansson, C., Vogel, J., Hazen, S., Brutnell, T., & Mockler, T. (2018). Climate-smart crops with enhanced photosynthesis. *Journal of Experimental Botany*, 69(16), 3801–3809. <https://doi.org/10.1093/jxb/ery213>
- Jia J, Cao ZJ, Liu CZ, Zhang ZH, Lin L, Wang YY, Haghypour N, Wacker L, Bao HY, Dittmar T, Simpson MJ, Yang H, Crowther TW, Eglinton TI, He JS, Feng XJ (2019) Climate warming alters subsoil but not topsoil carbon dynamics in alpine grassland. *Global Change Biol* 25:4383–4393. <https://doi.org/10.1111/gcb.14823>

- Kangasjarvi, S., Nurmi, M., Tikkanen, M., and Aro, E. M. (2009). Cell-specific mechanisms and systemic signalling as emerging themes in light acclimation of C3 plants. *Plant Cell Environ.* 32, 1230–1240. doi: 10.1111/j.1365-3040.2009.01982.x
- Keiluweit, M., Nico, P. S., Kleber, M., & Fendorf, S. (2016). Are oxygen limitations under recognized regulators of organic carbon turnover in upland soils? *Biogeochemistry*, 127, 157–171. <https://doi.org/10.1007/s10533-015-0180-6>
- Kelly-Slatten, M. J., Stewart, C. E., Tfaily, M. M., Jastrow, J. D., Sasso, A., & de Graaff, M.-A. (2023). Root traits of perennial C4 grasses contribute to cultivar variations in soil chemistry and species patterns in particulate and mineral-associated carbon pool formation. *GCB Bioenergy*, 15, 613–629. <https://doi.org/DOI: 10.1111/gcbb.13041>
- Kimani, S. M., Cheng, W., Kanno, T., Nguyen-Sy, T., Abe, R., Oo, A. Z., Tawaraya, K., & Sudo, S. (2018). Azolla cover significantly decreased CH4 but not N2O emissions from flooding rice paddy to atmosphere. *Soil Science and Plant Nutrition*, 64(1), 68–76. <https://doi.org/10.1080/00380768.2017.1399775>
- Koga, N., Shimoda, S., Shirato, Y., Kusaba, T., Shima, T., Niimi, H., Yamane, T., Wakabayashi, K., Niwa, K., Kohyama, K., Obara, H., Takata, Y., Kanda, T., Inoue, H., Ishizuka, S., Kaneko, S., Tsuruta, K., Hashimoto, S., Shinomiya, Y., ... Atsumi, K. (2020). Assessing changes in soil carbon stocks after land use conversion from forest land to agricultural land in Japan. *Geoderma*, 377(November 2019), 114487. <https://doi.org/10.1016/j.geoderma.2020.114487>
- Kögel-Knabner, I., Amelung, W., Cao, Z., Fiedler, S., Frenzel, P., Jahn, R., Kalbitz, K., Kölbl, A., & Schloter, M. (2010). Biogeochemistry of paddy soils. *Geoderma*, 157, 1–14. <https://doi.org/10.1016/j.geoderma.2010.03.009>
- Kusumawardani, P. N., Bimantara, P. O., Guigue, J., Haga, C., Sasaki, Y., Kautsar, V., Kimani, S. M., Nguyen-Sy, T., Tang, S., Purwanto, B. H., Utami, S. N. H., Tawaraya, K., Sugawara, K., & Cheng, W. (2022). Carbon and nitrogen dynamics as affected by land-use and management change from original rice paddies to orchard, wetland, parking area and uplands in a mountain village located in Shonai region, Northeast Japan. *Soil Science and Plant Nutrition*, 68(1), 114–123. <https://doi.org/10.1080/00380768.2021.2017235>
- Leakey, A. D. B. (2009). Rising atmospheric carbon dioxide concentration and the future of C4 crops for food and fuel. *Proceedings of the Royal Society B: Biological Sciences*, 276(1666), 2333–2343. <https://doi.org/10.1098/rspb.2008.1517>
- Liu FR, Zhang YM, Luo JX (2018) The effects of experimental warming and CO2 concentration doubling on soil organic carbon fractions of a montane coniferous forest on the eastern Qinghai-Tibetan Plateau. *Eur J Forest Res* 137:211–221. <https://doi.org/10.1007/s10342-018-1100-9>

- Liu, M., & Han, G. (2022). *Stable nitrogen and carbon isotope compositions in plant-soil systems under different land-use types in a red soil region , Southeast China*. <https://doi.org/10.7717/peerj.13558>
- Liu, Y., Liu, Z., Xiong, K., Li, Y., Lyu, X., & Cai, L. (2023). Carbon Nitrogen Isotope Coupling of Soils and Seasonal Variation Characteristics in a Small Karst Watershed in Southern China. *Land*, 12(501), 1–14.
- Miyasaka, K., Shiozawa, S., Nishida, K., & Yoshida, S. (2014). Solute Electrical Charge Effects on Molecular Diffusion Coefficients in Unsaturated Soils. *Soil Science Society of America Journal*, 78(6), 1852–1858. <https://doi.org/10.2136/sssaj2014.05.0201>
- Nguyen, N. V. (2005). Global climate changes and rice food security (Vol. 54, pp. 24-30). International Rice Commissions Newsletter, FAO.
- Pan, G., Li, L., Wu, L., & Zhang, X. (2004). Storage and sequestration potential of topsoil organic carbon in China's paddy soils. *Global Change Biology*, 10, 79–92. <https://doi.org/10.1111/j.1365-2486.2003.00717.x>
- Pravalie, R., Nita, I.A., Patriche, C., Niculit, ă, M., Birsan, M.V., Ros,ca, B., Bandoc, G., 2021. Global changes in soil organic carbon and implications for land degradation neutrality and climate stability. *Environ. Res.* 201, 111580 <https://doi.org/10.1016/j.envres.2021.111580>.
- Sage, R. F., Sage, T. L., and Kocacinar, F. (2012). Photorespiration and the evolution of C4 photosynthesis. *Annu. Rev. Plant Biol.* 63, 19–47. doi: 10.1146/annurev-arplant-042811-105511
- Shearer, G., & Kohl, D. H. (1986). N₂-fixation in field settings: estimations based on natural ¹⁵N abundance. *Functional Plant Biology*, 13(6), 699-756.
- Shimoda, S., and R. Wagai. 2020. "Ecosystem Dynamics after Abandonment of Rice Paddy Fields: Does Alien Plant Invasion Enhance Carbon Storage?" *Ecosystems* 23 (3): 617–629. doi:10.1007/s10021-019-00426-1.
- Smil, V., and K. Kobayashi. 2012. *Japan's Dietary Transition and Its Impacts*. Cambridge: MIT Press.
- Sothe, C., Gonsamo, A., Arabian, J., Kurz, W.A., Finkelstein, S.A., Snider, J., 2022. Large soil carbon storage in terrestrial ecosystems of Canada. *Global Biogeochem. Cy.* 36, e2021GB007213. 10.1029/2021GB007213.
- Tang, S., Cheng, W., Hu, R., Guigue, J., Kimani, S. M., Tawaraya, K., & Xu, X. (2016). Simulating the effects of soil temperature and moisture in the off-rice season on rice straw decomposition and subsequent CH₄ production during the growth season in a paddy soil. *Biology and Fertility of Soils*, 52(5), 739–748. <https://doi.org/10.1007/s00374-016-1114-8>

- Wang, C., Guo, L., Li, Y., & Wang, Z. (2012). Systematic Comparison of C3 and C4 Plants Based on Metabolic Network Analysis. *BMC Systems Biology*, 6(SUPPL.2), S9. <https://doi.org/10.1186/1752-0509-6-S2-S9>
- Wang, C., Wang, W., Zheng, Y., Vancov, T., Fang, Y., Xia, Y., Liu, X., Fan, Y., Wei, Z., Yang, L (2022). Converting rice paddy to upland fields decreased plant lignin but increased the contribution of microbial residue to SOC. *Geoderma*, 425. <https://doi.org/10.1016/j.geoderma.2022.116079>
- Wakamatsu, M., Wakamatsu, Y., 2011. Research of paddy field using polyethylene film on Shonai sand dune area in Yamagata Prefecture. *Tohoku J. Crop Sci.* 54, 7–8 (in Japanese).
- Wei, L., Ge, T., Zhu, Z., Luo, Y., Yang, Y., Xiao, M., Yan, Z., Li, Y., Wu, J., & Kuzyakov, Y. (2021). Comparing carbon and nitrogen stocks in paddy and upland soils: Accumulation, stabilization mechanisms, and environmental drivers. *Geoderma*, 398(December 2020), 115121. <https://doi.org/10.1016/j.geoderma.2021.115121>
- Wiesmeier, M., Urbanski, L., Hobbey, E., Lang, B., von Lützow, M., Marin-Spiotta, E., van Wesemael, B., Rabot, E., Ließ, M., Garcia-Franco, N., Wollschläger, U., Vogel, H. J., & Kögel-Knabner, I. (2019). Soil organic carbon storage as a key function of soils - A review of drivers and indicators at various scales. *Geoderma*, 333(July 2018), 149–162. <https://doi.org/10.1016/j.geoderma.2018.07.026>
- Wynn, J. G., & Bird, M. I. (2007). C4-derived soil organic carbon decomposes faster than its C3 counterpart in mixed C3/C4 soils. *Global Change Biology*, 13(10), 2206–2217. <https://doi.org/10.1111/j.1365-2486.2007.01435.x>
- Xie, Z., Zhu, J., Liu, G., Cadisch, G., Hasegawa, T., Chen, C., Sun, H., Tang, H., & Zeng, Q. (2007). Soil organic carbon stocks in China and changes from 1980s to 2000s. *Global Change Biology*, 13, 1989–2007. <https://doi.org/10.1111/j.1365-2486.2007.01409.x>
- Yost, J. L., & Hartemink, A. E. (2019). Soil organic carbon in sandy soils: A review. In *Advances in Agronomy* (1st ed., Vol. 158). Elsevier Inc. <https://doi.org/10.1016/bs.agron.2019.07.004>
- Zhang, J., Wang, X. jun, Wang, J. ping, & Wang, W. xia. (2014). Carbon and nitrogen contents in typical plants and soil profiles in yanqi basin of Northwest China. *Journal of Integrative Agriculture*, 13(3), 648–656. [https://doi.org/10.1016/S2095-3119\(13\)60723-6](https://doi.org/10.1016/S2095-3119(13)60723-6)