

REFERENCE

- Alwi, A. N. S., Rahayu, E. S., Utami, T., Yanti, R., & Suroto, D. A. (2023). Formulation of Fruit-Based Probiotic Drink From Snake Fruit (*Salacca Zalacca*) and *Lactiplantibacillus plantarum* subsp. *Plantarum* Dad-13. *Current Research in Nutrition and Food Science Journal*, 11(1), 351–359. <https://doi.org/10.12944/CRNFSJ.11.1.26>
- Andrada, E., Marquez, A., Russo, M., Gauffin-Cano, P., & Medina, R. (2024). Fermented goat milk as a functional food for obesity prevention or treatment: A narrative review. *Frontiers in Food Science and Technology*, 3, 1329037. <https://doi.org/10.3389/frfst.2023.1329037>
- Aritonang, S. N., Roza, E., Yetmaneli, Y., Sandra, A., & Rizqan, R. (2022). Characterization of lactic acid bacteria from buffalo dairy product (dadiah) as potential probiotics. *Biodiversitas Journal of Biological Diversity*, 23(9). <https://doi.org/10.13057/biodiv/d230906>
- Ballabio, C., Chessa, S., Rignanese, D., Gigliotti, C., Pagnacco, G., Terracciano, L., Fiocchi, A., Restani, P., & Caroli, A. M. (2011). Goat milk allergenicity as a function of α S1-casein genetic polymorphism. *Journal of Dairy Science*, 94(2), 998–1004. <https://doi.org/10.3168/jds.2010-3545>
- Bibi, Z., Ashraf, K., Shehzadi, A., Rehman, A., & Abbas Bukhari, D. (2023). Evaluation of isolated probiotics on the efficacy of immune system in male and female Wistar rats. *Saudi Pharmaceutical Journal*, 31(6), 1036–1046. <https://doi.org/10.1016/j.jsps.2023.04.023>
- Buran, İ., Akal, C., Ozturkoglu-Budak, S., & Yetisemiyen, A. (2021). Rheological, sensorial and volatile profiles of synbiotic kefirs produced from cow and goat milk containing varied probiotics in combination with fructooligosaccharide. *LWT*, 148, 111591. <https://doi.org/10.1016/j.lwt.2021.111591>
- Castellone, V., Bancalari, E., Rubert, J., Gatti, M., Neviani, E., & Bottari, B. (2021). Eating Fermented: Health Benefits of LAB-Fermented Foods. *Foods*, 10(11), 2639. <https://doi.org/10.3390/foods10112639>
- Cohen, R., Holowka, D. A., & Baird, B. A. (2015). Real-Time Imaging of Ca^{2+} Mobilization and Degranulation in Mast Cells. In M. R. Hughes & K. M. McNagny (Eds.), *Mast Cells* (Vol. 1220, pp. 347–363). Springer New York. https://doi.org/10.1007/978-1-4939-1568-2_22
- Cross, M. L., Stevenson, L. M., & Gill, H. S. (2001). Anti-allergy properties of fermented foods: An important immunoregulatory mechanism of lactic acid bacteria? *International Immunopharmacology*, 1(5), 891–901. [https://doi.org/10.1016/S1567-5769\(01\)00025-X](https://doi.org/10.1016/S1567-5769(01)00025-X)

- Culpepper, T. (2022). The Effects of Kefir and Kefir Components on Immune and Metabolic Physiology in Pre-Clinical Studies: A Narrative Review. *Cureus*. <https://doi.org/10.7759/cureus.27768>
- Dráber, P., Sulimenko, V., & Dráberová, E. (2012). Cytoskeleton in Mast Cell Signaling. *Frontiers in Immunology*, 3. <https://doi.org/10.3389/fimmu.2012.00130>
- Farag, M. A., Jomaa, S. A., Abd El-Wahed, A., & R. El-Seedi, H. (2020). The Many Faces of Kefir Fermented Dairy Products: Quality Characteristics, Flavour Chemistry, Nutritional Value, Health Benefits, and Safety. *Nutrients*, 12(2), 346. <https://doi.org/10.3390/nu12020346>
- Garcia-Gonzalez, N., Battista, N., Prete, R., & Corsetti, A. (2021). Health-Promoting Role of *Lactiplantibacillus plantarum* Isolated from Fermented Foods. *Microorganisms*, 9(2), 349. <https://doi.org/10.3390/microorganisms9020349>
- Gunawan, D., Juffrie, M., Helmyati, S., & Rahayu, E. S. (2021). Effect of *Lactobacillus plantarum* DAD-13 and Fructo-oligosaccharides on Short-Chain Fatty Acid Profile and Nutritional Status in Indonesian Stunting Children. *Open Access Macedonian Journal of Medical Sciences*, 9(B), 1790–1796. <https://doi.org/10.3889/oamjms.2021.7903>
- Guo, R. H., Park, J. U., Jo, S. J., Ahn, J. H., Park, J. H., Yang, J. Y., Lee, S. S., Park, M. J., & Kim, Y. R. (2018). Anti-allergic Inflammatory Effects of the Essential Oil From Fruits of *Zanthoxylum coreanum* Nakai. *Frontiers in Pharmacology*, 9, 1441. <https://doi.org/10.3389/fphar.2018.01441>
- Gut, A. M., Vasiljevic, T., Yeager, T., & Donkor, O. N. (2019). Characterization of yeasts isolated from traditional kefir grains for potential probiotic properties. *Journal of Functional Foods*, 58, 56–66. <https://doi.org/10.1016/j.jff.2019.04.046>
- Guzel-Seydim, Z. B., Gökırmaklı, Ç., & Greene, A. K. (2021). A comparison of milk kefir and water kefir: Physical, chemical, microbiological and functional properties. *Trends in Food Science & Technology*, 113, 42–53. <https://doi.org/10.1016/j.tifs.2021.04.041>
- Hada, M., Nishi, K., Ishida, M., Onda, H., Nishimoto, S., & Sugahara, T. (2019). Inhibitory effect of aqueous extract of *Cuminum cyminum* L. seed on degranulation of RBL-2H3 cells and passive cutaneous anaphylaxis reaction in mice. *Cytotechnology*, 71(2), 599–609. <https://doi.org/10.1007/s10616-019-00309-2>

- Hanum, Z., Yurliasni, & Dzarnisa. (2021). BUKU AJAR TEKNOLOGI PENGOLAHAN SUSU. In *BUKU AJAR TEKNOLOGI PENGOLAHAN SUSU* (1st ed., p. 111). Syiah Kuala University Press.
- Hasala, H., Giembycz, M. A., Janka-Junttila, M., Moilanen, E., & Kankaanranta, H. (2008). Histamine reverses IL-5-afforded human eosinophil survival by inducing apoptosis: Pharmacological evidence for a novel mechanism of action of histamine. *Pulmonary Pharmacology & Therapeutics*, 21(1), 222–233. <https://doi.org/10.1016/j.pupt.2007.03.002>
- Hiemori-Kondo, M., Morikawa, E., Fujikura, M., Nagayasu, A., & Maekawa, Y. (2021). Inhibitory effects of cyanidin-3-O-glucoside in black soybean hull extract on RBL-2H3 cells degranulation and passive cutaneous anaphylaxis reaction in mice. *International Immunopharmacology*, 94, 107394. <https://doi.org/10.1016/j.intimp.2021.107394>
- Ibanga, J., Zhang, E. L., Eitzen, G., & Guo, Y. (2022). Mast cell granule motility and exocytosis is driven by dynamic microtubule formation and kinesin-1 motor function. *PLOS ONE*, 17(3), e0265122. <https://doi.org/10.1371/journal.pone.0265122>
- Ishida, M., Ohara, R., Miyagawa, F., Kikuzaki, H., Nishi, K., Onda, H., Yoshino, N., & Sugahara, T. (2022). Umbelliferose Isolated from *Cuminum cyminum* L. Seeds Inhibits Antigen-Induced Degranulation in Rat Basophilic Leukemia RBL-2H3 Cells. *Molecules*, 27(13), 4101. <https://doi.org/10.3390/molecules27134101>
- Kitamura, Y., Nishi, K., Ishida, M., Nishimoto, S., & Sugahara, T. (2022). Anti-Allergic Effect of Aqueous Extract of Coriander (*Coriandrum sativum* L.) Leaf in RBL-2H3 Cells and Cedar Pollinosis Model Mice. *Nutraceuticals*, 2(3), 170–180. <https://doi.org/10.3390/nutraceuticals2030013>
- Kopeć, A., Panaszek, B., & Fal, A. M. (2006). Intracellular signaling pathways in IgE-dependent mast cell activation. *Archivum Immunologiae et Therapiae Experimentalis*, 54(6), 393–401. <https://doi.org/10.1007/s00005-006-0049-4>
- Lian, Q., Cheng, Y., Zhong, C., & Wang, F. (2015). Inhibition of the IgE-Mediated Activation of RBL-2H3 Cells by TIPP, a Novel Thymic Immunosuppressive Pentapeptide. *International Journal of Molecular Sciences*, 16(1), 2252–2268. <https://doi.org/10.3390/ijms16012252>
- Liang, X., Wang, Z., Yang, H., Luo, X., Sun, J., Yang, M., Shi, X., Yue, X., & Zheng, Y. (2022). Evaluation of allergenicity of cow milk treated with enzymatic hydrolysis through a mouse model of allergy. *Journal of Dairy Science*, 105(2), 1039–1050. <https://doi.org/10.3168/jds.2021-20686>

- Liu, J., Wang, S., Chen, M., Yueh, P., & Lin, C. (2006). The anti-allergenic properties of milk kefir and soymilk kefir and their beneficial effects on the intestinal microflora. *Journal of the Science of Food and Agriculture*, 86(15), 2527–2533. <https://doi.org/10.1002/jsfa.2649>
- Luwidharto, J. C. N., Rahayu, E. S., Suroto, D. A., Wikandari, R., Ulfah, A., & Utami, T. (2022). Effects of *Spirulina platensis* addition on growth of *Lactobacillus plantarum* Dad 13 and *Streptococcus thermophilus* Dad 11 in fermented milk and physicochemical characteristics of the product. *Applied Food Biotechnology*, 9(3), 205–216. <https://doi.org/10.22037/afb.v9i3.37013>
- Maftai, N.-M., Raileanu, C. R., Balta, A. A., Ambrose, L., Boev, M., Marin, D. B., & Lisa, E. L. (2024). The Potential Impact of Probiotics on Human Health: An Update on Their Health-Promoting Properties. *Microorganisms*, 12(2), 234. <https://doi.org/10.3390/microorganisms12020234>
- Majid, A. A., Suroto, D. A., Utami, T., & Rahayu, E. S. (2023). Probiotic potential of kombucha drink from butterfly pea (*Clitoria ternatea* L.) flower with the addition of *Lactiplantibacillus plantarum* subsp. *Plantarum* Dad-13. *Biocatalysis and Agricultural Biotechnology*, 51, 102776. <https://doi.org/10.1016/j.bcab.2023.102776>
- Marinova, V. Y., Rasheva, I. K., Kizheva, Y. K., Dermenzhieva, Y. D., & Hristova, P. K. (2019). Microbiological quality of probiotic dietary supplements. *Biotechnology & Biotechnological Equipment*, 33(1), 834–841. <https://doi.org/10.1080/13102818.2019.1621208>
- Matsuda, H., Nakamura, S., & Yoshikawa, M. (2016). Degranulation Inhibitors from Medicinal Plants in Antigen-Stimulated Rat Basophilic Leukemia (RBL-2H3) Cells. *CHEMICAL & PHARMACEUTICAL BULLETIN*, 64(2), 96–103. <https://doi.org/10.1248/cpb.c15-00781>
- Meidistria, T. R., Sembiring, L., Rahayu, E. S., Haedar, N., & Dwyana, Z. (2020). Survival of *Lactobacillus plantarum* dad 13 in probiotic cheese making. *IOP Conference Series: Earth and Environmental Science*, 575(1). <https://doi.org/10.1088/1755-1315/575/1/012020>
- Ménasché, G., Longé, C., Bratti, M., & Blank, U. (2021). Cytoskeletal Transport, Reorganization, and Fusion Regulation in Mast Cell-Stimulus Secretion Coupling. *Frontiers in Cell and Developmental Biology*, 9, 652077. <https://doi.org/10.3389/fcell.2021.652077>
- M'hir, S., Ayed, L., De Pasquale, I., Fanizza, E., Tlais, A. Z. A., Comparelli, R., Verni, M., Latronico, R., Gobbetti, M., Di Cagno, R., & Filannino, P. (2024). Comparison of Milk Kefirs Obtained from Cow's, Ewe's and Goat's Milk:

Antioxidant Role of Microbial-Derived Exopolysaccharides. *Antioxidants*, 13(3), 335. <https://doi.org/10.3390/antiox13030335>

Nishi, K., Hirakawa, T., Izumi, M., Kageyama, N., Yurue, S., Ozaki, A., Toga, Y., Ishida, M., & Sugahara, T. (2024). Inhibitory Effect of Dipeptides Containing Acidic Amino Acid Residue on Degranulation of RBL-2H3 Cells. *Applied Sciences*, 14(16), 7048. <https://doi.org/10.3390/app14167048>

Nishida, K., Yamasaki, S., Ito, Y., Kabu, K., Hattori, K., Tezuka, T., Nishizumi, H., Kitamura, D., Goitsuka, R., Geha, R. S., Yamamoto, T., Yagi, T., & Hirano, T. (2005). FcεRI-mediated mast cell degranulation requires calcium-independent microtubule-dependent translocation of granules to the plasma membrane. *The Journal of Cell Biology*, 170(1), 115–126. <https://doi.org/10.1083/jcb.200501111>

Nurmita Aziz, F., Utami, T., Suroto, D. A., Yanti, R., & Sutriswati Rahayu, E. (2023). Fermentation of pineapple juice with *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13: Sensory and microbiological characteristics. *Czech Journal of Food Sciences*, 41(3), 221–229. <https://doi.org/10.17221/243/2022-CJFS>

Palanivelu, J., Thanigaivel, S., Vickram, S., Dey, N., Mihaylova, D., & Desseva, I. (2022). Probiotics in Functional Foods: Survival Assessment and Approaches for Improved Viability. *Applied Sciences*, 12(1), 455. <https://doi.org/10.3390/app12010455>

Pamungkaningtyas, F. H., Mariyatun, M., Kamil, R. Z., Setyawan, R. H., Hasan, P. N., Wiryohanjoyo, D. V., Nurfiani, S., Zulaichah, E., Utami, I. S., Utami, T., & Rahayu, E. S. (2018). Sensory evaluation of Yogurt-like Set and Yogurt-like Drink produced by indigenous probiotic strains for market test. *Indonesian Food and Nutrition Progress*, 15(1), 1–10. <https://doi.org/10.22146/ifnp.31010>

Passante, E., & Frankish, N. (2009). The RBL-2H3 cell line: Its provenance and suitability as a model for the mast cell. *Inflammation Research*, 58(11), 737–745. <https://doi.org/10.1007/s00011-009-0074-y>

Prado, M. R., Blandón, L. M., Vandenberghe, L. P. S., Rodrigues, C., Castro, G. R., Thomaz-Soccol, V., & Soccol, C. R. (2015). Milk kefir: Composition, microbial cultures, biological activities, and related products. *Frontiers in Microbiology*, 6. <https://doi.org/10.3389/fmicb.2015.01177>

Purwandhani, S. N., Utami, T., Millati, R., & Rahayu, E. S. (2018). Potensi *Lactobacillus plantarum* yang Diisolasi dari Dadih dalam Meningkatkan Kadar Folat Susu Fermentasi. *Agritech*, 37(4), 395. <https://doi.org/10.22146/agritech.10493>

- Putney, J. W., & Tomita, T. (2012). Phospholipase C signaling and calcium influx. *Advances in Biological Regulation*, 52(1), 152–164. <https://doi.org/10.1016/j.advenzreg.2011.09.005>
- Qin, S., Wang, X., Wu, H., Xiao, P., Cheng, H., Zhang, X., & Ke, Y. (2016). Cell-based phenotypic screening of mast cell degranulation unveils kinetic perturbations of agents targeting phosphorylation. *Scientific Reports*, 6(1), 31320. <https://doi.org/10.1038/srep31320>
- Rahayu, E. S., Yoga, W. K., Komalasari, H., Mariyatun, M., Yuda, W. A., Manurung, N. E. P., Hasan, P. N., Suharman, S., Pamungkaningtyas, F. H., Nurfiana, D. A., Pramesi, P. C., Gatya, M., Therdtatha, P., Nakayama, J., Juffrie, M., Djaafar, T. F., Marwati, T., & Utami, T. (2024). Probiotic Chocolate Containing *Lactobacillus plantarum* Dad-13 Alters the Gut Microbiota Composition of Undernourished Children in Lombok: A Randomized Double-Blind Trial. *International Journal of Food Science*, 2024(1), 9493797. <https://doi.org/10.1155/2024/9493797>
- Rahim, M. H. A., Hazrin-Chong, N. H., Harith, H. H., Wan-Mohtar, W. A. A. Q. I., & Sukor, R. (2023). Roles of fermented plant-, dairy- and meat-based foods in the modulation of allergic responses. *Food Science and Human Wellness*, 12(3), 691–701. <https://doi.org/10.1016/j.fshw.2022.09.002>
- Rana, T. S., Bansode, R. R., & Williams, L. L. (2024). Anti-Allergic and Anti-Inflammatory Signaling Mechanisms of Natural Compounds/Extracts in In Vitro System of RBL-2H3 Cell: A Systematic Review. *Cells*, 13(16), 1389. <https://doi.org/10.3390/cells13161389>
- Refli, R., Sofyana, N. T., Haeiwa, H., Takeda, R., Okazaki, K., Sekita, M., & Sakamoto, K. (2023). Amber Extract Suppressed Mast Cell-Mediated Allergic Inflammation via the Regulation of Allergic Mediators—An In Vitro Study. *Nutraceuticals*, 3(1), 75–90. <https://doi.org/10.3390/nutraceuticals3010006>
- Ren, Q., Boiani, M., He, T., Wichers, H. J., & Hettinga, K. A. (2024). Heating affects protein digestion of skimmed goat milk proteins with different casein:whey ratios under simulated infant conditions. *Food Hydrocolloids*, 148, 109452. <https://doi.org/10.1016/j.foodhyd.2023.109452>
- Rosa, D. D., Dias, M. M. S., Grześkowiak, Ł. M., Reis, S. A., Conceição, L. L., & Peluzio, M. D. C. G. (2017). Milk *kefir*: Nutritional, microbiological and health benefits. *Nutrition Research Reviews*, 30(1), 82–96. <https://doi.org/10.1017/S0954422416000275>
- Rustanti, N., Murdiati, A., Juffrie, M., & Rahayu, E. S. (2022). Effect of Probiotic *Lactobacillus plantarum* Dad-13 on Metabolic Profiles and Gut Microbiota in Type 2 Diabetic Women: A Randomized Double-Blind Controlled Trial.

Microorganisms, 10(9), 1806.
<https://doi.org/10.3390/microorganisms10091806>

Sinthary, V., & Arief, M. J. (2023). Review: Peptida Bioaktif Kasein Susu Kambing sebagai Sumber Antimikroba dan Antioksidan: Review: Bioactive Peptide from Goat's Milk Casein as a Source of Antimicrobial and Antioxidant. *Jurnal Sains Dan Kesehatan*, 5(3), 444–457.
<https://doi.org/10.25026/jsk.v5i3.1895>

Siraganian, R. P., Zhang, J., Suzuki, K., & Sada, K. (2002). Protein tyrosine kinase Syk in mast cell signaling. *Molecular Immunology*, 38(16–18), 1229–1233.
[https://doi.org/10.1016/S0161-5890\(02\)00068-8](https://doi.org/10.1016/S0161-5890(02)00068-8)

Sousa, Y. R. F., Medeiros, L. B., Pintado, M. M. E., & Queiroga, R. C. R. E. (2019). Goat milk oligosaccharides: Composition, analytical methods and bioactive and nutritional properties. *Trends in Food Science & Technology*, 92, 152–161. <https://doi.org/10.1016/j.tifs.2019.07.052>

Spizzirri, U. G., Loizzo, M. R., Aiello, F., Prencipe, S. A., & Restuccia, D. (2023). Non-dairy kefir beverages: Formulation, composition, and main features. *Journal of Food Composition and Analysis*, 117, 105130.
<https://doi.org/10.1016/j.jfca.2023.105130>

Sumaryati, B. T., & Utami, T. (2009). *PENGARUH INFEKSI Escherichia coli DAN PEMBERIAN Lactobacillus plantarum Dad 13 TERHADAP MIKROBIOTA FESES TIKUS WISTAR*. 29(4).

Sunarti, Nurliyani, Tyas, A. S. A., Kristian, S. D., & Prasetyastuti. (2015). The Influence of Goat Milk and Soybean Milk Kefir On IL-6 and Crp Levels in Diabetic Rats. *Romanian Journal of Diabetes Nutrition and Metabolic Diseases*, 22(3), 261–267. <https://doi.org/10.1515/rjdnmd-2015-0032>

Suroto, D. A., Hasan, P. N., & Rahayu, E. S. (2021). Genomic insight of two indigenous probiotics *Lactobacillus plantarum* Dad-13 and *Lactobacillus plantarum* Mut-7 from different origins of Indonesian fermented foods. *Biodiversitas Journal of Biological Diversity*, 22(12).
<https://doi.org/10.13057/biodiv/d221233>

Toghyani, M., Mosavi, S. K., Modaresi, M., & Landy, N. (2015). Evaluation of kefir as a potential probiotic on growth performance, serum biochemistry and immune responses in broiler chicks. *Animal Nutrition*, 1(4), 305–309.
<https://doi.org/10.1016/j.aninu.2015.11.010>

Utami, T., Cindarbhum, A., Khuangga, M. C., Rahayu, E. S., Cahyanto, M. N., Nurfiyanti, S., & Zulaichah, E. (2020). Preparation of Indigenous Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented

Milk. *Digital Press Life Sciences*, 2, 00010.
<https://doi.org/10.29037/digitalpress.22327>

- Van De Wouw, M., Walsh, A. M., Crispie, F., Van Leuven, L., Lyte, J. M., Boehme, M., Clarke, G., Dinan, T. G., Cotter, P. D., & Cryan, J. F. (2020). Distinct actions of the fermented beverage kefir on host behaviour, immunity and microbiome gut-brain modules in the mouse. *Microbiome*, 8(1), 67. <https://doi.org/10.1186/s40168-020-00846-5>
- Wang, H., Sun, X., Song, X., & Guo, M. (2021). Effects of kefir grains from different origins on proteolysis and volatile profile of goat milk kefir. *Food Chemistry*, 339, 128099. <https://doi.org/10.1016/j.foodchem.2020.128099>
- Wang, Y., Zhao, B., Ding, Y., Liu, N., Yang, C., & Sun, Y. (2024). Improved Anti-Oxidant and Anti-Bacterial Capacities of Skim Milk Fermented by *Lactobacillus plantarum*. *Molecules*, 29(16), 3800. <https://doi.org/10.3390/molecules29163800>
- Wardani, S. K., cahyanto, M. N., & Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 3(24), 921–926.
- Weltgesundheitsorganisation & FAO (Eds.). (2011). *Milk and milk products* (2nd ed). Food and Agriculture Organization of the United Nations.
- Wendeler, M., & Sandhoff, K. (2009). Hexosaminidase assays. *Glycoconjugate Journal*, 26(8), 945–952. <https://doi.org/10.1007/s10719-008-9137-5>
- Yan, Z., Feng, X., Li, X., Gao, Z., Wang, Z., Ren, G., & Long, F. (2024). Sea Buckthorn Flavonoid Extracted by High Hydrostatic Pressure Inhibited IgE-Stimulated Mast Cell Activation through the Mitogen-Activated Protein Kinase Signaling Pathway. *Foods*, 13(4), 560. <https://doi.org/10.3390/foods13040560>
- Yerlikaya, O. (2019). Probiotic potential and biochemical and technological properties of *Lactococcus lactis* ssp. *Lactis* strains isolated from raw milk and kefir grains. *Journal of Dairy Science*, 102(1), 124–134. <https://doi.org/10.3168/jds.2018-14983>
- Yoo, J.-M., Sok, D.-E., & Kim, M. R. (2014). Anti-Allergic Action of Aged Black Garlic Extract in RBL-2H3 Cells and Passive Cutaneous Anaphylaxis Reaction in Mice. *Journal of Medicinal Food*, 17(1), 92–102. <https://doi.org/10.1089/jmf.2013.2927>
- Zorig, A., Toko, R., Sukhbold, E., Takasugi, M., & Arai, H. (2021). *Echinacea purpurea* water extracts suppress the release of chemical mediators from

mast cells. *Bioscience, Biotechnology, and Biochemistry*, 85(4), 931–940.
<https://doi.org/10.1093/bbb/zbaa125>