

## DAFTAR PUSTAKA

- Adane, T. and Enawgaw, B. (2023) 'Human leukocyte antigen alloimmunization prevention mechanisms in blood transfusion', *Asian Journal of Transfusion Science*, 17(2), p. 64-72. Available at: <https://doi.org/10.4103/ajts.AJTS>.
- Aktas, S., Ergenekon, E., Ozcan, E., Aksu, M., Unal, S., Hirfanoglu, I.M., Turkyilmaz, C., Onal, E., Koc, E. and Atalay, Y. (2019) 'Effects of blood transfusion on regional tissue oxygenation in preterm newborns are dependent on the degree of anaemia', *Journal of Paediatrics and Child Health*, 55(10), pp. 1209–1213. Available at: <https://doi.org/10.1111/jpc.14378>.
- Alderliesten, T., Dix, L., Baerts, W., Caicedo, A., Van Huffel, S., Naulaers, G., Groenendaal, F., Van Bel, F. and Lemmers, P. (2016) 'Reference values of regional cerebral oxygen saturation during the first 3 days of life in preterm neonates', *Pediatric Research*, 79(1), pp. 55–64. Available at: <https://doi.org/10.1038/pr.2015.186>.
- Alganabi, M., Lee, C., Bindi, E., Li, B. and Pierro, A. (2019) 'Recent advances in understanding necrotizing enterocolitis [version 1; referees: 2 approved]', *F1000Research*, 8(0), pp. 1–8.
- Åneman, A., Pettersson, A., Eisenhofer, G., Friberg, P., Holm, M., von Bothmer, C. and Fändriks, L. (1997) 'Sympathetic And Renin-Angiotensin Activation During Graded Hypovolemia In Pigs Impact On Mesenteric Perfusion And Duodenal Mucosal Function', *The Shock Society*, 8(5). Available at: [https://journals.lww.com/shockjournal/fulltext/1997/11000/sympathetic\\_and\\_renin\\_angiotensin\\_activation.11.aspx](https://journals.lww.com/shockjournal/fulltext/1997/11000/sympathetic_and_renin_angiotensin_activation.11.aspx).
- Bailey, S.M. and Mally, P. V. (2016) 'Review of splanchnic oximetry in clinical medicine', *Journal of Biomedical Optics*, 21(9), p. 091306. Available at: <https://doi.org/10.1117/1.jbo.21.9.091306>.
- Baserga, M., Reich, B. and Braski, K. (2020) 'Abnormal Splanchnic Regional Saturations in a Preterm Infant That Developed Necrotizing Enterocolitis following a Red Blood Cell Transfusion', *Advances in Neonatal Care*, 20(5), pp. 401–405. Available at: <https://doi.org/10.1097/ANC.0000000000000711>.
- Borges-Lujan, M., Gonzalez-Luis, G.E., Roosen, T., Huizing, M.J. and Villamor, E. (2022) 'Sex Differences in Patent Ductus Arteriosus Incidence and Response to Pharmacological Treatment in Preterm Infants: A Systematic Review, Meta-Analysis and Meta-Regression', *Journal of Personalized Medicine*, 12(7). Available at: <https://doi.org/10.3390/jpm12071143>.
- Bozzetti, V. and Tagliabue, P.E. (2017) 'Enteral feeding of intrauterine growth restriction preterm infants: theoretical risks and practical implications', *La Pediatria medica e chirurgica : Medical and surgical pediatrics*, 39(2), p. 160. Available at: <https://doi.org/10.4081/pmc.2017.160>.

- Cheong, J.L.Y., Burnett, A.C., Treyvaud, K. and Spittle, A.J. (2020) 'Early environment and long-term outcomes of preterm infants', *Journal of Neural Transmission*, 127(1), pp. 1–8. Available at: <https://doi.org/10.1007/s00702-019-02121-w>.
- Chock, V.Y., Kirpalani, H., Bell, E.F., Tan, S., Hintz, S.R., Ball, M.B., Smith, E., Das, A., Loggins, Y.C., Sood, B.G., Chalak, L.F., Wyckoff, M.H., Kicklighter, S.D., Kennedy, K.A., Patel, R.M., Carlo, W.A., Johnson, K.J., Watterberg, K.L., Sánchez, P.J., Laptook, A.R., Seabrook, R.B., Cotten, C.M., Mancini, T., Sokol, G.M., Ohls, R.K., Hibbs, A.M., Poindexter, B.B., Reynolds, A.M., Dem Mauro, S.B., Chawla, S., Baserga, M., Walsh, M.C., Higgins, R.D. and Van Meurs, K.P. (2023) 'Tissue Oxygenation Changes after Transfusion and Outcomes in Preterm Infants: A Secondary Near-Infrared Spectroscopy Study of the Transfusion of Prematures Randomized Clinical Trial (TOP NIRS)', *JAMA Network Open*, 6(9), p. E2334889. Available at: <https://doi.org/10.1001/jamanetworkopen.2023.34889>.
- Cibulskis, C.C., Maheshwari, A., Rao, R. and Mathur, A.M. (2021) 'Anemia of prematurity: how low is too low?', *Journal of Perinatology*, 41(6), pp. 1244–1257. Available at: <https://doi.org/10.1038/s41372-021-00992-0>.
- Crawford, T.M., Andersen, C.C., Hodyl, N.A., Robertson, S.A. and Stark, M.J. (2019) 'The contribution of red blood cell transfusion to neonatal morbidity and mortality', *Journal of Paediatrics and Child Health*, 55(4), pp. 387–392. Available at: <https://doi.org/10.1111/jpc.14402>.
- El-Dib, M., Narang, S., Lee, E., Massaro, A.N. and Aly, H. (2011) 'Red blood cell transfusion, feeding and necrotizing enterocolitis in preterm infants', *Journal of Perinatology*, 31(3), pp. 183–187. Available at: <https://doi.org/10.1038/jp.2010.157>.
- Elgendy, M.M., El Sharkawy, H.M., Elrazek, H.A., Zayton, H.A. and Aly, H. (2021) 'Superior Mesenteric Artery Blood Flow in Parenterally Fed Versus Enterally Fed Preterm Infants', *Journal of Pediatric Gastroenterology and Nutrition*, 73(2), pp. 259–263. Available at: <https://doi.org/10.1097/MPG.0000000000003139>.
- Fortune, P.-M., Wagstaff, M. and Petros, A. (2001) 'Cerebro-splanchnic oxygenation ratio (CSOR) using near infrared spectroscopy may be able to predict splanchnic ischaemia in neonates', *Intensive Care Medicine*, 27(8), pp. 1401–1407. Available at: <https://doi.org/10.1007/s001340100994>.
- Fredrickson, L.K., Bell, E.F., Cress, G.A., Johnson, K.J., Zimmerman, M.B., Mahoney, L.T., Widness, J.A. and Strauss, R.G. (2011) 'Acute physiological effects of packed red blood cell transfusion in preterm infants with different degrees of anaemia', *Archives of Disease in Childhood: Fetal and Neonatal Edition*. Available at: <https://doi.org/10.1136/adc.2010.191023>.
- Gale, C., Modi, N., Jawad, S., Culshaw, L., Dorling, J., Bowler, U., Forster, A.,

- King, A., McLeish, J., Linsell, L., Turner, M.A., Robberts, H., Stanbury, K., Van Staa, T. and Juszcak, E. (2019) 'The WHEAT pilot trial - WithHolding Enteral feeds around packed red cell Transfusion to prevent necrotising enterocolitis in preterm neonates: A multicentre, electronic patient record (EPR), randomised controlled point-of-care pilot trial', *BMJ Open*, 9(9). Available at: <https://doi.org/10.1136/bmjopen-2019-033543>.
- Gatt, M., MacFie, J., Anderson, A.D.G., Howell, G., Reddy, B.S., Suppiah, A., Renwick, I. and Mitchell, C.J. (2009) 'Changes in superior mesenteric artery blood flow after oral, enteral, and parenteral feeding in humans', *Critical Care Medicine*, 37(1), pp. 171–176. Available at: <https://doi.org/10.1097/CCM.0b013e318192fb44>.
- Gephart, S.M. (2012) 'Transfusio n-associated necrotizing enterocolitis: Evidence and uncertainty', *Advances in Neonatal Care*, 12(4), pp. 232–236. Available at: <https://doi.org/10.1097/ANC.0b013e31825e20ee>.
- Hamrick, S.E.G., Sallmon, H., Rose, A.T., Porras, D., Shelton, E.L., Reese, J. and Hansmann, G. (2020) 'Patent ductus arteriosus of the preterm infant', *Pediatrics*, 146(5). Available at: <https://doi.org/10.1542/peds.2020-1209>.
- Harer, M.W. and Chock, V.Y. (2020) 'Renal Tissue Oxygenation Monitoring—An Opportunity to Improve Kidney Outcomes in the Vulnerable Neonatal Population', *Frontiers in Pediatrics*, 8(May), pp. 1–9. Available at: <https://doi.org/10.3389/fped.2020.00241>.
- Harper, D. and Chandler, B. (2016) 'Splanchnic circulation', *BJA Education*, 16(2), pp. 66–71. Available at: <https://doi.org/10.1093/bjaceaccp/mkv017>.
- van der Heide, M., Dotinga, B.M., Stewart, R.E., Kalteren, W.S., Hulscher, J.B.F., Reijneveld, S.A., Bos, A.F. and Kooi, E.M.W. (2021) 'Regional splanchnic oxygen saturation for preterm infants in the first week after birth: reference values', *Pediatric Research*, 90(4), pp. 882–887. Available at: <https://doi.org/10.1038/s41390-020-01323-3>.
- Howarth, C., Banerjee, J., Leung, T. and Aladangady, N. (2022) 'Could Near Infrared Spectroscopy (NIRS) be the new weapon in our fight against Necrotising Enterocolitis?', *Frontiers in Pediatrics*, 10(November). Available at: <https://doi.org/10.3389/fped.2022.1024566>.
- Ilhan, O. and Bor, M. (2021) 'Effects of Caffeine on Splanchnic Oxygenation in Preterm Infants', *American Journal of Perinatology*, 38(10), pp. 1062–1069. Available at: <https://doi.org/10.1055/s-0040-1701610>.
- Indrio, F., Neu, J., Pettoello-Mantovani, M., Marchese, F., Martini, S., Salatto, A. and Aceti, A. (2022) 'Development of the Gastrointestinal Tract in Newborns as a Challenge for an Appropriate Nutrition: A Narrative Review', *Nutrients*, 14(7). Available at: <https://doi.org/10.3390/nu14071405>.
- Jasani, B., Rao, S. and Patole, S. (2017) 'Withholding feeds and transfusion-

associated necrotizing enterocolitis in preterm infants: A systematic review', *Advances in Nutrition*, 8(5), pp. 764–769. Available at: <https://doi.org/10.3945/an.117.015818>.

Kalteren, W.S., Bos, A.F., Bergman, K.A., van Oeveren, W., Hulscher, J.B.F. and Kooi, E.M.W. (2023) 'The short-term effects of RBC transfusions on intestinal injury in preterm infants', *Pediatric Research*, 93(5), pp. 1307–1313. Available at: <https://doi.org/10.1038/s41390-022-01961-9>.

Kang, M., Ragan, B.G. and Park, J.H. (2008) 'Issues in outcomes research: An overview of randomization techniques for clinical trials', *Journal of Athletic Training*, 43(2), pp. 215–221. Available at: <https://doi.org/10.4085/1062-6050-43.2.215>.

Kazemian, M., Fallahi, M., Kashani, S.H., Tajalli, S. and Taleghani, N.T. (2021) 'Packed cell transfusion and feeding tolerance in healthy preterm infants: A randomized clinical trial', *Iranian Journal of Pediatrics*, 31(3), pp. 1–14. Available at: <https://doi.org/10.5812/ijp.110275>.

Khashu, M., Dame, C., Lavoie, P.M., De Plaen, I.G., Garg, P.M., Sampath, V., Malhotra, A., Caplan, M.D., Kumar, P., Agrawal, P.B., Buonocore, G., Christensen, R.D. and Maheshwari, A. (2022) 'Current Understanding of Transfusion-associated Necrotizing Enterocolitis: Review of Clinical and Experimental Studies and a Call for More Definitive Evidence', *Newborn*, 1(1), pp. 201–208. Available at: <https://doi.org/10.5005/jp-journals-11002-0005>.

Killion, E. (2021) 'Feeding Practices and Effects on Transfusion-Associated Necrotizing Enterocolitis in Premature Neonates', *Advances in Neonatal Care*, 21(5). Available at: [https://journals.lww.com/advancesinneonatalcare/fulltext/2021/10000/feeding\\_practices\\_and\\_effects\\_on.6.aspx](https://journals.lww.com/advancesinneonatalcare/fulltext/2021/10000/feeding_practices_and_effects_on.6.aspx).

Van Der Laan, M.E., Roofthoof, M.T.R., Fries, M.W.A., Berger, R.M.F., Schat, T.E., Van Zoonen, A.G.J.F., Tanis, J.C., Bos, A.F. and Kooi, E.M.W. (2016) 'A Hemodynamically Significant Patent Ductus Arteriosus Does Not Affect Cerebral or Renal Tissue Oxygenation in Preterm Infants', *Neonatology*, 110(2), pp. 141–147. Available at: <https://doi.org/10.1159/000445101>.

Lin, C.K., Leu, S.W., Tsai, Y.H., Zhou, S.K., Lin, C.M., Huang, S.Y., Chang, C.C., Ho, M.C., Lee, W.C., Chen, M.C., Hung, M.S., Lin, Y.C., Li, J.R. and Lin, B.S. (2022) 'Increased tissue water in patients with severe sepsis affects tissue oxygenation measured by near-infrared spectroscopy: a prospective, observational case-control study', *Quantitative Imaging in Medicine and Surgery*, 12(10), pp. 4953–4967. Available at: <https://doi.org/10.21037/qims-22-127>.

Machado, J.S., Ferreira, T.S., Lima, R.C.G., Vieira, V.C. and de Medeiros, D.S. (2021) 'Premature birth: Topics in physiology and pharmacological

- characteristics', *Revista da Associacao Medica Brasileira*, 67(1), pp. 150–155. Available at: <https://doi.org/10.1590/1806-9282.67.01.20200501>.
- Madiyono, B. and Sastroasmoro, S. (2014) 'Dasar-dasar Metodologi Penelitian klinik. Sagung Seto', pp. 348–381.
- Mah, E.M., Tague, D.A.K., Yondjeu, O.J., Nkwelle, I.M., Nengom, J.T., Meguieze, C.A., Ngoue, J.E. and Ndombo, P.O.K. (2021) 'Determinants of anemia in premature newborns and the immediate outcome at the Mother and Child Center of the Chantal BIYA Foundation, Cameroon', *The Journal of Medical Research*, 7(5), pp. 146–149. Available at: <https://doi.org/10.31254/jmr.2021.7506>.
- Maheshwari, A., Patel, R.M. and Christensen, R.D. (2018) 'Anemia, red blood cell transfusions, and necrotizing enterocolitis', *Seminars in Pediatric Surgery*, 27(1), pp. 47–51. Available at: <https://doi.org/10.1053/j.sempedsurg.2017.11.009>.
- Marin, T., Josephson, C.D., Kosmetatos, N., Higgins, M. and Moore, J.E. (2014) 'Feeding preterm infants during red blood cell transfusion is associated with a decline in postprandial mesenteric oxygenation', *Journal of Pediatrics*, 165(3), pp. 464–471.e1. Available at: <https://doi.org/10.1016/j.jpeds.2014.05.009>.
- Martini, S., Spada, C., Aceti, A., Rucci, P., Gibertoni, D., Battistini, B., Arcuri, S., Faldella, G. and Corvaglia, L. (2020) 'Red blood cell transfusions alter splanchnic oxygenation response to enteral feeding in preterm infants: an observational pilot study', *Transfusion*, 60(8), pp. 1669–1675. Available at: <https://doi.org/10.1111/trf.15821>.
- Metcalfe, K.H.M., Stienstra, R. and McHoney, M. (2021) 'NIRS as a biomarker of bowel ischaemia & surgical pathology: A meta-analysis of studies in newborns', *Early Human Development*, 161(April), p. 105437. Available at: <https://doi.org/10.1016/j.earlhumdev.2021.105437>.
- Meyer, M.P., O'Connor, K.L. and Meyer, J.H. (2022) 'Thresholds for blood transfusion in extremely preterm infants: A review of the latest evidence from two large clinical trials', *Frontiers in Pediatrics*, 10. Available at: <https://doi.org/10.3389/fped.2022.957585>.
- Mishra, V., Mathur, A.A., Mohamed, S. and Maheshwari, A. (2022) 'Role of Near-infrared Spectroscopy in the Diagnosis and Assessment of Necrotizing Enterocolitis', *Newborn*, 1(1), pp. 177–181. Available at: <https://doi.org/10.5005/jp-journals-11002-0001>.
- Özkan, H., Çetinkaya, M., Dorum, B.A. and Köksal, N. (2021) 'Mesenteric tissue oxygenation status on the development of necrotizing enterocolitis', *Turkish Journal of Pediatrics*, 63(5), pp. 811–817. Available at: <https://doi.org/10.24953/TURKJPED.2021.05.009>.

- Palleri, E., van der Heide, M., Hulscher, J.B.F., Bartocci, M., Wester, T. and Kooi, E.M.W. (2023) 'Clinical usefulness of splanchnic oxygenation in predicting necrotizing enterocolitis in extremely preterm infants: a cohort study', *BMC Pediatrics*, 23(1), pp. 1–8. Available at: <https://doi.org/10.1186/s12887-023-04145-4>.
- Patra, A., Thakkar, P.S., Makhoul, M. and Bada, H.S. (2021) 'Objective Assessment of Physiologic Alterations Associated With Hemodynamically Significant Patent Ductus Arteriosus in Extremely Premature Neonates', *Frontiers in Pediatrics*, 9(February), pp. 1–10. Available at: <https://doi.org/10.3389/fped.2021.648584>.
- Pitzele, A., Rahimi, M., Armbrrecht, E. and Havranek, T. (2015) 'Packed red blood cell transfusion (PRBC) attenuates intestinal blood flow responses to feedings in pre-term neonates with normalization at 24 hours', *Journal of Maternal-Fetal and Neonatal Medicine*, 28(15), pp. 1770–1773. Available at: <https://doi.org/10.3109/14767058.2014.971746>.
- Quinton, L.J., Walkey, A.J. and Mizgerd, J.P. (2018) 'Integrative Physiology of Pneumonia.', *Physiological reviews*, 98(3), pp. 1417–1464. Available at: <https://doi.org/10.1152/physrev.00032.2017>.
- Rai, S.E., Sidhu, A.K. and Krishnan, R.J. (2018) 'Transfusion-associated necrotizing enterocolitis re-evaluated: A systematic review and meta-analysis', *Journal of Perinatal Medicine*, 46(6), pp. 665–676. Available at: <https://doi.org/10.1515/jpm-2017-0048>.
- Sahin, S., Gozde Kanmaz Kutman, H., Bozkurt, O., Yavanoglu Atay, F., Emre Canpolat, F., Uras, N., Suna Oguz, S. and Underwood, M.A. (2020) 'Effect of withholding feeds on transfusion-related acute gut injury in preterm infants: a pilot randomized controlled trial', *Journal of Maternal-Fetal and Neonatal Medicine*, 33(24), pp. 4139–4144. Available at: <https://doi.org/10.1080/14767058.2019.1597844>.
- Said, M.M., Niforatos, N. and Rais-Bahrami, K. (2013) 'Validation of near infrared spectroscopy to measure abdominal somatic tissue oxygen saturation in neonates', *Journal of Neonatal-Perinatal Medicine*, 6(1), pp. 23–30. Available at: <https://doi.org/10.3233/NPM-1365112>.
- Sampath, V., Martinez, M., Caplan, M., Underwood, M.A. and Cuna, A. (2023) 'Necrotizing enterocolitis in premature infants—A defect in the brakes? Evidence from clinical and animal studies', *Mucosal Immunology*, 16(2), pp. 208–220. Available at: <https://doi.org/10.1016/j.mucimm.2023.02.002>.
- Samraj, R.S. and Nicolas, L. (2015) 'Near infrared spectroscopy (NIRS) derived tissue oxygenation in critical illness', *Clinical and Investigative Medicine*, 38(5), pp. E285–E295. Available at: <https://doi.org/10.25011/cim.v38i5.25685>.
- Schat, T.E., van Zoonen, A.G.J.F., van der Laan, M.E., Mebius, M.J., Bos, A.F.,

- Hulzebos, C. V., Boezen, H.M., Hulscher, J.B.F. and Kooi, E.M.W. (2019) 'Early cerebral and intestinal oxygenation in the risk assessment of necrotizing enterocolitis in preterm infants', *Early Human Development*, 131(March 2018), pp. 75–80. Available at: <https://doi.org/10.1016/j.earlhumdev.2019.03.001>.
- Schindler, T., Yeo, K.T., Bolisetty, S., Michalowski, J., Tan, A.H.K. and Lui, K. (2020) 'FEEDing during red cell transfusion (FEEDUR RCT): A multi-arm randomised controlled trial', *BMC Pediatrics*, 20(1), pp. 1–8. Available at: <https://doi.org/10.1186/s12887-020-02233-3>.
- Shafique, M.A., Abbas, S.Q., Habiba, U., Mughal, A., Fadlalla Ahmad, T.K. and Munir Chaudhary, A. (2024) 'Transfusion strategies for neonates: current perspectives', *Annals of Medicine & Surgery*, 86(3), pp. 1550–1562. Available at: <https://doi.org/10.1097/ms9.0000000000001751>.
- Sirota, G.L., Litmanovitz, I., Vider, C., Arnon, S., Moore, S.S., Grinblatt, E., Levkovitz, O. and Rusek, S.B. (2022) 'Regional Splanchnic Oxygenation during Continuous versus Bolus Feeding among Stable Preterm Infants', *Children*, 9(5), pp. 3–9. Available at: <https://doi.org/10.3390/children9050691>.
- Smyrni, N., Koutsaki, M., Petra, M., Nikaina, E., Gontika, M., Strataki, H., Davora, F., Bouza, H., Damianos, G., Skouteli, H., Mastroianni, S., Dalivigka, Z., Dinopoulos, A., Tzaki, M. and Papavasiliou, A. (2021) 'Moderately and Late Preterm Infants: Short- and Long-Term Outcomes From a Registry-Based Cohort', *Frontiers in Neurology*, 12(February), pp. 1–12. Available at: <https://doi.org/10.3389/fneur.2021.628066>.
- Sood, B.G., McLaughlin, K. and Cortez, J. (2015) 'Near-infrared spectroscopy: Applications in neonates', *Seminars in Fetal and Neonatal Medicine*, 20(3), pp. 164–172. Available at: <https://doi.org/10.1016/j.siny.2015.03.008>.
- Thomas, R.A., Ballard, M.R., Aladangady, N. and Banerjee, J. (2023) 'Abdominal Near Infrared Spectroscopy can be reliably used to measure splanchnic oxygenation changes in preterm infants', *Journal of Perinatology*, 43(6), pp. 716–721. Available at: <https://doi.org/10.1038/s41372-022-01576-2>.
- Tilahun, D., Yimer, M.A. and Zamanuel, T.G. (2022) 'High Magnitude of Neonatal Anemia Among Sick Newborns Admitted to University of Gondar Comprehensive Specialized Hospital, Northwest Ethiopia', *Journal of Blood Medicine*, 13(May), pp. 293–302. Available at: <https://doi.org/10.2147/JBM.S361675>.
- Vogel, J.P., Chawanpaiboon, S., Moller, A.B., Watananirun, K., Bonet, M. and Lumbiganon, P. (2018) 'The global epidemiology of preterm birth', *Best Practice and Research: Clinical Obstetrics and Gynaecology*, 52, pp. 3–12. Available at: <https://doi.org/10.1016/j.bpobgyn.2018.04.003>.
- Wu, C., Wang, X., Jiang, T., Li, C., Zhang, L., Gao, X., Tian, F., Li, N. and Li, J.

(2016) ‘Partial enteral nutrition mitigated ischemia/reperfusion-induced damage of rat small intestinal barrier’, *Nutrients*, 8(8). Available at: <https://doi.org/10.3390/nu8080502>.

Wynn, J.L. and Wong, H.R. (2010) ‘Pathophysiology and treatment of septic shock in neonates’, *Clinics in Perinatology*, 37(2), pp. 439–479. Available at: <https://doi.org/10.1016/j.clp.2010.04.002>.

Yeo, K.T., Kong, J.Y., Sasi, A., Tan, K., Lai, N.M. and Schindler, T. (2019) ‘Stopping enteral feeds for prevention of transfusion-associated necrotising enterocolitis in preterm infants’, *Cochrane Database of Systematic Reviews*, 2019(10). Available at: <https://doi.org/10.1002/14651858.CD012888.pub2>.