

## DAFTAR PUSTAKA

- Afriliana, A., Harada, H., Khotijah, P. Q., Jayus, -, & Giyarto, -. (2018). Fermented Technology of Robusta Coffee Beans (*Canephora* Coffee) With Kefir Milk to Produce Specialty Coffee. *Proceedings of the International Conference on Food, Agriculture and Natural Resources (FANRes 2018)*. Proceedings of the International Conference on Food, Agriculture and Natural Resources (FANRes 2018), Yogyakarta, Indonesia. <https://doi.org/10.2991/fanres-18.2018.61>
- Angeloni, G., Guerrini, L., Masella, P., Bellumori, M., Daluiso, S., Parenti, A., & Innocenti, M. (2019). What kind of coffee do you drink? An investigation on effects of eight different extraction methods. *Food Research International*, 116, 1327–1335. <https://doi.org/10.1016/j.foodres.2018.10.022>
- Angeloni, G., Guerrini, L., Masella, P., Innocenti, M., Bellumori, M., & Parenti, A. (2019). Characterization and comparison of cold brew and cold drip coffee extraction methods. *Journal of the Science of Food and Agriculture*, 99(1), 391–399. <https://doi.org/10.1002/jsfa.9200>
- Angeloni, S., Mustafa, A. M., Abouelenein, D., Alessandroni, L., Acquaticci, L., Nzekoue, F. K., Petrelli, R., Sagratini, G., Vittori, S., Torregiani, E., & Caprioli, G. (2021). Characterization of the Aroma Profile and Main Key Odorants of Espresso Coffee. *Molecules*, 26(13), 3856. <https://doi.org/10.3390/molecules26133856>
- Awwad, S., Issa, R., Alnsour, L., Albals, D., & Al-Momani, I. (2021). Quantification of Caffeine and Chlorogenic Acid in Green and Roasted Coffee Samples Using HPLC-DAD and Evaluation of the Effect of Degree of Roasting on Their Levels. *Molecules*, 26(24), 7502. <https://doi.org/10.3390/molecules26247502>
- Badmos, S., Lee, S.-H., & Kuhnert, N. (2019). Comparison and quantification of chlorogenic acids for differentiation of green Robusta and Arabica coffee beans. *Food Research International*, 126, 108544. <https://doi.org/10.1016/j.foodres.2019.108544>
- Baqueta, M. R., Diniz, P. H. G. D., Pereira, L. L., Almeida, F. L. C., Valderrama, P., & Pallone, J. A. L. (2024). An overview on the Brazilian *Coffea canephora* scenario and the current chemometrics-based spectroscopic research. *Food Research International*, 194, 114866. <https://doi.org/10.1016/j.foodres.2024.114866>
- Bellumori, M., Angeloni, G., Guerrini, L., Masella, P., Calamai, L., Mulinacci, N., Parenti, A., & Innocenti, M. (2021). Effects of different stabilization techniques on the shelf life of cold brew coffee: Chemical composition, flavor profile and microbiological analysis. *LWT*, 142, 111043. <https://doi.org/10.1016/j.lwt.2021.111043>
- Benjakul, S., Chantakun, K., & Karnjanapratum, S. (2018). Impact of retort process on characteristics and bioactivities of herbal soup based on hydrolyzed collagen from seabass skin. *Journal of Food Science and Technology*, 55(9), 3779–3791. <https://doi.org/10.1007/s13197-018-3310-z>

- Bennat, Carolin, Ulrich H. Engelhardt, Andrea Kiehne, Frank-Michael Wirries & Hans Gerhard Maier. (1994). Springer: Volume 199
- Bhumiratana, N., Adhikari, K., & Chambers, E. (2011). Evolution of sensory aroma attributes from coffee beans to brewed coffee. *LWT - Food Science and Technology*, 44(10), 2185–2192. <https://doi.org/10.1016/j.lwt.2011.07.001>
- Boettler, U., Volz, N., Pahlke, G., Teller, N., Kotyczka, C., Somoza, V., Stiebitz, H., Bytof, G., Lantz, I., Lang, R., Hofmann, T., & Marko, D. (2011). Coffees rich in chlorogenic acid or N-methylpyridinium induce chemopreventive phase II-enzymes via the Nrf2/ARE pathway in vitro and in vivo. *Molecular Nutrition & Food Research*, 55(5), 798–802. <https://doi.org/10.1002/mnfr.201100115>
- Bressanello, D., Liberto, E., Cordero, C., Rubiolo, P., Pellegrino, G., Ruosi, M. R., & Bicchi, C. (2017). Coffee aroma: Chemometric comparison of the chemical information provided by three different samplings combined with GC–MS to describe the sensory properties in cup. *Food Chemistry*, 214, 218–226. <https://doi.org/10.1016/j.foodchem.2016.07.088>
- Buffo, R. A., & Cardelli-Freire, C. (2004). Coffee flavour: An overview. *Flavour and Fragrance Journal*, 19(2), 99–104. <https://doi.org/10.1002/ffj.1325>
- Cai, Y., Xu, Z., Pan, X., Gao, M., Wu, M., Wu, J., & Lao, F. (2022). Comparative Profiling of Hot and Cold Brew Coffee Flavor Using Chromatographic and Sensory Approaches. *Foods*, 11(19), 2968. <https://doi.org/10.3390/foods11192968>
- Caporaso, N., Whitworth, M. B., Cui, C., & Fisk, I. D. (2018). Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS. *Food Research International*, 108, 628–640. <https://doi.org/10.1016/j.foodres.2018.03.077>
- Chiralertpong, A., Acree, T. E., Barnard, J., & Siebert, K. J. (2008). Taste–Odor Integration in Espresso Coffee. *Chemosensory Perception*, 1(2), 147–152. <https://doi.org/10.1007/s12078-008-9018-0>
- Clarke, R. J., & Macrae, R. (Eds.). (1985). *Coffee*. Springer Netherlands. <https://doi.org/10.1007/978-94-009-4948-5>
- Cordoba, N., Pataquiva, L., Osorio, C., Moreno, F. L. M., & Ruiz, R. Y. (2019). Effect of grinding, extraction time and type of coffee on the physicochemical and flavour characteristics of cold brew coffee. *Scientific Reports*, 9(1), 8440. <https://doi.org/10.1038/s41598-019-44886-w>
- Cordoba, N. (2020). *Coffee extraction \_ A review of parameters and their influence on the physicochemical characteristics and flavour of coffee brews*.
- Cordoba, N., Fernandez-Alduenda, M., Moreno, F. L., & Ruiz, Yolanda. (2020). Coffee extraction: A review of parameters and their influence on the physicochemical characteristics and flavour of coffee brews. *Trends in Food Science & Technology*, 96, 45–60. <https://doi.org/10.1016/j.tifs.2019.12.004>
- Córdoba, N., Moreno, F. L., Osorio, C., Velásquez, S., Fernandez-Alduenda, M., & Ruiz-Pardo, Y. (2021). Specialty and regular coffee bean quality for cold and hot brewing: Evaluation of sensory profile and physicochemical

- characteristics. *LWT*, 145, 111363.  
<https://doi.org/10.1016/j.lwt.2021.111363>
- Darmajana, D. A., Wulandari, R., & Sagita, D. (2022). CHARACTERISTICS OF COLD BREWED ARABICA COFFEE FROM GUNUNG KARAMAT VILLAGE SUBANG REGENCY AS A RESULT OF DIFFERENT TEMPERATURES AND ROASTING TIME. *INMATEH Agricultural Engineering*, 835–843. <https://doi.org/10.35633/inmateh-68-83>
- Dawidowicz, A. L., & Typek, R. (2017). Transformation of chlorogenic acids during the coffee beans roasting process. *European Food Research and Technology*, 243(3), 379–390. <https://doi.org/10.1007/s00217-016-2751-8>
- De Melo Pereira, G. V., De Carvalho Neto, D. P., Magalhães Júnior, A. I., Vásquez, Z. S., Medeiros, A. B. P., Vandenberghe, L. P. S., & Soccol, C. R. (2019). Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review. *Food Chemistry*, 272, 441–452. <https://doi.org/10.1016/j.foodchem.2018.08.061>
- Di Girolamo, F. G., Mazzucco, S., Situlin, R., Mohorko, N., Jenko-Pražnikar, Z., Petelin, A., Tence, M., Pišot, R., Navarini, L., & Biolo, G. (2016). Roasting intensity of naturally low-caffeine Laurina coffee modulates glucose metabolism and redox balance in humans. *Nutrition*, 32(9), 928–936. <https://doi.org/10.1016/j.nut.2016.02.001>
- Direktorat Jenderal Perkebunan. (2022). Statistik Perkebunan Unggulan Nasional 2020-2022. Jakarta: Kementerian Pertanian Republik Indonesia
- Dooley, L., Lee, Y., & Meullenet, J.-F. (2010). The application of check-all-that-apply (CATA) consumer profiling to preference mapping of vanilla ice cream and its comparison to classical external preference mapping. *Food Quality and Preference*, 21(4), 394–401. <https://doi.org/10.1016/j.foodqual.2009.10.002>
- Farag, M. A., Otify, A. M., El-Sayed, A. M., Michel, C. G., ElShebiney, S. A., Ehrlich, A., & Wessjohann, L. A. (2019). Sensory Metabolite Profiling in a Date Pit Based Coffee Substitute and in Response to Roasting as Analyzed via Mass Spectrometry Based Metabolomics. *Molecules*, 24(18), 3377. <https://doi.org/10.3390/molecules24183377>
- Farah, A. (2012). Coffee Constituents. In Y. Chu (Ed.), *Coffee* (1st ed., pp. 21–58). Wiley. <https://doi.org/10.1002/9781119949893.ch2>
- Farah, A. (Ed.). (2019). Front Matter. In *Coffee* (pp. P001–P004). Royal Society of Chemistry. <https://doi.org/10.1039/9781782622437-FP001>
- Fibrianto, K., Umam, K., & Shinta Wulandari, E. (2018). Effect of Roasting Profiles and Brewing Methods on the Characteristics of Bali Kintamani Coffee. *Proceedings of the International Conference on Food, Agriculture and Natural Resources (FANRes 2018)*. Proceedings of the International Conference on Food, Agriculture and Natural Resources (FANRes 2018), Yogyakarta, Indonesia. <https://doi.org/10.2991/fanres-18.2018.40>
- Fitzhugh, D. J., Shan, S., Dewhirst, M. W., & Hale, L. P. (2008). Bromelain treatment decreases neutrophil migration to sites of inflammation. *Clinical Immunology*, 128(1), 66–74. <https://doi.org/10.1016/j.clim.2008.02.015>



- Franca, A. S. (2016). Coffee: Decaffeination. In *Encyclopedia of Food and Health* (pp. 232–236). Elsevier. <https://doi.org/10.1016/B978-0-12-384947-2.00183-5>
- Frediansyah, A., Praharasti, A. S., Kusumaningrum, A., Nurhikmat, A., Susanto, A., Khasanah, Y., & Nurhayati, R. (2017). *Application of static retort thermal processing technology for dried beef Rendang production: Evaluation of its post-processing on microbiological and physicochemical properties*. 030109. <https://doi.org/10.1063/1.4968362>
- Freitas, V. V., Rodrigues Borges, L. L., Dias Castro, G. A., Dos Santos, M. H., Vidigal, M. C. T. R., Fernandes, S. A., & Stringheta, P. C. (2023). Impact of Different Roasting Conditions on the Chemical Composition, Antioxidant Activities, and Color of *Coffea Canephora* and *Coffea Arabica* L. Samples. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4325910>
- Fuller, M., & Rao, N. Z. (2017). The Effect of Time, Roasting Temperature, and Grind Size on Caffeine and Chlorogenic Acid Concentrations in Cold Brew Coffee. *Scientific Reports*, 7(1), 17979. <https://doi.org/10.1038/s41598-017-18247-4>
- Ganju, E., Chawla, K., Yang, S., & Chawla, N. (2024). Time-resolved roasting-induced microstructural evolution of Arabica coffee beans from Brazil, Colombia, and Ethiopia captured using x-ray computed micro-tomography. *Journal of Food Engineering*, 361, 111733. <https://doi.org/10.1016/j.jfoodeng.2023.111733>
- Giulia, S., Eloisa, B., Giulia, R., Gloria, P., Carlo, B., & Erica, L. (2023). Evaluation of the behaviour of phenols and alkaloids in samples of roasted and ground coffee stored in different types of packaging: Implications for quality and shelf life. *Food Research International*, 174, 113548. <https://doi.org/10.1016/j.foodres.2023.113548>
- Gloess, A. N., Schönbächler, B., Klopprogge, B., D'Ambrosio, L., Chatelain, K., Bongartz, A., Strittmatter, A., Rast, M., & Yeretizian, C. (2013). Comparison of nine common coffee extraction methods: Instrumental and sensory analysis. *European Food Research and Technology*, 236(4), 607–627. <https://doi.org/10.1007/s00217-013-1917-x>
- Haile, M., & Hee Kang, W. (2020). The Harvest and Post-Harvest Management Practices' Impact on Coffee Quality. In D. Toledo Castanheira (Ed.), *Coffee—Production and Research*. IntechOpen. <https://doi.org/10.5772/intechopen.89224>
- Hakil, M., Denis, S., Viniegra-González, G., & Augur, C. (1998). Degradation and Product Analysis of Caffeine and Related Dimethylxanthines by Filamentous Fungi. *Enzyme and Microbial Technology*, 22(5), 355–359. [https://doi.org/10.1016/S0141-0229\(97\)00205-6](https://doi.org/10.1016/S0141-0229(97)00205-6)
- Hapsari, A. R., Broto, R. T. W., & Apriyanti, E. (2022). Pemanfaatan Enzim Bromelin dari Tepung Nanas (*Ananas comosus* L. Merr) untuk Menurunkan Kadar Kafein Kopi pada Proses Pembuatan Sirup Kopi. *METANA*, 18(1), 57–64. <https://doi.org/10.14710/metana.v18i1.45600>
- Hariyadi, T., Paramitha, T., Irmawati, D., & Salsabila, S. A. (2024). The Effect of Pineapple Crude Enzymes and Fermentation Time on The Decaffeination

- Process of Robusta Coffee. *Current Journal: International Journal Applied Technology Research*, 5(1), 63–70. <https://doi.org/10.35313/ijatr.v5i1.128>
- Heinz, G., & Hautzinger, P. (2007). *Meat processing technology for small- to medium-scale producers*. Food and Agriculture Organizations of the United Nations, Regional Office for Asia and the Pacific.
- Heo, J., Adhikari, K., Choi, K. S., & Lee, J. (2020). Analysis of Caffeine, Chlorogenic Acid, Trigonelline, and Volatile Compounds in Cold Brew Coffee Using High-Performance Liquid Chromatography and Solid-Phase Microextraction—Gas Chromatography-Mass Spectrometry. *Foods*, 9(12), 1746. <https://doi.org/10.3390/foods9121746>
- Herawati, D., Armawan, M. S., Nurhaliza, N., Mu'arij, F. A., Yulianti, Hunaefi, D., & Noviasari, S. (2024). Impact of bean origin and brewing methods on bioactive compounds, bioactivities, nutrition, and sensory perception in coffee brews: An Indonesian coffee gastronomy study. *International Journal of Gastronomy and Food Science*, 35, 100892. <https://doi.org/10.1016/j.ijgfs.2024.100892>
- International Coffee Organization (ICO). 2023. Coffee Report and Outlook. Accessed from <https://ico.org/>
- Kalaska, B., Piotrowski, L., Leszczynska, A., Michalowski, B., Kramkowski, K., Kaminski, T., Adamus, J., Marcinek, A., Gebicki, J., Mogielnicki, A., & Buczek, W. (2014). Antithrombotic Effects of Pyridinium Compounds Formed from Trigonelline upon Coffee Roasting. *Journal of Agricultural and Food Chemistry*, 62(13), 2853–2860. <https://doi.org/10.1021/jf5008538>
- Kazes, S., Sanchez, J., Quintero, M., Velásquez, S., Restrepo, T., & Casanova, H. (2024). Assessment of the physical stability of cold brew coffee in retorted beverages. *Journal of Food Composition and Analysis*, 131, 106210. <https://doi.org/10.1016/j.jfca.2024.106210>
- Kurniadi, M., Kusumaningrum, A., Nurhikmat, A., & Susanto, A. (2019). *(THERMAL PROCESS OF FRIED RICE IN RETORT POUCH PACKAGING AND ITS SHELF LIFE PREDICTION)*.
- Kusumaningrum, A., Nurhikmat, A., Praharasti, A. S., Susanto, A., Arthatiani, F. Y., & Zulham, A. (2017). Study of lethality Value and Chemical Characteristics of “Keumamah-Processed Cuisine” for Development of Small and Medium Enterprise Product. *Jurnal Riset Teknologi Industri*, 11(2), 83–90. <https://doi.org/10.26578/jrti.v11i2.2910>
- Kyroglou, S., Laskari, R., & Vareltzis, P. (2022). Optimization of Sensory Properties of Cold Brew Coffee Produced by Reduced Pressure Cycles and Its Physicochemical Characteristics. *Molecules*, 27(9), 2971. <https://doi.org/10.3390/molecules27092971>
- Lee, L. W., Cheong, M. W., Curran, P., Yu, B., & Liu, S. Q. (2015). Coffee fermentation and flavor – An intricate and delicate relationship. *Food Chemistry*, 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>
- Lemos, M. F., De Andrade Salustriano, N., De Souza Costa, M. M., Lirio, K., Da Fonseca, A. F. A., Pacheco, H. P., Endringer, D. C., Fronza, M., & Scherer, R. (2022). Chlorogenic acid and caffeine contents and anti-inflammatory

- and antioxidant activities of green beans of conilon and arabica coffees harvested with different degrees of maturation. *Journal of Saudi Chemical Society*, 26(3), 101467. <https://doi.org/10.1016/j.jscs.2022.101467>
- Liang, J., Batali, M. E., Routt, C., Ristenpart, W. D., & Guinard, J.-X. (2024). Sensory analysis of the flavor profile of full immersion hot, room temperature, and cold brewed coffee over time. *Scientific Reports*, 14(1), 19298. <https://doi.org/10.1038/s41598-024-69867-6>
- Liu, C., Yang, N., Yang, Q., Ayed, C., Linforth, R., & Fisk, I. D. (2019). Enhancing Robusta coffee aroma by modifying flavour precursors in the green coffee bean. *Food Chemistry*, 281, 8–17. <https://doi.org/10.1016/j.foodchem.2018.12.080>
- McCain-Keefer, H. R., Meals, S., & Drake, M. (2020). The sensory properties and consumer acceptance of cold brew coffee. *Journal of Sensory Studies*, 35(6), e12604. <https://doi.org/10.1111/joss.12604>
- Moccand, C. (2023). Improvement of Robusta coffee aroma by modulating flavor precursors in the green coffee bean with enzymatically treated spent coffee grounds: A circular approach. *Food Research International*.
- Moccand, C., Manchala, A. D., Sauvageat, J.-L., Lima, A., FleuryRey, Y., & Glabasnia, A. (2023). Improvement of Robusta coffee aroma by modulating flavor precursors in the green coffee bean with enzymatically treated spent coffee grounds: A circular approach. *Food Research International*, 170, 112987. <https://doi.org/10.1016/j.foodres.2023.112987>
- Moreira, A. S. P., Nunes, F. M., Domingues, M. R., & Coimbra, M. A. (2012). Coffee melanoidins: Structures, mechanisms of formation and potential health impacts. *Food & Function*, 3(9), 903. <https://doi.org/10.1039/c2fo30048f>
- Murda, Y. K., Husni, A., Budhiyanti, S. A., & Novita, E. R. (2016). *KARAKTERISTIK KIMIA DAN MIKROBIOLOGI FILET LELE DUMBO ASAP BERBUMBUNYU DALAM KALENG*. 19.
- Narváez, E., Zapata, E., Dereix, J. D., Lopez, C., Torijano-Gutiérrez, S., & Zapata, J. (2024). A Comparative Analysis of Cold Brew Coffee Aroma Using the Gas Chromatography–Olfactometry–Mass Spectrometry Technique: Headspace–Solid-Phase Extraction and Headspace Solid-Phase Microextraction Methods for the Extraction of Sensory-Active Compounds. *Molecules*, 29(16), 3791. <https://doi.org/10.3390/molecules29163791>
- Nuraeni, F., Maulana, I. T., & Syafnir, L. (2021). *Kajian Pustaka Karakterisasi Enzim Bromelin pada Nanas (*Ananas comosus* (L.) Merr.) dari Berbagai Negara terhadap Pengaruh Suhu dan pH*. 7(2).
- Ogawa, A., & Cho, H. (2015). Role of food emulsifiers in milk coffee beverages. *Journal of Colloid and Interface Science*, 449, 198–204. <https://doi.org/10.1016/j.jcis.2015.01.063>
- Palupi, N. S. & Fatimah. (2021). The Role of Decaffeinated Coffee in Reducing the Risk of Hypertension: A Systematic Review. *Journal of Functional Food and Nutraceutical*, 99–116. <https://doi.org/10.33555/jffn.v2i2.60>
- Pan, L., Xiao, Y., Jiang, F., Jiang, T., Zhu, J., Tang, W., Liu, X., Zhou, Y., & Yu, L. (2023). Comparison of Characterization of Cold Brew and Hot Brew Coffee



- Prepared at Various Roasting Degrees. *Journal of Food Processing and Preservation*, 2023, 1–15. <https://doi.org/10.1155/2023/3175570>
- Park, H., Noh, E., Kim, M., & Lee, K.-G. (2024). Analysis of volatile and nonvolatile compounds in decaffeinated and regular coffee prepared under various roasting conditions. *Food Chemistry*, 435, 137543. <https://doi.org/10.1016/j.foodchem.2023.137543>
- Poisson, L., Auzanneau, N., Mestdagh, F., Blank, I., & Davidek, T. (2018). New Insight into the Role of Sucrose in the Generation of  $\alpha$ -Diketones upon Coffee Roasting. *Journal of Agricultural and Food Chemistry*, 66(10), 2422–2431. <https://doi.org/10.1021/acs.jafc.6b04849>
- Portela, C. D. S., Almeida, I. F. D., Mori, A. L. B., Yamashita, F., & Benassi, M. D. T. (2021). Brewing conditions impact on the composition and characteristics of cold brew Arabica and Robusta coffee beverages. *LWT*, 143, 111090. <https://doi.org/10.1016/j.lwt.2021.111090>
- Portela, C. D. S., Almeida, I. F. D., Reis, T. A. D. D., Hickmann, B. R. B., & Benassi, M. D. T. (2022). Effects of brewing conditions and coffee species on the physicochemical characteristics, preference and dynamics of sensory attributes perception in cold brews. *Food Research International*, 151, 110860. <https://doi.org/10.1016/j.foodres.2021.110860>
- Pramadika, R. P., Kusnadi, J., & Wijayanti, S.D. (2016). Dekafeinasi Kopi Robusta Enzimatis (*Coffea canephora* L.) Dengan Enzim Bromelain Kasar dari Ekstrak Buah Nanas (*Annanas Comosus* Var *Comosus*). *Jurnal Pangan Dan Agroindustri*, 4(4)
- Purbaningrum, K., Hidayat, C., Witasari, L. D., & Utami, T. (2023). Flavor Precursors and Volatile Compounds Improvement of Unfermented Cocoa Beans by Hydrolysis Using Bromelain. *Foods*, 12(4), 820. <https://doi.org/10.3390/foods12040820>
- Ramalakshmi, K., & Raghavan, B. (1999). Caffeine in Coffee: Its Removal. Why and How? *Critical Reviews in Food Science and Nutrition*, 39(5), 441–456. <https://doi.org/10.1080/10408699991279231>
- Rao, N. Z., & Fuller, M. (2018). Acidity and Antioxidant Activity of Cold Brew Coffee. *Scientific Reports*, 8(1), 16030. <https://doi.org/10.1038/s41598-018-34392-w>
- Ratih, D. A., Sritamin, M., & Wirawan, I. G. P. (2022). Pengaruh Variasi Waktu Inkubasi dengan Penambahan Paya Meat Tenderizer pada Proses Dekafeinasi Kopi Arabika (*Coffea arabica* L.). 11(1).
- Romano, R., Santini, A., Le Grottaglie, L., Manzo, N., Visconti, A., & Ritieni, A. (2014). Identification markers based on fatty acid composition to differentiate between roasted Arabica and Canephora (Robusta) coffee varieties in mixtures. *Journal of Food Composition and Analysis*, 35(1), 1–9. <https://doi.org/10.1016/j.jfca.2014.04.001>
- Rufián-Henares, J. A., & Pastoriza, S. (2015). Melanoidins in Coffee. In *Coffee in Health and Disease Prevention* (pp. 183–188). Elsevier. <https://doi.org/10.1016/B978-0-12-409517-5.00020-6>
- Rune, C. J. B., Giacalone, D., Steen, I., Duelund, L., Münchow, M., & Clausen, M. P. (2023). Acids in brewed coffees: Chemical composition and sensory

- threshold. *Current Research in Food Science*, 6, 100485. <https://doi.org/10.1016/j.crfs.2023.100485>
- Santanatoglia, A., Angeloni, S., Fiorito, M., Fioretti, L., Ricciutelli, M., Sagratini, G., Vittori, S., & Caprioli, G. (2024). Development of new analytical methods for the quantification of organic acids, chlorogenic acids and caffeine in espresso coffee by using solid-phase extraction (SPE) and high-performance liquid chromatography-diode array detector (HPLC-DAD). *Journal of Food Composition and Analysis*, 125, 105732. <https://doi.org/10.1016/j.jfca.2023.105732>
- Schenker, S., & Rothgeb, T. (2017). The Roast—Creating the Beans' Signature. In *The Craft and Science of Coffee* (pp. 245–271). Elsevier. <https://doi.org/10.1016/B978-0-12-803520-7.00011-6>
- Sekretaris Jenderal Kementerian Pertanian. (2023). Komoditas Perkebunan Kopi. Jakarta: Sekretaris Jenderal Kementerian Pertanian Republik Indonesia, 2023
- Semmelroch, P., & Grosch, W. (1996). Studies on Character Impact Odorants of Coffee Brews. *Journal of Agricultural and Food Chemistry*, 44(2), 537–543. <https://doi.org/10.1021/jf9505988>
- Seninde, D. R., Chambers, E., & Chambers, D. (2020). Determining the impact of roasting degree, coffee to water ratio and brewing method on the sensory characteristics of cold brew Ugandan coffee. *Food Research International*, 137, 109667. <https://doi.org/10.1016/j.foodres.2020.109667>
- Sopelana, P., Pérez-Martínez, M., López-Galilea, I., De Peña, M. P., & Cid, C. (2013). Effect of ultra high temperature (UHT) treatment on coffee brew stability. *Food Research International*, 50(2), 682–690. <https://doi.org/10.1016/j.foodres.2011.07.038>
- Specialty Coffee Association of America (SCAA). (2015). “SCAA Protocols: Cupping Specialty Coffee”. America: the Specialty Coffee Association of America, 2015
- Specialty Coffee Association of America (SCAA). (2020). Recommended Protocols: Cold Brew Cupping. Accessed from <https://sca.coffee/research/protocols-best-practices>
- Sualeh, A., Mohammed, A., & Endris, S. (n.d.). *Processing method, variety and roasting duration effect on physical quality attributes of roasted Arabica coffee beans*.
- Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*, 62, 315–325. <https://doi.org/10.1016/j.foodres.2014.02.030>
- Suryaningsih, W., Bakri, A., Kautsar, S., Hariono, B., Brilliantina, A., & Wijaya, R. (2022a). Prototype of Integrated Mini Exhausting System For Fish Canning Process. *IOP Conference Series: Earth and Environmental Science*, 980(1), 012039. <https://doi.org/10.1088/1755-1315/980/1/012039>
- Suryaningsih, W., Bakri, A., Kautsar, S., Hariono, B., Brilliantina, A., & Wijaya, R. (2022b). Prototype of Integrated Mini Exhausting System For Fish Canning Process. *IOP Conference Series: Earth and Environmental Science*, 980(1), 012039. <https://doi.org/10.1088/1755-1315/980/1/012039>



- Tangke, U., Katiandagho, B., & Rochmady, R. (2020). Nutritional Adequacy Rate (RDA) and Nutritional Value Information (ING) of Tuna Kering Kayu Fish Canned with Tuna Fish Bone Flour Substitution. *Agrikan: Jurnal Agribisnis Perikanan*, 13(2), 352–357. <https://doi.org/10.29239/j.agrikan.13.2.352-357>
- Taylor, A. J., & Roozen, J. P. (1996). Volatile flavor release from foods during eating. *Critical Reviews in Food Science and Nutrition*, 36(8), 765–784. <https://doi.org/10.1080/10408399609527749>
- Teixeira, A. A. (2014). Thermal Food Preservation Techniques (Pasteurization, Sterilization, Canning and Blanching). In S. Bhattacharya (Ed.), *Conventional and Advanced Food Processing Technologies* (1st ed., pp. 115–128). Wiley. <https://doi.org/10.1002/9781118406281.ch6>
- Toci, A. T., Azevedo, D. A., & Farah, A. (2020). Effect of roasting speed on the volatile composition of coffees with different cup quality. *Food Research International*, 137, 109546. <https://doi.org/10.1016/j.foodres.2020.109546>
- Trugo, L. C., & Macrae, R. (1984). A study of the effect of roasting on the chlorogenic acid composition of coffee using HPLC. *Food Chemistry*, 15(3), 219–227. [https://doi.org/10.1016/0308-8146\(84\)90006-2](https://doi.org/10.1016/0308-8146(84)90006-2)
- Tucker, G. S., Brown, H. M., Fryer, P. J., Cox, P. W., Poole, F. L., Lee, H.-S., & Adams, M. W. W. (2007). A sterilisation Time–Temperature Integrator based on amylase from the hyperthermophilic organism *Pyrococcus furiosus*. *Innovative Food Science & Emerging Technologies*, 8(1), 63–72. <https://doi.org/10.1016/j.ifset.2006.07.003>
- Turan Ayseli, M., Kelebek, H., & Selli, S. (2021). Elucidation of aroma-active compounds and chlorogenic acids of Turkish coffee brewed from medium and dark roasted *Coffea arabica* beans. *Food Chemistry*, 338, 127821. <https://doi.org/10.1016/j.foodchem.2020.127821>
- US Food and Drug (US FDA). (2018). <https://www.fda.gov/consumers/consumer-updates/spilling-beans-how-much-caffeine-too-much>
- US Department of Agriculture (USDA). (2023). Production–Coffee: 2023/2024 Coffee Production. Accessed from <https://fas.usda.gov/data/production/commodity/0711100>
- Vitzthum, O. G., Weissmann, C., Becker, R., dan Kohler, H. S. (1990). Identification of an aroma key compound in Robusta coffees. *Cafe Cacao Tea*, 34, 27–36
- Wang, W., Chen, H., Ke, D., Chen, W., Zhong, Q., Chen, W., & Yun, Y.-H. (2020). Effect of sterilization and storage on volatile compounds, sensory properties and physicochemical properties of coconut milk. *Microchemical Journal*, 153, 104532. <https://doi.org/10.1016/j.microc.2019.104532>
- Wang, X., & Lim, L. (2021). Modeling study of coffee extraction at different temperature and grind size conditions to better understand the cold and hot brewing process. *Journal of Food Process Engineering*, 44(8), e13748. <https://doi.org/10.1111/jfpe.13748>
- Wei, F., & Tanokura, M. (2015). Chemical Changes in the Components of Coffee Beans during Roasting. In *Coffee in Health and Disease Prevention* (pp. 83–91). Elsevier. <https://doi.org/10.1016/B978-0-12-409517-5.00010-3>

- Widodo, P. B., Yulianto, M. E., Ariyanto, H. D., & Paramita, V. (2023). Efficacy of natural and full washed post-harvest processing variations on arabica coffee characteristics. *Materials Today: Proceedings*, 87, 79–85. <https://doi.org/10.1016/j.matpr.2023.02.376>
- Yang, N., Liu, C., Liu, X., Degn, T. K., Munchow, M., & Fisk, I. (2016). Determination of volatile marker compounds of common coffee roast defects. *Food Chemistry*, 211, 206–214. <https://doi.org/10.1016/j.foodchem.2016.04.124>
- Zhang, S. J., De Bruyn, F., Pothakos, V., Torres, J., Falconi, C., Moccand, C., Weckx, S., & De Vuyst, L. (2019). Following Coffee Production from Cherries to Cup: Microbiological and Metabolomic Analysis of Wet Processing of *Coffea arabica*. *Applied and Environmental Microbiology*, 85(6), e02635-18. <https://doi.org/10.1128/AEM.02635-18>
- Zhu, M., Long, Y., Ma, Y., Chen, Y., Yu, Q., Xie, J., Li, B., & Tian, J. (2021). Comparison of chemical and fatty acid composition of green coffee bean (*Coffea arabica* L.) from different geographical origins. *LWT*, 140, 110802. <https://doi.org/10.1016/j.lwt.2020.110802>