Daftar Pustaka

Aboye, W., Berhe, T., Birhane, T., Gerensea, H., 2018. Prevalence and associated factors of low birth weight in Axum town, Tigray, North Ethiopia. *BMC Res. Notes* 11: 1–6. doi:10.1186/s13104-018-3801-z

Agustina, A.S., 2018. Determinan Berat Badan Lahir Rendah (BBLR). *Kebidanan* 8.

Anasthasia, T.R., Utami, E.D., 2020. Faktor-Faktor yang Memengaruhi Kejadian Berat Badan Lahir Rendah Di Indonesia Tahun 2020. *Politek. Stat. STIS Jakarta* 2020: 863–872.

Bayu, K.M., Wayan, W.N.A., 2020. Hubungan antara Diabetes Melitus Gestasional dan Berat Badan Lahir dengan Kejadian Respiratory Distress Syndrome (RDS) pada Neonatus di RSUD Abdul Wahab Sjahranie Samarinda. *Borneo Student Res.* 1: 2020.

Blencowe, H., Krasevec, J., de Onis, M., Black, R.E., An, X., Stevens, G.A., Borghi, E., Hayashi, C., Estevez, D., Cegolon, L., Shiekh, S., Ponce Hardy, V., Lawn, J.E., Cousens, S., 2019. National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: a systematic analysis. *Lancet Glob. Heal.* 7: e849–e860. doi:10.1016/S2214-109X(18)30565-5

Brown, H.K., Speechley, K.N., Macnab, J., Natale, R., Campbell, M.K., 2014. Neonatal morbidity associated with late preterm and early term birth: The roles of gestational age and biological determinants of preterm birth. *Int. J. Epidemiol.* 43: 802–814. doi:10.1093/ije/dyt251

Cahyaningtyas, I.S., 2018. Hubungan Riwayat Abortus dengan Kejadian Bayi Berat Lahir Rendah di RSUD Wates Tahun 2017. *Politek. Kesehat. Kementeri. Kesehat. Yogyakarta*.

Cambridge University Hospital, 2021. Diabetes and Pregnancy: Gestational Diabetes [WWW Document]. *NHS Found. Trust*.

Chia, S.E., Lee, J., Chia, K.S., Chan, O.Y., 2004. Low birth weight in relation to parental occupations - A population-based registry in Singapore (1994-1998). *Neurotoxicol. Teratol.* 26: 285–290. doi:10.1016/j.ntt.2003.10.009

Darmayanti, Wilopo, S.A., Nurdiati, D.S., 2010. Pengaruh Kenaikan Berat Badan Rata-Rata Per Minggu Pada Kehamilan Trimester II Dan III Terhadap Risiko Berat Bayi Lahir Rendah. *Ber. Kedokt. Masy.* 26: 40–46.

Desta, M., Tadese, M., Kassie, B., Gedefaw, M., 2019. Determinants and adverse

perinatal outcomes of low birth weight newborns delivered in Hawassa University Comprehensive Specialized Hospital, Ethiopia: A cohort study. *BMC Res. Notes* 12: 1–7. doi:10.1186/s13104-019-4155-x

Dinas Kesehatan D.I. Yogyakarta, 2021. Profil Kesehatan D.I. Yogyakarta Tahun 2021. Yogyakarta.

Dinas Kesehatan Kabupaten Sleman, 2020. Profil Kabupaten Sleman Tahun 2020. *Dinas Kesehat. Sleman*.

Fajriana, A., Buanasita, A., 2018. Faktor Risiko Yang Berhubungan Dengan Kejadian Bayi Berat Lahir Rendah Di Kecamatan Semampir Surabaya. *Media Gizi Indones.* 13: 71. doi:10.20473/mgi.v13i1.71-80

Farland, L. V., Stern, J.E., Hwang, S.S., Liu, C. ling, Cabral, H., Knowlton, R., Gershman, S.T., Coddington, C.C., Missmer, S.A., 2021. Early-life cancer, infertility, and risk of adverse pregnancy outcomes: a registry linkage study in Massachusetts. *Cancer Causes Control* 32: 169–180. doi:10.1007/s10552-020-01371-4

Gemilastari, R., Zeffira, L., Malik, R., Tri Septiana, V., 2024. Karakteristik Bayi Dengan Berat Badan Lahir Rendah (BBLR). *Sci. J.* 3: 16–26. doi:10.56260/sciena.v3i1.125

Goisis, A., Remes, H., Barclay, K., Martikainen, P., Myrskylä, M., 2017. Advanced Maternal Age and the Risk of Low Birth Weight and Preterm Delivery: A Within-Family Analysis Using Finnish Population Registers. *Am. J. Epidemiol.* 186: 1219–1226. doi:10.1093/aje/kwx177

Haggar, F.A., Pereira, G., Preen, D., D'Arcy Holman, C., Einarsdottir, K., 2014. Adverse obstetric and perinatal outcomes following treatment of adolescent and young adult cancer: A population-based cohort study. *PLoS One* 9: 1–16. doi:10.1371/journal.pone.0113292

Haksari, E.L., Lafeber, H.N., Hakimi, M., Pawirohartono, E.P., Nyström, L., 2016. Reference curves of birth weight, length, and head circumference for gestational ages in Yogyakarta, Indonesia. *BMC Pediatr.* 16. doi:10.1186/s12887-016-0728-1

Haryono, I., 2021. Hubungan Pertambahan Berat Badan Ibu Selama Hamil Dengan Berat Bayi Lahir Rendah Di PMB W Banjarmasin 12: 47–56. doi:10.33859/dksm.v12i1.693

Hipple, S., 2001. Contingent work in the late-1990s. *Mon. Labor Rev.* 124: 3–25.

Husna, F., Aldika Akbar, M.I., Amalia, R.B., 2021. Komplikasi Kehamilan Dan Persalinan Pada Kehamilan Remaja. *Indones. Midwifery Heal. Sci. J.* 3: 138–147. doi:10.20473/imhsj.v3i2.2019.138-147

Huxley, R., Owen, C.G., Whincup, P.H., Cook, D.G., Rich-Edwards, J., Smith, G.D., Collins, R., 2007. Is birth weight a risk factor for ischemic heart disease in later life? *Am. J. Clin. Nutr.* 85: 1244–1250. doi:10.1093/ajcn/85.5.1244

Iatiqfanisa, S., Candrakirana, R.K., Aenah, W., Wardhana, M.P., 2023. Pengaruh Asma terhadap Kehamilan (Literature review). *J. Ilm. Univ. Batanghari Jambi* 23: 1147. doi:10.33087/jiubj.v23i2.3456

Jebasingh, F., Thomas, N., 2022. Barker Hypothesis and Hypertension. *Front. Public Heal.* 9: 1–6. doi:10.3389/fpubh.2021.767545

Kementerian Kesehatan Republik Indonesia, 2023. Upaya Pencegahan Bayi Lahir Prematur. *sehatNegeriku*.

Kementrian Kesehatan, 2011. Manajemen BBLR Untuk Bidan Dan Perawat. *Dirjen Bina Gizi Dan Kesehat. Ibu Dan Anak Kementrian Kesehat. Ri 2011* 7: 107–15.

Khattar, D., Awasthi, S., Das, V., 2013. Residential environmental tobacco smoke exposure during pregnancy and low birth weight of neonates: Case control study in a public hospital in Lucknow, India. *Indian Pediatr.* 50: 134–138. doi:10.1007/s13312-013-0035-y

Klemetti, R., Gissler, M., Niinimäki, M., Hemminki, E., 2012. Birth outcomes after induced abortion: A nationwide register-based study of first births in Finland. *Hum. Reprod.* 27: 3315–3320. doi:10.1093/humrep/des294

Lawlor, D.A., Ronalds, G., Clark, H., Smith, G.D., Leon, D.A., 2005. Birth weight is inversely associated with incident coronary heart disease and stroke among individuals born in the 1950s: Findings from the Aberdeen children of the 1950s prospective cohort study. *Circulation* 112: 1414–1418. doi:10.1161/circulationaha.104.528356

Loviana, N., Darsini, N., Aditiawarman, A., 2021. Faktor Yang Berhubungan Dengan Kejadian Persalinan Prematur Di Rsud Dr Soetomo. *Indones. Midwifery Heal. Sci. J.* 3: 85–97. doi:10.20473/imhsj.v3i1.2019.85-97

Maghfiroh, L., 2015. Pertambahan Berat Badan Ibu Hamil dan Kejadian Berat Bayi Lahir Rendah (BBLR) di Wilayah Kerja Puskesmas Pamulang Kota Tangerang

Selatan Tahun 2013-2015.

Maifita, D., Armalini, R., 2022. Hubungan Kekurangan Energy Kronik (KEK) Pada Ibu Hamil Dengan Kejadian Berat Badan Lahir Rendah (BBLR) Di Wilayah Kerja Puskesmas Pariaman. *J. Kesehat. Saintika Meditory* 4: 78–84.

Mitao, M., Philemon, R., Obure, J., Mmbaga, B.T., Msuya, S., Mahande, M.J., 2016. Risk factors and adverse perinatal outcome associated with low birth weight in Northern Tanzania: A registry-based retrospective cohort study. *Asian Pacific J. Reprod.* 5: 75–79. doi:10.1016/j.apjr.2015.12.014

Momen, N.C., Arendt, L.H., Ernst, A., Olsen, J., Li, J., Gissler, M., Ramlau-Hansen, C.H., 2018. Pregnancy-associated cancers and birth outcomes in children: A Danish and Swedish population-based register study. *BMJ Open* 8. doi:10.1136/bmjopen-2018-022946

National Institute for Health and Care Excellence, 2015. Diabetes in pregnancy : management from preconception to the postnatal period. *NICe* 2–65.

Nurbaniwati, N., Dewi, W.P., Nisaa, D.R., 2023. Hubungan Umur dan Paritas Ibu dengan Kejadian Bayi Berat Lahir Rendah (BBRL) pada Ibu Bersalin di RSUD Waled Tahun 2018 – 2021. *Indones. J. Obstet. Gynecol. Sci.* 6: 460. doi:10.24198/obgynia.v6i3.587

Owen, C.G., Whincup, P.H., Odoki, K., Gilg, J.A., Cook, D.G., 2003. Birth weight and blood cholesterol level: A study in adolescents and systematic review. *Pediatrics* 111: 1081–1089. doi:10.1542/peds.111.5.1081

Paixão, E.S., Campbell, O.M., Teixeira, M.G., Costa, M.C.N., Harron, K., Barreto, M.L., Leal, M.B., Almeida, M.F., Rodrigues, L.C., 2019. Dengue during pregnancy and live birth outcomes: A cohort of linked data from Brazil. *BMJ Open* 9: 1–8. doi:10.1136/bmjopen-2018-023529

Panico, L., Goisis, A., Martinson, M., 2024. Gradients in low birthweight by maternal education: A comparative perspective. *SSM - Popul. Heal.* 26: 101674. doi:10.1016/j.ssmph.2024.101674

Patil, D., Enquobahrie, D.A., Peckham, T., Seixas, N., Hajat, A., 2020. Retrospective cohort study of the association between maternal employment precarity and infant low birth weight in women in the USA. *BMJ Open* 10: 1–10. doi:10.1136/bmjopen-2019-029584

Provost, C., Hughes, P., 2000. Medicaid: 35 Years of Service. *Health Care Financ.*

Rev. 22: 141–174.

Puspitasari, R., 2014. Hubungan Tingkat Pendidikan dan Pekerjaan Ibu dengan Kejadian Bayi Berat Lahir Rendah di RSU PKU Muhammadiyah Bantul. *STIKES 'Aisyiyah Yogyakarta*.

Rathore, S.S., Oberoi, S., Hilliard, J., Raja, R., Ahmed, N.K., Viswakarma, Y., Iqbal, K., Kumari, C., Velasquez-Botero, F., Nieto-Salazar, M., 2022. Maternal and Foetal-Neonatal Outcomes of Dengue Virus Infection During Pregnancy. *Trop. Med. Int. Heal.* 27: 619–629. doi:10.1111/tmi.13783

Ribka Yulia, 2017. Hubungan Pemeriksaan Antenatal Care (ANC) dengan Kejadian Berat Badan Lahir Rendah (BBLR). *Keperawatan* 5.

Ristiany, Y., 2018. Hubungan Riwayat Abortus Dengan Kejadian Bayi Dengan Berat Badan Lahir Rendah Di Rsud Wonosari Tahun 2016. *Poltekkes Kemenkes Yogyakarta* 1–167.

Robijn, A.L., Bokern, M.P., Jensen, M.E., Barker, D., Baines, K.J., Murphy, V.E., 2022. Risk factors for asthma exacerbations during pregnancy: a systematic review and meta-analysis. *Eur. Respir. Rev.* 31. doi:10.1183/16000617.0039-2022

Saputri, M.A.U., 2020. Hubungan Usia Kehamilan dan Jarak Kehamilan dengan Kejadian Berat Badan Lahir Rendah (BBLR) dan Berat Badan Lahir Sangat Rendah (BBLSR). *Media Kesehat. Masy. Indones.* 3.

Seghieri, G., Anichini, R., De Bellis, A., Alviggi, L., Franconi, F., Breschi, M.C., 2002. Relationship between gestational diabetes mellitus and low maternal birth weight. *Diabetes Care* 25: 1761–1765. doi:10.2337/diacare.25.10.1761

Sema, A., Tesfaye, F., Belay, Y., Amsalu, B., Bekele, D., Desalew, A., 2019. Associated Factors with Low Birth Weight in Dire Dawa City, Eastern Ethiopia: A Cross-Sectional Study. *Biomed Res. Int.* 2019. doi:10.1155/2019/2965094

Sholiha, H., Sumarmi, S., 2016. Analisis Risiko Kejadian Berat Bayi Lahir Rendah (BBLR) Pada Primigravida. *Media Gizi Indones.* 10: 57–63. doi:10.20473/mgi.v10i1.57-63

Sitorus, F., Surya Anita, Dewi R Bancin, 2022. Pengaruh Status Sosial Ekonomi Terhadap Kejadian Bayi Berat Lahir Rendah (Bblr) Di Kelurahan Gedung Johor Kota Medan. *J. Heal. Reprod.* 7: 32–37. doi:10.51544/jrh.v7i2.3643

Skidmore, P.M.L., Hardy, R.J., Kuh, D.J., Langenberg, C., Wadsworth, M.E.J., 2004. Birth Weight and Lipids in a National Birth Cohort Study. *Arterioscler. Thromb.*

Vasc. Biol. 24: 588–594. doi:10.1161/01.ATV.0000116692.85043.ef

Smith, G.C.S., Pell, J.P., Dobbie, R., 2003. Interpregnancy interval and risk of preterm birth and neonatal death: Retrospective cohort study. *Bmj* 327: 313. doi:10.1136/bmj.327.7410.313

Sohibien, G.P.D., Yuhan, R.J., 2019. Determinan Kejadian Berat Badan Lahir Rendah (BBLR) di Indonesia. *Apl. Stat. Komputasi Stat.* 11.

Sri Wahyuni, Yustina Ananti, Chentia Misse Issabella, 2021. Hubungan Anemia Kehamilan Dengan Kejadian Berat Badan Lahir Rendah (Bblr): Systematic Literatur Review. *J. Heal.* 8: 94–104. doi:10.30590/joh.v8n2.p94-104.2021

Stewart, A., Graham, E., 2010. Preterm birth: An overview of risk factors and obstetrical management. *Dev. Disabil. Res. Rev.* 16: 285–288. doi:10.1002/ddrr.124

Sugiyono, 2010. Metode Penelitian Kuantitatif Kualitatif & RND. *Alfabeta*.

Sulistiani, K., 2014. Faktor Risiko Kejadian Bayi Berat Lahir Rendah (BBLR) Di Wilayah Kerja Puskesmas Kota Tangerang Selatan tahun 2012-2014. *Univ. Islam Negri Syarif Hidayatullah*.

Sun, H., Su, X., Mao, J., Zhao, R., Shen, Q., Zou, C., Yang, Y., Du, Q., 2024. Association of different types of abortions with neonatal outcomes in subsequent pregnancy. *J. Glob. Health* 14: 04216. doi:10.7189/jogh.14.04216

Supriyatun, 2020. Hubungan Status Sosial Ekonomi Dengan Kejadian Bayi Berat Lahir Rendah (Bblr). *J. Kesehat.* 8: 974–980. doi:10.38165/jk.v8i2.106

Suratiah, Hartati, N., Deprianti, L.M., 2019. Faktor Risiko Terjadinya Anemia. *Media Penelit. dan Pengemb. Kesehat.* 25: 165–170.

Syafira, T.I., 2021. Hubungan Hipertensi Gestasional dengan Angka Kejadian BBLR. *J. Med. Hutama* 3: 1519–1523.

Wada, Z.H., Djadjang, A., Siregar, B.V.D., 2023. Hubungan Antara Pendidikan Ibu dengan Riwayat Berat Badan Lahir Rendah Berdasarkan Usia Ibu di Kecamatan Leuwiliang, Kabupaten Bogor. *J. Ilm. Fisioter.* 13: 13–19.

Wibowo, N., Rima, I., Rabbania, H., 2021. Anemia Defisiensi Besi pada Kehamilan.

Widianti, E., Fitriahadi, E., 2023. Anemia Pada Ibu Hamil Sebagai Faktor Risiko Kejadian BBLR. *Indones. J. Prof. Nurs.* 4: 6. doi:10.30587/ijpn.v4i1.5617

Yuliva, Ismail, D., 2009. Hubungan Status Pekerjaan Ibu Dengan Berat Lahir Bayi di RSUP DR. M. Djamil Padang. *Ber. Kedokt. Masy.* 25: 1–13.

Yuwana, N.R.D.A., Mahmudiono, T., Rifqi, M.A., 2022. Faktor-Faktor yang Berhubungan dengan Kejadian Bayi Berat Lahir Rendah (BBLR) di Indonesia Berdasarkan Analisa Data Sekunder SDKI Tahun 2017. *Media Gizi Kesmas* 11: 451–457. doi:10.20473/mgk.v11i2.2022.451-457

Zanetti, D., Tikkanen, E., Gustafsson, S., Priest, J.R., Burgess, S., Ingelsson, E., 2018. Birthweight, Type 2 Diabetes Mellitus, and Cardiovascular Disease: Addressing the Barker Hypothesis With Mendelian Randomization. *Circ. Genomic Precis. Med.* 11: e002054. doi:10.1161/CIRCGEN.117.002054

Zurohmi, R.N.P., Marhana, I.A., Husada, D., 2024. Hubungan Riwayat Penyakit Paru pada Ibu Hamil terhadap Kejadian BBLR di RSUD Dr. Soetomo Surabaya. *J. Vokasi Keperawatan* 7: 52–62.