

DAFTAR PUSTAKA

- Adelabu, B. A., & Kareem, S. O. (2022). Cellulase Production by Immobilized Cells of *Candida Tropicalis* Isolated from *Grasshopper Zonocerus Variegatus* In Saw Dust And Rice Husk Medium. *Polish Journal of Natural Sciences*, 37(2). <https://doi.org/10.31648/pjns.7538>
- Agnihotri, S., Yin, D. M., Mahboubi, A., Sapmaz, T., Varjani, S., Qiao, W., Koseoglu-Imer, D. Y., & Taherzadeh, M. J. (2022). A Glimpse of the World of Volatile Fatty Acids Production and Application: A review. In *Bioengineered* (Vol. 13, Issue 1). <https://doi.org/10.1080/21655979.2021.1996044>
- Ahmad, A. L., Ismail, S., Ibrahim, N., & Bhatia, S. (2003). Removal of suspended solids and residual oil from palm oil mill effluent. *Journal of Chemical Technology and Biotechnology*, 78(9). <https://doi.org/10.1002/jctb.892>
- Ahmadi, N., Khosravi-Darani, K., & Mortazavian, A. M. (2017). An overview of biotechnological production of propionic acid: From upstream to downstream processes. In *Electronic Journal of Biotechnology* (Vol. 28). <https://doi.org/10.1016/j.ejbt.2017.04.004>
- Al-Battashi, H. S., Annamalai, N., Sivakumar, N., Al-Bahry, S., Tripathi, B. N., Nguyen, Q. D., & Gupta, V. K. (2019). Lignocellulosic biomass (LCB): a potential alternative biorefinery feedstock for polyhydroxyalkanoates production. In *Reviews in Environmental Science and Biotechnology* (Vol. 18, Issue 1). <https://doi.org/10.1007/s11157-018-09488-4>
- Alfa, I. M., Dahunsi, S. O., Iorhemen, O. T., Okafor, C. C., & Ajayi, S. A. (2014). Comparative evaluation of biogas production from Poultry droppings, Cow dung and Lemon grass. *Bioresource Technology*, 157. <https://doi.org/10.1016/j.biortech.2014.01.108>
- Andlar, M., Rezić, T., Marđetko, N., Kracher, D., Ludwig, R., & Šantek, B. (2018). Lignocellulose degradation: An overview of fungi and fungal enzymes involved in lignocellulose degradation. In *Engineering in Life Sciences* (Vol.

- 18, Issue 11). <https://doi.org/10.1002/elsc.201800039>
- Angelidaki, I., & Ahring, B. K. (2000). Methods for increasing the biogas potential from the recalcitrant organic matter contained in manure. *Water Science and Technology*, 41(3). <https://doi.org/10.2166/wst.2000.0071>
- AOAC. (2016). Official Methods of Analysis of AOAC International - 20th Edition, 2016. 20th Ed. Gaithersburg: AOAC.
- APHA. (2005). Standard Methods for the Examination of Water and Wastewater. *Standard Methods*. <https://doi.org/ISBN 9780875532356>
- Atasoy, M., Owusu-Agyeman, I., Plaza, E., & Cetecioglu, Z. (2018). Bio-based volatile fatty acid production and recovery from waste streams: Current status and future challenges. In *Bioresource Technology* (Vol. 268). <https://doi.org/10.1016/j.biortech.2018.07.042>
- Aydin, S., Yildirim, E., Ince, O., & Ince, B. (2017). Rumen anaerobic fungi create new opportunities for enhanced methane production from microalgae biomass. *Algal Research*, 23. <https://doi.org/10.1016/j.algal.2016.12.016>
- Azman, N. F., Abdesahian, P., Al-Shorgani, N. K. N., Hamid, A. A., & Kalil, M. S. (2016). Production of hydrogen energy from dilute acid-hydrolyzed palm oil mill effluent in dark fermentation using an empirical model. *International Journal of Hydrogen Energy*, 41(37). <https://doi.org/10.1016/j.ijhydene.2016.05.085>
- Aznury, M., & Setiadi, T. (2021). Identifikasi Senyawa Asam Lemak Volatil dari Air Limbah Industri Minyak Kelapa Sawit untuk Produksi Polihidroksialkanoat oleh *Ralstonia eutropha* JMP 134. *JURNAL SELULOSA*, 11(01). <https://doi.org/10.25269/jsel.v11i01.340>
- Baas, P. (2014). Wood - Chemistry, ultrastructure, reactions. D. Fengel and G. Wegener, xiii + 613 pp., 351 mus., 1984. Walter de Gruyter, Berlin, New York. Price: DM 245.00 (cloth). *IAWA Journal*, 6(1). <https://doi.org/10.1163/22941932-90000910>
- Badan Pusat Statistik. (2020). Statistik Hortikultura 2019-2020. *Horticulture Statistic*.
- Barmina, I., Lickrastina, A., Valdmanis, R., Zake, M., Arshanitsa, A., Solodovnik,

- V., & Telysheva, G. (2013). Effects of biomass composition variations on gasification and combustion characteristics. *Engineering for Rural Development*.
- Bartacek, J., Zabranska, J., & Lens, P. N. L. (2007). Developments and constraints in fermentative hydrogen production. In *Biofuels, Bioproducts and Biorefining* (Vol. 1, Issue 3). <https://doi.org/10.1002/bbb.17>
- Bhatia, S. K., & Yang, Y. H. (2017). Microbial production of volatile fatty acids: current status and future perspectives. In *Reviews in Environmental Science and Biotechnology* (Vol. 16, Issue 2). <https://doi.org/10.1007/s11157-017-9431-4>
- Boyd, C. E. (1990). Water quality in ponds for aquaculture. *Alabama*.
- BPS. (2023). Luas Panen Dan Produksi Padi Di Indonesia 2022. *Badan Pusat Statistik*, 4(1).
- BPS Indonesia. (2023). Indonesian Palm Oil Statistics. *Bps*, 16(ISSN 1978-9947).
- Castoldi, R., Correa, V. G., de Moraes, G. R., de Souza, C. G. M., Bracht, A., Peralta, R. A., Peralta-Muniz Moreira, R. F., & Peralta, R. M. (2017). Liquid nitrogen pretreatment of eucalyptus sawdust and rice hull for enhanced enzymatic saccharification. *Bioresource Technology*, 224. <https://doi.org/10.1016/j.biortech.2016.11.099>
- Chandel, A. K., ES, C., Rudravaram, R., Narasu, L., Rao, V., & Ravindra, P. (2007). Economics and environmental impact of bioethanol production technologies: an appraisal. *Biotechnology and Molecular Biology Review*, 2(1).
- Chandrasekhar, K., Lee, Y. J., & Lee, D. W. (2015). Biohydrogen production: Strategies to improve process efficiency through microbial routes. In *International Journal of Molecular Sciences* (Vol. 16, Issue 4). <https://doi.org/10.3390/ijms16048266>
- Cheng, Y. F., Edwards, J. E., Allison, G. G., Zhu, W. Y., & Theodorou, M. K. (2009). Diversity and activity of enriched ruminal cultures of anaerobic fungi and methanogens grown together on lignocellulose in consecutive batch culture. *Bioresource Technology*, 100(20). <https://doi.org/10.1016/j.biortech.2009.04.031>

- Chesson, A. (1981). Effects of sodium hydroxide on cereal straws in relation to the enhanced degradation of structural polysaccharides by rumen microorganisms. *Journal of the Science of Food and Agriculture*, 32(8). <https://doi.org/10.1002/jsfa.2740320802>
- Chong, M. L., Sabaratnam, V., Shirai, Y., & Hassan, M. A. (2009). Biohydrogen production from biomass and industrial wastes by dark fermentation. In *International Journal of Hydrogen Energy* (Vol. 34, Issue 8). <https://doi.org/10.1016/j.ijhydene.2009.02.010>
- Comlekcioglu, U., Gunes, M., Altun, H., Ekiz, D. O., & Aygan, A. (2017). Coexpression of rumen fungal xylanase and bifunctional cellulase genes in *Escherichia coli*. *Brazilian Archives of Biology and Technology*, 60. <https://doi.org/10.1590/1678-4324-2017160462>
- Dagar, S. S., Kumar, S., Mudgil, P., & Puniya, A. K. (2018). Comparative evaluation of lignocellulolytic activities of filamentous cultures of monocentric and polycentric anaerobic fungi. *Anaerobe*, 50. <https://doi.org/10.1016/j.anaerobe.2018.02.004>
- Dahmen, N., Lewandowski, I., Zibek, S., & Weidtmann, A. (2019). Integrated lignocellulosic value chains in a growing bioeconomy: Status quo and perspectives. *GCB Bioenergy*, 11(1). <https://doi.org/10.1111/gcbb.12586>
- Darwin., D. (2018). Prinsip Dan Aplikasi Teknologi Anaerobik Diges, Teknik Pengolahan Limbah Dan Produksi Energi Terbarukan. In *Angewandte Chemie International Edition*, 6(11), 951–952.
- Deublein, D., & Steinhauser, A. (2010). Biogas from Waste and Renewable Resources: An Introduction, Second Edition. In *Biogas from Waste and Renewable Resources: An Introduction, Second Edition*. <https://doi.org/10.1002/9783527632794>
- Dipaningrum, P. K., Ulfa, A. M., & Khoirunnisa, S. M. (2022). PENETAPAN KADAR ALKALI BEBAS PADA SABUN CUCI KRIM YANG DIJUAL DI MINI MARKET SECARA ASIDIMETRI. *Jurnal Analis Farmasi*, 6(2). <https://doi.org/10.33024/jaf.v6i2.5956>
- Dollhofer, V., Dandikas, V., Dorn-In, S., Bauer, C., Lebuhn, M., & Bauer, J. (2018).

- Accelerated biogas production from lignocellulosic biomass after pre-treatment with *Neocallimastix frontalis*. *Bioresource Technology*, 264. <https://doi.org/10.1016/j.biortech.2018.05.068>
- Ezeilo, U. R., Wahab, R. A., & Mahat, N. A. (2020). Optimization studies on cellulase and xylanase production by *Rhizopus oryzae* UC2 using raw oil palm frond leaves as substrate under solid state fermentation. *Renewable Energy*, 156. <https://doi.org/10.1016/j.renene.2019.11.149>
- Feng, S., Ngo, H. H., Guo, W., Chang, S. W., Nguyen, D. D., Liu, Y., Zhang, S., Phong Vo, H. N., Bui, X. T., & Ngoc Hoang, B. (2022). Volatile fatty acids production from waste streams by anaerobic digestion: A critical review of the roles and application of enzymes. In *Bioresource Technology* (Vol. 359). <https://doi.org/10.1016/j.biortech.2022.127420>
- Fengel, D. dan G. W. (1995). Kayu: Kimia, Ultrastruktur, Reaksi-Reaksi. Terjemahan Hardjono Sastro Hamidjojo. In *Gadjah Mada University Press*.
- Ferraro, A., Dottorini, G., Massini, G., Mazzurco Miritana, V., Signorini, A., Lembo, G., & Fabbricino, M. (2018). Combined bioaugmentation with anaerobic ruminal fungi and fermentative bacteria to enhance biogas production from wheat straw and mushroom spent straw. *Bioresource Technology*, 260. <https://doi.org/10.1016/j.biortech.2018.03.128>
- Flad, V., Young, D., Seppälä, S., Hooker, C., Youssef, N., Podmirseg, S. M., Nagler, M., Reilly, M., Li, Y., Fliiegerová, K., Cheng, Y., Griffith, G. W., Elshahed, M., Solomon, K. V., O'Malley, M. A., & Theodorou, M. K. (2020). 17 The Biotechnological Potential of Anaerobic Gut Fungi. In *Genetics and Biotechnology*. https://doi.org/10.1007/978-3-030-49924-2_17
- France, J., Theodorou, M. K., & Davies, D. (1990). Use of zoospore concentrations and life cycle parameters in determining the population of anaerobic fungi in the rumen ecosystem. *Journal of Theoretical Biology*, 147(3). [https://doi.org/10.1016/S0022-5193\(05\)80496-5](https://doi.org/10.1016/S0022-5193(05)80496-5)
- García-Depraect, O., Castro-Muñoz, R., Muñoz, R., Rene, E. R., León-Becerril, E., Valdez-Vazquez, I., Kumar, G., Reyes-Alvarado, L. C., Martínez-Mendoza, L. J., Carrillo-Reyes, J., & Buitrón, G. (2021). A review on the factors

- influencing biohydrogen production from lactate: The key to unlocking enhanced dark fermentative processes. In *Bioresource Technology* (Vol. 324). <https://doi.org/10.1016/j.biortech.2020.124595>
- García-Depraect, O., Lebrero, R., Rodriguez-Vega, S., Bordel, S., Santos-Beneit, F., Martínez-Mendoza, L. J., Aragão Börner, R., Börner, T., & Muñoz, R. (2022). Biodegradation of bioplastics under aerobic and anaerobic aqueous conditions: Kinetics, carbon fate and particle size effect. *Bioresource Technology*, 344. <https://doi.org/10.1016/j.biortech.2021.126265>
- Ghimire, A., Frunzo, L., Pirozzi, F., Trably, E., Escudie, R., Lens, P. N. L., & Esposito, G. (2015). A review on dark fermentative biohydrogen production from organic biomass: Process parameters and use of by-products. In *Applied Energy* (Vol. 144). <https://doi.org/10.1016/j.apenergy.2015.01.045>
- Ghose, T. K. (1987). Measurement of cellulase activities. *Pure and Applied Chemistry*, 59(2). <https://doi.org/10.1351/pac198759020257>
- Gilbert, H. J., & Hazlewood, G. P. (1993). Bacterial cellulases and xylanases. In *Journal of General Microbiology* (Vol. 139, Issue 2). <https://doi.org/10.1099/00221287-139-2-187>
- Girisuta, B., Janssen, L. P. B. M., & Heeres, H. J. (2007). Kinetic study on the acid-catalyzed hydrolysis of cellulose to levulinic acid. *Industrial and Engineering Chemistry Research*, 46(6). <https://doi.org/10.1021/ie061186z>
- Gkamarazi N, & Gkamarazi, N. (2015). Implementing anaerobic digestion for municipal solid waste treatment: challenges and prospects. *International Conference on Environmental Science and Technology, CEST, Rhodes, Greece, September*.
- Gordon, G. L. R., & Phillips, M. W. (1998). The role of anaerobic gut fungi in ruminants. *Nutrition Research Reviews*, 11(1). <https://doi.org/10.1079/nrr19980009>
- Grenet, E., Breton, A., Barry, P., & Fonty, G. (1989). Rumen anaerobic fungi and plant substrate colonization as affected by diet composition. *Animal Feed Science and Technology*, 26(1–2). [https://doi.org/10.1016/0377-8401\(89\)90006-0](https://doi.org/10.1016/0377-8401(89)90006-0)

- Haitjema, C. H., Gilmore, S. P., Henske, J. K., Solomon, K. V., De Groot, R., Kuo, A., Mondo, S. J., Salamov, A. A., LaButti, K., Zhao, Z., Chiniquy, J., Barry, K., Brewer, H. M., Purvine, S. O., Wright, A. T., Hainaut, M., Boxma, B., Van Alen, T., Hackstein, J. H. P., ... O'Malley, M. A. (2017). A parts list for fungal cellulosomes revealed by comparative genomics. *Nature Microbiology*, 2. <https://doi.org/10.1038/nmicrobiol.2017.87>
- Haitjema, C. H., Solomon, K. V., Henske, J. K., Theodorou, M. K., & O'Malley, M. A. (2014). Anaerobic gut fungi: Advances in isolation, culture, and cellulolytic enzyme discovery for biofuel production. *Biotechnology and Bioengineering*, 111(8). <https://doi.org/10.1002/bit.25264>
- Hanafy, R. A., Elshahed, M. S., Ligginstoffer, A. S., Griffith, G. W., & Youssef, N. H. (2017). *Pecoramyces ruminantium*, gen. nov., sp. nov., an anaerobic gut fungus from the feces of cattle and sheep. *Mycologia*, 109(2). <https://doi.org/10.1080/00275514.2017.1317190>
- Haryanti, A., Norsamsi, N., Fanny Sholiha, P. S., & Putri, N. P. (2014). STUDI PEMANFAATAN LIMBAH PADAT KELAPA SAWIT. *Konversi*, 3(2). <https://doi.org/10.20527/k.v3i2.161>
- Hay, J. X. W., Wu, T. Y., Juan, J. C., & Md. Jahim, J. (2013). Biohydrogen production through photo fermentation or dark fermentation using waste as a substrate: Overview, economics, and future prospects of hydrogen usage. *Biofuels, Bioproducts and Biorefining*, 7(3). <https://doi.org/10.1002/bbb.1403>
- Hazwan, M., Hussin, B., Hazwan, M., & Hussin, B. (2018). Extraction , modification and characterization of lignin from oil palm fronds as corrosion inhibitors for mild steel in acidic solution. *HAL Open Sciences*, July.
- Henske, J. K., Wilken, S. E., Solomon, K. V., Smallwood, C. R., Shutthanandan, V., Evans, J. E., Theodorou, M. K., & O'Malley, M. A. (2018). Metabolic characterization of anaerobic fungi provides a path forward for bioprocessing of crude lignocellulose. *Biotechnology and Bioengineering*, 115(4). <https://doi.org/10.1002/bit.26515>
- Hooker, C. A., Lee, K. Z., & Solomon, K. V. (2019). Leveraging anaerobic fungi for biotechnology. In *Current Opinion in Biotechnology* (Vol. 59).

<https://doi.org/10.1016/j.copbio.2019.03.013>

Hwang, S., Lee, Y., & Yang, K. (2001). Maximization of acetic acid production in partial acidogenesis of swine wastewater. *Biotechnology and Bioengineering*, 75(5). <https://doi.org/10.1002/bit.10068>

Jiang, J., Zhang, Y., Li, K., Wang, Q., Gong, C., & Li, M. (2013). Volatile fatty acids production from food waste: Effects of pH, temperature, and organic loading rate. *Bioresource Technology*, 143. <https://doi.org/10.1016/j.biortech.2013.06.025>

Joshi, A., Lanjekar, V. B., Dhakephalkar, P. K., Callaghan, T. M., Griffith, G. W., & Dagar, S. S. (2018). *Liebetanzomyces polymorphus* gen. et sp. nov., a new anaerobic fungus (Neocallimastigomycota) isolated from the rumen of a goat. *Mycology*, 40. <https://doi.org/10.3897/mycokeys.40.28337>

Karimi, K., Kheradmandinia, S., & Taherzadeh, M. J. (2006). Conversion of rice straw to sugars by dilute-acid hydrolysis. *Biomass and Bioenergy*, 30(3). <https://doi.org/10.1016/j.biombioe.2005.11.015>

Kazda, M., Langer, S., & Bengelsdorf, F. R. (2014). Fungi open new possibilities for anaerobic fermentation of organic residues. *Energy, Sustainability and Society*, 4(1). <https://doi.org/10.1186/2192-0567-4-6>

Khullar, E., Dien, B. S., Rausch, K. D., Tumbleson, M. E., & Singh, V. (2013). Effect of particle size on enzymatic hydrolysis of pretreated Miscanthus. *Industrial Crops and Products*, 44. <https://doi.org/10.1016/j.indcrop.2012.10.015>

Kim, B. H., & Gadd, G. M. (2008). Bacterial physiology and metabolism. In *Bacterial Physiology and Metabolism*. <https://doi.org/10.1017/CBO9780511790461>

Kim, I. S., Hwang, M. H., Jang, N. J., Hyun, S. H., & Lee, S. T. (2004). Effect of low pH on the activity of hydrogen utilizing methanogen in bio-hydrogen process. *International Journal of Hydrogen Energy*, 29(11). <https://doi.org/10.1016/j.ijhydene.2003.08.017>

Kim, N. U., & Lee, Y. L. (2018). Blocking-artifact detection in frequency domain for frame-rate up-conversion. *Personal and Ubiquitous Computing*, 22(1).

<https://doi.org/10.1007/s00779-017-1019-z>

- Kurniati, Y., Rahmat, A., Malianto, B. I., Nandayani, D., & Pratiwi, W. S. W. (2021). Review Analisa Kondisi Optimum Dalam Proses Pembuatan Biogas. *Rekayasa*, *14*(2). <https://doi.org/10.21107/rekayasa.v14i2.11305>
- Lee, S. S., Ha, J. K., & Cheng, K. J. (2000). Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion. *Animal Feed Science and Technology*, *88*(3–4). [https://doi.org/10.1016/S0377-8401\(00\)00216-9](https://doi.org/10.1016/S0377-8401(00)00216-9)
- Li, T., Mazéas, L., Sghir, A., Leblon, G., & Bouchez, T. (2009). Insights into networks of functional microbes catalysing methanization of cellulose under mesophilic conditions. *Environmental Microbiology*, *11*(4). <https://doi.org/10.1111/j.1462-2920.2008.01810.x>
- Lin, C. Y., & Lay, C. H. (2005). A nutrient formulation for fermentative hydrogen production using anaerobic sewage sludge microflora. *International Journal of Hydrogen Energy*, *30*(3). <https://doi.org/10.1016/j.ijhydene.2004.03.002>
- Liu, H., Wang, J., Liu, X., Fu, B., Chen, J., & Yu, H. Q. (2012). Acidogenic fermentation of proteinaceous sewage sludge: Effect of pH. *Water Research*, *46*(3). <https://doi.org/10.1016/j.watres.2011.11.047>
- Liu, Y., Nie, Y., Lu, X., Zhang, X., He, H., Pan, F., Zhou, L., Liu, X., Ji, X., & Zhang, S. (2019). Cascade utilization of lignocellulosic biomass to high-value products. In *Green Chemistry* (Vol. 21, Issue 13). <https://doi.org/10.1039/c9gc00473d>
- Logroño, W., Nikolausz, M., Harms, H., & Kleinstaub, S. (2022). Physiological Effects of 2-Bromoethanesulfonate on Hydrogenotrophic Pure and Mixed Cultures. *Microorganisms*, *10*(2). <https://doi.org/10.3390/microorganisms10020355>
- Lovato, G., Augusto, I. M. G., Ferraz Júnior, A. D. N., Albanez, R., Ratusznei, S. M., Etchebere, C., Zaiat, M., & Rodrigues, J. A. D. (2021). Reactor start-up strategy as key for high and stable hydrogen production from cheese whey thermophilic dark fermentation. *International Journal of Hydrogen Energy*, *46*(54). <https://doi.org/10.1016/j.ijhydene.2021.06.010>

- Luo, K., Pang, Y., Yang, Q., Wang, D., Li, X., Lei, M., & Huang, Q. (2019). A critical review of volatile fatty acids produced from waste activated sludge: enhanced strategies and its applications. In *Environmental Science and Pollution Research* (Vol. 26, Issue 14). <https://doi.org/10.1007/s11356-019-04798-8>
- Magama, P., Chiyanzu, I., & Mulopo, J. (2022). A systematic review of sustainable fruit and vegetable waste recycling alternatives and possibilities for anaerobic biorefinery. In *Bioresource Technology Reports* (Vol. 18). <https://doi.org/10.1016/j.biteb.2022.101031>
- Merlin Christy, P., Gopinath, L. R., & Divya, D. (2014). A review on anaerobic decomposition and enhancement of biogas production through enzymes and microorganisms. In *Renewable and Sustainable Energy Reviews* (Vol. 34). <https://doi.org/10.1016/j.rser.2014.03.010>
- Monlau, F., Sambusiti, C., Ficara, E., Aboulkas, A., Barakat, A., & Carrère, H. (2015). New opportunities for agricultural digestate valorization: Current situation and perspectives. In *Energy and Environmental Science* (Vol. 8, Issue 9). <https://doi.org/10.1039/c5ee01633a>
- Moon, M., Park, W. K., Lee, S. Y., Hwang, K. R., Lee, S., Kim, M. S., Kim, B., Oh, Y. K., & Lee, J. S. (2022). Utilization of whole microalgal biomass for advanced biofuel and biorefinery applications. *Renewable and Sustainable Energy Reviews*, 160. <https://doi.org/10.1016/j.rser.2022.112269>
- Moreno-Dávila, I. M. M., Ríos-González, L. J., Rodríguez-de la Garza, J. A., Morales-Martínez, T. K., & Garza-García, Y. (2019). Biohydrogen production from paper industry wastes by SSF: A study of the influence of temperature/enzyme loading. *International Journal of Hydrogen Energy*, 44(24). <https://doi.org/10.1016/j.ijhydene.2019.01.061>
- Murali, N., Srinivas, K., & Ahring, B. K. (2017). Biochemical production and separation of carboxylic acids for biorefinery applications. In *Fermentation* (Vol. 3, Issue 2). <https://doi.org/10.3390/fermentation3020022>
- Mussoline, W., Esposito, G., Giordano, A., & Lens, P. (2013). The anaerobic digestion of rice straw: A review. *Critical Reviews in Environmental Science*

- and Technology*, 43(9). <https://doi.org/10.1080/10643389.2011.627018>
- Mustakim, Muarifah, R. F., & Awwaly, K. U. Al. (2012). Pembuatan Keju dengan Menggunakan Enzim Renin *Mucor pusillus* amobil. *Jurnal Ilmu-Ilmu Peternakan*, 19(2).
- Niya, B., Yaakoubi, K., Azaroual, S. E., Beraich, F. Z., Arouch, M., & Meftah Kadmiri, I. (2023). Anaerobic Digestion of Agricultural Waste Using Microbial Inocula: Performance and Characterization of Bacterial Communities Using 16S rRNA Sequencing Approach. *Energies*, 16(8). <https://doi.org/10.3390/en16083300>
- Nkemka, V. N., Gilroyed, B., Yanke, J., Gruninger, R., Vedres, D., McAllister, T., & Hao, X. (2015). Bioaugmentation with an anaerobic fungus in a two-stage process for biohydrogen and biogas production using corn silage and cattail. *Bioresource Technology*, 185. <https://doi.org/10.1016/j.biortech.2015.02.100>
- Pratama, A. S. C., & Sa'diyah, K. (2023). PENGARUH JENIS BIOMASSA TERHADAP KARAKTERISTIK ASAP CAIR MELALUI METODE PIROLISIS. *DISTILAT: Jurnal Teknologi Separasi*, 8(1). <https://doi.org/10.33795/distilat.v8i1.260>
- Procházka, J., Mrázek, J., Štrosová, L., Fliegerová, K., Záborská, J., & Dohányos, M. (2012). Enhanced biogas yield from energy crops with rumen anaerobic fungi. *Engineering in Life Sciences*, 12(3). <https://doi.org/10.1002/elsc.201100076>
- Puniya, A. K., Salem, A. Z. M., Kumar, S., Dagar, S. S., Griffith, G. W., Puniya, M., Ravella, S. R., Kumar, N., Dhewa, T., & Kumar, R. (2015). Role of live microbial feed supplements with reference to anaerobic fungi in ruminant productivity: A review. In *Journal of Integrative Agriculture* (Vol. 14, Issue 3). [https://doi.org/10.1016/S2095-3119\(14\)60837-6](https://doi.org/10.1016/S2095-3119(14)60837-6)
- Rachim, P. F., Mirta, E. L., & Thoha, M. Y. (2012). Pembuatan Surfaktan Natrium Lignosulfonat dari Tandan Kosong Kelapa Sawit dengan Sulfonasi Langsung. *Jurnal Teknik Kimia*, 18(1).
- Sarwono E. (2008). Pemanfaatan Janjang Kosong Sebagai Substitusi Pupuk Tanaman Kelapa Sawit. In *APLIKA Jurnal Ilmu Pengetahuan dan Teknologi*

(Vol. 8, Issue 1).

- Schirmaier, C., Jossen, V., Kaiser, S. C., Jüngerkes, F., Brill, S., Safavi-Nab, A., Siehoff, A., van den Bos, C., Eibl, D., & Eibl, R. (2014). Scale-up of adipose tissue-derived mesenchymal stem cell production in stirred single-use bioreactors under low-serum conditions. *Engineering in Life Sciences*, 14(3). <https://doi.org/10.1002/elsc.201300134>
- Shahbaz, M., Raghutla, C., Chittedi, K. R., Jiao, Z., & Vo, X. V. (2020). The effect of renewable energy consumption on economic growth: Evidence from the renewable energy country attractive index. *Energy*, 207. <https://doi.org/10.1016/j.energy.2020.118162>
- Sikora, A., Detman, A., Chojnacka, A., & Blaszczyk, M. K. (2017). Anaerobic Digestion: I. A Common Process Ensuring Energy Flow and the Circulation of Matter in Ecosystems. II. A Tool for the Production of Gaseous Biofuels. In *Fermentation Processes*. <https://doi.org/10.5772/64645>
- Singh Nee Nigam, P., Gupta, N., & Anthwal, A. (2009). Pre-treatment of agro-industrial residues. In *Biotechnology for Agro-Industrial Residues Utilisation: Utilisation of Agro-Residues*. https://doi.org/10.1007/978-1-4020-9942-7_2
- Singhania, R. R., Patel, A. K., Christophe, G., Fontanille, P., & Larroche, C. (2013). Biological upgrading of volatile fatty acids, key intermediates for the valorization of biowaste through dark anaerobic fermentation. *Bioresource Technology*, 145. <https://doi.org/10.1016/j.biortech.2012.12.137>
- Sirohi, S. K., Choudhury, P. K., Dagar, S. S., Puniya, A. K., & Singh, D. (2013). Isolation, characterization and fibre degradation potential of anaerobic rumen fungi from cattle. *Annals of Microbiology*, 63(3). <https://doi.org/10.1007/s13213-012-0577-6>
- Song, Y., Zhou, J., Zhang, L., & Wu, X. (2008). Homogenous modification of cellulose with acrylamide in NaOH/urea aqueous solutions. *Carbohydrate Polymers*, 73(1). <https://doi.org/10.1016/j.carbpol.2007.10.018>
- Spicher, G. (1991). Gerhartz, W. (Ed.): Enzymes in Industry - Production and Application. VCH Verlagsgesellschaft mbH, Weinheim 1990, XVII, 322 Seiten, mit 57 Abb. und 43 Tab., Hardcover DM 118,-. *Starch - Stärke*, 43(5).

<https://doi.org/10.1002/star.19910430517>

- Strazzera, G., Battista, F., Garcia, N. H., Frison, N., & Bolzonella, D. (2018). Volatile fatty acids production from food wastes for biorefinery platforms: A review. *Journal of Environmental Management*, 226. <https://doi.org/10.1016/j.jenvman.2018.08.039>
- Sudarmadji, S. ., & Haryono, B. (2007). Prosedur Analisa untuk Bahan Makanan dan Pertanian. *Yogyakarta: Edisi Ketiga, Liberty*.
- Sukumaran, R. K., Singhanian, R. R., & Pandey, A. (2005). Microbial cellulases - Production, applications and challenges. In *Journal of Scientific and Industrial Research* (Vol. 64, Issue 11).
- Suparjo. (2018). Degradasi Komponen Lignoselulosa Oleh Kapang Pelapuk Putih. *Jajo 66, 1(3)*.
- Suryani, A., Mangunwidjaja, D., Hambali, E., & Anwar, K. (1999). PROSES OPTIMASI SUHU DAN KONSENTRASI SODIUM BISULFIT (NAHSO₃) PADA PEMBUATAN SODIUM LIGNOSULFONAT BERBASIS TANDAN KOSONG KELAPA SAWIT (TKKS). *Jurnal Teknik Industri Pertanian, 18(2)*.
- Taherzadeh, M. J., & Karimi, K. (2008). Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review. In *International Journal of Molecular Sciences* (Vol. 9, Issue 9). <https://doi.org/10.3390/ijms9091621>
- Ulinhua, I. P. (2016). Analisis Pengendalian Kualitas Air Limbah Industri di Pabrik Gula Tjoekir Kabupaten Jombang. *Tugas Akhir Program Studi Diploma III Jurusan Statistika Fakultas Matematika Dan Ilmu Pengetahuan Alam Institut Teknologi Sepuluh Nopember, 1*.
- Van Ginkel, S., Sung, S., & Lay, J. J. (2001). Biohydrogen production as a function of pH and substrate concentration. *Environmental Science and Technology*, 35(24). <https://doi.org/10.1021/es001979r>
- Wainaina, S., Lukitawesa, Kumar Awasthi, M., & Taherzadeh, M. J. (2019). Bioengineering of anaerobic digestion for volatile fatty acids, hydrogen or methane production: A critical review. In *Bioengineered* (Vol. 10, Issue 1). <https://doi.org/10.1080/21655979.2019.1673937>

- Wang, L., Zhou, Q., & Li, F. T. (2006). Avoiding propionic acid accumulation in the anaerobic process for biohydrogen production. *Biomass and Bioenergy*, 30(2). <https://doi.org/10.1016/j.biombioe.2005.11.010>
- Wang, T. Y., Chen, H. L., Lu, M. Y. J., Chen, Y. C., Sung, H. M., Mao, C. T., Cho, H. Y., Ke, H. M., Hwa, T. Y., Ruan, S. K., Hung, K. Y., Chen, C. K., Li, J. Y., Wu, Y. C., Chen, Y. H., Chou, S. P., Tsai, Y. W., Chu, T. C., Shih, C. C. A., ... Shih, M. C. (2011). Functional characterization of cellulases identified from the cow rumen fungus *Neocallimastix patriciarum* W5 by transcriptomic and secretomic analyses. *Biotechnology for Biofuels*, 4. <https://doi.org/10.1186/1754-6834-4-24>
- Xue, Y., Shen, R., Li, Y., Sun, Z., Sun, X., Li, F., Li, X., Cheng, Y., & Zhu, W. (2022). Anaerobic Fungi Isolated From Bactrian Camel Rumen Contents Have Strong Lignocellulosic Bioconversion Potential. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.888964>
- Yıldırım, E., Ince, O., Aydın, S., & Ince, B. (2017). Improvement of biogas potential of anaerobic digesters using rumen fungi. *Renewable Energy*, 109. <https://doi.org/10.1016/j.renene.2017.03.021>
- Yu, H. Q., & Fang, H. H. P. (2003). Acidogenesis of gelatin-rich wastewater in an upflow anaerobic reactor: Influence of pH and temperature. *Water Research*, 37(1). [https://doi.org/10.1016/S0043-1354\(02\)00256-7](https://doi.org/10.1016/S0043-1354(02)00256-7)
- Yu, Q., Liu, R., Li, K., & Ma, R. (2019). A review of crop straw pretreatment methods for biogas production by anaerobic digestion in China. In *Renewable and Sustainable Energy Reviews* (Vol. 107). <https://doi.org/10.1016/j.rser.2019.02.020>
- Zacharof, M. P., & Lovitt, R. W. (2014). Recovery of volatile fatty acids (VFA) from complex waste effluents using membranes. *Water Science and Technology*, 69(3). <https://doi.org/10.2166/wst.2013.717>
- Zhang, B., Zhang, L. L., Zhang, S. C., Shi, H. Z., & Cai, W. M. (2005). The influence of pH hydrolysis and acidogenesis of kitchen wastes in two-phase anaerobic digestion. *Environmental Technology*, 26(3). <https://doi.org/10.1080/09593332608618563>

Zhong, C., Lau, M. W., Balan, V., Dale, B. E., & Yuan, Y. J. (2009). Optimization of enzymatic hydrolysis and ethanol fermentation from AFEX-treated rice straw. *Applied Microbiology and Biotechnology*, 84(4). <https://doi.org/10.1007/s00253-009-2001-0>