



DAFTAR PUSTAKA

- Alsnes, I. V., Vatten, L. J., Fraser, A., Bjørngaard, J. H., Rich-Edwards, J., Romundstad, P. R., & Åsvold, B. O. (2017). Hypertension in Pregnancy and Offspring Cardiovascular Risk in Young Adulthood: Prospective and Sibling Studies in the HUNT Study (Nord-Trøndelag Health Study) in Norway. *Hypertension*, 69(4), 591–598. <https://doi.org/10.1161/HYPERTENSIONAHA.116.08414>
- Amaral, L. M., Wallace, K., Owens, M., & LaMarca, B. (2017). Pathophysiology and Current Clinical Management of Preeclampsia. In *Current Hypertension Reports* (Vol. 19, Issue 8). Current Medicine Group LLC 1. <https://doi.org/10.1007/s11906-017-0757-7>
- Bartsch, E., Medcalf, K. E., Park, A. L., Ray, J. G., Al-Rubaie, Z. T. A., Askie, L. M., Berger, H., Blake, J., Graves, L., Kingdom, J. C., Lebovic, G., Lord, S. J., Maguire, J. L., Mamdani, M. M., Meloche, J., Urquia, M. L., & Van Wagner, V. (2016). Clinical risk factors for pre-eclampsia determined in early pregnancy: Systematic review and meta-analysis of large cohort studies. *The BMJ*, 353. <https://doi.org/10.1136/bmj.i1753>
- Bhide, A., Acharya, G., Baschat, A., Bilardo, C. M., Brezinka, C., Cafici, D., Ebbing, C., Hernandez-Andrade, E., Kalache, K., Kingdom, J., Kiserud, T., Kumar, S., Lee, W., Lees, C., Leung, K. Y., Malinger, G., Mari, G., Prefumo, F., Sepulveda, W., & Trudinger, B. (2021). ISUOG Practice Guidelines (updated): use of Doppler velocimetry in obstetrics. *Ultrasound in Obstetrics and Gynecology*, 58(2), 331–339. <https://doi.org/10.1002/uog.23698>
- Braunthal, S., & Brateanu, A. (2019). Hypertension in pregnancy: Pathophysiology and treatment. In *SAGE Open Medicine* (Vol. 7). SAGE Publications Ltd. <https://doi.org/10.1177/2050312119843700>
- Brown, M. A., Magee, L. A., Kenny, L. C., Karumanchi, S. A., McCarthy, F. P., Saito, S., Hall, D. R., Warren, C. E., Adoyi, G., & Ishaku, S. (2018). Hypertensive disorders of pregnancy: ISSHP classification, diagnosis, and management recommendations for international practice. In *Hypertension* (Vol. 72, Issue 1, pp. 24–43). Lippincott Williams and Wilkins. <https://doi.org/10.1161/HYPERTENSIONAHA.117.10803>
- Cao, L., He, B., Zhou, Y., Chen, T., Gao, Y., & Yao, B. (2024). Utility of uterine artery Doppler ultrasound imaging in predicting preeclampsia during pregnancy: a meta-analysis. *Medical Ultrasonography*. <https://doi.org/10.11152/mu-4355>
- Chaemsathong, P., Sahota, D. S., & Poon, L. C. (2022). First trimester preeclampsia screening and prediction. In *American Journal of Obstetrics and Gynecology* (Vol. 226, Issue 2, pp. S1071-S1097.e2). Elsevier Inc. <https://doi.org/10.1016/j.ajog.2020.07.020>
- Chaiworapongsa, T., Chaemsathong, P., Yeo, L., & Romero, R. (2014). Pre-eclampsia part 1: Current understanding of its pathophysiology. In *Nature Reviews Nephrology* (Vol. 10, Issue 8, pp. 466–480). Nature Publishing Group. <https://doi.org/10.1038/nrneph.2014.102>
- Chappell, L. C., Cluver, C. A., Kingdom, J., & Tong, S. (2021). Pre-eclampsia. In *The Lancet* (Vol. 398, Issue 10297, pp. 341–354). Elsevier B.V. [https://doi.org/10.1016/S0140-6736\(20\)32335-7](https://doi.org/10.1016/S0140-6736(20)32335-7)
- Chiarello, D. I., Abad, C., Rojas, D., Toledo, F., Vázquez, C. M., Mate, A., Sobrevia, L., & Marín, R. (2020). Oxidative stress: Normal pregnancy versus preeclampsia. In *Biochimica et Biophysica Acta - Molecular Basis of Disease* (Vol. 1866, Issue 2). Elsevier B.V. <https://doi.org/10.1016/j.bbadiis.2018.12.005>
- Chilumula, K., Saha, P. K., Muthyalu, T., Saha, S. C., Sundaram, V., & Suri, V. (2021).



- Prognostic role of uterine artery Doppler in early- and late-onset preeclampsia with severe features. *Journal of Ultrasound*, 24(3), 303–310.
<https://doi.org/10.1007/s40477-020-00524-0>
- Contro, E., Maroni, E., Cera, E., Youssef, A., Bellussi, F., Pilu, G., Rizzo, N., Pelusi, G., & Ghi, T. (2010). Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 153(2), 143–147.
<https://doi.org/10.1016/j.ejogrb.2010.07.012>
- DebRoy, S., Bidya Devi, A., Ali Junior Resident, Y., Resident, J., & Professor, A. (2019). Perinatal Outcome Of Preeclampsia In A Tertiary Hospital In North-East India. *International Journal Of Scientific Research*, 74–76.
- Defrin, D., & Yusrawati, Y. (2017). Perbedaan rata-rata pulsatility index dan resistance index arteri uterina antara preeklamsia berat dan kehamilan aterm normotensi. *Majalah Kedokteran Andalas*, 40(1), 11. <https://doi.org/10.22338/mka.v40.i1.p11-18.2017>
- Detti, L., Johnson, S. C., Diamond, M. P., & Puscheck, E. E. (2006). First-trimester Doppler investigation of the uterine circulation. In *American Journal of Obstetrics and Gynecology* (Vol. 195, Issue 5, pp. 1210–1218).
<https://doi.org/10.1016/j.ajog.2005.12.047>
- Digusto, C., Le Gouge, A., Marchand, M. S., Megier, P., Ville, Y., Haddad, G., Winer, N., Arthuris, C., Doret, M., Debarge, V. H., Flandrin, A., Delmas, H. L., Gallot, D., Mares, P., Vayssiere, C., Sentilhes, L., Cheve, M. T., Paumier, A., Durin, L., ... Subtil, D. (2022). Low-dose aspirin to prevent preeclampsia and growth restriction in nulliparous women identified by uterine artery Doppler as at high risk of preeclampsia: A double blinded randomized placebo-controlled trial. *PLoS ONE*, 17(10 October). <https://doi.org/10.1371/journal.pone.0275129>
- Dimitriadis, E., Rolnik, D. L., Zhou, W., Estrada-Gutierrez, G., Koga, K., Francisco, R. P. V., Whitehead, C., Hyett, J., da Silva Costa, F., Nicolaides, K., & Menkhorst, E. (2023). Pre-eclampsia. *Nature Reviews Disease Primers*, 9(1).
<https://doi.org/10.1038/s41572-023-00417-6>
- Fitriani, H., Setya R, A., & Keni, M. (2021). Risk Factors Of Preeclampsia Among Pregnant Women In Indonesia. *KnE Life Sciences*, 836–841.
<https://doi.org/10.18502/kls.v6i1.8761>
- Groom, K. M., & David, A. L. (2018). The role of aspirin, heparin, and other interventions in the prevention and treatment of fetal growth restriction. In *American Journal of Obstetrics and Gynecology* (Vol. 218, Issue 2, pp. S829–S840). Mosby Inc. <https://doi.org/10.1016/j.ajog.2017.11.565>
- Iliham, M., Akbar, A., & Ernawati, E. (2019). *The Hypertension in Pregnancy Problems in Indonesia Peran IL-10 dan Indeks Resistensi Arteri Uterina dalam Memprediksi Pertumbuhan Janin Terhambat pada Preeklamsia Onset Dini View project*. <https://www.researchgate.net/publication/332212667>
- Ives, C. W., Sinkey, R., Rajapreyar, I., Tita, A. T. N., & Oparil, S. (2020). Preeclampsia—Pathophysiology and Clinical Presentations: JACC State-of-the-Art Review. In *Journal of the American College of Cardiology* (Vol. 76, Issue 14, pp. 1690–1702). Elsevier Inc. <https://doi.org/10.1016/j.jacc.2020.08.014>
- Jim, B., & Karumanchi, S. A. (2017). Preeclampsia: Pathogenesis, Prevention, and Long-Term Complications. *Seminars in Nephrology*, 37(4), 386–397.
<https://doi.org/10.1016/j.semephrol.2017.05.011>
- Karrar SA, M. D. H. P. (2024). *Preeclampsia*. StatPearls Publishing.
<https://www.ncbi.nlm.nih.gov/books/NBK570611/>



- Kementerian Kesehatan Republik Indonesia. (2020). *Profil Kesehatan Indonesia 2019* (Boga Hardhana, Farida Sibuea, & Winne Widiantini, Eds.). Kementerian Kesehatan Republik Indonesia Sekretaris Jendral.
- Khalil, G. (2017). Preeclampsia: Pathophysiology and the Maternal-Fetal Risk. *Journal of Hypertension and Management*, 3(1). <https://doi.org/10.23937/2474-3690/1510024>
- Khong, S. L., Kane, S. C., Brennecke, S. P., & Da Silva Costa, F. (2015). First-trimester uterine artery doppler analysis in the prediction of later pregnancy complications. *Disease Markers*, 2015. <https://doi.org/10.1155/2015/679730>
- Kim, S.-M., & Kim, J.-S. (2017). A Review of Mechanisms of Implantation. *Development & Reproduction*, 21(4), 351–359. <https://doi.org/10.12717/dr.2017.21.4.351>
- Li, H., Gudnason, H., Olofsson, P., Dubiel, M., & Gudmundsson, S. (2005). Increased uterine artery vascular impedance is related to adverse outcome of pregnancy but is present in only one-third of late third-trimester pre-eclamptic women. *Ultrasound in Obstetrics and Gynecology*, 25(5), 459–463. <https://doi.org/10.1002/uog.1895>
- Limay-Ríos, A., Augusto Espínola-Sánchez, M., Ingar-Pinedo, J., Huertas-Tacchino, E., Castillo-Urquiaga, W., Ventura-Laveriano, W., & Zárate-Girao, M. (2019). Validation of ultrasound criteria for prediction of severe preeclampsia in a Peruvian population. *Progresos de Obstetricia y Ginecología*, 62(3), 260–265. <https://doi.org/10.20960/j.pog.00201>
- Liu, Y., Xie, Z., Huang, Y., Lu, X., & Yin, F. (2024). Uterine arteries pulsatility index by Doppler ultrasound in the prediction of preeclampsia: an updated systematic review and meta-analysis. In *Archives of Gynecology and Obstetrics* (Vol. 309, Issue 2, pp. 427–437). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s00404-023-07044-2>
- Lloyd-Davies, C., Collins, S. L., & Burton, G. J. (2021). Understanding the uterine artery Doppler waveform and its relationship to spiral artery remodelling. *Placenta*, 105, 78–84. <https://doi.org/10.1016/j.placenta.2021.01.004>
- Lwanga, S. Kaggwa., & Lemeshow, Stanley. (19911995). *Sample size determination in health studies : a practical manual*. World Health Organization.
- Macdonald, T. M., Walker, S. P., Hannan, N. J., Tong, S., Uhevaha, T. ', & Kaitu'u-Lino, J. (2022). *Clinical tools and biomarkers to predict preeclampsia*. <https://doi.org/10.1016/j>
- Maltepe, E., & Fisher, S. J. (2015). Placenta: The Forgotten Organ. *Annual Review of Cell and Developmental Biology*, 31, 523–552. <https://doi.org/10.1146/annurev-cellbio-100814-125620>
- Mayrink, J., Souza, R. T., Feitosa, F. E., Rocha Filho, E. A., Leite, D. F., Vettorazzi, J., Calderon, I. M., Sousa, M. H., Costa, M. L., Baker, P. N., Cecatti, J. G., Parpinelli, M. A., Fernandes, K. G., Guida, J. P., Santana, D. S., Barbosa, R. M., Galvao, R. B. F., Cassettari, B. F., Pfitscher, L., ... Silva, M. A. (2019). Incidence and risk factors for Preeclampsia in a cohort of healthy nulliparous pregnant women: a nested case-control study. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-46011-3>
- Medjedovic, E., & Kurjak, A. (2021). The Importance of Doppler Analysis of Uterine Circulation in Pregnancy for a Better Understanding of Preeclampsia. *Medical Archives*, 75(6), 424–430. <https://doi.org/10.5455/medarh.2021.75.424-430>
- Običan, S. G., Odibo, L., Tuuli, M. G., Rodriguez, A., & Odibo, A. O. (2020). Third trimester uterine artery Doppler indices as predictors of preeclampsia and neonatal small for gestational age. *Journal of Maternal-Fetal and Neonatal Medicine*, 33(20), 3484–3489. <https://doi.org/10.1080/14767058.2019.1575804>
- Obstetri, P., Indonesia, G., Kedokteran, H., & Maternal, F. (2016). *Pedoman Nasional*



Pelayanan Kedokteran DIAGNOSIS DANTATA LAKSANA PRE-EKLAMPSIA.

- Oglat, A. A., Matjafri, M. Z., Suardi, N., Oqlat, M. A., Abdelrahman, M. A., & Oqlat, A. A. (2018). A review of medical doppler ultrasonography of blood flow in general and especially in common carotid artery. *Journal of Medical Ultrasound*, 26(1), 3–13. https://doi.org/10.4103/JMU.JMU_11_17
- Oviedo-Cruz, H., Carrasco-Blancas, E. R., & Cortés-Martínez, M. A. (2022). Valores de referencia personalizados para el índice de pulsatilidad medio de la arteria uterina durante el embarazo según paridad, medición transvaginal y presión arterial. *Gaceta Médica de México*, 158(1). <https://doi.org/10.24875/gmm.21000502>
- Panda, S., Das, A., & Nowroz, H. M. (2014). Sildenafil Citrate in Fetal Growth Restriction. In *J Reprod Infertil* (Vol. 15, Issue 3).
- Papageorghiou, A. T., Yu, C. K. H., & Nicolaides, K. H. (2004). The role of uterine artery Doppler in predicting adverse pregnancy outcome. In *Best Practice and Research: Clinical Obstetrics and Gynaecology* (Vol. 18, Issue 3, pp. 383–396). Bailliere Tindall Ltd. <https://doi.org/10.1016/j.bpobgyn.2004.02.003>
- Pedroso, M. A., Palmer, K. R., Hodges, R. J., Costa, F. da S., & Rolnik, D. L. (2018). Uterine artery doppler in screening for preeclampsia and fetal growth restriction. In *Revista Brasileira de Ginecologia e Obstetricia* (Vol. 40, Issue 5, pp. 287–293). Federacao Brasileira das Sociedades de Ginecologia e Obstetricia. <https://doi.org/10.1055/s-0038-1660777>
- Phipps, E. A., Thadhani, R., Benzing, T., & Karumanchi, S. A. (2019). Pre-eclampsia: pathogenesis, novel diagnostics and therapies. In *Nature Reviews Nephrology* (Vol. 15, Issue 5, pp. 275–289). Nature Publishing Group. <https://doi.org/10.1038/s41581-019-0119-6>
- Pijnenborg, R., Vercruyse, L., & Brosens, I. (2011). Deep placentation. In *Best Practice and Research: Clinical Obstetrics and Gynaecology* (Vol. 25, Issue 3, pp. 273–285). <https://doi.org/10.1016/j.bpobgyn.2010.10.009>
- Plasencia, W., Barber, M. A., Alvarez, E. E., Segura, J., Valle, L., & Garcia-Hernandez, J. A. (2011). Comparative study of transabdominal and transvaginal uterine artery doppler pulsatility indices at 1113 + 6 weeks. *Hypertension in Pregnancy*, 30(4), 414–420. <https://doi.org/10.3109/10641955.2010.506232>
- Pribadi Adhi. (2017). *Doppler Penggunaan Praktis Pada Obstetri* (Effendi Jusuf S, Ed.; 2nd ed., Vol. 2). Divisi Kedokteran Fetomaternal DEP/SMF Obstetri & Ginekologi Fakultas Kedokteran Universitas Padjadjaran RSUP Dr. Hasan Sadikin.
- Ramos, D. R., Araujo Júnior, E., Petrini, C. G., Dulgheroff, F. F., Caldas, T. M. R. da C., & Peixoto, A. B. (2022). Increased pulsatility index of uterine artery Doppler between 26 and 28 weeks of gestation and adverse perinatal outcomes. *Journal of Maternal-Fetal and Neonatal Medicine*, 35(24), 4810–4817. <https://doi.org/10.1080/14767058.2020.1865301>
- Ridder, A., Giorgione, V., Khalil, A., & Thilaganathan, B. (2019). Preeclampsia: The relationship between uterine artery blood flow and trophoblast function. In *International Journal of Molecular Sciences* (Vol. 20, Issue 13). MDPI AG. <https://doi.org/10.3390/ijms20133263>
- Rizzo, G., Pietrolucci, M. E., Mappa, I., Bitsadze, V., Khizroeva, J., Makatsariya, A., & D'Antonio, F. (2022). Modeling Pulsatility Index nomograms from different maternal and fetal vessels by quantile regression at 24–40 weeks of gestation: a prospective cross-sectional study. *Journal of Maternal-Fetal and Neonatal Medicine*, 35(9), 1668–1676. <https://doi.org/10.1080/14767058.2020.1767060>
- Rolnik, D. L., Wright, D., Poon, L. C., O'Gorman, N., Syngelaki, A., de Paco Matallana, C., Akolekar, R., Cicero, S., Janga, D., Singh, M., Molina, F. S., Persico, N., Jani, J.



- C., Plasencia, W., Papaioannou, G., Tenenbaum-Gavish, K., Meiri, H., Gizuranson, S., Maclagan, K., & Nicolaides, K. H. (2017). Aspirin versus Placebo in Pregnancies at High Risk for Preterm Preeclampsia. *New England Journal of Medicine*, 377(7), 613–622. <https://doi.org/10.1056/nejmoa1704559>
- Shi, P., Zhao, L., Yu, S., Zhou, J., Li, J., Zhang, N., Xing, B., Cui, X., & Yang, S. (2021). Differences in epidemiology of patients with preeclampsia between China and the US (Review). *Experimental and Therapeutic Medicine*, 22(3). <https://doi.org/10.3892/etm.2021.10435>
- Sotiriadis, A., Hernandez-Andrade, E., da Silva Costa, F., Ghi, T., Glanc, P., Khalil, A., Martins, W. P., Odibo, A. O., Papageorghiou, A. T., Salomon, L. J., & Thilaganathan, B. (2019). ISUOG Practice Guidelines: role of ultrasound in screening for and follow-up of pre-eclampsia. *Ultrasound in Obstetrics and Gynecology*, 53(1), 7–22. <https://doi.org/10.1002/uog.20105>
- Springer, S., Polterauer, M., Stammler-Safar, M., Zeisler, H., Leipold, H., Worda, C., & Worda, K. (2020). Notching and pulsatility index of the uterine arteries and preeclampsia in twin pregnancies. *Journal of Clinical Medicine*, 9(8), 1–9. <https://doi.org/10.3390/jcm9082653>
- Townsend, R., Khalil, A., Premakumar, Y., Allotey, J., Snell, K. I. E., Chan, C., Chappell, L. C., Hooper, R., Green, M., Mol, B. W., Thilaganathan, B., & Thangaratinam, S. (2019). Prediction of pre-eclampsia: review of reviews. In *Ultrasound in Obstetrics and Gynecology* (Vol. 54, Issue 1, pp. 16–27). John Wiley and Sons Ltd. <https://doi.org/10.1002/uog.20117>
- Vigil-De Gracia, P., Vargas, C., Sánchez, J., & Collantes-Cubas, J. (2023). Preeclampsia: Narrative review for clinical use. *Heliyon*, 9(3). <https://doi.org/10.1016/j.heliyon.2023.e14187>
- Xiao, Z., Yan, L., Liang, X., & Wang, H. (2020). Progress in deciphering trophoblast cell differentiation during human placentation. In *Current Opinion in Cell Biology* (Vol. 67, pp. 86–91). Elsevier Ltd. <https://doi.org/10.1016/j.ceb.2020.08.010>
- Zhao, L., Bracken, M. B., & DeWan, A. T. (2013). Genome-Wide Association Study of Pre-Eclampsia Detects Novel Maternal Single Nucleotide Polymorphisms and Copy-Number Variants in Subsets of the Hyperglycemia and Adverse Pregnancy Outcome (HAPO) Study Cohort. *Annals of Human Genetics*, 77(4), 277–287. <https://doi.org/10.1111/ahg.12021>
- Zhu, J., Zhang, J., Syaza Razali, N., Chern, B., & Tan, K. H. (2021). Mean arterial pressure for predicting preeclampsia in Asian women: A longitudinal cohort study. *BMJ Open*, 11(8). <https://doi.org/10.1136/bmjopen-2020-046161>