



DAFTAR PUSTAKA

- Agbaedeng, T. A., Roberts, K. A., Colley, L., Noubiap, J. J. and Oxborough, D. (2022) ‘Incidence and predictors of sudden cardiac death in arrhythmogenic right ventricular cardiomyopathy: a pooled analysis’, *Europace : European pacing, arrhythmias, and cardiac electrophysiology : journal of the working groups on cardiac pacing, arrhythmias, and cardiac cellular electrophysiology of the European Society of Cardiology*, 24(10), pp. 1665–1674. doi: 10.1093/europace/euac014.
- Akintunde, A. A., Oyedeji, A. T., Familoni, O. B., Ayodele, O. E. and Opadijo, O. G. (2012) ‘QT Interval prolongation and dispersion: Epidemiology and clinical correlates in subjects with newly diagnosed systemic hypertension in Nigeria’, *Journal of Cardiovascular Disease Research*, 3(4), pp. 290–295. doi: 10.4103/0975-3583.102705.
- Alizade, E., Yesin, M., Yazicioglu, M. V., Karaayvaz, E. B., Atici, A., Arslan, S., et al. (2017) ‘Evaluation of Tp-e Interval, Tp-e/QT ratio, and Tp-e/QTc Ratio in Patients with Asymptomatic Arrhythmogenic Right Ventricular Cardiomyopathy’, *Annals of Non-invasive Electrocardiology*, 22(1), pp. 1–9.
- Amir, M., Mappangara, I., Setiadji, R. and Zam, S. M. (2019) ‘Characteristics and Prevalence of Premature Ventricular Complex: A Telemedicine Study’, *Cardiology Research*, 10(5), pp. 285–292. doi: 10.14740/cr887.
- Anderson, R. D., Kumar, S., Parameswaran, R., Wong, G., Voskoboinik, A., Sugumar, H., et al. (2019) ‘Differentiating Right-and Left-Sided Outflow Tract Ventricular Arrhythmias: Classical ECG Signatures and Prediction Algorithms’, *Circulation: Arrhythmia and Electrophysiology*, 12(6), pp. 1–15. doi: 10.1161/CIRCEP.119.007392.
- Aquaro, G. D., De Gori, C., Faggioni, L., Parisella, M. L., Cioni, D., Lencioni, R., et al. (2023) ‘Diagnostic and prognostic role of late gadolinium enhancement in cardiomyopathies’, *European Heart Journal, Supplement*. Oxford University Press, 25(SC), pp. C130–C136. doi: 10.1093/eurheartj/suad015.



- Aquaro, G. D., De Luca, A., Cappelletto, C., Raimondi, F., Bianco, F., Botto, N., et al. (2020) 'Prognostic Value of Magnetic Resonance Phenotype in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy', *Journal of the American College of Cardiology*, 75(22), pp. 2753–2765. doi: 10.1016/j.jacc.2020.04.023.
- Axel, L. (2023) 'Modeling of factors affecting late gadolinium enhancement kinetics in MRI of cardiac amyloid', *Journal of Cardiovascular Magnetic Resonance*. BioMed Central, 25(1), pp. 1–20. doi: 10.1186/s12968-023-00952-x.
- Babu-Narayan, S. V., Goktekin, O., Moon, J. C., Broberg, C. S., Pantely, G. A., Pennell, D. J., et al. (2005) 'Late gadolinium enhancement cardiovascular magnetic resonance of the systemic right ventricle in adults with previous atrial redirection surgery for transposition of the great arteries', *Circulation*, 111(16), pp. 2091–2098. doi: 10.1161/01.CIR.0000162463.61626.3B.
- Bazoukis, G., Yeung, C., Wui Hang Ho, R., Varriias, D., Papadatos, S., Lee, S., et al. (2020) 'Association of QT dispersion with mortality and arrhythmic events—A meta-analysis of observational studies', *Journal of Arrhythmia*, 36(1), pp. 105–115. doi: 10.1002/joa3.12253.
- Benn, M., Hansen, P. S. and Pedersen, A. K. (1999) 'QT dispersion in patients with arrhythmogenic right ventricular dysplasia', *European Heart Journal*, 20(10), pp. 764–770. doi: 10.1053/euhj.1998.1400.
- Bhaskaran, A., De Silva, K. and Kumar, S. (2023) 'Contemporary updates on ventricular arrhythmias: from mechanisms to management', *Internal Medicine Journal*, 53(6), pp. 892–906. doi: 10.1111/imj.15976.
- Bohbot, Y., Sanguineti, F., Renard, C., Hovasse, T., Limouzineau, I., Unterseeh, T., et al. (2023) 'Associated Factors and Clinical Implications of Dynamic Changes in Late Gadolinium Enhancement After Acute Myocarditis', *JACC: Cardiovascular Imaging*. American College of Cardiology Foundation, 16(6), pp. 859–861. doi: 10.1016/j.jcmg.2022.11.011.
- Bomma, C., Rutberg, J., Tandri, H., Nasir, K., Roguin, A., Tichnell, C., et al. (2004) 'Misdiagnosis of arrhythmogenic right ventricular



- dysplasia/cardiomyopathy', *Journal of Cardiovascular Electrophysiology*, 15(3), pp. 300–306. doi: 10.1046/j.1540-8167.2004.03429.x.
- Cadrin-Tourigny, J., Bosman, L. P., Nozza, A., Wang, W., Tadros, R., Bhonsale, A., et al. (2022) 'A new prediction model for ventricular arrhythmias in arrhythmogenic right ventricular cardiomyopathy', *European Heart Journal*, 43(32), pp. E1–E9. doi: 10.1093/eurheartj/ehac180.
- Calkins, H., Corrado, D. and Marcus, F. (2017) 'Risk stratification in arrhythmogenic right ventricular cardiomyopathy', *Circulation*, 136(21), pp. 2068–2082. doi: 10.1161/CIRCULATIONAHA.117.030792.
- Cardona-Guarache, R., Åström-Aneq, M., Oesterle, A., Asirvatham, R., Svetlichnaya, J., Marcus, G. M., et al. (2019) 'Atrial arrhythmias in patients with arrhythmogenic right ventricular cardiomyopathy: Prevalence, echocardiographic predictors, and treatment', *Journal of Cardiovascular Electrophysiology*, 30(10), pp. 1801–1810. doi: 10.1111/jce.14069.
- Castro-Torres, Y., Carmona-Puerta, R. and Katholi, R. E. (2015) 'Ventricular repolarization markers for predicting malignant arrhythmias in clinical practice', *World Journal of Clinical Cases*, 3(8), pp. 705–720. doi: 10.12998/wjcc.v3.i8.705.
- Cekirdekci, E. I. and Bugan, B. (2019) 'Can abnormal dispersion of ventricular repolarization be a predictor of mortality in arrhythmogenic right ventricular cardiomyopathy: The importance of Tp-e interval', *Annals of Noninvasive Electrocardiology*, 24(3), pp. 1–7. doi: 10.1111/anec.12619.
- Chávez-González, E., Rodríguez-Jiménez, A. E., Ferrer-Rodríguez, C. J. and Donoiu, I. (2022) 'Ventricular arrhythmias are associated with increased QT interval and QRS dispersion in patients with ST-elevation myocardial infarction', *Revista Portuguesa de Cardiologia. Sociedade Portuguesa de Cardiologia*, 41(5), pp. 395–404. doi: 10.1016/j.repc.2021.03.015.
- Cipriani, A., Bauce, B., De Lazzari, M., Rigato, I., Bariani, R., Meneghin, S., et al. (2020) 'Arrhythmogenic right ventricular cardiomyopathy: Characterization of left ventricular phenotype and differential diagnosis with dilated cardiomyopathy', *Journal of the American Heart Association*,



- 9(5), pp. 1–16. doi: 10.1161/JAHA.119.014628.
- Corrado, D., Perazzolo Marra, M., Zorzi, A., Beffagna, G., Cipriani, A., Lazzari, M. De, et al. (2020) ‘Diagnosis of arrhythmogenic cardiomyopathy: The Padua criteria’, *International Journal of Cardiology*. The Authors, 319, pp. 106–114. doi: 10.1016/j.ijcard.2020.06.005.
- Cruz, G. R., Altamirano, R. D. F., Avalos, O. A. L., Torres, L. L., Martínez and Gloria, J. P. M. (2024) ‘Arrhythmogenic Right Ventricular Dysplasia: A Comprehensive Review of Pathophysiology, Diagnosis, and Management Strategies’, *International Journal of Medical Science and Clinical Research Studies*, 04(05), pp. 982–985. doi: 10.47191/ijmscrs/v4-i05-32.
- Demirtaş, A. O. and Urgun, O. D. (2019) ‘Can QT interval prolongation or dispersion detected in a positive exercise ECG test predict critical coronary artery disease?’, *Archives of Medical Science – Atherosclerotic Diseases*, 4(1), pp. 7–12. doi: 10.5114/amsad.2019.83299.
- Fonseca, M., Parreira, L., Farinha, J. M., Marinheiro, R., Esteves, A., Gonçalves, S., et al. (2021) ‘Premature ventricular contractions of the right ventricular outflow tract: is there an incipient underlying disease? New insights from a speckle tracking echocardiography study’, *Indian Pacing and Electrophysiology Journal*, 21(3), pp. 147–152. doi: 10.1016/j.ipej.2021.02.007.
- Friedman, A., Miles, J., Liebelt, J., Christia, P., Engstrom, K., Thachil, R., et al. (2021) ‘QT Dispersion and Drug-Induced Torsade de Pointes’, *Cureus*, 13(1), pp. 1–10. doi: 10.7759/cureus.12895.
- Frimodt-Møller, E. K., Soliman, E. Z., Kizer, J. R., Vittinghoff, E., Psaty, B. M., Biering-Sørensen, T., et al. (2023) ‘Lifestyle habits associated with cardiac conduction disease’, *European Heart Journal*. Oxford University Press, 44(12), pp. 1058–1066. doi: 10.1093/eurheartj/ehac799.
- de Frutos, F., Ochoa, J. P., Fernández, A. I., Gallego-Delgado, M., Navarro-Peña, M., Casas, G., et al. (2024) ‘Late gadolinium enhancement distribution patterns in non-ischaemic dilated cardiomyopathy: genotype–phenotype correlation’, *European Heart Journal Cardiovascular Imaging*.



- Oxford University Press, 25(1), pp. 75–85. doi: 10.1093/ehjci/jead184.
- Ghannam, M., Sontis, K. C., Kim, M. H., Cochet, H., Jais, P., Eng, M. J., et al. (2020) ‘Risk stratification in patients with frequent premature ventricular complexes in the absence of known heart disease’, *Heart Rhythm*. Heart Rhythm Society, 17(3), pp. 423–430. doi: 10.1016/j.hrthm.2019.09.027.
- Golcuk, E., Yalin, K., Bilge, A. K., Elitok, A., Aksu, T., Akgun, T., et al. (2014) ‘Usefulness of Tpeak-TendInterval to Distinguish Arrhythmogenic Right Ventricular Cardiomyopathy from Idiopathic Right Ventricular Outflow Tract Tachycardia’, *PACE - Pacing and Clinical Electrophysiology*, 37(12), pp. 1665–1670.
- Goldenberg, I., Moss, A. J. and Zareba, W. (2006) ‘QT interval: How to measure it and what is “normal”’, *Journal of Cardiovascular Electrophysiology*, 17(3), pp. 333–336. doi: 10.1111/j.1540-8167.2006.00408.x.
- Gorenek, B., Fisher, J. D., Kudaiberdieva, G., Baranchuk, A., Burri, H., Campbell, K. B., et al. (2020) ‘Premature ventricular complexes: diagnostic and therapeutic considerations in clinical practice: A state-of-the-art review by the American College of Cardiology Electrophysiology Council’, *Journal of Interventional Cardiac Electrophysiology*. Journal of Interventional Cardiac Electrophysiology, 57(1), pp. 5–26. doi: 10.1007/s10840-019-00655-3.
- Graziano, F., Zorzi, A., Cipriani, A., De Lazzari, M., Bauce, B., Rigato, I., et al. (2022) ‘The 2020 “Padua Criteria” for Diagnosis and Phenotype Characterization of Arrhythmogenic Cardiomyopathy in Clinical Practice’, *Journal of Clinical Medicine*, 11(1), pp. 1–12. doi: 10.3390/jcm11010279.
- Haimovich, J. S., Di Achille, P., Nauffal, V., Singh, P., Reeder, C., Wang, X., et al. (2024) ‘Frequency of Electrocardiogram-Defined Cardiac Conduction Disorders in a Multi-Institutional Primary Care Cohort’, *JACC: Advances*, 3(7P1). doi: 10.1016/j.jacadv.2024.101004.
- Hatcher, C. J. and Basson, C. T. (2009) ‘Specification of the cardiac conduction system by transcription factors’, *Circulation Research*, 105(7), pp. 620–630. doi: 10.1161/CIRCRESAHA.109.204123.



- He, D., Ye, M., Zhang, L. and Jiang, B. (2018) ‘Prognostic significance of late gadolinium enhancement on cardiac magnetic resonance in patients with hypertrophic cardiomyopathy’, *Heart and Lung*, 47(2), pp. 122–126. doi: 10.1016/j.hrtlng.2017.10.008.
- Hernández-Vicente, A., Hernando, D., Vicente-Rodríguez, G., Bailón, R., Garatachea, N. and Pueyo, E. (2021) ‘ECG ventricular repolarization dynamics during exercise: Temporal profile, relation to heart rate variability and effects of age and physical health’, *International Journal of Environmental Research and Public Health*, 18(18). doi: 10.3390/ijerph18189497.
- Hoffmayer, K. S. and Gerstenfeld, E. P. (2013) ‘Diagnosis and Management of Idiopathic Ventricular Tachycardia’, *Current Problems in Cardiology*. Elsevier Inc., 38(4), pp. 131–158. doi: 10.1016/j.cpcardiol.2013.02.002.
- Hoogendijk, M. G., Géczy, T., Yap, S. C. and Szili-Torok, T. (2020) ‘Pathophysiological Mechanisms of Premature Ventricular Complexes’, *Frontiers in Physiology*, 11(May), pp. 1–8. doi: 10.3389/fphys.2020.00406.
- Indraratna, P., Tardo, D., Delves, M., Szirt, R. and Ng, B. (2020) ‘Measurement and Management of QT Interval Prolongation for General Physicians’, *Journal of General Internal Medicine*, 35(3), pp. 865–873. doi: 10.1007/s11606-019-05477-7.
- Jain, Rahul, Dalal, D., Daly, A., Tichnell, C., James, C., Evenson, A., et al. (2009) ‘Electrocardiographic features of arrhythmogenic right ventricular dysplasia’, *Circulation*, 120(6), pp. 477–487. doi: 10.1161/CIRCULATIONAHA.108.838821.
- January, C. T., Wann, L. S., Calkins, H., Chen, L. Y., Cigarroa, J. E., Cleveland, J. C., et al. (2019) ‘2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart R’, *Circulation*, 140(2), pp. e125–e151. doi: 10.1161/CIR.0000000000000665.



- Kingma, J., Simard, C. and Drolet, B. (2023) ‘Overview of Cardiac Arrhythmias and Treatment Strategies’, *Pharmaceuticals*, 16(6). doi: 10.3390/ph16060844.
- Kosmopoulos, M., Roukouz, H., Sebastian, P., Kalra, R., Goslar, T., Bartos, J. A., et al. (2020) ‘Increased qt dispersion is linked to worse outcomes in patients hospitalized for out-of-hospital cardiac arrest’, *Journal of the American Heart Association*, 9(16). doi: 10.1161/JAHA.120.016485.
- Krahn, A. D., Wilde, A. A. M., Calkins, H., La Gerche, A., Cadrin-Tourigny, J., Roberts, J. D., et al. (2022) ‘Arrhythmogenic Right Ventricular Cardiomyopathy’, *JACC: Clinical Electrophysiology*, 8(4), pp. 533–553. doi: 10.1016/j.jacep.2021.12.002.
- Kravchenko, D., Isaak, A., Zimmer, S., Mesropyan, N., Reinert, M., Faron, A., et al. (2021) ‘Cardiac mri in patients with prolonged cardiorespiratory symptoms after mild to moderate covid-19’, *Radiology*, 301(3), pp. E419–E425. doi: 10.1148/radiol.2021211162.
- Kuruvilla, S., Adenaw, N., Katwal, A. B., Lipinski, M. J., Kramer, C. M. and Salerno, M. (2014) ‘Late gadolinium enhancement on cardiac magnetic resonance predicts adverse cardiovascular outcomes in nonischemic cardiomyopathy: A systematic review and meta-analysis’, *Circulation: Cardiovascular Imaging*, 7(2), pp. 250–257. doi: 10.1161/CIRCIMAGING.113.001144.
- Lai, D., Zhang, Y. and Zhang, X. (2020) ‘Single Lead ECG-based Ventricular Repolarization Classification for Early Identification of Unexpected Ventricular Fibrillation’, *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, 2020-July, pp. 5567–5570. doi: 10.1109/EMBC44109.2020.9176355.
- Leren, I. S., Saberniak, J., Haland, T. F., Edvardsen, T. and Haugaa, K. H. (2017) ‘Combination of ECG and Echocardiography for Identification of Arrhythmic Events in Early ARVC’, *JACC: Cardiovascular Imaging*, 10(5), pp. 503–513. doi: 10.1016/j.jcmg.2016.06.011.



- Lerman, B. B. (2015) ‘Mechanism, diagnosis, and treatment of outflow tract tachycardia’, *Nature Reviews Cardiology*. Nature Publishing Group, 12(10), pp. 597–608. doi: 10.1038/nrcardio.2015.121.
- Liang, J. J., Shirai, Y., Lin, A. and Dixit, S. (2019) ‘Idiopathic outflow tract ventricular arrhythmia ablation: Pearls and pitfalls’, *Arrhythmia and Electrophysiology Review*, 8(2), pp. 116–121. doi: 10.15420/aer.2019.6.2.
- Lilly, L. S. (2022) *Pathophysiology of Heart Disease Seventh Edition*. 5th edn, *Lippincott Williams & Wilkins*. 5th edn.
- Lindberg, T., Wimo, A., Elmståhl, S., Qiu, C., Bohman, D. M. and Sanmartin Berglund, J. (2019) ‘Prevalence and Incidence of Atrial Fibrillation and Other Arrhythmias in the General Older Population: Findings From the Swedish National Study on Aging and Care’, *Gerontology and Geriatric Medicine*, 5, p. 233372141985968. doi: 10.1177/2333721419859687.
- Magrì, D., De Cecco, C. N., Piccirillo, G., Mastromarino, V., Serdoz, A., Muscogiuri, G., et al. (2014) ‘Myocardial repolarization dispersion and late gadolinium enhancement in patients with hypertrophic cardiomyopathy’, *Circulation Journal*, 78(5), pp. 1216–1223. doi: 10.1253/circj.CJ-13-1423.
- Marcus, G. M. (2020) ‘Evaluation and Management of Premature Ventricular Complexes’, *Circulation*, 141(17), pp. 1404–1418. doi: 10.1161/CIRCULATIONAHA.119.042434.
- Martinek, M., Manninger, M., Schönbauer, R., Scherr, D., Schukro, C., Pürerfellner, H., et al. (2021) ‘Expert consensus on acute management of ventricular arrhythmias – VT network Austria’, *IJC Heart and Vasculature*. The Authors, 34, p. 100760. doi: 10.1016/j.ijcha.2021.100760.
- Meier, C., Eisenblätter, M. and Gielen, S. (2024) ‘Myocardial Late Gadolinium Enhancement (LGE) in Cardiac Magnetic Resonance Imaging (CMR)—An Important Risk Marker for Cardiac Disease’, *Journal of Cardiovascular Development and Disease*, 11(2), pp. 1–15. doi: 10.3390/jcdd11020040.
- Mkoko, P., Bahiru, E., Ajijola, O. A., Bonny, A. and Chin, A. (2020) ‘Cardiac arrhythmias in low- And middle-income countries’, *Cardiovascular Diagnosis and Therapy*, 10(2), pp. 350–360. doi:



10.21037/CDT.2019.09.21.

- Moghadam, E. A., Hamzehlou, L., Moazzami, B., Mehri, M. and Ziae, V. (2020) ‘Increased QT interval dispersion is associated with coronary artery involvement in children with kawasaki disease’, *Oman Medical Journal*, 35(1). doi: 10.5001/omj.2020.06.
- Monitillo, F., Leone, M., Rizzo, C., Passantino, A. and Iacoviello, M. (2016) ‘Ventricular repolarization measures for arrhythmic risk stratification’, *World Journal of Cardiology*, 8(1), pp. 57–73. doi: 10.4330/wjc.v8.i1.57.
- Nasir, K., Bomma, C., Tandri, H., Roguin, A., Dalal, D., Prakasa, K., et al. (2004) ‘Electrocardiographic features of arrhythmogenic right ventricular dysplasia/cardiomyopathy according to disease severity: A need to broaden diagnostic criteria’, *Circulation*, 110(12), pp. 1527–1534. doi: 10.1161/01.CIR.0000142293.60725.18.
- Neto, J. E., Tonet, J., Frank, R. and Fontaine, G. (2019) ‘Arrhythmogenic right ventricular cardiomyopathy/dysplasia (ARVC/D)-what we have learned after 40 years of the diagnosis of this clinical entity’, *Arquivos Brasileiros de Cardiologia*, 112(1), pp. 91–103. doi: 10.5935/abc.20180266.
- Nikolaidou, C., Kotanidis, C. P., Wijesurendra, R., Leal-Pelado, J., Kouskouras, K., Vassilicos, V. P., et al. (2021) ‘Cardiac magnetic resonance to detect the underlying substrate in patients with frequent idiopathic ventricular arrhythmias’, *Diagnostics*, 11(6), pp. 1–13. doi: 10.3390/diagnostics11061109.
- De Oliveira Neto, N. R., De Oliveira, W. S., Campos Pinto, G. D., De Oliveira, E. S. R. and Da Silveira Barros, M. das N. D. (2020) ‘A Practical Method for QTc Interval Measurement’, *Cureus*, 12(12), pp. 1–7. doi: 10.7759/cureus.12122.
- Padmanabhan, D., Sugrue, A., Gaba, P. and Asirvatham, S. J. (2017) ‘Outflow tract ventricular arrhythmias: Electrocardiographic features in relation to mapping and ablation’, *Herzschriftmachertherapie und Elektrophysiologie*, 28(2), pp. 177–186. doi: 10.1007/s00399-017-0507-1.
- Popa-Fotea, N. M., Micheu, M. M., Onciu, S., Zamfir, D. and Dorobanțu, M.



- (2020) ‘Combined right and left ventricular mechanical dispersion enhance the arrhythmic risk stratification in hypertrophic cardiomyopathy’, *Journal of Cardiology*, 76(4), pp. 364–370. doi: 10.1016/j.jcc.2020.04.009.
- Postema, P. G. and Wilde, A. A. M. (2014) ‘The Measurement of the QT Interval’, *Current Cardiology Reviews*, 10(1), pp. 287–294. doi: 10.1093/eurheartj/6.suppl_d.81.
- Rudski, L. G., Lai, W. W., Afilalo, J., Hua, L., Handschumacher, M. D., Chandrasekaran, K., et al. (2010) ‘Guidelines for the Echocardiographic Assessment of the Right Heart in Adults: A Report from the American Society of Echocardiography. Endorsed by the European Association of Echocardiography, a registered branch of the European Society of Cardiology, and’, *Journal of the American Society of Echocardiography*. Elsevier Inc, 23(7), pp. 685–713. doi: 10.1016/j.echo.2010.05.010.
- Saberniak, J., Leren, I. S., Haland, T. F., Beitnes, J. O., Hopp, E., Borgquist, R., et al. (2017) ‘Comparison of patients with early-phase arrhythmogenic right ventricular cardiomyopathy and right ventricular outflow tract ventricular tachycardia’, *European Heart Journal Cardiovascular Imaging*, 18(1), pp. 62–69. doi: 10.1093/ehjci/jew014.
- Sanad, A. M., Ghazal, K. H., Eltahlawi, M. A. and Abdelwahed, A. T. (2021) ‘An overview of qt dispersion finding in cardiac patients, review article’, *Egyptian Journal of Hospital Medicine*, 85(2), pp. 3805–3809. doi: 10.21608/ejhm.2021.204579.
- Sattar, Y., Abdullah, H. M., Neisani Samani, E., Myla, M. and Ullah, W. (2019) ‘Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia: An Updated Review of Diagnosis and Management’, *Cureus*, 11(8), pp. 1–11. doi: 10.7759/cureus.5381.
- Satyagraha, M. T., Maharani, N., Hapsari, R. and Hendrianingtyas, M. (2022) ‘Diagnostic value of SARS-CoV-2 RDT-Ab with RT-PCR: Secondary data at Diponegoro National Hospital’, *Journal of Biomedicine and Translational Research*, 1(1), pp. 21–25. doi: 10.14710/jbtr.v1i1.13759.
- Sayed, A., Pal, S., Poplawska, M., Aronow, W. S., Frishman, W. H., Fuisz, A., et al



- al. (2020) ‘Arrhythmogenic Right Ventricular Cardiomyopathy Diagnosis’, *Cardiology in Review*, 28(6), pp. 319–324. doi: 10.1097/CRD.0000000000000292.
- Scott, P. A., Rosengarten, J. A., Shahed, A., Yue, A. M., Murday, D. C., Roberts, P. R., et al. (2013) ‘The relationship between left ventricular scar and ventricular repolarization in patients with coronary artery disease: Insights from late gadolinium enhancement magnetic resonance imaging’, *Europace*, 15(6), pp. 899–906. doi: 10.1093/europace/eus362.
- Sharma, A., Bosman, L. P., Tichnell, C., Nanavati, J., Murray, B., Nonyane, B. A. S., et al. (2022) ‘Arrhythmogenic Right Ventricular Cardiomyopathy Prevalence and Arrhythmic Outcomes in At-Risk Family Members: A Systematic Review and Meta-Analysis’, *Circulation: Genomic and Precision Medicine*, 15(3), p. E003530. doi: 10.1161/CIRCGEN.121.003530.
- Sungkar, S. and Nugroho, M. A. (2019) ‘Late Presentation of Arrhythmogenic Right Ventricular Cardiomyopathy : Role of Non Invasive Modalities for The Diagnosis’, *Medica Hospitalia : Journal of Clinical Medicine*, 6(2), pp. 131–136. doi: 10.36408/mhjcm.v6i2.394.
- Svensson, A., Jensen, H. K., Boonstra, M. J., Tétreault-Langlois, M., Dahlberg, P., Bundgaard, H., et al. (2024) ‘Natural Course of Electrocardiographic Features in Arrhythmogenic Right Ventricular Cardiomyopathy and Their Relation to Ventricular Arrhythmic Events’, *Journal of the American Heart Association*, 13(16), p. e031893. doi: 10.1161/JAHA.123.031893.
- Topp-Zielińska, A. and Szołkiewicz, M. (2022) ‘Electrocardiographic markers of ventricular repolarization in the obese population: A descriptive review’, *Postępy Higieny i Medycyny Doswiadczonej*, 76(1), pp. 24–29. doi: 10.2478/AHEM-2022-0046.
- Turrini, P., Corrado, D., Basso, C., Nava, A., Baucé, B. and Thiene, G. (2001) ‘Dispersion of ventricular depolarization-repolarization: A noninvasive marker for risk stratification in arrhythmogenic right ventricular cardiomyopathy’, *Circulation*, 103(25), pp. 3075–3080. doi:



10.1161/01.CIR.103.25.3075.

- Voskoboinik, A., Hadjis, A., Alhede, C., Im, S. Il, Park, H., Moss, J., et al. (2020) ‘Predictors of adverse outcome in patients with frequent premature ventricular complexes: The ABC-VT risk score’, *Heart Rhythm*. Elsevier Inc., 17(7), pp. 1066–1074. doi: 10.1016/j.hrthm.2020.02.020.
- Wallace, R. and Calkins, H. (2021) ‘Risk stratification in arrhythmogenic right ventricular cardiomyopathy’, *Arrhythmia and Electrophysiology Review*, 10(1), pp. 26–32. doi: 10.15420/AER.2020.39.
- Wang, W., James, C. A. and Calkins, H. (2019) ‘Diagnostic and therapeutic strategies for arrhythmogenic right ventricular dysplasia/cardiomyopathy patient’, *Europace*, 21(1), pp. 9–21. doi: 10.1093/europace/euy063.
- Yildirir, A., Aksoyek, S., Calguneri, M., Aytemir, K., Kabakci, G., Ovunc, K., et al. (2000) ‘QT dispersion as a predictor of arrhythmic events in patients with ankylosing spondylitis’, *Rheumatology*, 39(8), pp. 875–879. doi: 10.1093/rheumatology/39.8.875.
- Zeppenfeld, K., Tfelt-Hansen, J., De Riva, M., Winkel, B. G., Behr, E. R., Blom, N. A., et al. (2022) ‘2022 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: Developed by the task force for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death’, *European Heart Journal*, 43(40), pp. 3997–4126. Available at: <https://dx.doi.org/10.1093/eurheartj/ehac262>.
- Zghaib, T., Te Riele, A. S. J. M., James, C. A., Rastegar, N., Murray, B., Tichnell, C., et al. (2021) ‘Left ventricular fibro-fatty replacement in arrhythmogenic right ventricular dysplasia/cardiomyopathy: prevalence, patterns, and association with arrhythmias’, *Journal of Cardiovascular Magnetic Resonance*. THE AUTHORS. Published by Elsevier Inc on behalf of the Society for Cardiovascular Magnetic Resonance, 23(1), p. 58. doi: 10.1186/s12968-020-00702-3.