

REFERENCES

- Adham, M. et al. (2012) 'Nasopharyngeal carcinoma in Indonesia: Epidemiology, incidence, signs, and symptoms at presentation', *Chinese Journal of Cancer*, 31(4), pp. 185–196. doi:10.5732/cjc.011.10328.
- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I. B., & Middeldorp, J. M. (2012). Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chin J Cancer*, 31(4), 185-196.
- Amin, M.B. et al. (2017) 'The eighth edition ajcc cancer staging manual: Continuing to build a bridge from a population-based to a more "personalized" approach to cancer staging', *CA: A Cancer Journal for Clinicians*, 67(2), pp. 93–99. doi:10.3322/caac.21388.
- Asakage, T. (2022) 'Epidemiology and treatment of head and neck malignancies in the aya generation', *International Journal of Clinical Oncology*, 27(3), pp. 465–472. doi:10.1007/s10147-021-02093-6.
- Badan Kepegawaian Negara (BKN) (2023). Data Distribusi PNS Berdasarkan Bidang Pekerjaan. Available at: <https://www.bkn.go.id> (Accessed: 26 December 2024).
- Badan Pusat Statistik (BPS) (2023). Statistik Ketenagakerjaan Indonesia. Available at: <https://bps.go.id> (Accessed: 26 December 2024).
- Bappeda (2023) *Data Dasar Penduduk Yogyakarta*. Available at: https://bappeda.jogjaprov.go.id/dataku/data_dasar/cetak/701-penduduk?id_skpd=29 (Accessed: 26 December 2024).
- BPS (2023) *Jumlah Penduduk Menurut Kabupaten/Kota di Jawa Tengah*. Available at: <https://jateng.bps.go.id/id/statistics-table/2/NzY2IzI=/jumlah-penduduk-menu-rut-kabupaten-kota-di-jawa-tengah.html> (Accessed: 26 December 2024).
- Bray, F. et al. (2008) 'Age-incidence curves of nasopharyngeal carcinoma worldwide: Bimodality in low-risk populations and Aetiologic implications', *Cancer Epidemiology, Biomarkers & Prevention*, 17(9), pp. 2356–2365. doi:10.1158/1055-9965.epi-08-0461.

- Brennan, B. (2006) ‘Nasopharyngeal carcinoma’, Orphanet Journal of Rare Diseases, 1(1). doi:10.1186/1750-1172-1-23.
- Bossi, P. et al. (2021) ‘Nasopharyngeal carcinoma: ESMO-EURACAN clinical practice guidelines for diagnosis, treatment and follow-up†’, Annals of Oncology, 32(4), pp. 452–465. doi:10.1016/j.annonc.2020.12.007.
- Canadian Cancer Society / Société canadienne du cancer. Cancerous tumours of the nasopharynx, Canadian Cancer Society. Available at: <https://cancer.ca/en/cancer-information/cancer-types/nasopharyngeal/what-is-nasopharyngeal-cancer/cancerous-tumours> (Accessed: 28 November 2023).
- Cao, S.-M., Simons, M.J. and Qian, C.-N. (2011) ‘The prevalence and prevention of nasopharyngeal carcinoma in China’, Chinese Journal of Cancer, 30(2), pp. 114–119. doi:10.5732/cjc.010.10377.
- Caponigro, F. et al. (2010) ‘Treatment approaches to nasopharyngeal carcinoma: A Review’, Anti-Cancer Drugs, 21(5), pp. 471–477. doi:10.1097/cad.0b013e328337160e.
- Chang, E.T. and Adami, H.-O. (2006) ‘The enigmatic epidemiology of nasopharyngeal carcinoma’, Cancer Epidemiology, Biomarkers & Prevention, 15(10), pp. 1765–1777. doi:10.1158/1055-9965.epi-06-0353
- Chang, E. T., Adami, H. O., & Boffetta, P. (2019). Epidemiology of nasopharyngeal carcinoma. In *Nasopharyngeal Carcinoma: From Etiology to Clinical Practice* (pp. 1–34). Academic Press.
- Chen, Y.P. et al., 2021. Chemotherapy in combination with radiotherapy for definitive-intent treatment of stage II–IVA nasopharyngeal carcinoma: CSCO and ASCO guideline. *Journal of Clinical Oncology*, 39(7), pp.840-859.
- Dewi, F. S. T., & Fles, R. (2017). The role of Indonesian patients’ health behaviors in delaying the diagnosis of nasopharyngeal carcinoma.
- Du, T. et al. (2019) ‘Association between alcohol consumption and risk of nasopharyngeal carcinoma: A comprehensive meta-analysis of epidemiological studies’, Alcoholism: Clinical and Experimental Research, 43(11), pp. 2262–2273. doi:10.1111/acer.14184.
- Fan, H.-C. et al. (2018) ‘Increased risk of incident nasopharyngeal carcinoma with exposure to air pollution’, *PLOS ONE*, 13(9). doi:10.1371/journal.pone.0204568.

- Fauzan, A, Susilawati & Larasati, V 2022, 'The Association Between Clinical Characteristics and Histopathology of Nasopharyngeal Carcinoma at Dr. Mohammad Hoesin General Hospital, In 2019-2020', Biomedical Journal of Indonesia, vol. 8, no. 1,
- Fles, R. et al. (2017) 'The role of Indonesian patients' health behaviors in delaying the diagnosis of nasopharyngeal carcinoma', BMC Public Health, 17(1). doi:10.1186/s12889-017-4429-y.
- Hildesheim, A., & Levine, P. H. (1993). Etiology of nasopharyngeal carcinoma: a review. Epidemiologic Reviews, 15(2), 466–485.
- Huang, S.-F. et al. (2017) 'Familial aggregation of nasopharyngeal carcinoma in Taiwan', Oral Oncology, 73, pp. 10–15. doi:10.1016/j.oraloncology.2017.07.020.
- International Labour Organization (ILO) (2021). Work Environment Statistics in Asia. Available at: <https://www.ilo.org> (Accessed: 26 December 2024).
- Kemkes RI (2023) *Dashboard Rumah Sakit Indonesia*. Available at: https://sirs.kemkes.go.id/fo/home/dashboard_rs (Accessed: 26 December 2024).
- Lin, J.H. et al. (2021) 'Smoking and nasopharyngeal cancer: Individual data meta-analysis of six prospective studies on 334 935 men', International Journal of Epidemiology, 50(3), pp. 975–986. doi:10.1093/ije/dyab060.
- Lin, W., Tang, M., Huang, Y., and Wang, L. (2023). Oral fungi as a potential risk factor for nasopharyngeal carcinoma. *Journal of Mycology Research*, 45(1), pp. 12-18.
- The International Agency for Research on Cancer (IARC). Global cancer observatory, Global Cancer Observatory. Available at: <https://gco.iarc.fr/> (Accessed: 28 November 2023).
- Nasopharyngeal Cancer Statistics (2022) WCRF International. Available at: <https://www.wcrf.org/cancer-trends/nasopharyngeal-cancer-statistics/#:~:text=Nasopharyngeal%20cancer%20is%20the%202022nd,mmost%20common%20cancer%20in%20women>. (Accessed: 18 October 2023).
- Nasopharyngeal cancer staging (no date) Nasopharyngeal Cancer Staging | American Cancer Society. Available at: <https://www.cancer.org/cancer/types/nasopharyngeal-cancer/detection-diagnosis>

is-staging/staging.html (Accessed: 19 October 2023).

National Cancer Institute (2023) ‘Nasopharynx’, NCI Dictionary of Cancer Terms. Available at:

<https://www.cancer.gov/publications/dictionaries/cancer-terms/def/nasopharynx> (Accessed: 6 August 2024).

Pourhoseingholi, M. A., Vahedi, M., & Rahimzadeh, M. (2013). Sample size calculation in medical studies. *Gastroenterology and Hepatology From Bed to Bench*, 6(1), 14-17. PMID: 24834239; PMCID: PMC4017493.

Setiasari, D.W. et al. (2020). Transcriptome Profile of Next-Generation Sequencing Data Relate to Proliferation Aberration of Nasopharyngeal Carcinoma Patients in Indonesia. *Asian Pacific Journal of Cancer*

Saxena, A. and McCutcheon, K. (2020) ‘Anatomy, Head and Neck, Nasopharynx’, in StatPearls. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK557635/> (Accessed: 6 August 2024).

Sobotta, J., Paulsen, F. and Waschke, Jens (2018) Sobotta: Atlas of anatomy. München: Elsevier.

Su, Z.Y. et al. (2024) ‘Epidemiology of nasopharyngeal carcinoma: Current insights and future outlook’, *Cancer and Metastasis Reviews*, 43(3), pp. 919–939. doi:10.1007/s10555-024-10176-9.

Taberna, M., Gil Moncayo, F., Jané-Salas, E., Antonio, M., Arribas, L., Vilajosana, E., Peralvez Torres, E., & Mesía, R. (2020) ‘The multidisciplinary team (MDT) approach and quality of care’, *Frontiers in Oncology*, 10, p. 1586.

Waliyanti, E., Dewi, F. S. T., & Supriyati, S. (2018). Treatment-seeking behaviour of nasopharyngeal cancer patients in Yogyakarta, Indonesia. *The Pan African Medical Journal*, 29, 98.

Wang, L., Peng, H., Wang, J., et al. (2019). Rural-urban disparities in the diagnosis and treatment of nasopharyngeal carcinoma in China: A retrospective analysis. *BMC Cancer*, 19(1), p. 907

Wei, W.I. and Sham, J.S.T. (2005) ‘Nasopharyngeal carcinoma’, *The Lancet*, 365(9476), pp. 2041-2054.

World Bank (2022). Urban workforce and employment statistics. Available at:

<https://data.worldbank.org/indicator/SL.EMP.TOTL.SP.ZS> (Accessed: 26 December 2024).

World Cancer Research Fund, 2024. Nasopharyngeal cancer statistics. Available at: <https://www.wcrf.org/preventing-cancer/cancer-statistics/nasopharyngeal-cancer-statistics/> [Accessed 19 July 2024].

World Health Organization (WHO) (2018). Indoor Air Pollution and Health. Available at: <https://www.who.int/news-room/fact-sheets/detail/household-air-pollution-and-health> (Accessed: 26 December 2024).

Xiang, J., Li, L., and Zhang, T. (2018). The link between PAHs and Epstein-Barr virus reactivation in nasopharyngeal carcinoma. *Environmental Research*, 165, pp. 437–445.

Xu, F.-H. et al. (2012) ‘An epidemiological and molecular study of the relationship between smoking, risk of nasopharyngeal carcinoma, and Epstein–Barr Virus Activation’, *JNCI: Journal of the National Cancer Institute*, 104(18), pp. 1396–1410. doi:10.1093/jnci/djs320.

Yu, M.C., Ho, J.H., Lai, S.H., and Henderson, B.E. (1986). Cantonese-style salted fish as a cause of nasopharyngeal carcinoma: Report of a case-control study in Hong Kong. *Cancer Research*, 46(2), pp. 956–961.

Yu, M.C. and Yuan, J.-M. (2002) ‘Epidemiology of nasopharyngeal carcinoma’, *Seminars in Cancer Biology*, 12(6), pp. 421–429. doi:10.1016/s1044579x02000858.

Young, L.S., Dawson, C.W., Elliott, G. and Kalpoe, J. (2016) ‘Epstein-Barr virus and nasopharyngeal carcinoma’, *Chinese Journal of Cancer*, 35, p. 99.