

DAFTAR PUSTAKA

- A. Pizzi; K. L. Mittal. (2003). *Handbook of Adhesive Technology Second Edition, Revised and Expanded*.
- Adibi, A., Trinh, B. M., & Mekonnen, T. H. (2023). Progress in Organic Coatings Recent progress in sustainable barrier paper coating for food packaging applications. *Progress in Organic Coatings*, 181(December 2022), 107566. <https://doi.org/10.1016/j.porgcoat.2023.107566>
- Albarahmieh, E., Alkhalidi, B. A., & Al-Hiari, Y. (2020). Evaluation of amorphous dispersion of a cellulose ester-colophony mix for ibuprofen controlled release processed by HME and spin coating. *Carbohydrate Polymers*, 241(January), 116265. <https://doi.org/10.1016/j.carbpol.2020.116265>
- Aldas, M., Ferri, J. M., Motoc, D. L., Peponi, L., Arrieta, M. P., & López-Martínez, J. (2021). Gum rosin as a size control agent of poly(Butylene adipate-co-terephthalate) (pbat) domains to increase the toughness of packaging formulations based on polylactic acid (pla). *Polymers*, 13(12). <https://doi.org/10.3390/polym13121913>
- Aldas, M., Pavon, C., Ferri, J. M., Arrieta, M. P., & López-Martínez, J. (2021). Films based on mater-bi® compatibilized with pine resin derivatives: Optical, barrier, and disintegration properties. *Polymers*, 13(9). <https://doi.org/10.3390/polym13091506>
- Arvelo, D. M., Comer, J., Schmit, J., & Garcia, R. (2024). Interfacial Water Is Separated from a Hydrophobic Silica Surface by a Gap of 1.2 nm. *ACS Nano*, 18(28), 18683–18692. <https://doi.org/10.1021/acsnano.4c05689>
- Backhaus, A. A. (1930). Ethyl Alcohol. *Industrial and Engineering Chemistry*, 22(11), 1151–1153. <https://doi.org/10.1021/ie50251a010>
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76(5), 965–977. <https://doi.org/10.1016/j.talanta.2008.05.019>
- Bindini, E., Naudin, G., Faustini, M., Gosso, D., & Boissière, C. (2017). Critical Role of the Atmosphere in Dip-Coating Process. *Journal of Physical Chemistry C*, 121(27), 14572–14580. <https://doi.org/10.1021/acs.jpcc.7b02530>
- Bucio, A., Moreno-tovar, R., Bucio, L., Espinosa-dávila, J., & Anguebes-franceschi, F. (2021). Characterization of beeswax, candelilla wax and paraffin wax for coating cheeses. *Coatings*, 11(3), 1–18. <https://doi.org/10.3390/coatings11030261>
- CEPI Statistics. (2023). <https://library.cepi.org/>
- Chavez, S. E., Ding, H., Williams, B. L., Nam, S., Hou, Z., Zhang, D., & Sun, L. (2022). One-step Coassembled Nanocoatings on Paper for Potential Packaging Applications. *ES Materials and Manufacturing*, 15, 72–77. <https://doi.org/10.30919/esmm5f510>
- Chen, P., Zeng, X., Li, H., Liu, X., Liu, D., & Li, X. (2012). Effect of Polymerized Rosin on Polymer Microstructure and Adhesive Properties in Tackified Acrylate Emulsions. *Polymer - Plastics Technology and Engineering*, 51(2), 122–127. <https://doi.org/10.1080/03602559.2011.618163>
- Cristofoli, N. L., Lima, A. R., Tchoukouang, R. D. N., Quintino, A. C., & Vieira, M. C. (2023). Advances in the Food Packaging Production from Agri-Food Waste and By-Products: Market Trends for a Sustainable Development. *Sustainability (Switzerland)*, 15(7). <https://doi.org/10.3390/su15076153>
- Cruces, F., García, M. G., & Ochoa, N. A. (2021). Reduction of Water Vapor Permeability in Food Multilayer Biopackaging by Epitaxial Crystallization of Beeswax. *Food and Bioprocess Technology*, 14(7), 1244–1255.

<https://doi.org/10.1007/s11947-021-02628-9>

- Devi, L. S., Jaiswal, A. K., & Jaiswal, S. (2024). Lipid incorporated biopolymer based edible films and coatings in food packaging: A review. *Current Research in Food Science*, 8(January), 100720. <https://doi.org/10.1016/j.crfs.2024.100720>
- Dewajani, H., Chumaidi, A., Iswara, M. A. I., Khasanah, R., & Agustina, T. D. (2019). Synthesis ester gum through esterification reaction of rosin and gliserol using zeolite modified by nickel as catalyst. *AIP Conference Proceedings*, 2097(April). <https://doi.org/10.1063/1.5098212>
- Domene-Lopez, D., Guillén, M. M., Martin-Gullon, I., García-Quesada, J. C., & Montalbán, M. G. (2018). Study of the behavior of biodegradable starch/polyvinyl alcohol/rosin blends. *Carbohydrate Polymers*, 202(June), 299–305. <https://doi.org/10.1016/j.carbpol.2018.08.137>
- Farris, S., & Piergiovanni, L. (2012). Emerging coating technologies for food and beverage packaging materials. In *Emerging Food Packaging Technologies*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857095664.3.274>
- Figaliah, F. M., Manab, A., & Sawitri, M. E. (2024). Characteristics of Bioplastics with Addition of Beeswax and Glucomannan. *BIO Web of Conferences*, 88. <https://doi.org/10.1051/bioconf/20248800021>
- Fu, Y., & Dudley, E. G. (2021). Antimicrobial-coated films as food packaging: A review. *Comprehensive Reviews in Food Science and Food Safety*, 20(4), 3404–3437. <https://doi.org/10.1111/1541-4337.12769>
- Gaillard, Y., Mija, A., Burr, A., Darque-Ceretti, E., Felder, E., & Sbirrazzuoli, N. (2011). Geen material composites from renewable resources: Polymorphic transitions and phase diagam of beeswax/rosin resin. *Thermochimica Acta*, 521(1–2), 90–97. <https://doi.org/10.1016/j.tca.2011.04.010>
- Gordon, A. (2015). *Food Safety and Quality Systems in Developing Countries: Volume III: Technical and Market Considerations*.
- He, Y., Zhou, Y., Cai, J., Feng, Y., Luo, B., & Liu, M. (2022). Facile fabrication of hydrophobic paper by HDTMS modified chitin nanocrystals coating for food packaging. *Food Hydrocolloids*, 133(June). <https://doi.org/10.1016/j.foodhyd.2022.107915>
- Hepburn, H. R., Pirk, C. W. W., & Duangphakdee, O. (2014). Honeybee Nests. In *Honeybee Nests*. <https://doi.org/10.1007/978-3-642-54328-9>
- Hiremani, V. D., Sataraddi, S., Bayannavar, P. K., Gasti, T., Masti, S. P., Kamble, R. R., & Chougale, R. B. (2020). Mechanical, optical and antioxidant properties of 7-Hydroxy-4-methyl coumarin doped polyvinyl alcohol/oxidized maize starch blend films. *SN Applied Sciences*, 2(11), 1–18. <https://doi.org/10.1007/s42452-020-03399-2>
- Hosseini, S. F., Mousavi, Z., & McClements, D. J. (2023). Beeswax: A review on the recent progress in the development of superhydrophobic films/coatings and their applications in fruits preservation. *Food Chemistry*, 424(January), 136404. <https://doi.org/10.1016/j.foodchem.2023.136404>
- ISO. (2011). *Paper and board-Determination of thickness, density and specific volume Papier et carton-Détermination de l'épaisseur, de la masse volumique et du volume spécifique. 2011*.
- Ke, Z., Yu, J., Liao, L., & Rao, X. (2024). *International Journal of Biological Macromolecules Application progress of rosin in food packaging: A review*. 280(July).
- Keshani, S., Luqman Chuah, A., Nourouzi, M. M., Russly, A. R., & Jamilah, B. (2010). Optimization of concentration process on pomelo fruit juice using response surface

- methodology (RSM). *International Food Research Journal*, 17(3), 733–742.
- Kherdekar, R. D., & Ade, A. B. (2024). Integrated approaches for plastic waste management. *Frontiers in Microbiology*, 15(September 2024), 1–15. <https://doi.org/10.3389/fmicb.2024.1426509>
- Kirwan, M. J. (2013). *Handbook of Paper and Paperboard*.
- Lars Göran Berglund, Elisabeth Schwaiger, Rene VAN WIERINGEN, L. A. (2024). US20240026608A1 United States. <https://patents.google.com/patent/US20240026608A1/en>
- Leahy, J. G., & Colwell, R. R. (1990). *Microbial Degadation of Hydrocarbons in the Environment*. 54(3), 305–315. <https://pmc.ncbi.nlm.nih.gov/articles/PMC372779/pdf/microrev00038-0103.pdf>
- Lee, C. M., Lim, S., Kim, G. Y., Kim, D., Kim, D. W., Lee, H. C., & Lee, K. Y. (2004). Rosin microparticles as drug carriers: Influence of various solvents on the formation of particles and sustained-release of indomethacin. *Biotechnology and Bioprocess Engineering*, 9(6), 476–481. <https://doi.org/10.1007/BF02933489>
- Levchenko, O., Polukarov, Y., Zemlyanska, O. Z., Prakhovnik, N., Kachynska, N., Kovtun, A., & Ashykmina, A. (2023). Advantages and Disadvantages of Using Paper, Biological and Plastic Packaging in the Food Industry. *Gail of Science*, 27(27), 277–280. <https://doi.org/10.36074/gail-of-science.12.05.2023.044>
- Li, Y., Bi, J., Wang, S., Zhang, T., Xu, X., Wang, H., Cheng, S., Zhu, B. W., & Tan, M. (2018). Bio-inspired Edible Superhydrophobic Interface for Reducing Residual Liquid Food. *Journal of Agricultural and Food Chemistry*, 66(9), 2143–2150. <https://doi.org/10.1021/acs.jafc.7b05915>
- Li, Z., & Rabnawaz, M. (2018). Fabrication of Food-Safe Water-Resistant Paper Coatings Using a Melamine Primer and Polysiloxane Outer Layer. *ACS Omega*, 3(9), 11909–11916. <https://doi.org/10.1021/acsomega.8b01423>
- Lim, W. S., Kim, M. H., Park, H. J., & Lee, M. H. (2024). Characterization of Polyvinyl Alcohol (PVA)/Polyacrylic Acid (PAA) Composite Film-Forming Solutions and Resulting Films as Affected by Beeswax Content. *Polymers*, 16(3). <https://doi.org/10.3390/polym16030310>
- Maeng, W. Y., Yoon, J. H., & Kim, D. J. (2020). Effect of process conditions (withdrawal rate and coating repetition) on morphological characteristics of sol–gel TiO₂ film during dip coating. *Journal of Coatings Technology and Research*, 17(5), 1171–1193. <https://doi.org/10.1007/s11998-020-00337-0>
- Maharsih, I. K., Tarmidzi, F. M., Alviany, R., Aurelia, M., & Putri, S. A. (2020). *The Effect of Beeswax and Chitosan Concentrations as Superhydrophobic Coating on Wound Dressing*. *Iconit 2019*, 58–63. <https://doi.org/10.5220/0009405300580063>
- Mansoori, A.G.; Barnes, H.; Webster, G. M. (2003). Petroleum waxes. *Fuels and Lubricants Handbook: Technology, Properties, Performance, and Testing*, 19, 525–556.
- Manzoor, A., Yousuf, B., Pandith, J. A., & Ahmad, S. (2023). Plant-derived active substances incorporated as antioxidant, antibacterial or antifungal components in coatings/films for food packaging applications. *Food Bioscience*, 53(January), 102717. <https://doi.org/10.1016/j.fbio.2023.102717>
- Markevičiūtė, Z., & Varžinskas, V. (2022). Plant-Origin Feedstock Applications in Fully Geen Food Packaging: The Potential for Tree-Free Paper and Plant-Origin Bio-Plastics in the Baltic Sea Region. *Sustainability (Switzerland)*, 14(12). <https://doi.org/10.3390/su14127393>
- Melchor-Martínez, E. M., Macías-Garbett, R., Alvarado-Ramírez, L., Araújo, R. G., Sosa-Hernández, J. E., Ramírez-Gamboa, D., Parra-Arroyo, L., Alvarez, A. G.,

- Monteverde, R. P. B., Cazares, K. A. S., Reyes-Mayer, A., Lino, M. Y., Iqbal, H. M. N., & Parra-Saldívar, R. (2022). Towards a Circular Economy of Plastics: An Evaluation of the Systematic Transition to a New Generation of Bioplastics. *Polymers*, 14(6), 1–32. <https://doi.org/10.3390/polym14061203>
- Mittal, K. L., & Carré, A. (2009). Superhydrophobic Surfaces. In *Superhydrophobic Surfaces*. <https://doi.org/10.1163/ej.9789004165939.i-496>
- MSDS. (2012). Perhutani. *Material Safety Data Sheet*, 4(2), 8–10. https://us.vwr.com/assetsvc/asset/en_US/id/16490607/contents
- Natsir, M., Nurdin, M., Ansharullah, A., Muzakkar, M. Z., Trimutia, E., Irwan, I., Salim, L. O. A., Salmah, S., & Maulidiyah, M. (2021). The technique for separation and purification of gondorukem (gum rosin) from pine gum (pinus merkusii) with a simple distillation method. *Journal of Physics: Conference Series*, 1899(1). <https://doi.org/10.1088/1742-6596/1899/1/012038>
- Niu, X., Liu, Y., Song, Y., Han, J., & Pan, H. (2018). Rosin modified cellulose nanofiber as a reinforcing and co-antimicrobial agents in polylactic acid /chitosan composite film for food packaging. *Carbohydrate Polymers*, 183(November 2017), 102–109. <https://doi.org/10.1016/j.carbpol.2017.11.079>
- Nong, W., Chen, X., Wang, L., Liang, J., Wang, H., Huang, Y., & Tong, Z. (2014). Measurement and correlation of solubility of abietic acid in ethanol + water mixtures. *Journal of Chemical Thermodynamics*, 68, 199–204. <https://doi.org/10.1016/j.jct.2013.07.015>
- Park Namhyeon, Mason A. Friest, L. L. (2023). *Enhancing the Properties of Polyvinyl Alcohol Films by and Beeswax*.
- Peter Atkins, J. de P. (2010). *Physical Chemistry Ninth Edition*. 6.
- Pomin, S. P., de Lima, I. A., Pezarini, R. R., & Cavalcanti, O. A. (2017). Evaluation of Rosin Gum and Eudragit® RS PO as a Functional Film Coating Material. *AAPS PharmSciTech*, 18(8), 2854–2861. <https://doi.org/10.1208/s12249-017-0766-5>
- Research Naster, 2024. (n.d.). *Paper Packaging Market Size*. <https://www.fortunebusinessinsights.com/paper-packaging-market-107316>
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., & Palma, M. (2019). Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice gains. *Food Chemistry*, 288(March), 221–227. <https://doi.org/10.1016/j.foodchem.2019.02.107>
- Smith, J. H., & Woodhouse, J. (2000). Tribology of rosin. *Journal of the Mechanics and Physics of Solids*, 48(8), 1633–1681. [https://doi.org/10.1016/S0022-5096\(99\)00067-8](https://doi.org/10.1016/S0022-5096(99)00067-8)
- Stafford, C. M., Roskov, K. E., Epps, T. H., & Fasolka, M. J. (2006). Generating thickness gradients of thin polymer films via flow coating. *Review of Scientific Instruments*, 77(2). <https://doi.org/10.1063/1.2173072>
- Sthle, L., & Wold, S. (1989). Analysis of variance (ANOVA). *Chemometrics and Intelligent Laboratory Systems*, 6(4), 259–272. [https://doi.org/10.1016/0169-7439\(89\)80095-4](https://doi.org/10.1016/0169-7439(89)80095-4)
- Svečnjak, L., Chesson, L. A., Gallina, A., Maia, M., Martinello, M., Mutinelli, F., Muz, M. N., Nunes, F. M., Saucy, F., Tipple, B. J., Wallner, K., Waś, E., & Waters, T. A. (2019). Standard methods for Apis mellifera beeswax research. *Journal of Apicultural Research*, 58(2), 1–108. <https://doi.org/10.1080/00218839.2019.1571556>
- Taylor, & Karbowiak, T. (n.d.). *Importance of Surface Tension Characterization for Food , Pharmaceutical and Packaging Products : A Review Importance of Surface Tension Characterization for Food , Pharmaceutical and Packaging Products : A*

- Review. *June 2013*, 37–41. <https://doi.org/10.1080/10408390591000884>
- Teixeira, C. E. F., de Almeida Rebechi, I., & Fontaneli, R. S. (2017). Digital Micrometer Used in Thickness Measurement of Plastic Film Compared to Standardized Instrument. *Materials Sciences and Applications*, 08(07), 577–583. <https://doi.org/10.4236/msa.2017.87040>
- Vale, A. (2007). Ethanol. *Medicine*, 35(11), 615–616. <https://doi.org/10.1016/j.mpmed.2007.08.015>
- Vijayan, S. P., Aparna S, & Sahoo, S. K. (2023). Effect of Beeswax on hydrophobicity, moisture resistance and transparency of UV curable linseed oil based coating for compostable paper packaging. *Industrial Crops and Products*, 197(December 2022), 116645. <https://doi.org/10.1016/j.indcrop.2023.116645>
- Wardani, L. K., & Hendrawati, N. (2023). Kajian Literatur Karakteristik Biodegradable Polymer Berbahan Baku Pati Dengan Penambahan Filler Dan Beeswax. *DISTILAT: Jurnal Teknologi Separasi*, 7(2), 333–340. <https://doi.org/10.33795/distilat.v7i2.246>
- Wu, P. S., Lin, C. H., Kuo, Y. C., & Lin, C. C. (2017). Formulation and Characterization of Hydroquinone Nanostructured Lipid Carriers by Homogenization Emulsification Method. *Journal of Nanomaterials*, 2017. <https://doi.org/10.1155/2017/3282693>
- Wu, Y., Wu, H., & Hu, L. (2024). Recent Advances of Proteins, Polysaccharides and Lipids-Based Edible Films/Coatings for Food Packaging Applications: a Review. *Food Biophysics*, 19(1), 29–45. <https://doi.org/10.1007/s11483-023-09794-7>
- Yadav, B. K., & Gidwani, B. (2016). *Rosin : Recent advances and potential applications in novel drug delivery system*. <https://doi.org/10.1177/0883911515601867>
- You, A., Be, M., & In, I. (2019). *Blends of Low Molecular Weight of Poly Lactic Acid (PLA)*. 030006(April).
- Zhu, D., Hu, C., Zhao, R., Tan, X., Li, Y., Mandić, V., Shi, Z., & Zhang, X. (2022). Fabrication of cerium oxide films with thickness and hydrophobicity gradients. *Surface and Coatings Technology*, 430(August 2021). <https://doi.org/10.1016/j.surfcoat.2021.127985>