

DAFTAR PUSTAKA

- Aina, R. Q., Hawa, L. C., & Yulianingsih, R. (2015). Aplikasi Pra-Perlakuan Microwave Assisted Extraction (MAE) Pada Ekstrak Daun Kemangi (*Ocimum sanctum*) Menggunakan Rotary Evaporator (Studi Pada Variasi Suhu dan Waktu Ekstraksi). *Jurnal Bioproses Komoditas Tropis*, 3(1), Article 1.
- Akhihiro, E., Ayodele, B., & Akpojotor, G. (2013). Effect Of Particle Size And Temperature Variation On The Yield Of Essential Oil From Lemon Grass Using Steam Distillation. *African Journal of Physics*, 66, 105–112.
- Akpınar, E. (2012). Evaluation of Drying Process of Leaves Under Different Environmental Conditions. *Journal of Applied Sciences*, 8(4), 185–192.
- Albaqami, J. J., Hamdi, H., Narayanankutty, A., Visakh, N. U., Sasidharan, A., Kuttithodi, A. M., Famurewa, A. C., & Pathrose, B. (2022). Chemical Composition and Biological Activities of the Leaf Essential Oils of *Curcuma longa*, *Curcuma aromatica* and *Curcuma angustifolia*. *Antibiotics*, 11(11), Article 11. <https://doi.org/10.3390/antibiotics11111547>
- Almeida, R. B. A., Akisue, G., Cardoso, L. M. L., Junqueira, J. C., & Jorge, A. C. (2013). Antimicrobial activity of the essential oil of *Cymbopogon citratus* (DC) Stapf. On *Staphylococcus* spp., *Streptococcus mutans* and *Candida* spp. *Revista Brasileira de Plantas Medicinai*s, 15, 474–482. <https://doi.org/10.1590/S1516-05722013000400002>
- Angane, M., Swift, S., Huang, K., Butts, C. A., & Quek, S. Y. (2022). Essential Oils and Their Major Components: An Updated Review on Antimicrobial Activities, Mechanism of Action and Their Potential Application in the Food Industry. *Foods*, 11(3), Article 3. <https://doi.org/10.3390/foods11030464>
- Argyropoulos, D., & Müller, J. (2014). Changes of essential oil content and composition during convective drying of lemon balm (*Melissa officinalis* L.). *Industrial Crops and Products*, 52, 118–124. <https://doi.org/10.1016/j.indcrop.2013.10.020>
- Arslan, N., & Ozcan, M. (2011). Effects of Temperature and Airflow on the Drying Kinetics of Medicinal Plants. *Drying Technology*, 29(8), 907–916.
- Avetisyan, A., Markosian, A., Petrosyan, M., Sahakyan, N., Babayan, A., Aloyan, S., & Trchounian, A. (2017). Chemical composition and some biological activities of the essential oils from basil *Ocimum* different cultivars. *BMC Complementary and Alternative Medicine*, 17(1), 60. <https://doi.org/10.1186/s12906-017-1587-5>

- Avoseh, O., Oyedeji, O., Rungqu, P., Nkeh-Chungag, B., & Oyedeji, A. (2015). *Cymbopogon* Species; Ethnopharmacology, Phytochemistry and the Pharmacological Importance. *Molecules*, 20(5), 7438–7453. <https://doi.org/10.3390/molecules20057438>
- Badarinath, A., Rao, K., & Madhusudhana, C. C. (2010). *A Review on in-Vitro Atioxidant Methods: Comparisons, Correlations and Considerations*.
- Batool, T., Zafar, M., Elshikh, M. S., Mustafa, A. E.-Z. M. A., Ahmad, M., Makhkamov, T., Islamov, S., Sotiboldiyeva, D., Yuldashev, A., De Oliveira, M. S., Majeed, S., Bakhramov, I., & Musthafa, M. M. (2024). Foliar epidermal micromorphology: A contribution to the taxonomy of family Oleaceae. *Genetic Resources and Crop Evolution*. <https://doi.org/10.1007/s10722-024-02060-w>
- Bendahou, M., Muselli, A., grignon-dubois, M., Benyoucef, M., Desjobert, J.-M., Bernardini, A.-F., & Costa, J. (2008). Antimicrobial activity and chemical composition of *Origanum glandulosum* Desf. essential oil and extract obtained by microwave extraction: Comparison with hydrodistillation. *Food Chemistry*, 106, 132–139. <https://doi.org/10.1016/j.foodchem.2007.05.050>
- Boukhatem, M. N., Ferhat, M. A., Kameli, A., Saidi, F., & Kebir, H. T. (2014). Lemon grass (*Cymbopogon citratus*) essential oil as a potent anti-inflammatory and antifungal drugs. *The Libyan Journal of Medicine*, 9(1), 25431. <https://doi.org/10.3402/ljm.v9.25431>
- Buchbauer, G., Jirovetz, L., Jäger, W., Dietrich, H., & Plank, C. (1991). Aromatherapy: Evidence for sedative effects of the essential oil of lavender after inhalation. *Zeitschrift Fur Naturforschung. C, Journal of Biosciences*, 46(11–12), 1067–1072. <https://doi.org/10.1515/znc-1991-11-1223>
- Buchbauer, K. H. C. B., Gerhard (Ed.). (2015). *Handbook of Essential Oils: Science, Technology, and Applications, Second Edition* (2nd ed.). CRC Press. <https://doi.org/10.1201/b19393>
- Burt, S. (2004). Essential oils: Their antibacterial properties and potential applications in foods--a review. *International Journal of Food Microbiology*, 94(3), 223–253. <https://doi.org/10.1016/j.ijfoodmicro.2004.03.022>
- Cavanagh, H. M. A., & Wilkinson, J. M. (2002). Biological activities of lavender essential oil. *Phytotherapy Research: PTR*, 16(4), 301–308. <https://doi.org/10.1002/ptr.1103>
- Cofelice, M., Cinelli, G., Lopez, F., Di Renzo, T., Coppola, R., & Reale, A. (2021). Alginate-Assisted Lemongrass (*Cymbopogon nardus*) Essential Oil

Dispersions for Antifungal Activity. *Foods*, 10(7), Article 7. <https://doi.org/10.3390/foods10071528>

Cortes-Torres, A. G., López-Castillo, G. N., Marín-Torres, J. L., Portillo-Reyes, R., Luna, F., Baca, B. E., Sandoval-Ramírez, J., & Carrasco-Carballo, A. (2023). *Cymbopogon citratus* Essential Oil: Extraction, GC–MS, Phytochemical Analysis, Antioxidant Activity, and In Silico Molecular Docking for Protein Targets Related to CNS. *Current Issues in Molecular Biology*, 45(6), Article 6. <https://doi.org/10.3390/cimb45060328>

Dangol, S., Poudel, D. K., Ojha, P. K., Maharjan, S., Poudel, A., Satyal, R., Rokaya, A., Timsina, S., Dosoky, N. S., Satyal, P., & Setzer, W. N. (2023). Essential Oil Composition Analysis of *Cymbopogon* Species from Eastern Nepal by GC-MS and Chiral GC-MS, and Antimicrobial Activity of Some Major Compounds. *Molecules*, 28(2), 543. <https://doi.org/10.3390/molecules28020543>

de Sousa, D. P., Damasceno, R. O. S., Amorati, R., Elshabrawy, H. A., de Castro, R. D., Bezerra, D. P., Nunes, V. R. V., Gomes, R. C., & Lima, T. C. (2023). Essential Oils: Chemistry and Pharmacological Activities. *Biomolecules*, 13(7), 1144. <https://doi.org/10.3390/biom13071144>

Dettmer-Wilde, K., & Engewald, W. (2014). *Practical Gas Chromatography: A Comprehensive Reference*. Springer.

Faheem, F., Liu, Z. W., Rabail, R., Haq, I.-U., Gul, M., Bryła, M., Roszko, M., Kieliszek, M., Din, A., & Aadil, R. M. (2022). Uncovering the Industrial Potentials of Lemongrass Essential Oil as a Food Preservative: A Review. *Antioxidants*, 11(4), Article 4. <https://doi.org/10.3390/antiox11040720>

Farhat, A., Fabiano-Tixier, A.-S., Maataoui, M. E., Maingonnat, J.-F., Romdhane, M., & Chemat, F. (2011). Microwave steam diffusion for extraction of essential oil from orange peel: Kinetic data, extract's global yield and mechanism. *Food Chemistry*, 125(1), 255–261. <https://doi.org/10.1016/j.foodchem.2010.07.110>

Fauzi, A., Hameed, I., & Kadhim, M. (2017). A Review: Uses of Gas Chromatography-Mass Spectrometry (GC-MS) Technique for Analysis of Bioactive Natural Compounds of Some Plants. *International Journal of Toxicological and Pharmacological Research*, 9. <https://doi.org/10.25258/ijtp.v9i01.9042>

Ferhat, M., Meklati, B., & Chemat, F. (2007). Comparison of Different Isolation Methods of Essential Oil from Citrus Fruits: Cold Pressing, Hydrodistillation and Microwave ‘Dry’ Distillation. *Flavour and Fragrance Journal*, 22, 494–504. <https://doi.org/10.1002/ffj.1829>

- Ganjewala, D., & Luthra, R. (2009). Cymbopogon essential oils Chemical compositions and bioactivities. *The International Journal of Essential Oil Therapeutics*, 3.
- Gao, S., Liu, G., Li, J., Chen, J., Li, L., Li, Z., Zhang, X., Zhang, S., Thorne, R. F., & Zhang, S. (2020a). Antimicrobial Activity of Lemongrass Essential Oil (*Cymbopogon flexuosus*) and Its Active Component Citral Against Dual-Species Biofilms of *Staphylococcus aureus* and *Candida* Species. *Frontiers in Cellular and Infection Microbiology*, 10, 603858. <https://doi.org/10.3389/fcimb.2020.603858>
- Gao, S., Liu, G., Li, J., Chen, J., Li, L., Li, Z., Zhang, X., Zhang, S., Thorne, R. F., & Zhang, S. (2020b). Antimicrobial Activity of Lemongrass Essential Oil (*Cymbopogon flexuosus*) and Its Active Component Citral Against Dual-Species Biofilms of *Staphylococcus aureus* and *Candida* Species. *Frontiers in Cellular and Infection Microbiology*, 10, 603858. <https://doi.org/10.3389/fcimb.2020.603858>
- Gostin, I. N., & Blidar, C. F. (2024). Glandular Trichomes and Essential Oils Variability in Species of the Genus *Phlomis* L.: A Review. *Plants*, 13(10), Article 10. <https://doi.org/10.3390/plants13101338>
- Guenther, E. (1987). *Minyak Atsiri*. UI Press.
- Guimarães, A. C., Meireles, L. M., Lemos, M. F., Guimarães, M. C. C., Endringer, D. C., Fronza, M., & Scherer, R. (2019). Antibacterial Activity of Terpenes and Terpenoids Present in Essential Oils. *Molecules*, 24(13), Article 13. <https://doi.org/10.3390/molecules24132471>
- Harianingsih, H., Wulandari, R., Harliyanto, C., & Andiani, C. N. (2017). Identifikasi Gc- Ms Ekstrak Minyak Atsiri Dari Sereh Wangi (*Cymbopogon Winterianus*) Menggunakan Pelarut Metanol. *Techno (Jurnal Fakultas Teknik, Universitas Muhammadiyah Purwokerto)*, 18(1), 23–27. <https://doi.org/10.30595/techno.v18i1.1445>
- Hartatie, E. S., Prihartini, I., Widodo, W., & Wahyudi, A. (2020). Short Communication: Detection of bioactive compounds in essential oil from lemongrass cultivated in Ngantang, Malang, East Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(6), Article 6. <https://doi.org/10.13057/biodiv/d210659>
- Herman, R. A., Ayepa, E., Shittu, S., Fometu, S. S., & Wang, J. (2019). Essential Oils and Their Applications -A Mini Review. *Advances in Nutrition & Food Science*, 4(4), 1–13.

- Idrees, M., Hakkim, L., Naikoo, G. A., & Hassan, I. (2019). *Recent Advances in Extraction, Characterization, and Potential Use of Citral* (pp. 225–236). https://doi.org/10.1007/978-981-13-7438-8_9
- Juliarti, A., Wijayanto, N., Mansur, I., & Trikoesoemaningtyas. (2020). Citronella (*Cymbopogon nardus* L.) Oil Yield Analysis Planted with Agroforestry and Monoculture Patterns on Post-Coal Mining Revegetation Land. *Jurnal Sylva Lestari*, 8(2), 181–188.
- Ketaren, S. (1985). *Pengantar Teknologi Minyak Atsiri*. Balai Pustaka.
- Kiani, H. S., Ali, A., Zahra, S., Hassan, Z. U., Kubra, K. T., Azam, M., & Zahid, H. F. (2022). Phytochemical Composition and Pharmacological Potential of Lemongrass (*Cymbopogon*) and Impact on Gut Microbiota. *AppliedChem*, 2(4), Article 4. <https://doi.org/10.3390/appliedchem2040016>
- Komariah, K., Poedjiastoeti, W., Amtha, R., Lestari, S., Fibryanto, E., Roberto, A. D. P., & Sidharta, A. J. (2022). Pemanfaatan Limbah Serai Dapur sebagai Obat Kumur dan Hand Sanitizer untuk Meningkatkan Pemberdayaan Ekonomi. *ABDI MOESTOPO: Jurnal Pengabdian Pada Masyarakat*, 5(1), Article 1. <https://doi.org/10.32509/abdimoestopo.v5i1.1809>
- Kumar, V., Tewari, R., & Singh, K. (2015). Comparative Studies of Drying Methods on Yield and Composition of the Essential Oil of *Cymbopogon citratus*. *Journal of Essential Oil Bearing Plants*, 18(3), 744–750. <https://doi.org/10.1080/0972060X.2014.935069>
- Lawrence, R., Lawrence, K., Srivastava, R., & Gupta, D. (2015). *Antioxidant activity of lemon grass ESSENTIAL OIL (Cymbopogon citratus) grown in North Indian plains*. 4.
- Lubis, A., Mandang, T., Hermawan, W., & Sutrisno. (2022). Characterization of The Yield and Quality of Patchouli Oil Based on The Size of Chopping and Drying Type. *IOP Conference Series: Earth and Environmental Science*, 1038(1), 012075. <https://doi.org/10.1088/1755-1315/1038/1/012075>
- Mande, P., & Sekar, N. (2020). *Comparison of chemical composition, antioxidant and antibacterial activity of Callistemon citrinus skeels (bottlebrush) essential oil obtained by conventional and microwave-assisted hydrodistillation*. <https://doi.org/10.6084/m9.figshare.12854651.v1>
- Ma'sum, Z., Altway, A., & Mahfud, M. (2021). Microwave assisted hydro-distillation (mhd) of citronella oil from lemongrass plants (*cymbopogon nardus*): Effect of distiller size on oil yield. *IOP Conference Series: Materials Science and Engineering*, 1010(1), 012031. <https://doi.org/10.1088/1757-899X/1010/1/012031>

- M'hamdi, Z., Bouymajane, A., Riffi, O., Rhazi Filali, F., Ettarchouch, M., ELhourri, M., & Amechrouq, A. (2024). Chemical composition and antibacterial activity of essential oil of *Pelargonium graveolens* and its fractions. *Arabian Journal of Chemistry*, 17(1), 105375. <https://doi.org/10.1016/j.arabjc.2023.105375>
- Mirzaie, M., Ladanmoghadam, A. R., Hakimi, L., & Danaee, E. (2020). Water Stress Modifies Essential Oil Yield and Composition, Glandular Trichomes and Stomatal Features of Lemongrass (*Cymbopogon citratus*) Inoculated with Arbuscular Mycorrhizal Fungi. *Journal of Agricultural Science and Technology*, 22(6), 1575–1585.
- Mohamed, A. A., & Alotaibi, B. M. (2023). Essential oils of some medicinal plants and their biological activities: A mini review. *Journal of Umm Al-Qura University for Applied Sciences*, 9(1), 40–49. <https://doi.org/10.1007/s43994-022-00018-1>
- Mohamed Hanaa, A. R., Sallam, Y. I., El-Leithy, A. S., & Aly, S. E. (2012). Lemongrass (*Cymbopogon citratus*) essential oil as affected by drying methods. *Annals of Agricultural Sciences*, 57(2), 113–116. <https://doi.org/10.1016/j.aos.2012.08.004>
- Moradalizadeh, M., Samadi, N., & Rajaei, P. (2013). Comparison of Hydrodistillation, Microwave Hydrodistillation and Solvent Free Microwave Methods in Analysis of the Essential Oils from Aerial Parts of *Haplophyllum Robustum* Bge. By GC/MS Method. *International Journal of Advanced Biological and Biomedical Research*, 1(9), 1058–1067.
- Moradi, S., Fazlali, A., & Hamed, H. (2018). Microwave-Assisted Hydro-Distillation of Essential Oil from Rosemary: Comparison with Traditional Distillation. *Avicenna Journal of Medical Biotechnology*, 10(1), 22–28.
- Mukarram, M., Choudhary, S., Khan, M. A., Poltronieri, P., Khan, M. M. A., Ali, J., Kurjak, D., & Shahid, M. (2021a). Lemongrass Essential Oil Components with Antimicrobial and Anticancer Activities. *Antioxidants (Basel, Switzerland)*, 11(1), 20. <https://doi.org/10.3390/antiox11010020>
- Mukarram, M., Choudhary, S., Khan, M. A., Poltronieri, P., Khan, M. M. A., Ali, J., Kurjak, D., & Shahid, M. (2021b). Lemongrass Essential Oil Components with Antimicrobial and Anticancer Activities. *Antioxidants*, 11(1), 20. <https://doi.org/10.3390/antiox11010020>
- Mulyani, S., Purwanto, & Sudarsono. (2021). *Minyak Atsiri Tumbuhan Obat*. UGM PRESS.
- Mulyati, H. S., Yanti, R., & Supriyadi, S. (2023). Physicochemical Properties and Antioxidant Activity of Essential Oil from Fresh, Wilted, and Dried Leaves

of Holy Basil (*Ocimum tenuiflorum* L.) Planted in Yogyakarta. *agriTECH*, 43(3), Article 3. <https://doi.org/10.22146/agritech.72545>

Murdiyah, Y., Murwanti, A., & Oetopo, A. (2022a). Pemanfaatan Serat Limbah Serai Dapur (*Cymbopogon citratus*) sebagai kertas Seni. *Serat Rupa Journal of Design*, 6, 40–52. <https://doi.org/10.28932/srjd.v6i1.3371>

Murdiyah, Y., Murwanti, A., & Oetopo, A. (2022b). Pemanfaatan Serat Limbah Serai Dapur (*Cymbopogon Citratus*) Sebagai Kertas Seni. *Serat Rupa Journal of Design*, 6(1), 40–52. <https://doi.org/10.28932/srjd.v6i1.3371>

Naik, M. I., Fomda, B. A., Jaykumar, E., & Bhat, J. A. (2010). Antibacterial activity of lemongrass (*Cymbopogon citratus*) oil against some selected pathogenic bacterias. *Asian Pacific Journal of Tropical Medicine*, 3(7), 535–538. [https://doi.org/10.1016/S1995-7645\(10\)60129-0](https://doi.org/10.1016/S1995-7645(10)60129-0)

Nambiar, V. (2012). Potential Functions of Lemon Grass *Cymbopogon citratus* in Health and Disease. *International Journal of Pharmaceutical & Biological Archive*. <https://www.semanticscholar.org/paper/Potential-Functions-of-Lemon-Grass-Cymbopogon-in-Nambiar/ac10306d0c213bd2550b1e6c3b2e6ff9bdcd9a02>

Nogueira Neto, J. D., de Almeida, A. A. C., da Silva Oliveira, J., Dos Santos, P. S., de Sousa, D. P., & de Freitas, R. M. (2013). Antioxidant effects of nerolidol in mice hippocampus after open field test. *Neurochemical Research*, 38(9), 1861–1870. <https://doi.org/10.1007/s11064-013-1092-2>

Nour, A., Modather, R., Yunus, R., Elnour, A., & Ain, N. (2024). Characterization of bioactive compounds in patchouli oil using microwave-assisted and traditional hydrodistillation methods. *Industrial Crops and Products*, 117901. <https://doi.org/10.1016/j.indcrop.2023.117901>

Okoh, O., Sadimenko, A., & Afolayan, A. (2010). Comparative evaluation of the antibacterial activities of the essential oils of *Rosmarinus officinalis* L. obtained by hydrodistillation and solvent free microwave extraction methods. *Food Chemistry*, 120, 308–312. <https://doi.org/10.1016/j.foodchem.2009.09.084>

Oniha, M. I., Ahuekwe, E. F., Akinpelu, S. O., Oniha, M. I., Ahuekwe, E. F., & Akinpelu, S. O. (2023). Phytochemical Contents of Essential Oils from *Cymbopogon* Species: A Tropical Medicinal Plant. In *Tropical Plant Species and Technological Interventions for Improvement*. IntechOpen. <https://doi.org/10.5772/intechopen.105396>

Oyedeki, O. O., Lawal, O. A., Shode, F. O., & Oyedeki, A. O. (2009). Chemical Composition and Antibacterial Activity of the Essential Oils of *Callistemon*

citrinus and *Callistemon viminalis* from South Africa. *Molecules*, 14(6), Article 6. <https://doi.org/10.3390/molecules14061990>

- Patsalou, M., Chrysargyris, A., Tzortzakis, N., & Koutinas, M. (2020). A biorefinery for conversion of citrus peel waste into essential oils, pectin, fertilizer and succinic acid via different fermentation strategies. *Waste Management*, 113, 469–477. <https://doi.org/10.1016/j.wasman.2020.06.020>
- Pitso, T. R., & Ashafa, A. O. (2015). Influence of Different Drying Methods on the Composition and Antimicrobial Activities of Essential Oil from *Leucosidea sericea* Eckl. & Zeyh. *Journal of Essential Oil Bearing Plants*, 18(1), 146–153. <https://doi.org/10.1080/0972060X.2014.962624>
- Quintans-Júnior, L., Moreira, J. C. F., Pasquali, M. A. B., Rabie, S. M. S., Pires, A. S., Schröder, R., Rabelo, T. K., Santos, J. P. A., Lima, P. S. S., Cavalcanti, S. C. H., Araújo, A. A. S., Quintans, J. S. S., & Gelain, D. P. (2013). Antinociceptive Activity and Redox Profile of the Monoterpenes (+)-Camphene, p-Cymene, and Geranyl Acetate in Experimental Models. *ISRN Toxicology*, 2013, 459530. <https://doi.org/10.1155/2013/459530>
- Radzi, N. C., & Kasim, F. A. (2020a). Effect of Microwave Pretreatment on Gaharu Essential Oil Using Hydrodistillation Method. *Indonesian Journal of Chemistry*, 20(4), Article 4. <https://doi.org/10.22146/ijc.43191>
- Radzi, N. C., & Kasim, F. A. (2020b). Effect of Microwave Pretreatment on Gaharu Essential Oil Using Hydrodistillation Method. *Indonesian Journal of Chemistry*, 20(4), Article 4. <https://doi.org/10.22146/ijc.43191>
- Rehman, R., MS, H., Mushtaq, Z., & Al-Sadi, A. (2016). Biosynthesis of essential oils in aromatic plants: A Review. *Food Reviews International*, 32, 117–160. <https://doi.org/10.1080/87559129.2015.1057841>
- Rochim, A. (2009). *Memproduksi 15 Minyak Asiri Berkualitas*. Niaga Swadaya.
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., Hernández-Carlos, B., Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. In *Antioxidants*. IntechOpen. <https://doi.org/10.5772/intechopen.85270>
- Saroyo, H., & Arifah, I. A. N. (2021). Antioxidant Activity Using DPPH & Frap Method and Their Correlation with The Levels of Phenolic and Flavonoid Compounds from Nemba Plants (*Azadirachta Indica* A. Juss). *Journal of Nutraceuticals and Herbal Medicine*, 3(2), Article 2. <https://doi.org/10.23917/jnhm.v3i2.15658>

- Sawadogo, I., Paré, A., Kaboré, D., Montet, D., Durand, N., Bouajila, J., Zida, E. P., Sawadogo-Lingani, H., Nikiéma, P. A., Nebié, R. H. C., & Bassolé, I. H. N. (2022). Antifungal and Antiaflatoxinogenic Effects of *Cymbopogon citratus*, *Cymbopogon nardus*, and *Cymbopogon schoenanthus* Essential Oils Alone and in Combination. *Journal of Fungi*, 8(2), Article 2. <https://doi.org/10.3390/jof8020117>
- Schepetkin, I. A., Özek, G., Özek, T., Kirpotina, L. N., Khlebnikov, A. I., & Quinn, M. T. (2020). Chemical Composition and Immunomodulatory Activity of *Hypericum perforatum* Essential Oils. *Biomolecules*, 10(6), 916. <https://doi.org/10.3390/biom10060916>
- Scotti, R., Stringaro, A., Nicolini, L., Zanellato, M., Boccia, P., Maggi, F., & Gabbianelli, R. (2021). Effects of Essential Oils from *Cymbopogon* spp. And *Cinnamomum verum* on Biofilm and Virulence Properties of *Escherichia coli* O157:H7. *Antibiotics*, 10(2), Article 2. <https://doi.org/10.3390/antibiotics10020113>
- Shrivastava, A. (2023). Steam Distillation: Principle and Applications for the Extraction of Essential Oils from Plants. In K. Arunachalam, X. Yang, & S. Puthanpura Sasidharan (Eds.), *Bioprospecting of Tropical Medicinal Plants* (pp. 893–903). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-28780-0_36
- Syarifuddin, S., Ellysa, E., Busthan, M., & Thalib, A. (2020). Pengaruh Waktu Penjemuran terhadap Rendemen pada Proses Ekstraksi Minyak Atsiri *Eucalyptus* dengan Metode Kohobasi. *Jurnal Riset Industri*, 16(2), 64–71. <https://doi.org/10.29360/mb.v16i2.6217>
- Thielmann, J., Muranyi, P., & Kazman, P. (2019). Screening essential oils for their antimicrobial activities against the foodborne pathogenic bacteria *Escherichia coli* and *Staphylococcus aureus*. *Heliyon*, 5(6), e01860. <https://doi.org/10.1016/j.heliyon.2019.e01860>
- Tisserand, R., & Young, R. (2014). 2—Essential oil composition. In R. Tisserand & R. Young (Eds.), *Essential Oil Safety (Second Edition)* (pp. 5–22). Churchill Livingstone. <https://doi.org/10.1016/B978-0-443-06241-4.00002-3>
- Tomlins, K. I., & Mashingaidze, A. (1997). Influence of withering, including leaf handling, on the manufacturing and quality of black teas—A review. *Food Chemistry*, 60(4), 573–580.
- Upadhyay, R., Patel, K., & Upadhyay, D. U. (2023a). A Review Article on Advancements in GC-MS. *International Journal of Pharmaceutical Research and Applications*, 8(2), 54–59.

- Upadhyay, R., Patel, K., & Upadhyay, D. U. (2023b). *A Review Article on Advancements in GC-MS*. 8(2), 54–59.
- Voon, H. C., Bhat, R., & Rusul, G. (2012). Flower Extracts and Their Essential Oils as Potential Antimicrobial Agents for Food Uses and Pharmaceutical Applications. *Comprehensive Reviews in Food Science and Food Safety*, 11(1), 34–55. <https://doi.org/10.1111/j.1541-4337.2011.00169.x>
- Wadhwa, K., Malhotra, M., Kaur, H., Singh, A., & Singh, A. (2023). The An Update on Pharmacological activities of herbal plant *Cymbopogon citratus*. *Journal of Drug Delivery and Therapeutics*, 13, 164–170. <https://doi.org/10.22270/jddt.v13i3.5980>
- Wulandari, Y. W., Anwar, C., & Supriyadi, S. (2019). Effects of drying time on essential oil production of kaffir lime (*Citrus hystrix* DC) leaves at ambient temperature. *IOP Conference Series: Materials Science and Engineering*, 633(1), 012011. <https://doi.org/10.1088/1757-899X/633/1/012011>
- Yanti, R., Nurdawati, H., Cahyanto, M. N., & Pranoto, Y. (2020). Identifikasi komponen dan Uji Potensi Anti Jamur Minyak Atsiri Serai Dapur (*Cymbopogon citratus*) Terhadap Jamur Penghasil Aflatoksin. *AGRITEKNO: Jurnal Teknologi Pertanian*, 9(2), Article 2. <https://doi.org/10.30598/jagritekno.2020.9.2.72>
- Yen, H. Y., & Lin, Y. C. (2017). Green extraction of *Cymbopogon citratus* essential oil by solar energy. *Industrial Crops and Products*, 108, 716–721. <https://doi.org/10.1016/j.indcrop.2017.07.039>
- Yuliani, S., & Satuhu, S. (2012). *Panduan Lengkap Minyak Atsiri*. Penebar Swadaya.