

DAFTAR PUSTAKA

- Aburto, N. J., Hanson, S., & Gutierrez, H. (2013). Effect of increased potassium intake on cardiovascular risk factors and disease : systematic review and meta-analyses. *BMJ*, 346, 1–19. <https://doi.org/10.1136/bmj.f1378>
- Alamri, F. F., Almarghalani, D. A., Alraddadi, E. A., Alharbi, A., Algarni, H. S., Mulla, O. M., Alhazmi, A. M., Alotaibi, T. A., Beheiry, D. H., Alsubaie, A. S., Alkhiri, A., Alatawi, Y., Alzahrani, M. S., Hakami, A. Y., Alamri, A., & Al Sulaiman, K. (2024). The utility of serum glucose potassium ratio as a predictive factor for haemorrhagic transformation, stroke recurrence, and mortality among ischemic stroke patients. *Saudi Pharmaceutical Journal*, 32(6), 102082. <https://doi.org/10.1016/j.jsps.2024.102082>
- Alawneh, K. Z., Qawasmeh, M. Al, Raffee, L. A., & Al-Mistarehi, A. H. (2022). Ischemic stroke demographics, clinical features and scales and their correlations: an exploratory study from Jordan. *Future Science OA*, 8(7), SIII-S4. <https://doi.org/10.2144/fsoa-2022-0017>
- Alkahtani, R. (2022). Molecular mechanisms underlying some major common risk factors of stroke. *Heliyon*, 8(8), e10218. <https://doi.org/10.1016/j.heliyon.2022.e10218>
- Andone, S., Farczádi, L., Imre, S., & Bălaşa, R. (2022). Fatty Acids and Lipid Paradox-Neuroprotective Biomarkers in Ischemic Stroke. *International Journal of Molecular Sciences*, 23(18). <https://doi.org/10.3390/ijms231810810>
- Ansari, A. J., Khan, M. F., Fatima, N., & Imran, M. A. A. M. M. M. (2020). Acute Ischemic Stroke: Diagnosis and Management Approach. *RRJoNS*, 10(3), 25–46.
- Asmedi, A., Gofir, A., Satiti, S., Paryono, P., Sebayang, D. P., Arindra, D. P., & Vidyanti, A. (2022). Quantitative EEG Correlates with NIHSS and MoCA for Assessing the Initial Stroke Severity in Acute Ischemic Stroke Patients. *Open Access Maced J Med Sci*, 10, 599–605.

- Atiş, Ş. E., Bozan, Ö., Ferhatlar, M. E., & Kalkan, A. (2022). Effectiveness of the Full Outline of UnResponsiveness Score in Patients With Acute Ischemic Stroke. *Cureus*. <https://doi.org/10.7759/cureus.22876>
- Campbell, B. C. V., De Silva, D. A., Macleod, M. R., Coutts, S. B., Schwamm, L. H., Davis, S. M., & Donnan, G. A. (2019). Ischaemic stroke. *Nature Reviews Disease Primers*, 5(1). <https://doi.org/10.1038/s41572-019-0118-8>
- Chiu, A. H., Hince, D. A., & McAuliffe, W. (2020). Glasgow coma scale on presentation predicts outcome in endovascular treatment for acute posterior large-vessel occlusion. *American Journal of Neuroradiology*, 41(4), 645–649. <https://doi.org/10.3174/AJNR.A6497>
- Chugh, C. (2019). Acute ischemic stroke: Management approach. *Indian Journal of Critical Care Medicine*, 23, S140–S146. <https://doi.org/10.5005/jp-journals-10071-23192>
- Cong, X., Liu, S., Wang, W., Ma, J., & Li, J. (2022). Combined consideration of body mass index and waist circumference identifies obesity patterns associated with risk of stroke in a Chinese prospective cohort study. *BMC Public Health*, 22(1), 1–11. <https://doi.org/10.1186/s12889-022-12756-2>
- Darehed, D., Reinholdsson, M., Viktorisson, A., Abzhandadze, T., & Sunnerhagen, K. S. (2023). Death and ADL Dependency After Scoring Zero on the NIHSS: A Swedish Retrospective Registry-Based Study. *Neurology: Clinical Practice*, 13(5), 1–8. <https://doi.org/10.1212/CPJ.00000000000200186>
- De Silva, D. A., Narasimhalu, K., Huang, I. W., Woon, F. P., Allen, J. C., & Wong, M. C. (2022). Long-Term Post-Stroke Functional Outcomes: A Comparison of Diabetics and Nondiabetics. *Cerebrovascular Diseases Extra*, 12(1), 7–13. <https://doi.org/10.1159/000521442>
- Demirtas, E., Korkmaz, I., Tekin, Y., Demirtas, E., & Caltekin, I. (2021). Assessment of serum glucose / potassium ratio as a predictor for delayed neuropsychiatric syndrome of carbon monoxide poisoning. *Human and Experimental Toxicology*, 40(2), 207–213. <https://doi.org/10.1177/0960327120945773>

- Desilles, J., Meseguer, E., Labreuche, J., Lapergue, B., Sirimarco, G., Gonzalez-valcarcel, J., Lavallée, P., Cabrejo, L., Guidoux, C., Klein, I., Amarenco, P., & Mazighi, M. (2013). Diabetes Mellitus, Admission Glucose, and Outcomes After Stroke Thrombolysis. *Stroke*, 44, 1915–1923. <https://doi.org/10.1161/STROKEAHA.111.000813>
- di Biase, L., Bonura, A., Caminiti, M. L., Pecoraro, P. M., & Di Lazzaro, V. (2022). Neurophysiology tools to lower the stroke onset to treatment time during the golden hour: microwaves, bioelectrical impedance and near infrared spectroscopy. *Annals of Medicine*, 54(1), 2658–2671. <https://doi.org/10.1080/07853890.2022.2124448>
- Esmael, A., Elsherief, M., & Eltoukhy, K. (2021). Predictive Value of the Alberta Stroke Program Early CT Score (ASPECTS) in the Outcome of the Acute Ischemic Stroke and Its Correlation with Stroke Subtypes, NIHSS, and Cognitive Impairment. *Stroke Research and Treatment*, 2021, 9–18. <https://doi.org/10.1155/2021/5935170>
- Feigin, V. L., Brainin, M., Norrving, B., Martins, S., Sacco, R. L., Hacke, W., Fisher, M., Pandian, J., & Lindsay, P. (2022). World Stroke Organization (WSO): Global Stroke Fact Sheet 2022. *International Journal of Stroke*, 17(1), 18–29. <https://doi.org/10.1177/17474930211065917>
- Feske, S. K. (2021). Ischemic Stroke. *American Journal of Medicine*, 134(12), 1457–1464. <https://doi.org/10.1016/j.amjmed.2021.07.027>
- Fujiki, Y., Matano, F., Mizunari, T., Murai, Y., Tateyama, K., Koketsu, K., Kubota, A., Kobayashi, S., Yokota, H., & Morita, A. (2018). Serum glucose/potassium ratio as a clinical risk factor for aneurysmal subarachnoid hemorrhage. *J Neurosurg*, 129, 870–875. <https://doi.org/10.3171/2017.5.JNS162799.870>
- Fukaguchi, K., Yamagami, H., Soeno, S., Hara, K., Shirakawa, T., Sonoo, T., & Nakamura, K. (2021). Association of Initial Potassium Levels with the Type of Stroke in the Emergency Department. *Journal of Stroke and Cerebrovascular Diseases*, 30(8), 1–4. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2021.105875>

- Gardener, H., Romano, L. A., Smith, E. E., Campo-, I., Khan, Y., Tai, S., Riley, N., Sacco, R. L., Khatri, P., Alger, H. M., Grory, B. Mac, Gulati, D., Sangha, N. S., Olds, K. E., Benesch, C. G., Kelly, A. G., Brehaut, S. S., Kansara, A. C., Schwamm, L. H., & Romano, J. G. (2022). Functional status at 30 and 90 days after mild ischaemic stroke. *Stroke & Vascular Neurology*, 7, 375–380. <https://doi.org/10.1136/svn-2021-001333>
- González-Santos, J., Rodríguez-Fernández, P., Pardo-Hernández, R., González-Bernal, J. J., Fernández-Solana, J., & Santamaría-Peláez, M. (2023). A Cross-Sectional Study: Determining Factors of Functional Independence and Quality of Life of Patients One Month after Having Suffered a Stroke. *International Journal of Environmental Research and Public Health*, 20(2). <https://doi.org/10.3390/ijerph20020995>
- Harris, S., Sungkar, S., Rasyid, A., Kurniawan, M., Mesiano, T., & Hidayat, R. (2018). TOAST Subtypes of Ischemic Stroke and Its Risk Factors: A Hospital-Based Study at Cipto Mangunkusumo Hospital, Indonesia. *Stroke Research and Treatment*, 1–6. <https://doi.org/10.1155/2018/9589831>
- Hartley, T., Burger, M., & Inglis-Jasiem, G. (2022). Post stroke health-related quality of life, stroke severity and function: A longitudinal cohort study. *African Journal of Disability*, 11. <https://doi.org/10.4102/ajod.v11i0.947>
- Hebel, K., Kowiański, P., & Rogoza, K. (2020). Assessment of the Functional Status of Patients with Ischaemic Stroke Receiving Thrombolytic Treatment. Ocena stanu funkcjonalnego chorych po udarze niedokrwiennym mózgu leczonych trombolitycznie. *The Journal of Neurological and Neurosurgical Nursing*, 9(1), 12–19. <https://doi.org/10.15225/PNN.2020.9.1.2>
- Hossain, M. M., Abdulla, F., & Rahman, A. (2023). Prevalence and risk factors of underweight among under-5 children in Bangladesh: Evidence from a countrywide cross-sectional study. *PLoS ONE*, 18(4 April), 1–15. <https://doi.org/10.1371/journal.pone.0284797>
- Hou, D., Zhong, P., Ye, X., & Wu, D. (2021). Persistent hyperglycemia is a useful glycemic pattern to predict stroke mortality: a systematic review and meta-analysis. *BMC Neurology*, 21(1), 1–13. <https://doi.org/10.1186/s12883-021-02512-1>

- Howarth, C., Gleeson, P., & Attwell, D. (2012). Updated energy budgets for neural computation in the neocortex and cerebellum. *Journal of Cerebral Blood Flow & Metabolism*, 32, 1222–1232. <https://doi.org/10.1038/jcbfm.2012.35>
- Jean Paul, A., Charles, J. H., Gedner, G. M. E., Roche, R., Andre, W., Saint Croix, G. R., & Perue, G. G. (2024). Abstract HUP18: Clinical Characteristic of a Haitian Stroke Cohort and a Scoping Review of the Literature of Stroke Among the Haitian Population. *Stroke*, 55(Suppl_1), 153–159. https://doi.org/10.1161/str.55.suppl_1.hup18
- Jensen, M., & Thomalla, G. (2020). Causes and secondary prevention of acute ischemic stroke in adults. *Hamostaseologie*, 40, 22–30. <https://doi.org/10.1055/s-0039-1700502>
- Johnson, L., Mattsson, N., Sjadieh, A., Wollmer, P., & Soderholm, M. (2017). Serum Potassium Is Positively Associated With Stroke and Project Cohort. *Stroke*, 48, 2973–2978. <https://doi.org/10.1161/STROKEAHA.117.018148>
- Johnston, K. C., Bruno, A., Pauls, Q., Hall, C. E., Barrett, K. M., Barsan, W., Fansler, A., Bruinhorst, K. Van De, Janis, S., & Durkalski-mauldin, V. L. (2019). Intensive vs Standard Treatment of Hyperglycemia and Functional Outcome in Patients With Acute Ischemic Stroke The SHINE Randomized Clinical Trial. *JAMA*, 322(4), 326–335. <https://doi.org/10.1001/jama.2019.9346>
- Ki, M., Joo, M., Sohn, M., Lee, J., Kim, D., Lee, S., Shin, Y., Kim, S., Oh, G., Lee, Y., Han, R., Han, J., Ahn, J., Chaang, W., & Kim, Y. (2019). Impact of Functional Status on Noncardioembolic Ischemic Stroke Recurrence Within 1 Year: The Korean Stroke Cohort for Functioning and Rehabilitation Study. *J Clin Neurol*, 15(1), 54–61.
- Kim, J., Lee, S., Yoo, D., Lee, J. S., Kim, S., Choi, K., Park, M., & Cho, K. (2018). Clinical Implications of Serial Glucose Measurements in Acute Ischemic Stroke Patients Treated with Intravenous Thrombolysis. *Scientific Reports*, 8, 1–10. <https://doi.org/10.1038/s41598-018-30028-1>

- Kleindorfer, D. O., Towfighi, A., Chaturvedi, S., Cockcroft, K. M., Gutierrez, J., Lombardi-Hill, D., Kamel, H., Kernan, W. N., Kittner, S. J., Leira, E. C., Lennon, O., Meschia, J. F., Nguyen, T. N., Pollak, P. M., Santangeli, P., Sharrief, A. Z., Smith, S. C., Turan, T. N., & Williams, L. S. (2021). 2021 Guideline for the prevention of stroke in patients with stroke and transient ischemic attack; A guideline from the American Heart Association/American Stroke Association. *Stroke*, 52, E364–E467. <https://doi.org/10.1161/STR.0000000000000375>
- Kovesdy, C. P., Appel, L. J., Grams, M. E., Gutekunst, L., Mccullough, P. A., Palmer, B. F., Pitt, B., Sica, D. A., & Townsend, R. R. (2017). Special Report Potassium Homeostasis in Health and Disease : A Scientific Workshop Cosponsored by the National Kidney Foundation and the American Society of Hypertension. *American Journal of Kidney Diseases*, 70(6), 844–858. <https://doi.org/10.1053/j.ajkd.2017.09.003>
- Li, Q., Deng, L., Huang, C., Zhang, W. Y., Zou, N., Cao, D., Wei, X., & Qin, X. Y. (2021). A Novel Scale for Assessment of Stroke Severity at Symptom Onset: Correlation With Neurological Deterioration and Outcome. *Frontiers in Neurology*, 11(January), 1–8. <https://doi.org/10.3389/fneur.2020.602839>
- Li, Q. X., Zhao, X. J., Fan, H. Y., Li, X. N., Wang, D. L., Wang, X. J., Zhang, J., Chen, R. Y., & Zhang, L. (2020). Application Values of Six Scoring Systems in the Prognosis of Stroke Patients. *Frontiers in Neurology*, 10(January), 1–7. <https://doi.org/10.3389/fneur.2019.01416>
- Lu, Y., Ma, X., Zhou, X., & Wang, Y. (2022). The association between serum glucose to potassium ratio on admission and short - term mortality in ischemic stroke patients. *Scientific Reports*, 12, 1–11. <https://doi.org/10.1038/s41598-022-12393-0>
- Matano, F., Fujiki, Y., Mizunari, T., Koketsu, K., Tamaki, T., & Murai, Y. (2019). Serum Glucose and Potassium Ratio as Risk Factors for Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage. *Journal of Stroke and Cerebrovascular Diseases*, 28(7), 1951–1957. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2019.03.041>

- Merlino, G., Smeralda, C., Gigli, G. L., Lorenzut, S., Pez, S., Surcinelli, A., Marini, A., & Valente, M. (2020). Stress hyperglycemia is predictive of worse outcome in patients with acute ischemic stroke undergoing intravenous thrombolysis. *Journal of Thrombosis and Thrombolysis*, 1–9. <https://doi.org/10.1007/s11239-020-02252-y>
- Miwa, K., Nakai, M., Yoshimura, S., Sasahara, Y., Wada, S., Koge, J., Ishigami, A., Yagita, Y., Kamiyama, K., Miyamoto, Y., Kobayashi, S., Minematsu, K., Toyoda, K., & Koga, M. (2024). Clinical impact of body mass index on outcomes of ischemic and hemorrhagic strokes. *International Journal of Stroke*, 19(June 2023). <https://doi.org/10.1177/17474930241249370>
- Montellano, F., Ungethum, K., Ramiro, L., Nacu, A., Hellwig, S., Fluri, F., Whiteley, W. N., Bch, B. M., Bustamante, A., & Montaner, J. (2021). Role of Blood-Based Biomarkers in Ischemic Stroke Prognosis. *Stroke*, 52, 543–551. <https://doi.org/10.1161/STROKEAHA.120.029232>
- Musuka, T., Wilton, S., Traboulsi, M., & Hill, M. (2015). Diagnosis and Management of Acute Ischemic Stroke: Speed is Critical. *CMAJ*, 187(12), 887–893.
- Nagaraja, N., Farooqui, A., Ballur Narayana Reddy, V., & Shukla, A. M. (2023). Kidney impairment and outcomes in acute ischaemic stroke. *Internal Medicine Journal*, 53(7), 1231–1239. <https://doi.org/10.1111/imj.15852>
- Nakajima, B. S. H., Pharm, D., Chester, K. W., & Pharm, D. (2020). Acute Ischemic Stroke. *PSAP Book*, 7–32.
- Phipps, M. S., & Cronin, C. A. (2020). Management of acute ischemic stroke. *The BMJ*, 368, 1–15. <https://doi.org/10.1136/bmj.l6983>
- Poomalai, G., Prabhakar, S., & Sirala Jagadesh, N. (2023). Functional Ability and Health Problems of Stroke Survivors: An Explorative Study. *Cureus*, 15(1), 1–6. <https://doi.org/10.7759/cureus.33375>
- Powers, W. J., Rabinstein, A. A., Ackerson, T., Adeoye, O. M., Bambakidis, N. C., Becker, K., Biller, J., Brown, M., Demerschalk, B. M., Hoh, B., Jauch, E. C., Kidwell, C. S., Leslie-Mazwi, T. M., Ovbiagele, B., Scott, P. A., Sheth, K. N., Southerland, A. M., Summers, D. V., & Tirschwell, D. L. (2019).

Guidelines for the early management of patients with acute ischemic stroke: 2019 update to the 2018 guidelines for the early management of acute ischemic stroke a guideline for healthcare professionals from the American Heart Association/American Stroke A. *Stroke*, 50, E344–E418. <https://doi.org/10.1161/STR.0000000000000211>

Ramachandran, K., Radha, D., Gaur, A., Kaliappan, A., & Sakthivadivel, V. (2022).

Is the National Institute of Health Stroke Scale a valid prognosticator of the aftermath in patients with ischemic stroke? *Journal of Family Medicine and Primary Care*, 11(11), 7185. https://doi.org/10.4103/jfmpc.jfmpc_611_22

Renner, C. J., Kasner, S. E., Bath, P. M., & Bahouth, M. N. (2022). Stroke Outcome Related to Initial Volume Status and Diuretic Use. *Journal of the American Heart Association*, 11(24). <https://doi.org/10.1161/JAHA.122.026903>

Rinkel, L., Nguyen, T., Guglielmi, V., Groot, A., Posthuma, L., & Roos, Y. (2020). High admission glucose is associated with poor outcome after endovascular treatment for ischemic stroke. *Stroke*, 51(11), 3215–3223. <https://doi.org/10.1161/STROKEAHA.120.029944>

Robbins, B. T., Swafford, K., Howington, G. T., Woolum, J. A., & Zimmer, J. (2023). Advancements in the management of acute ischemic stroke : A narrative review. *JACEP Open*, 4, 1–10. <https://doi.org/10.1002/emp2.12896>

Saver, J. L., Fonarow, G. C., Smith, E. E., Reeves, M. J., Grau-Sepulveda, M. V., Pan, W., Olson, D. M., Hernandez, A. F., Peterson, E. D., & Schwamm, L. H. (2013). Time to Treatment With Intravenous Tissue Plasminogen Activator and Outcome From Acute Ischemic Stroke. *JAMA*, 309(23), 2480. <https://doi.org/10.1001/jama.2013.6959>

Ścisło, L., Staszkiwicz, M., Walewska, E., Paplaczek-Serednicka, M., Bodys-Cupak, I., & Zawieja, P. (2024). Factors Determining the Functional Efficiency of Patients After Ischemic Stroke After Neurological Rehabilitation. *Journal of Multidisciplinary Healthcare*, Volume 17, 959–969. <https://doi.org/10.2147/JMDH.S444049>

- Shen, Y., Shi, L., Nauman, E., Katzmarzyk, P. T., Price-Haywood, E. G., Bazzano, A. N., Nigam, S., & Hu, G. (2020). Association between body mass index and stroke risk among patients with type 2 diabetes. *Journal of Clinical Endocrinology and Metabolism*, 105(1), 96–105. <https://doi.org/10.1210/clinem/dgz032>
- Shi, H., Ge, Y., Wang, H., Zhang, Y., Teng, W., & Tian, L. (2020). Fasting Blood Glucose and Risk of Stroke: A Dose-Response Meta-Analysis. *Clinical Nutrition*, 1–35. <https://doi.org/10.1016/j.clnu.2020.10.054>
- Shokri, H. M., El Nahas, N. M., Aref, H. M., Dawood, N. L., Abushady, E. M., Abd Eldayem, E. H., Georgy, S. S., Zaki, A. S., Bedros, R. Y., Wahid El Din, M. M., & Roushdy, T. M. (2020). Factors related to time of stroke onset versus time of hospital arrival: A SITS registry-based study in an Egyptian stroke center. *PLoS ONE*, 15(9 September), 1–9. <https://doi.org/10.1371/journal.pone.0238305>
- Strain, A. K., & Sullivan, M. M. (2019). Strengthening Laboratory Partnerships, Enhancing Recruitment, and Improving Retention Through Training and Outreach Activities: The Minnesota Experience. *Public Health Reports*, 134(2_suppl), 11S-15S. <https://doi.org/10.1177/0033354919874085>
- Teo, K. C., Leung, W. C. Y., Wong, Y. K., Liu, R. K. C., Chan, A. H. Y., Choi, O. M. Y., Kwok, W. M., Leung, K. K., Tse, M. Y., Cheung, R. T. F., Tsang, A. C. O., & Lau, K. K. (2020). Delays in Stroke Onset to Hospital Arrival Time during COVID-19. *Stroke*, 51(7), 2228–2231. <https://doi.org/10.1161/STROKEAHA.120.030105>
- Tsao, C. W., Aday, A. W., Almarzooq, Z. I., Anderson, C. A. M., Arora, P., Avery, C. L., Baker-Smith, C. M., Beaton, A. Z., Boehme, A. K., Buxton, A. E., Commodore-Mensah, Y., Elkind, M. S. V., Evenson, K. R., Eze-Nliam, C., Fugar, S., Generoso, G., Heard, D. G., Hiremath, S., Ho, J. E., ... Martin, S. S. (2023). Heart Disease and Stroke Statistics - 2023 Update: A Report from the American Heart Association. In *Circulation* (Vol. 147). <https://doi.org/10.1161/CIR.0000000000001123>

- Tziomalos, K., Dimitriou, P., Bouziana, S. D., Spanou, M., Kostaki, S., Angelopoulou, S., Papadopoulou, M., Giampatzis, V., Savopoulos, C., & Hatzitolios, A. I. (2016). Stress hyperglycemia and acute ischemic stroke in-hospital outcome. *Metabolism Clinical and Experimental*, 67, 99–105. <https://doi.org/10.1016/j.metabol.2016.11.011>
- Venketasubramanian, N., Yudiarto, F. L., & Tugasworo, D. (2022). Stroke Burden and Stroke Services in Indonesia. *Cerebrovascular Diseases Extra*, 12, 53–57. <https://doi.org/10.1159/000524161>
- Virani, S. S., Alonso, A., Aparicio, H. J., Benjamin, E. J., Bittencourt, M. S., Callaway, C. W., Carson, A. P., Chamberlain, A. M., Cheng, S., Delling, F. N., Elkind, M. S. V., Evenson, K. R., Ferguson, J. F., Gupta, D. K., Khan, S. S., Kissela, B. M., Knutson, K. L., Lee, C. D., Lewis, T. T., ... Tsao, C. W. (2021). Heart Disease and Stroke Statistics - 2021 Update: A Report From the American Heart Association. In *Circulation* (Vol. 143, Issue 8). <https://doi.org/10.1161/CIR.0000000000000950>
- Wang, A., Tian, X., Gu, H., Zuo, Y., Meng, X., Chen, P., Li, H., & Wang, Y. (2021). Electrolytes and clinical outcomes in patients with acute ischemic stroke or transient ischemic attack. *Ann Transl Med*, 9(13), 1–11. <https://doi.org/10.21037/atm-21-741>
- Wouters, A., Nysten, C., & Thijs, V. Lemmens, R. (2018). Prediction of Outcome in Patients With acute ischemic stroke Based on initial severity and improvement in the First 24 h. *Frontiers in Neurology*, 9(308), 1–6. <https://doi.org/10.3389/fneur.2018.00308>
- Wu, X., Zhuang, Y., Cai, Y., Dong, X., Wang, K., Du, Q., & Yu, W. (2021). Serum glucose and potassium ratio as a predictive factor for prognosis of acute intracerebral hemorrhage. *Journal of International Medical Research*, 49(4), 1–12. <https://doi.org/10.1177/03000605211009689>
- Yang, Y., Shi, Y., Zhang, N., Wang, S., Ungvari, G. S., Ng, C. H., Wang, Y., Zhao, X., Wang, Y., Wang, C., & Xiang, Y. (2016). The Disability Rate of 5-Year Post-Stroke and Its Correlation Factors : A National Survey in China. *PLoS ONE*, 11(11), 1–9. <https://doi.org/10.1371/journal.pone.0165341>

- Yao, T., Zhan, Y., Shen, J., Xu, L., Peng, B., Cui, Q., & Liu, Z. (2020). Association between fasting blood glucose and outcomes and mortality in acute ischaemic stroke patients with diabetes mellitus: a retrospective observational study in Wuhan, China. *BMJ Open*, 10(6), e037291. <https://doi.org/10.1136/bmjopen-2020-037291>
- Zhang, Q., Huang, Z., Chen, S., Yan, E., Zhang, X., Su, M., Zhou, J., & Wang, W. (2024). Association between the serum glucose-to-potassium ratio and clinical outcomes in ischemic stroke patients after endovascular thrombectomy. *Frontiers in Neurology*, 15(October), 1–6. <https://doi.org/10.3389/fneur.2024.1463365>
- Zhang, Y., Gu, S., Wang, C., Liu, D., Zhang, Q., Yang, M., Zhou, Z., & Zuo, H. (2021). Association between fasting blood glucose levels and stroke events: A large-scale community-based cohort study from China. *BMJ Open*, 11(8), 1–8. <https://doi.org/10.1136/bmjopen-2021-050234>
- Zhang, Y., Yin, X., Liu, T., Ji, W., & Wang, G. (2024). Association between the stress hyperglycemia ratio and mortality in patients with acute ischemic stroke. *Scientific Reports*, 14(1), 20962. <https://doi.org/10.1038/s41598-024-71778-5>
- Zhou, J., Liu, F., Zhou, M., Long, J., Zha, F., Chen, M., Li, J., Yang, Q., Zhang, Z., & Wang, Y. (2022). Functional status and its related factors among stroke survivors in rehabilitation departments of hospitals in Shenzhen, China: a cross-sectional study. *BMC Neurology*, 22(1), 1–12. <https://doi.org/10.1186/s12883-022-02696-0>
- Zhou, J., Yang, C., Shen, L., Lv, Q., & Xu, Q. (2020). Usefulness of serum glucose and potassium ratio as a predictor for 30-day death among patients with severe traumatic brain injury. *Clinica Chimica Acta*, 506, 166–171. <https://doi.org/10.1016/j.cca.2020.03.039>
- Zhuo, Y., Qu, Y., Wu, J., Huang, X., Yuan, W., Lee, J., Yang, Z., & Zee, B. (2021). Estimation of stroke severity with National Institutes of Health Stroke Scale grading and retinal features: A cross-sectional study. *Medicine (United States)*, 100(31), E26846. <https://doi.org/10.1097/MD.00000000000026846>

Zöllner, J. P., Misselwitz, B., Kaps, M., Stein, M., Konczalla, J., Roth, C., Krakow, K., Steinmetz, H., Rosenow, F., & Strzelczyk, A. (2020). National Institutes of Health Stroke Scale (NIHSS) on admission predicts acute symptomatic seizure risk in ischemic stroke: a population-based study involving 135,117 cases. *Scientific Reports*, 10(1), 1–7. <https://doi.org/10.1038/s41598-020-60628-9>