

BIBLIOGRAPHY

- Abbas, F., Kumar, R., Mahmood, T., & Somrongthong, R. (2021). Impact of children born with low birth weight on stunting and wasting in Sindh province of Pakistan: a propensity score matching approach. *Scientific Reports*, *11*(1), 1–10. <https://doi.org/10.1038/s41598-021-98924-7>
- Althabe, F., Moore, J. L., Gibbons, L., Berrueta, M., Goudar, S. S., Chomba, E., Derman, R. J., Patel, A., Saleem, S., Pasha, O., Esamai, F., Garces, A., Liechty, E. A., Hambidge, K. M., Krebs, N. F., Hibberd, P. L., Goldenberg, R. L., Koso-thomas, M., Carlo, W. A., ... McClure, E. M. (2010). The African Child Policy Forum, Breaking the Silence: Violence against Children with Disabilities in Africa . Retrieved from. *Reproductive Health*, *12*(Suppl 2), 1–9.
- Anil, K. C., Basel, P. L., & Singh, S. (2020). Low birth weight and its associated risk factors: Health facility-based case-control study. *PLoS ONE*, *15*(6 June), 1–10. <https://doi.org/10.1371/journal.pone.0234907>
- Aras, R. (2013). Is maternal age risk factor for low birth weight? *Archives of Medicine and Health Sciences*, *1*(1), 33. <https://doi.org/10.4103/2321-4848.113558>
- Arsyi, M. (2021). Maternal Factors Affecting the Incidence of Low Birth Weight (LBW) in Indonesia. *International Journal of Pharmaceutical Research*, *13*(01), 4197–4203. <https://doi.org/10.31838/ijpr/2021.13.01.557>
- Bekele, A., Seyoum, G., Tesfaye, K., & Fantahun, Y. (2019). The effects of maternal age and parity on the birth weight of newborns among mothers with singleton pregnancies and at term deliveries. *Ethiopian Journal of Health Development*, *33*(3), 182–187.
- Blencowe, H., Krusevec, J., de Onis, M., Black, R. E., An, X., Stevens, G. A., Borghi, E., Hayashi, C., Estevez, D., Cegolon, L., Shiekh, S., Ponce Hardy, V., Lawn, J. E., & Cousens, S. (2019). National, regional, and worldwide estimates of low birthweight in 2015, with trends from 2000: a systematic analysis. *The Lancet Global Health*, *7*(7), e849–e860. [https://doi.org/10.1016/S2214-109X\(18\)30565-5](https://doi.org/10.1016/S2214-109X(18)30565-5)
- Bussell, G. (2019). Preventing low birth weight. In *Releasing Resources to Achieve Health Gain*. <https://doi.org/10.1201/9781315379753-13>
- Cavazos-Rehg, P. A., Krauss, M. J., Spitznagel, E. L., Bommarito, K., Madden, T., Olsen, M. A., Subramaniam, H., Peipert, J. F., & Bierut, L. J. (2015). Maternal Age and Risk of Labor and Delivery Complications. *Maternal and Child Health Journal*, *19*(6), 1202–1211. <https://doi.org/10.1007/s10995-014-1624-7>
- Cutland, C. L., Lackritz, E. M., Mallett-Moore, T., Bardají, A., Chandrasekaran, R.,

- Lahariya, C., Nisar, M. I., Tapia, M. D., Pathirana, J., Kochhar, S., & Muñoz, F. M. (2017). Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. In *Vaccine* (Vol. 35, Issue 48, pp. 6492–6500). Elsevier Ltd. <https://doi.org/10.1016/j.vaccine.2017.01.049>
- Delcroix, M.-H., Delcroix-Gomez, C., Marquet, P., Gauthier, T., Thomas, D., & Aubard, Y. (2023). Active or passive maternal smoking increases the risk of low birth weight or preterm delivery: Benefits of cessation and tobacco control policies. *Tobacco Induced Diseases*, 21(May), 1–13. <https://doi.org/10.18332/tid/156854>
- Departemen Kesehatan. (2022). Laporan Kinerja Direktorat Kesehatan Keluarga Tahun 2021. *Kementerian Kesehatan RI*, 5201590(021), 4. <https://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>
- Devaguru, A., Gada, S., Potpalle, D., Dinesh Eshwar, M., & Purwar, D. (2023). The Prevalence of Low Birth Weight Among Newborn Babies and Its Associated Maternal Risk Factors: A Hospital-Based Cross-Sectional Study. *Cureus*, 15(5). <https://doi.org/10.7759/cureus.38587>
- Di, H. K., Gan, Y., Lu, K., Wang, C., Zhu, Y., Meng, X., Xia, W. Q., Xu, M. Z., Feng, J., Tian, Q. F., He, Y., Nie, Z. Q., Liu, J. A., Song, F. J., & Lu, Z. X. (2022). Maternal smoking status during pregnancy and low birth weight in offspring: systematic review and meta-analysis of 55 cohort studies published from 1986 to 2020. *World Journal of Pediatrics*, 18(3), 176–185. <https://doi.org/10.1007/s12519-021-00501-5>
- Domple, V., Doibale, M., Nair, A., & Rajput, P. (2016). Assessment of maternal risk factors associated with low birth weight neonates at a tertiary hospital, Nanded, Maharashtra. *Nigerian Medical Journal*, 57(1), 37. <https://doi.org/10.4103/0300-1652.180564>
- Fatimah, N., Utama, B. I., & Sastri, S. (2018). Hubungan Antenatal Care dengan Kejadian Bayi Berat Lahir Rendah pada Ibu Aterm di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 6(3), 615. <https://doi.org/10.25077/jka.v6i3.747>
- Fleming, N., Ng, N., Osborne, C., Biederman, S., Yasseen, A. S., Dy, J., Rennicks White, R., & Walker, M. (2013). Adolescent Pregnancy Outcomes in the Province of Ontario: A Cohort Study. *Journal of Obstetrics and Gynaecology Canada*, 35(3), 234–245. [https://doi.org/10.1016/S1701-2163\(15\)30995-6](https://doi.org/10.1016/S1701-2163(15)30995-6)
- Gaiva, M. A. M., Fujimori, E., & Sato, A. P. S. (2016). Maternal and Child Risk Factors Associated With Neonatal Mortality Tt - Factores De Riesgo Materno-

Infantiles Asociados a La Mortalidad Neonatal Tt - Factores De Risco Maternos E Infantis Asociados À Mortalidade Neonatal. *Texto & Contexto - Enfermagem*, 25(4), 1–9.
http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0104-07072016000400318&lang=pt%0Ahttp://www.scielo.br/pdf/tce/v25n4/0104-0707-tce-25-04-2290015.pdf%0Ahttp://www.scielo.br/pdf/tce/v25n4/pt_0104-0707-tce-25-04-2290015.pdf

Ganchimeg, T., Ota, E., Morisaki, N., Laopaiboon, M., Lumbiganon, P., Zhang, J., Yamdamsuren, B., Temmerman, M., Say, L., Tunçalp, Ö., Vogel, J. P., Souza, J. P., Mori, R., & WHO Multicountry Survey on Maternal Newborn Health Research Network. (2014). Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study. *BJOG: An International Journal of Obstetrics and Gynaecology*, 121 Suppl, 40–48. <https://doi.org/10.1111/1471-0528.12630>

Glick, I., Kadish, E., & Rottenstreich, M. (2021). Management of pregnancy in women of advanced maternal age: Improving outcomes for mother and baby. *International Journal of Women's Health*, 13, 751–759. <https://doi.org/10.2147/IJWH.S283216>

Godah, M. W., Beydoun, Z., Abdul-Khalek, R. A., Safieddine, B., Khamis, A. M., & Abdulrahim, S. (2021). Maternal Education and Low Birth Weight in Low- and Middle-Income Countries: Systematic Review and Meta-Analysis. *Maternal and Child Health Journal*, 25(8), 1305–1315. <https://doi.org/10.1007/s10995-021-03133-3>

Goisis, A., Remes, H., Barclay, K., Martikainen, P., & Myrskylä, M. (2017). Advanced Maternal Age and the Risk of Low Birth Weight and Preterm Delivery: A Within-Family Analysis Using Finnish Population Registers. *American Journal of Epidemiology*, 186(11), 1219–1226. <https://doi.org/10.1093/aje/kwx177>

Guimarães, A. M. d. A. N., Bettiol, H., De Souza, L., Gurgel, R. Q., Almeida, M. L. D., De Oliveira Ribeiro, E. R., Goldani, M. Z., & Barbieri, M. A. (2013). Is adolescent pregnancy a risk factor for low birth weight? *Revista de Saude Publica*, 47(1), 11–19. <https://doi.org/10.1590/S0034-89102013000100003>

Honig, A. S. (2012). Teen pregnancy. *International Journal of Adolescence and Youth*, 17(4), 181–187. <https://doi.org/10.1080/02673843.2012.655912>

Indrayati, N., Santoso, D. Y. A., & Iqomh, M. K. B. (2020). Relationship Between the Level of Maternal Education and Readiness for Caring for Low Birth Weight. *Proceedings of the International Conference on Nursing and Health Sciences*, 1(1), 55–60.

- Kader, M and Nirmala, P. (2014). Socio-Economic and Nutritional Determinants of Low Birth Weight in India. *North American Journal of Medical Sciences*, 6(7): 302-308.
- Kaur, S., Ng, C. M., Badon, S. E., Jalil, R. A., Maykanathan, D., Yim, H. S., & Jan Mohamed, H. J. (2019). Risk factors for low birth weight among rural and urban Malaysian women. *BMC Public Health*, 19(Suppl 4), 1–10. <https://doi.org/10.1186/s12889-019-6864-4>
- Kementerian Kesehatan Indonesia. (2022). Profil Kesehatan Indonesia: 2021. Jakarta:Kementerian Kesehatan.
- Kundu, R. N., Ghosh, A., Chhetri, B., Saha, I., Hossain, M. G., & Bharati, P. (2023). Regional with urban–rural variation in low birth weight and its determinants of Indian children: findings from National Family Health Survey 5 data. *BMC Pregnancy and Childbirth*, 23(1). <https://doi.org/10.1186/s12884-023-05934-6>
- Maheshwari, M. V, Khalid, N., Patel, P. D., Alghareeb, R., & Hussain, A. (2022). Maternal and Neonatal Outcomes of Adolescent Pregnancy: A Narrative Review. *Cureus*, 14(6), 1–10. <https://doi.org/10.7759/cureus.25921>
- Mtongwa, R. H., Festo, C., & Elisaria, E. (2021). A comparative analysis of determinants of low birth weight and stunting among under five children of adolescent and non-adolescent mothers using 2015/16 Tanzania Demographic and Health Survey (TDHS). *BMC Nutrition*, 7(1), 1–10. <https://doi.org/10.1186/s40795-021-00468-6>
- Muchemi, O. M., Echoka, E., & Makokha, A. (2015). Factors associated with low birth weight among neonates born at Olkalou district hospital, central region, Kenya. *Pan African Medical Journal*, 20, 1–11. <https://doi.org/10.11604/pamj.2015.20.108.4831>
- Noori, N., Proctor, J. L., Efevbera, Y., & Oron, A. P. (2022). Effect of adolescent pregnancy on child mortality in 46 countries. *BMJ Global Health*, 7(5), 1–12. <https://doi.org/10.1136/bmjgh-2021-007681>
- Okui, T., & Nakashima, N. (2022). Analysis of association between low birth weight and socioeconomic deprivation level in Japan: an ecological study using nationwide municipal data. *Maternal Health, Neonatology and Perinatology*, 8(1), 1–9. <https://doi.org/10.1186/s40748-022-00143-z>
- Paul, P. (2020). Child marriage and its association with morbidity and mortality of children under 5 years old: evidence from India. *Journal of Public Health (Germany)*, 28(3), 331–338. <https://doi.org/10.1007/s10389-019-01038-8>
- Rahayu, Y., Basit, M., & Silvia, M. (2015). Hubungan usia ibu dengan Bayi Berat Badan Lahir Rendah (BBLR) Di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin

- tahun 2013-2014. *Dinamika Kesehatan*, 5(2), 70–79.
<https://ojs.dinamikakesehatan.unism.ac.id/index.php/dksm/article/view/37/27%0>
[Ahttps://ojs.dinamikakesehatan.unism.ac.id/index.php/dksm/article/view/37](https://ojs.dinamikakesehatan.unism.ac.id/index.php/dksm/article/view/37)
- Rahman, M. S., Howlader, T., Masud, M. S., & Rahman, M. L. (2016). Association of low-birth weight with malnutrition in children under five years in Bangladesh: Do mother's education, socio-economic status, and birth interval matter? *PLoS ONE*, 11(6), 1–16. <https://doi.org/10.1371/journal.pone.0157814>
- Sastri Jurnal, N., Palembang, A., Yang Berhubungan Dengan Kejadian Bayi Berat Badan Lahir Rendah, F., Studi Kebidanan, P., & Tinggi Ilmu Kesehatan Bina Husada, S. (2022). *Nen Sastri*. 7, 148–156. <https://doi.org/10.36729>
- SDKI. (2017). Survei Demografi dan. *Kesehatan Reproduksi Remaja*, 1–606.
- Setyowati, R., & Rahayu, S. (2022). Hubungan Ibu Hamil Sebagai Perokok Pasif Dengan Berat Badan Lahir Rendah. *Jurnal Sains Dan Kesehatan*, 1(2), 43–48. <https://doi.org/10.57151/jsika.v1i2.62>
- Sully, E. A., Biddlecom, A., Darroch, J. E., Riley, T., Ashford, L. S., Lince-Deroche, N., Firestein, L., & Murro, R. (2020). Adding It Up: Investing in Sexual and Reproductive Health 2019. *Guttmacher Institute*, 1–56. <https://www.guttmacher.org/report/adding-it-up-investing-in-sexual-reproductive-health-2019>
- Tarigan, N., Simanjuntak, R. R., & Nainggolan, O. (2023). Maternal Age At Birth and Low Birth Weight (Lbw) in Indonesia (Analysis of Riskesdas 2018). *Gizi Indonesia*, 46(1), 1–10. <https://doi.org/10.36457/gizindo.v46i1.694>
- The World Bank. (2022). Adolescent fertility rate (births per 1,000 women ages 15-19) - Niger. In *United Nations Population Division, World Population Prospects*. <https://data.worldbank.org/indicator/SP.ADO.TFRT?locations=NE>
- UNICEF. (2022). Child Marriage Country Profiles: Indonesia. Accessed from: <https://data.unicef.org/resources/child-marriage-country-profiles/>
- UNICEF and WHO. (2023). Low Birthweight. Accessed from: <https://data.unicef.org/topic/nutrition/low-birthweight/>
- UNICEF and, & WHO. (2019). LOW BIRTHWEIGHT ESTIMATES Levels and trends 2000–2015. *The Lancet Global Health*, 7(7), e849–e860.
- Wang, S., Yang, L., Shang, L., Yang, W., Qi, C., Huang, L., Xie, G., Wang, R., & Chung, M. C. (2020). Changing trends of birth weight with maternal age: a cross-sectional study in Xi'an city of Northwestern China. *BMC Pregnancy and Childbirth*, 20(1). <https://doi.org/10.1186/s12884-020-03445-2>

Wibowo, R. P., Prasetyo, B., Fatmaningrum, W., & Modi, A. H. (2022). Correlation Between Early Age Pregnancy with Low Body Weight (LBW) Newborn at Universitas Airlangga Academic Hospital, Surabaya, Indonesia. *Biomolecular and Health Science Journal*, 5(1), 16–18. <https://doi.org/10.20473/bhsj.v5i1.34442>

World Health Organization (WHO). (2022). *Adolescent pregnancy*. Retrieved September 10, 2023, from <https://www.who.int/news-room/fact-sheets/detail/adolescent-pregnancy>