

DAFTAR PUSTAKA

- Akın, S. and Bölük, C. (2020) 'Prevalence of comorbidities in patients with type-2 diabetes mellitus', *Primary Care Diabetes*, 14(5), pp. 431–434. doi:10.1016/j.pcd.2019.12.006.
- Al-Mahroos F, Al-Roomi K. Diabetic neuropathy, foot ulceration, peripheral vascular disease and potential risk factors among patients with diabetes in Bahrain: a nationwide primary care diabetes clinic based study. *Annals of Saudi medicine*. 2007; 27(1):25–31. <https://doi.org/10.5144/0256-4947.2007.25>. PMID: 17277500.
- Aninditha, T. (2022). *Buku Ajar Neurologi. Ed. Kedua*. Jakarta : Departemen Neurologi Fakultas Kedokteran Universitas Indonesia Rumah Sakit Cipto Mangunkusumo, Hal: 791.
- Baum, P. *et al.* (2021) 'Inflammatory mechanisms in the pathophysiology of diabetic peripheral neuropathy (dn)—new aspects', *International Journal of Molecular Sciences*, 22(19), p. 10835. doi:10.3390/ijms221910835.
- Bondar, A. *et al.* (2021) 'Diabetic neuropathy: A narrative review of risk factors, classification, screening and current pathogenic treatment options (review)', *Experimental and Therapeutic Medicine*, 22(1). doi:10.3892/etm.2021.10122.
- Bruschi, L.K.M., Rocha, D.A., Filho, E.L.G., Barboza, N.M.P., Frisanco, P.A.B., Callegaro, R.M., Sá, L.B.P.C. and Arbex, A.K. (2017). Diabetes Mellitus and Diabetic Peripheral Neuropathy. *Open Journal of Endocrine and Metabolic Diseases*, 7, 12-21. <http://dx.doi.org/10.4236/ojemd.2017.71002>
- Bui HDT, Jing X, Lu R, Chen J, Ngo V, Cui Z, Liu Y, Li C, Ma J. Prevalence of and factors related to microvascular complications in patients with type 2 diabetes mellitus in Tianjin, China: a cross-sectional study. *Ann Transl Med*. 2019 Jul;7(14):325. doi: 10.21037/atm.2019.06.08. PMID: 31475195; PMCID: PMC6694230.
- Callaghan BC, Gao L, Li Y, Zhou X, Reynolds E, Banerjee M, Pop-Busui R, Feldman EL, Ji L. Diabetes and obesity are the main metabolic drivers of peripheral neuropathy. *Ann Clin Transl Neurol*. 2018 Feb 14;5(4):397-405. doi: 10.1002/acn3.531. PMID: 29687018; PMCID: PMC5899909.
- Chen T, Xiao S, Chen Z, Yang Y, Yang B, Liu N. Risk factors for peripheral artery disease and diabetic peripheral neuropathy among patients with type 2 diabetes. *Diabetes Res Clin Pract*. 2024 Jan;207:111079. doi: 10.1016/j.diabres.2023.111079. Epub 2023 Dec 26. PMID: 38154538.
- Cho, D.Y., Mold, J.W. and Roberts, M. (2006) 'Further investigation of the negative association between hypertension and peripheral neuropathy in the elderly: An Oklahoma physicians resource/research network (OKPRN) study', *The Journal of the American Board of Family Medicine*, 19(3), pp. 240–250. doi:10.3122/jabfm.19.3.240.
- Decroli E. (2013). *Pathogenesis of Diabetic Neuropathy. Proceedings of Pertemuan Ilmiah Berkala XIV Ilmu Penyakit Dalam. Padang : 15-17 Februari 2013*
- De Visser A, Hemming A, Yang C, Zaver S, Dhaliwal R, Jawed Z, Toth C. The adjuvant effect of hypertension upon diabetic peripheral neuropathy in experimental type 2 diabetes. *Neurobiol Dis*. 2014 Feb;62:18-30. doi: 10.1016/j.nbd.2013.07.019. Epub 2013 Aug 11. PMID: 23938761.



- Dyck, P.J. *et al.* (2011) 'Diabetic polyneuropathies: Update on research definition, diagnostic criteria and estimation of severity', *Diabetes/Metabolism Research and Reviews*, 27(7), pp. 620–628. doi:10.1002/dmrr.1226.
- Galiero, R. *et al.* (2023) 'Peripheral neuropathy in diabetes mellitus: Pathogenetic mechanisms and diagnostic options', *International Journal of Molecular Sciences*, 24(4), p. 3554. doi:10.3390/ijms24043554.
- Hicks, C.W., Wang, D., Windham, B.G. *et al.* Prevalence of peripheral neuropathy defined by monofilament insensitivity in middle-aged and older adults in two US cohorts. *Sci Rep* 11, 19159 (2021). <https://doi.org/10.1038/s41598-021-98565-w>
- Hu Y, Wang J, Zeng S, Chen M, Zou G, Li Y, Zhu L, Xu J. Association Between Serum Albumin Levels and Diabetic Peripheral Neuropathy Among Patients with Type 2 Diabetes: Effect Modification of Body Mass Index. *Diabetes Metab Syndr Obes.* 2022 Feb 22;15:527-534. doi: 10.2147/DMSO.S347349. PMID: 35228809; PMCID: PMC8881928.
- Iqbal, Z. *et al.* (2018) 'Diabetic peripheral neuropathy: Epidemiology, diagnosis, and pharmacotherapy', *Clinical Therapeutics*, 40(6), pp. 828–849. doi:10.1016/j.clinthera.2018.04.001.
- Kamenov ZA, Parapunova RA, Georgieva RT. Earlier development of diabetic neuropathy in men than in women with type 2 diabetes mellitus. *Gend Med.* 2010 Dec;7(6):600-15. doi: 10.1016/j.genm.2010.11.001. PMID: 21195360.
- Kiani J, Moghimbeigi A, Azizkhani H, Kosarifard S. The prevalence and associated risk factors of peripheral diabetic neuropathy in Hamedan, Iran. *Archives of Iranian Medicine.* 2013 Jan;16(1):17-19. DOI: 013161/aim.006. PMID: 23273229.
- Lee, K.A., Park, T.S. & Jin, H.Y. Non-glucose risk factors in the pathogenesis of diabetic peripheral neuropathy. *Endocrine* 70, 465–478 (2020). <https://doi.org/10.1007/s12020-020-02473-4>
- Liu X, Xu Y, An M, Zeng Q (2019) The risk factors for diabetic peripheral neuropathy: A meta-analysis. *PLoS ONE* 14(2): e0212574. <https://doi.org/10.1371/journal.pone.0212574>
- Malik, R.A. *et al.* (2020) 'Diagnosing peripheral neuropathy in south-east Asia: A focus on diabetic neuropathy', *Journal of Diabetes Investigation*, 11(5), pp. 1097–1103. doi:10.1111/jdi.13269.
- Mizukami, H. and Osonoi, S. (2020) 'Collateral glucose-utilizing Pathwaya in diabetic polyneuropathy', *International Journal of Molecular Sciences*, 22(1), p. 94. Bruschi, L.K. *et al.* (2017) 'Diabetes mellitus and diabetic peripheral neuropathy', *Open Journal of Endocrine and Metabolic Diseases*, 07(01), pp. 12–21. doi:10.4236/ojemd.2017.71002.
- Nowakowska, M. *et al.* (2019) 'The comorbidity burden of type 2 diabetes mellitus: Patterns, clusters and predictions from a large English primary care cohort', *BMC Medicine*, 17(1). doi:10.1186/s12916-019-1373-y.
- Papanas N, Ziegler D. Risk Factors and Comorbidities in Diabetic Neuropathy: An Update 2015. *Rev Diabet Stud.* 2015 Spring-Summer;12(1-2):48-62. doi: 10.1900/RDS.2015.12.48. Epub 2015 Aug 10. PMID: 26676661; PMCID: PMC5397983.



- Pfannkuche, A. *et al.* (2020) 'Prevalence and risk factors of diabetic peripheral neuropathy in a diabetics cohort: Register initiative "diabetes and nerves"', *Endocrine and Metabolic Science*, 1(1–2), p. 100053. doi:10.1016/j.endmts.2020.100053.
- Ponirakis, G. *et al.* (2019) 'Hypertension contributes to neuropathy in patients with type 1 diabetes', *American Journal of Hypertension*, 32(8), pp. 796–803. doi:10.1093/ajh/hpz058.
- Pop-Busui, R. *et al.* (2016) 'Diabetic neuropathy: A position statement by the American Diabetes Association', *Diabetes Care*, 40(1), pp. 136–154. doi:10.2337/dc16-2042.
- Rahmawati A, Hargono A. Dominant Factor of Diabetic Neuropathy on Diabetes Mellitus Type 2 Patients. *J Berk Epidemiol*.2018;6(1):60.
- Schutta MH. Diabetes and hypertension: epidemiology of the relationship and pathophysiology of factors associated with these comorbid conditions. *J Cardiometab Syndr*. 2007 Spring;2(2):124-30. doi: 10.1111/j.1559-4564.2007.06368.x. PMID: 17684469.
- Selvarajah D, Kar D, Khunti K, Davies MJ, Scott AR, Walker J, Tesfaye S. Diabetic peripheral neuropathy: advances in diagnosis and strategies for screening and early intervention. *Lancet Diabetes Endocrinol*. 2019 Dec;7(12):938-948. doi: 10.1016/S2213-8587(19)30081-6. Epub 2019 Oct 14. PMID: 31624024.
- Singh, R. *et al.* (2022) 'Animal models of diabetic microvascular complications: Relevance to clinical features', *Biomedicine & Pharmacotherapy*, 145, p. 112305. doi:10.1016/j.biopha.2021.112305.
- Tesfaye, S. *et al.* (2005) 'Vascular risk factors and diabetic neuropathy', *New England Journal of Medicine*, 352(4), pp. 341–350. doi:10.1056/nejmoa032782.
- Tofure IR, Huwae LBS, Astuty E. Karakteristik Pasien Penderita Neuropati Perifer Diabetik di Poliklinik Saraf RSUD Dr. M.Haulussy Ambon Tahun 2016-2019. *Molucca Medica*. 2021;14(2):98–108.
- Yanis, Y., Dhanu, H. Y., & Rusli. (2017). *Prevalensi Diabetik Neuropati pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Haji Adam Malik Tahun 2015*
- Ybarra-Muñoz J, Jurado-Campos J, Garcia-Gil M, Zabaleta-Del-Olmo E, Mir-Coll T, Zabalegui A, Vidal J, Romeo JH. Cardiovascular disease predicts diabetic peripheral polyneuropathy in subjects with type 2 diabetes: A 10-year prospective study. *Eur J Cardiovasc Nurs*. 2016 Jun;15(4):248-54. doi: 10.1177/1474515114565215. Epub 2014 Dec 19. PMID: 25527522.
- Yu S, Chen Y, Hou X, Xu D, Che K, Li C, Yan S, Wang Y, Wang B. Serum Uric Acid Levels and Diabetic Peripheral Neuropathy in Type 2 Diabetes: a Systematic Review and Meta-analysis. *Mol Neurobiol*. 2016 Mar;53(2):1045-1051. doi: 10.1007/s12035-014-9075-0. Epub 2015 Jan 12. PMID: 25579387.
- Zhang X, Li X, Zhao X, Wei G, Shi J, Yang Y, Fan S, Zhao J, Zhu K, Du J, Guo J, Cao W. Association between serum uric acid levels and diabetic peripheral neuropathy in type 2 diabetes: a systematic review and meta-analysis. *Front Endocrinol (Lausanne)*. 2024 Jul 12;15:1416311. doi: 10.3389/fendo.2024.1416311. PMID: 39072278; PMCID: PMC11272597.



Analisis Faktor Komorbid Diabetes Melitus Tipe II dengan Terjadinya Neuropati Perifer Diabetikum di RSUP Dr Sardjito Yogyakarta

Purwadhani Sophia Nur Handini, Dr. dr. Ahmad Asmedi, M.Kes., Sp.N., Subsp.ENK (K); dr. Subagya, Sp.N., Subsp.N

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

Zhang Y, Li C, Huang L, Shen X, Zhao F, Wu C, Yan S. Relationship between Hyponatremia and Peripheral Neuropathy in Patients with Diabetes. *J Diabetes Res.* 2021 Aug 19;2021:9012887. doi: 10.1155/2021/9012887. PMID: 34458375; PMCID: PMC8397566.

Zhuang Y, Huang H, Hu X, Zhang J, Cai Q. Serum uric acid and diabetic peripheral neuropathy: a double-edged sword. *Acta Neurol Belg.* 2023 Jun;123(3):857-863. doi: 10.1007/s13760-022-01978-1. Epub 2022 May 29. PMID: 35643885; PMCID: PMC10238292.