REFERENCES

Abu-Heija, A.T., Al-Bash, M.R. and Al-Kalbani, M.A. (2017). Effects of maternal age, parity and pre-pregnancy body mass index on the glucose challenge test and gestational diabetes mellitus. Journal of Taibah University Medical Sciences, 12(4), pp.338–342. doi:https://doi.org/10.1016/j.jtumed.2017.01.005.

Akanmode, A.M. and Mahdy, H. (2023). *Macrosomia*. [online] PubMed. Available at: https://www.ncbi.nlm.nih.gov/books/NBK557577/.

American Diabetes Association (2016). 2. Classification and Diagnosis of Diabetes. *Diabetes Care*, [online] 40(Supplement 1), pp.S11–S24. doi:https://doi.org/10.2337/dc17-s005.

Amon, E., Sibai, B.M., Anderson, G.D. and Mabie, W.C. (1987). Obstetric variables predicting survival of the immature newborn (⩽1000 gm) : A five-year experience at a single perinatal center. *American journal of obstetrics and gynecology*, 156(6), pp.1380–1389. doi:https://doi.org/10.1016/0002-9378(87)90004-4.

Bamehrez, M. (2023). *Hypoglycemia and associated comorbidities among newborns of mothers with diabetes in an academic tertiary care center*. [online] www.frontiersin.org. Available at: https://www.frontiersin.org/articles/10.3389/fped.2023.1267248/full.

Barber, E.L., Lundsberg, L.S., Belanger, K., Pettker, C.M., Funai, E.F. and Illuzzi, J.L. (2011). Indications Contributing to the Increasing Cesarean Delivery Rate. *Obstetrics & Gynecology*, [online] 118(1), pp.29–38. doi:https://doi.org/10.1097/aog.0b013e31821e5f65.

Behboudi-Gandevani, S., Amiri, M., Bidhendi Yarandi, R. and Ramezani Tehrani, F. (2019). The impact of diagnostic criteria for gestational diabetes on its prevalence: a systematic review and meta-analysis. *Diabetology & Metabolic Syndrome*, [online] 11(1). doi:https://doi.org/10.1186/s13098-019-0406-1.

Chen, P., Li, M., Mu, Y., Wang, Y., Liu, Z., Li, Q., Li, X., Dai, L., Xie, Y., Liang, J. and Zhu, J. (2022). Temporal trends and adverse perinatal outcomes of twin pregnancies at differing gestational ages: an observational study from China between 2012–2020. *BMC Pregnancy and Childbirth*, [online] 22(1). doi:https://doi.org/10.1186/s12884-022-04766-0.

Cleary, E.M., Thung, S.F. and Buschur, E.O. (2021). *Pregestational Diabetes Mellitus*. [online] Nih.gov. Available at: https://www.ncbi.nlm.nih.gov/books/NBK572754/.

Codazzi, A.C., Ippolito, R., Novara, C., Tondina, E., Cerbo, R.M. and Tzialla, C. (2021). Hypertrophic cardiomyopathy in infant newborns of diabetic mother: a heterogeneous condition, the importance of anamnesis, physical examination and follow-up. *Italian Journal of Pediatrics*, 47(1). doi:https://doi.org/10.1186/s13052-021-01145-x.

Darbandi, M., Rezaeian, S., Dianatinasab, M., Yaghoobi, H., Soltani, M., Etemad, K., Valadbeigi, T., Taherpour, N., Hajipour, M. and Saeidi, R. (2022). Prevalence of gestational diabetes and its association with stillbirth, preterm birth, macrosomia, abortion and cesarean delivery: a national prevalence study of 11 provinces in Iran. *Journal of preventive medicine and hygiene*, [online] 62(4), pp.E885–E891. doi:https://doi.org/10.15167/2421-4248/jpmh2021.62.4.1788.

Davis, D.D., Roshan, A., Canela, C.D. and Varacallo, M. (2023). *Shoulder Dystocia*. [online] PubMed. Available at: https://www.ncbi.nlm.nih.gov/books/NBK470427/.

Deng, L., Ning, B. and Yang, H. (2022). Association between gestational diabetes mellitus and adverse obstetric outcomes among women with advanced maternal age: A retrospective cohort study. *Medicine*, 101(40), p.e30588. doi:https://doi.org/10.1097/md.0000000000030588.

Farrar, D. (2016). Hyperglycemia in pregnancy: prevalence, impact, and management challenges. *International Journal of Women's Health*, [online] Volume 8, pp.519–527. doi:https://doi.org/10.2147/ijwh.s102117.

Fatema, J., Chowdhury, T.I., Chakma, B., Parveen, M., Kamrunnahar, Rahman, A.K.M.S. and Rani Das, T. (2024). Oligohydramnios and Its Maternal and Neonatal Outcomes: A Single Centre Study. *Obstetrics and Gynecology Research*, [online] 07(01). doi:https://doi.org/10.26502/ogr0153.

Fong, A., Serra, A., Herrero, T., Pan, D. and Ogunyemi, D. (2014). Pre-gestational versus gestational diabetes: A population based study on clinical and demographic differences. *Journal of Diabetes and its Complications*, 28(1), pp.29–34. doi:https://doi.org/10.1016/j.jdiacomp.2013.08.009.

Fuka, F., Osuagwu, U.L., Agho, K., Gyaneshwar, R., Naidu, S., Fong, J. and Simmons, D. (2020). Factors associated with macrosomia, hypoglycaemia and low APGAR score among Fijian women with gestational diabetes mellitus. *BMC Pregnancy and Childbirth*, 20(1). doi:https://doi.org/10.1186/s12884-020-2821-6.

Gascho, C., Leandro, D., Ribeiro e Silva, T. and Silva, J. (2017). Predictors of cesarean delivery in pregnant women with gestational diabetes mellitus. *Revista Brasileira de Ginecologia e Obstetrícia / RBGO Gynecology and Obstetrics*, 39(02), pp.060–065. doi:https://doi.org/10.1055/s-0037-1598644.

Getachew, B., Etefa, T., Asefa, A., Terefe, B. and Dereje, D. (2020). Determinants of Low Fifth Minute APGAR score among Newborn Delivered in Jimma University Medical Center, Southwest Ethiopia. *International Journal of Pediatrics*, 2020, pp.1–7. doi:https://doi.org/10.1155/2020/9896127.

Gewolb, I.H. and O'Brien, J. (1997). Surfactant secretion by type II pneumocytes is inhibited by high glucose concentrations. *Experimental Lung Research*, [online] 23(3), pp.245–255. doi:https://doi.org/10.3109/01902149709087370.

Hart, B.N., Shubrook, J.H. and Mason, T. (2021). Pregestational Diabetes and Family Planning. *Clinical Diabetes*, 39(3), pp.323–328. doi:https://doi.org/10.2337/cd20-0062.

Harum, N., Utomo, M., Aditiawarman and Gunawan, I. (2021). THE CORRELATION BETWEEN APGAR SCORE AND GESTATIONAL AGE WITH NEONATAL SEPSIS AND ASSOCIATED MORTALITY. *Jurnal Widya Medika*, [online] 7. Available at: https://media.neliti.com/media/publications/496279-the-correlation-between-apgar-score-and-73894ffb.pdf [Accessed 10 Jan. 2025].

Herstad, L., Klungsøyr, K., Skjærven, R., Tanbo, T., Forsén, L., Åbyholm, T. and Vangen, S. (2016). Elective cesarean section or not? Maternal age and risk of adverse outcomes at term: a population-based registry study of low-risk primiparous women. *BMC Pregnancy and Childbirth*, 16(1). doi:https://doi.org/10.1186/s12884-016-1028-3.

Hirsch, A., Peled, T., Schlesinger, S., Sela, H.Y., Sorina Grisaru-Granovsky and Misgav Rottenstreich (2024). Impact of gestational diabetes mellitus on neonatal outcomes in small for gestational age infants: a multicenter retrospective study. *Archives of Gynecology and Obstetrics*. doi:https://doi.org/10.1007/s00404-024-07587-y.

Jha, K., Nassar, G.N. and Makker, K. (2021). *Transient Tachypnea of the Newborn*. [online] PubMed. Available at: https://www.ncbi.nlm.nih.gov/books/NBK537354/#:~:text=Introduction-.

Kc, K., Shakya, S. and Zhang, H. (2015). Gestational Diabetes Mellitus and macrosomia: A literature review. *Annals of nutrition & metabolism*, [online] 66(2), pp.14–20. doi:https://doi.org/10.1159/000371628.

Ladehoff, P., Pedersen, G.T. and Sørensen, T. (1986). Apgar Scores in Low Birth Weight Infants Delivered Vaginally and by Cesarean Section. *Acta Obstetricia et Gynecologica Scandinavica*, 65(1), pp.3–5. doi:https://doi.org/10.3109/00016348609158220.

Laine, M.K., Kautiainen, H., Gissler, M., Raina, M., Aahos, I., Järvinen, K., Pennanen, P. and Eriksson, J.G. (2017). Gestational diabetes in primiparous women-impact of age and adiposity: a register-based cohort study. *Acta Obstetricia et Gynecologica Scandinavica*, 97(2), pp.187–194. doi:https://doi.org/10.1111/aogs.13271.

Laughon, S.K., Berghella, V., Reddy, U.M., Sundaram, R., Lu, Z. and Hoffman, M.K. (2014). Neonatal and maternal outcomes with prolonged second stage of labor. *Obstetrics and Gynecology*, [online] 124(1), pp.57–67. doi:https://doi.org/10.1097/AOG.0000000000000278.

Li, J., Jin, Y., Ma, L., Huang, Y., Zhu, M. and Jiang, W. (2023). Effect of gestational diabetes mellitus on pregnancy outcomes among younger and older women and its additive interaction with advanced maternal age. *Frontiers in Endocrinology*, 14. doi:https://doi.org/10.3389/fendo.2023.1158969.

Li, Y., Ren, X., He, L., Li, J., Zhang, S. and Chen, W. (2020). Maternal age and the risk of gestational diabetes mellitus: A systematic review and meta-analysis of over 120 million participants. *Diabetes Research and Clinical Practice*, 162, p.108044. doi:https://doi.org/10.1016/j.diabres.2020.108044.

Lungameni, J., Nghitanwa, E.M., Uusiku, L. and Karera, A. (2022). Maternal factors associated with immediate low APGAR score in newborn babies at an intermediate hospital in Northern Namibia. *Journal of Public Health in Africa*, 13(3). doi:https://doi.org/10.4081/jphia.2022.2045.

Malaza, N., Masete, M., Adam, S., Dias, S., Nyawo, T. and Pheiffer, C. (2022). A Systematic Review to Compare Adverse Pregnancy Outcomes in Women with Pregestational Diabetes and Gestational Diabetes. *International journal of environmental research and public health*, [online] 19(17). doi:https://doi.org/10.3390/ijerph191710846.

Mehari, M., Maeruf, H., Robles, C.C., Woldemariam, S., Adhena, T., Mulugeta, M., Haftu, A., Hagose, H. and Kumsa, H. (2020). Advanced maternal age pregnancy and its adverse obstetrical and perinatal outcomes in Ayder comprehensive specialized hospital, Northern Ethiopia, 2017: a comparative cross-sectional study. *BMC Pregnancy and Childbirth*, [online] 20(1). doi:https://doi.org/10.1186/s12884-020-2740-6.

Metzger, B.E. (2010). International Association of Diabetes and Pregnancy Study Groups Recommendations on the Diagnosis and Classification of

Hyperglycemia in Pregnancy. *Diabetes Care*, 33(3), pp.676–682. doi:https://doi.org/10.2337/dc09-1848.

Mimouni, F., Mimouni, G. and Bental, Y. (2013). Neonatal Management of the Infant of Diabetic Mother. *Pediat Therapeut*, [online] 4, p.1. Available at: https://www.longdom.org/open-access-pdfs/neonatal-management-of-the-infant-of-diabetic-mother-2161-0665-4-186.pdf.

Mitiku Desalegn, Yohannes, T. and Tesfaye, L. (2024). Determinants of low Apgar score among newborns delivered by Cesarean section in Nigist Eleni Mohammed memorial specialized hospital, Southern Ethiopia. *Scientific Reports*, [online] 14(1). doi:https://doi.org/10.1038/s41598-024-62223-8.

Nguyen, M.T. and Ouzounian, J.G. (2021). Evaluation and Management of Fetal Macrosomia. *Obstetrics and Gynecology Clinics of North America*, [online] 48(2), pp.387–399. doi:https://doi.org/10.1016/j.ogc.2021.02.008.

Obsa, M.S., Shanka, G.M., Menchamo, M.W., Fite, R.O. and Awol, M.A. (2020). Factors Associated with APGAR score among Newborns Delivered by Cesarean Sections at Gandhi Memorial Hospital, Addis Ababa. *Journal of Pregnancy*, 2020, pp.1–6. doi:https://doi.org/10.1155/2020/5986269.

Paudyal, L. (2020). Comparison of APGAR Score of Newborns with Mode of Delivery and Its Associated Factors. *International Journal of Social Sciences and Management*, 7(3), pp.176–182. doi:https://doi.org/10.3126/ijssm.v7i3.29961.

Plows, J., Stanley, J., Baker, P., Reynolds, C. and Vickers, M. (2018). The Pathophysiology of Gestational Diabetes Mellitus. *International Journal of Molecular Sciences*, [online] 19(11), p.3342. doi:https://doi.org/10.3390/ijms19113342.

Preda, A., Dominic Gabriel Iliescu, A. Comanescu, George Lucian Zorilă, Ionela Mihaela Vladu, Mircea-Cătălin Forțofoiu, Tiberiu Ştefăniţă Ţenea-Cojan, Silviu Daniel Preda, Ileana-Diana Diaconu, Mota, E., Gheorghe, I.-O. and Moţa, M. (2023). Gestational Diabetes and Preterm Birth: What Do We Know? Our Experience and Mini-Review of the Literature. *Journal of Clinical Medicine*, [online] 12(14), pp.4572–4572. doi:https://doi.org/10.3390/jcm12144572.

Purnamasari, D., Waspadji, S., Adam, J.M., Rudijanto, A. and Tahapary, D. (2013). Indonesian Clinical Practice Guidelines for Diabetes in Pregnancy. *Journal of the ASEAN Federation of Endocrine Societies*, [online] 28(1), pp.9–9. Available at: https://asean-endocrinejournal.org/index.php/JAFES/article/view/44/467.

Quintanilla Rodriguez, B.S. and Mahdy, H. (2022). *Gestational Diabetes*. [online] PubMed. Available at: https://www.ncbi.nlm.nih.gov/books/NBK545196/#:~:text=GDM%20can%20classify%20as%20A1GDM.

Quintanilla, B.S. and Mahdy, H. (2019). *Gestational diabetes*. [online] National Library of Medicine. Available at: https://www.ncbi.nlm.nih.gov/books/NBK545196/.

Salameh, M.A., Oniya, O., Chamseddine, R.S. and Konje, J.C. (2021). Maternal Obesity, Gestational Diabetes, and Fetal Macrosomia. *Maternal-Fetal Medicine*, Publish Ahead of Print. doi:https://doi.org/10.1097/fm9.0000000000000125.

Scifres, C.M., Feghali, M., Dumont, T., Althouse, A.D., Speer, P., Caritis, S.N. and Catov, J.M. (2015). Large-for-Gestational-Age Ultrasound Diagnosis and Risk for Cesarean Delivery in Women With Gestational Diabetes Mellitus. *Obstetrics & Gynecology*, 126(5), pp.978–986. doi:https://doi.org/10.1097/aog.0000000000001097.

Shamanna, S., Prakash, Gt., Das, A., Habeebullah, S. and Bhat, V. (2017). Maternal and neonatal outcome in mothers with gestational diabetes mellitus. *Indian Journal of Endocrinology and Metabolism*, [online] 21(6), p.854. doi:https://doi.org/10.4103/ijem.ijem_66_17.

Sharma, A.K., Singh, S., Singh, H., Mahajan, D., Kolli, P., Mandadapu, G., Kumar, B., Kumar, D., Kumar, S. and Jena, M.K. (2022). Deep Insight of the Pathophysiology of Gestational Diabetes Mellitus. *Cells*, [online] 11(17), p.2672. doi:https://doi.org/10.3390/cells11172672.

Simon, L.V., Hashmi, M.F. and Bragg, B.N. (2023a). *APGAR score*. [online] PubMed. Available at: https://www.ncbi.nlm.nih.gov/books/NBK470569/.

Straube, S., Voigt, M., Gerhard Jorch, Hallier, E., Briese, V. and Borchardt, U. (2009). Investigation of the association of Apgar score with maternal socio-economic and biological factors: an analysis of German perinatal statistics. *Archives of Gynecology and Obstetrics*, [online] 282(2), pp.135–141. doi:https://doi.org/10.1007/s00404-009-1217-7.

Suka, M., Sugimori, H., Nakamura, M., Haginiwa, K. and Yoshida, K. (2002). Risk Factors of Low APGAR score in Japanese Full-term Deliveries: A Case-control Study. *Journal of Epidemiology*, 12(4), pp.320–323. doi:https://doi.org/10.2188/jea.12.320.

Sun, H., Mao, J., Su, X. and Du, Q. (2023). Impact of spontaneous abortion history and induced abortion history on perinatal outcomes of singleton

pregnancies. *BMC public health*, [online] 23(1), p.2360. doi:https://doi.org/10.1186/s12889-023-17264-5.

Susilo, S.A., Pratiwi, K.N., Fattah, A.N.A., Irwinda, R. and Wibowo, N. (2015). Determinants of low APGAR score among preeclamptic deliveries in Cipto Mangunkusumo Hospital: a retrospective cohort study in 2014. *Medical Journal of Indonesia*, 24(3), pp.183–9. doi:https://doi.org/10.13181/mji.v24i3.1229.

Svenvik, M., Lars Brudin and Blomberg, M. (2015a). Preterm Birth: A Prominent Risk Factor for Low Apgar Scores. *BioMed Research International*, 2015, pp.1–8. doi:https://doi.org/10.1155/2015/978079.

Thavarajah, H., Flatley, C. and Kumar, S. (2017). The relationship between the five minute Apgar score, mode of birth and neonatal outcomes. *The Journal of Maternal-Fetal & Neonatal Medicine*, 31(10), pp.1335–1341. doi:https://doi.org/10.1080/14767058.2017.1315666.

Turkmen, S., Johansson, S. and Dahmoun, M. (2018a). Foetal Macrosomia and Foetal-Maternal Outcomes at Birth. *Journal of Pregnancy*, [online] 2018, pp.1–9. doi:https://doi.org/10.1155/2018/4790136.

Vaajala, M., Liukkonen, R., Ponkilainen, V., Kekki, M., Mattila, V.M. and Kuitunen, I. (2023). Previous induced abortion or miscarriage is associated with increased odds for gestational diabetes: a nationwide register-based cohort study in Finland. *Acta Diabetologica*, [online] 60(6), pp.845–849. doi:https://doi.org/10.1007/s00592-023-02047-6.

Vinayak Mishra 1 , Nalinikanta Panigrahi 2 , Anil Rao 3 , Akhil Maheshwari (2022). *Neurological Abnormalities in Infants of Mothers with Diabetes Mellitus*. [online] www.newbornjournal.org. Available at: https://www.newbornjournal.org/abstractArticleContentBrowse/JNB/29016/JPJ/fullText [Accessed 4 Jul. 2023].

Wang, H., Guo, X., Song, Q., Su, W., Meng, M., Sun, C., Li, N., Liang, Q., Qu, G., Liang, M., Ding, X. and Sun, Y. (2022). Association between the history of abortion and gestational diabetes mellitus: A meta-analysis. *Endocrine*, 80(1), pp.29–39. doi:https://doi.org/10.1007/s12020-022-03246-x.

Wang, H., Li, N., Chivese, T., Werfalli, M., Sun, H., Yuen, L., Hoegfeldt, C.A., Elise Powe, C., Immanuel, J., Karuranga, S., Divakar, H., Levitt, Na., Li, C., Simmons, D. and Yang, X. (2021). IDF Diabetes Atlas: Estimation of Global and Regional Gestational Diabetes Mellitus Prevalence for 2021 by International Association of Diabetes in Pregnancy Study Group's Criteria. *Diabetes Research and Clinical Practice*, 183(109050), p.109050. doi:https://doi.org/10.1016/j.diabres.2021.109050.

Watterberg, K.L., Aucott, S., Benitz, W.E., Cummings, J.J., Eichenwald, E.C., Goldsmith, J., Poindexter, B.B., Puopolo, K., Stewart, D.L., Wang, K.S., Ecker, J.L., Wax, J.R., Bryant Borders, A.E., El-Sayed, Y.Y., Heine, R.P., Jamieson, D.J., Mascola, M.A., Minkoff, H.L., Stuebe, A.M., Sumners, J.E., Tuuli, M.G. & Wharton, K.R., (2015). The Apgar Score. *PEDIATRICS*, [online] 136(4), pp.819–822. doi:https://doi.org/10.1542/peds.2015-2651.

Ye, W., Luo, C., Huang, J., Li, C., Liu, Z. and Liu, F. (2022). Gestational diabetes mellitus and adverse pregnancy outcomes: systematic review and meta-analysis. *BMJ*, 377, p.e067946. doi:https://doi.org/10.1136/bmj-2021-067946.

Yeagle, K.P., O'Brien, J.M., Curtin, W.M. and Ural, S.H. (2018). Are gestational and type II diabetes mellitus associated with the APGAR scores of full-term neonates? *International Journal of Women's Health*, Volume 10, pp.603–607. doi:https://doi.org/10.2147/ijwh.s170090.

Yeshaneh, A., Kassa, A., Kassa, Z.Y., Adane, D., Fikadu, Y., Wassie, S.T., Alemu, B.W., Tadese, M., Shitu, S. and Abebe, H. (2021). The determinants of 5th minute low APGAR score among newborns who delivered at public hospitals in Hawassa City, South Ethiopia. *BMC Pediatrics*, 21(1). doi:https://doi.org/10.1186/s12887-021-02745-6.

Yildiz Atar, H., Baatz, J.E. and Ryan, R.M. (2021). Molecular Mechanisms of Maternal Diabetes Effects on Fetal and Neonatal Surfactant. *Children*, 8(4), p.281. doi:https://doi.org/10.3390/children8040281.

Yuen, L., Saeedi, P., Riaz, M., Karuranga, S., Divakar, H., Levitt, N., Yang, X. and Simmons, D. (2019). IDF Diabetes Atlas: Projections of the prevalence of hyperglycaemia in pregnancy in 2019 and beyond: results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, p.107841. doi:https://doi.org/10.1016/j.diabres.2019.107841.

Yun Soo Chung, Moon, H. and Eui Hyeok Kim (2022). Risk of obstetric and neonatal morbidity in gestational diabetes in a single institution: A retrospective, observational study. *Medicine*, 101(39), pp.e30777–e30777. Yuen, L., Saeedi, P., Riaz, M., Karuranga, S., Divakar, H., Levitt, N., Yang, X. and Simmons, D. (2019). IDF Diabetes Atlas: Projections of the prevalence of hyperglycaemia in pregnancy in 2019 and beyond: results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, p.107841. doi:https://doi.org/10.1016/j.diabres.2019.107841.

Zakerihamidi, M., Kianifar, S., Moradi, A. and Boskabadi, H. (2023). Apgar Score at Various Gestational Ages. *Journal of Clinical Neonatology*, [online] 12(3), p.105. doi:https://doi.org/10.4103/jcn.jcn_21_23.

Zhao, J.-Y., Yu, Q., Yang, X.-M. and Li, X.-X. (2021). The correlation between the prevalence of gestational diabetes mellitus and maternal age in Southern China. *LaboratoriumsMedizin*, 46(1), pp.33–37. doi:https://doi.org/10.1515/labmed-2021-0068.