

## DAFTAR PUSTAKA

- Amani, M., Ghorbanian, A., Ahmadi, S. A., Kakooei, M., Moghimi, A., Mirmazloumi, S. M., Moghaddam, S. H. A., Mahdavi, S., Ghahremanloo, M., Parsian, S., Wu, Q., & Brisco, B. (2020). Google Earth Engine Cloud Computing Platform for Remote Sensing Big Data Applications: A Comprehensive Review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 5326–5350. <https://doi.org/10.1109/JSTARS.2020.3021052>
- Anusha, B. N., Babu, K. R., Kumar, B. P., Sree, P. P., Veeraswamy, G., Swarnapriya, C., & Rajasekhar, M. (2023). Integrated studies for land suitability analysis towards sustainable agricultural development in semi-arid regions of AP, India. *Geosystems and Geoenvironment*, 2(2), 100131. <https://doi.org/10.1016/j.geogeo.2022.100131>
- Araujo, J. C., Seoane, J. C. S., Lima, G. V., da Silva, E. G., França, L. G., de Souza Santos, E. E., de Oliveira, I. M., & Pereira, P. H. C. (2023). High-resolution optical remote sensing geomorphological mapping of coral reef: Supporting conservation and management of marine protected áreas. *Journal of Sea Research*, 196(October). <https://doi.org/10.1016/j.seares.2023.102453>
- Ashphaq, M., Srivastava, P. K., & Mitra, D. (2021a). Review of near-shore satellite derived bathymetry: Classification and account of five decades of coastal bathymetry research. *Journal of Ocean Engineering and Science*, 6(4), 340–359. <https://doi.org/10.1016/j.joes.2021.02.006>
- Badan Pusat Statistik, (2023) Kecamatan Pulau Masela Dalam Angka 2023. Badan Pusat Statistik Kabupaten Maluku Barat Daya
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Bierwirth, P. N. (1993). Shallow Seafloor Reflectance and Water Depth Derived by Unmixing Multispectral Imagery. *Photogrammetric Engineering & Remote Sensing*, 59(3), 331–338. [https://doi.org/10.1016/0099-1112\(93\)9003-3](https://doi.org/10.1016/0099-1112(93)9003-3)
- Bierwirth, P. N., Lee, T. J., & Burne, R. V. (1993). Shallow sea-floor reflectance and water depth derived by unmixing multispectral imagery. In *Photogrammetric Engineering & Remote Sensing* (Vol. 59, Issue 3, pp. 331–338).
- Bramante, J. F., Raju, D. K., & Sin, T. M. (2013). Multispectral derivation of bathymetry in Singapore's shallow, turbid waters. *International Journal of Remote Sensing*, 34(6), 2070–2088. <https://doi.org/10.1080/01431161.2012.734934>
- Brando, V. E., Anstee, J. M., Wettle, M., Dekker, A. G., Phinn, S. R., & Roelfsema, C. (2009). A physics based retrieval and quality assessment of bathymetry from suboptimal hyperspectral data. *Remote Sensing of Environment*, 113(4), 755–770. <https://doi.org/10.1016/j.rse.2008.12.003>
- Breiman, L. (2001). Random Forests. In R. E. Schapire (Ed.), *Machine Learning*. Kluwer Academic Publisher. [https://doi.org/10.1007/978-3-030-62008-0\\_35](https://doi.org/10.1007/978-3-030-62008-0_35)
- Bukata, R. P., Jerome, J. H., Kondratyev, K. Y., & Pozdnyakov, D. I. (1995). *Optical Properties and Remote Sensing Inland and Coastal Waters*. CRC Press.
- Burgers, F. (2020). *Estimating satellite derived bathymetry for times of absent in situ data* [Delft University of Technology]. <http://repository.tudelft.nl/>
- Caballero, I., & Stumpf, R. P. (2020). Towards routine mapping of shallow bathymetry

- in environments with variable turbidity: Contribution of sentinel-2A/B satellites mission. *Remote Sensing*, 12(3). <https://doi.org/10.3390/rs12030451>
- Caballero, I., Stumpf, R. P., & Meredith, A. (2019). Preliminary assessment of turbidity and chlorophyll impact on bathymetry derived from sentinel-2A and sentinel-3A satellites in South Florida. *Remote Sensing*, 11(6). <https://doi.org/10.3390/rs11060645>
- Cahalane, C., Magee, A., Monteys, X., Casal, G., Hanafin, J., & Harris, P. (2019). A comparison of Landsat 8, RapidEye and Pleiades products for improving empirical predictions of satellite-derived bathymetry. *Remote Sensing of Environment*, 233(March). <https://doi.org/10.1016/j.rse.2019.111414>
- Casal, G., Harris, P., Monteys, X., Hedley, J., Cahalane, C., & McCarthy, T. (2020). Understanding satellite-derived bathymetry using Sentinel 2 imagery and spatial prediction models. *GIScience and Remote Sensing*, 57(3), 271–286. <https://doi.org/10.1080/15481603.2019.1685198>
- Ceyhun, Ö., & Yalçın, A. (2010). Remote sensing of water depths in shallow waters via artificial neural networks. *Estuarine, Coastal and Shelf Science*, 89(1), 89–96. <https://doi.org/10.1016/j.ecss.2010.05.015>
- Chen, A., Ma, Y., & Zhang, J. (2021). Partition satellite derived bathymetry for coral reefs based on spatial residual information. *International Journal of Remote Sensing*, 42(8), 2807–2826. <https://doi.org/10.1080/01431161.2020.1809738>
- Chen, A., & Zhu, B. (2015). Comparison of three empirical methods for water depth mapping with case study of Pratas Island. *Remote Sensing of the Environment: 19th National Symposium on Remote Sensing of China*, 9669, 96690H. <https://doi.org/10.1117/12.2204945>
- Chen, J., & Chang, H. (2019). Dynamics of wet-season turbidity in relation to precipitation, discharge, and land cover in three urbanizing watersheds, Oregon. *River Research and Applications*, 35(7), 892–904. <https://doi.org/10.1002/rra.3487>
- Chu, S., Cheng, L., Cheng, J., Zhang, X., & Liu, J. (2023a). Comparison of Six Empirical Methods for Multispectral Satellite-derived Bathymetry. *Marine Geodesy*, 46(2), 149–174. <https://doi.org/10.1080/01490419.2022.2132327>
- Chu, S., Cheng, L., Cheng, J., Zhang, X., & Liu, J. (2023b). Comparison of Six Empirical Methods for Multispectral Satellite-derived Bathymetry. *Marine Geodesy*, 46(2), 149–174. <https://doi.org/10.1080/01490419.2022.2132327>
- Chybicki, A. (2018). Three-Dimensional Geographically Weighted Inverse Regression (3GWR) Model for Satellite Derived Bathymetry Using Sentinel-2 Observations. *Marine Geodesy*, 41(1), 1–23. <https://doi.org/10.1080/01490419.2017.1373173>
- Corbari, C., Lassini, F., & Mancini, M. (2016). Effect of intense short rainfall events on coastal water quality parameters from remote sensing data. *Continental Shelf Research*, 123, 18–28. <https://doi.org/10.1016/j.csr.2016.04.009>
- Dethier, M. N., & Harper, J. (2012). Classes of Nearshore Coasts. In *Treatise on Estuarine and Coastal Science* (Vol. 1). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-374711-2.00105-4>
- Dewi, R. S., Rachma, T. R. N., Sofian, I., Oktaviani, N., Safi'i, A. N., Rimayanti, A., & Artanto, E. (2022). Integrating Multisource Of Bathymetry Data For Updating Basepoint And Baseline Positions Of Maritime Boundary. *Geographia Technica*, 17(1), 18–32. [https://doi.org/10.21163/GT\\_2022.171.02](https://doi.org/10.21163/GT_2022.171.02)

- Direktorat Jenderal Perencanaan Ruang Laut. (2024) Rencana Zonasi Kawasan Strategis Nasional Tertentu Pulau - Pulau Kecil Terluar Pulau Marsela. Kementerian Kelautan dan Perikanan, Jakarta, Indonesia.
- Doxani, G., Papadopoulou, M., Lafazani, P., Pikridas, C., & Tsakiri-Strati, M. (2012). Shallow-Water Bathymetry Over Variable Bottom Types Using Multispectral Worldview-2 Image. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXIX-B8(July), 159–164. <https://doi.org/10.5194/isprsarchives-xxxix-b8-159-2012>
- Dramsch, J. S. (2020). 70 Years of Machine Learning in Geoscience in Review. *Advances in Geophysics*, 61, 1–55. <https://doi.org/10.1016/bs.agph.2020.08.002>
- Duplančić Leder, T., Baučić, M., Leder, N., & Gilić, F. (2023). Optical Satellite-Derived Bathymetry: An Overview and WoS and Scopus Bibliometric Analysis. *Remote Sensing*, 15(5). <https://doi.org/10.3390/rs15051294>
- El Bouchefry, K., & de Souza, R. S. (2020). Learning in Big Data: Introduction to Machine Learning. In *Knowledge Discovery in Big Data from Astronomy and Earth Observation: Astrogeoinformatics*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-819154-5.00023-0>
- Emery, W., & Camps, A. (2017). Basic Electromagnetic Concepts and Applications to Optical Sensors. In *Introduction to Satellite Remote Sensing*. <https://doi.org/10.1016/b978-0-12-809254-5.00002-6>
- Evagorou, E., Argyriou, A., Papadopoulos, N., Mettas, C., Alexandrakis, G., & Hadjimitsis, D. (2022). Evaluation of Satellite-Derived Bathymetry from High and Medium-Resolution Sensors Using Empirical Methods. *Remote Sensing*, 14(3). <https://doi.org/10.3390/rs14030772>
- Fong, C. R., Gaynus, C. J., & Carpenter, R. C. (2020). Extreme rainfall events pulse substantial nutrients and sediments from terrestrial to nearshore coastal communities: a case study from French Polynesia. *Scientific Reports*, 10(1), 1–8. <https://doi.org/10.1038/s41598-020-59807-5>
- Frauenfelder, R. (2021). Remote Sensing in Geology. In *Encyclopedia of Geology* (2nd ed.). Elsevier Inc. <https://doi.org/10.1016/b978-0-08-102908-4.00170-3>
- Gabr, B., Ahmed, M., & Marmoush, Y. (2020). PlanetScope and Landsat 8 Imageries for Bathymetry Mapping. *Journal of Marine Science and Engineering*, 8(143). [www.mdpi.com/journal/jmse](http://www.mdpi.com/journal/jmse)
- Gao, J. (2009). Bathymetric mapping by means of remote sensing: Methods, accuracy and limitations. *Progress in Physical Geography*, 33(1), 103–116. <https://doi.org/10.1177/0309133309105657>
- Geyman, E. C., & Maloof, A. C. (2019). A Simple Method for Extracting Water Depth From Multispectral Satellite Imagery in Regions of Variable Bottom Type. *Earth and Space Science*, 6(3), 527–537. <https://doi.org/10.1029/2018EA000539>
- Gordon, H. R. (1973). Simple Calculation of the Diffuse Reflectance of the Ocean. *Applied Optics*, 12(12), 2803. <https://doi.org/10.1364/ao.12.002803>
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, 202, 18–27. <https://doi.org/10.1016/j.rse.2017.06.031>
- Grangeia, C., & Matias, M. (2012). Shallow Water Integrated Geophysical Survey - A Case Study with Geological and Hydrogeological Consequences. *Near Surface*

*Geoscience 2012 – 18th European Meeting of Environmental and Engineering Geophysics.*

- Guo, K., Li, Q., Mao, Q., Wang, C., Zhu, J., Liu, Y., Xu, W., Zhang, D., & Wu, A. (2021). Errors of airborne bathymetry lidar detection caused by ocean waves and dimension-based laser incidence correction. *Remote Sensing*, 13(9). <https://doi.org/10.3390/rs13091750>
- Gupta, D. K., Prashar, S., Singh, S., Srivastava, P. K., & Prasad, R. (2022). Introduction to RADAR remote sensing. In P. K. SRIVASTAVA, D. K. GUPTA, T. ISLAM, D. HAN, & R. PRASAD (Eds.), *Radar Remote Sensing Applications and Challenges* (pp. 3–24). Elsevier.
- Gurkok, C. (2017). Securing Cloud Computing Systems. In *Computer and Information Security Handbook*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-803843-7.00063-6>
- Haldar, S. K. (2018). Photogeology, Remote Sensing, and Geographic Information System in Mineral Exploration. In Second (Ed.), *Mineral Exploration: Principles and Applications* (Second). Elsevier. <https://doi.org/10.1016/b978-0-12-814022-2.00003-4>
- Hardman, S., Riofrio, A., Shams, K., Freeborn, D., Springer, P., & Chafin, B. (2012). Enabling earth science through cloud computing. *IEEE Aerospace Conference Proceedings*, 1–8. <https://doi.org/10.1109/AERO.2012.6187356>
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Hedley, J., Roelfsema, C., & Phinn, S. R. (2009). Efficient radiative transfer model inversion for remote sensing applications. *Remote Sensing of Environment*, 113(11), 2527–2532. <https://doi.org/10.1016/j.rse.2009.07.008>
- Heradio, R., De La Torre, L., Galan, D., Cabrerizo, F. J., Herrera-Viedma, E., & Dormido, S. (2016). Virtual and remote labs in education: A bibliometric analysis. *Computers and Education*, 98, 14–38. <https://doi.org/10.1016/j.compedu.2016.03.010>
- Horning, N. (2019). Remote Sensing. In *Encyclopedia of Ecology: Volume 1-4, Second Edition* (2nd ed., Vol. 4, pp. 404–413). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409548-9.10607-4>
- IHO. (2024). *B-13 Edition 1.0.0 International Hydrographic Organization Guidance to Satellite-Derived Bathymetry Satellite-Derived Bathymetry Best Practice Guide ii B-13 MONTH 2023 Edition 1.0.0*. International Hydrographic Organization. [www.iho.int](http://www.iho.int)
- Janowski, L., Wroblewski, R., Rucinska, M., Kubowicz-Grajewska, A., & Tysiac, P. (2022). Automatic classification and mapping of the seabed using airborne LiDAR bathymetry. *Engineering Geology*, 301(February), 106615. <https://doi.org/10.1016/j.enggeo.2022.106615>
- Jawak, S. D., Vadlamani, S. S., & Luis, A. J. (2015). A Synoptic Review on Deriving Bathymetry Information Using Remote Sensing Technologies: Models, Methods and Comparisons. *Advances in Remote Sensing*, 04(02), 147–162. <https://doi.org/10.4236/ars.2015.42013>
- Kanno, A., & Tanaka, Y. (2012). Modified lyzenga's method for estimating generalized coefficients of satellite-based predictor of shallow water depth. *IEEE Geoscience*



- and Remote Sensing Letters, 9(4), 715–719.  
<https://doi.org/10.1109/LGRS.2011.2179517>
- Kealy, S., Wattimena, L., & O'Connor, S. (2018). A Geological and Spatial Approach to Prehistoric Archaeological Surveys on Small Islands: Case Studies from Maluku Barat Daya, Indonesia. *Kapata Arkeologi*, 14(1), 1.  
<https://doi.org/10.24832/kapata.v13i2.458>
- Kementerian Kelautan dan Perikanan (2021) Peraturan Menteri Kelautan dan Perikanan Nomor 28 Tahun 2021 tentang Penyelenggaraan Penataan Ruang Laut. Jakarta, Indonesia.
- Khakhim, N., Kurniawan, A., Wicaksono, P., & Hasrul, A. (2024a). Assessment of Empirical Near-Shore Bathymetry Model Using New Emerged PlanetScope Instrument and Sentinel-2 Data in Coastal Shallow Waters. *International Journal of Geoinformatics*, 20(2), 95–105. <https://doi.org/10.52939/ijg.v20i2.3071>
- Khakhim, N., Kurniawan, A., Wicaksono, P., & Hasrul, A. (2024b). Rapid Bathymetry Mapping Based on Shallow Water Cloud Computing in Small Bay Waters: Pilot Project in Pacitan-Indonesia. *Journal of Environmental Management and Tourism DOI*., XV(1), 41–51.
- Knudby, A., & Richardson, G. (2023). Incorporation of neighborhood information improves performance of SDB models. *Remote Sensing Applications: Society and Environment*, 32(July), 101033. <https://doi.org/10.1016/j.rsase.2023.101033>
- Kurniawan, A., Khakhim, N., & Wicaksono, P. (2024). Seasonal Variation Influence to Water Image Properties to Retrieve Nearshore Bathymetry Based on Cloud Machine Learning Approach. *International Journal of Geoinformatics*, 20(7), 77–92. <https://doi.org/10.52939/ijg.v20i7.3407>
- Kurniawan, A., Pranowo, W. S., Khakhim, N., Santoso, A. I., Yasra, E., & Malik, K. (2023). Karakteristik Natuna Off-Shelf Current (NOC) Berdasarkan Komputasi Data Laut Skala Kecil Berbasis Awan. *Jurnal Chart Datum*, 9(1). <https://doi.org/10.37875/chartdatum.v9i1.259>
- Kurniawan, A., & Santoso, A. I. (2019). Obtaining low water line contour value for enclave claim regime 12 nautical miles on Hatothobei Island Republic of Palau against the Republic of Indonesia in according with UNCLOS 1982 using satellite-derived bathymetry. *IOP Conference Series: Earth and Environmental Science*, 389(1). <https://doi.org/10.1088/1755-1315/389/1/012028>
- Lazuardi, I., Subardjo, P., & Hariyadi. (2013). Analisis Kesesuaian Perairan Untuk Wisata Snorkeling Dan Diving Di Pulau Pisang Bagian Utara Kecamatan Pesisir Utara Lampung Barat. *Journal Of Marine Research*, 2(3), 156–165. <http://ejournal-s1.undip.ac.id/index.php/jmr>
- Leder, T. D., Leder, N., & Peroš, J. (2019). Satellite derived bathymetry survey method – Example of hramina bay. *Transactions on Maritime Science*, 8(1), 99–108. <https://doi.org/10.7225/toms.v08.n01.010>
- Lee, Z., Carder, K. L., & Arnone, R. A. (2002). Deriving inherent optical properties from water color: a multiband quasi-analytical algorithm for optically deep waters. *Applied Optics*, 41(27), 5755. <https://doi.org/10.1364/ao.41.005755>
- Lee, Z., Carder, K. L., Mobley, C. D., Steward, R. G., & Patch, J. S. (1999). Hyperspectral remote sensing for shallow waters: 2 Deriving bottom depths and water properties by optimization. *Applied Optics*, 38(18), 3831.

- <https://doi.org/10.1364/ao.38.003831>
- Li, J., Knapp, D. E., Lyons, M., Roelfsema, C., Phinn, S., Schill, S. R., & Asner, G. P. (2021). Automated global shallowwater bathymetry mapping using google earth engine. *Remote Sensing*, 13(8). <https://doi.org/10.3390/rs13081469>
- Li, J., Knapp, D. E., Schill, S. R., Roelfsema, C., Phinn, S., Silman, M., Mascaro, J., & Asner, G. P. (2019). Adaptive bathymetry estimation for shallow coastal waters using Planet Dove satellites. *Remote Sensing of Environment*, 232(July), 111302. <https://doi.org/10.1016/j.rse.2019.111302>
- Liu, S., Wang, L., Liu, H., Su, H., Li, X., & Zheng, W. (2018). Deriving bathymetry from optical images with a localized neural network algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, 56(9), 5334–5342. <https://doi.org/10.1109/TGRS.2018.2814012>
- Loo, Y. Y., Billa, L., & Singh, A. (2015). Effect of climate change on seasonal monsoon in Asia and its impact on the variability of monsoon rainfall in Southeast Asia. *Geoscience Frontiers*, 6(6), 817–823. <https://doi.org/10.1016/j.gsf.2014.02.009>
- Lumban-Gaol, Y., Otori, K. A., & Peters, R. (2022). Extracting Coastal Water Depths from Multi-Temporal Sentinel-2 Images Using Convolutional Neural Networks. *Marine Geodesy*, 45(6), 615–644. <https://doi.org/10.1080/01490419.2022.2091696>
- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379. <https://doi.org/10.1364/ao.17.000379>
- Lyzenga, D. R. (1985). Shallow-water bathymetry using combined lidar and passive multispectral scanner data. *International Journal of Remote Sensing*, 6(1), 115–125. <https://doi.org/10.1080/01431168508948428>
- Manessa, M. D. M., Haidar, M., Hartuti, M., & Kresnawati, D. K. (2018). Determination of the Best Methodology for Bathymetry Mapping Using Spot 6 Imagery: a Study of 12 Empirical Algorithms. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 14(2), 127. <https://doi.org/10.30536/j.ijreses.2017.v14.a2827>
- Manessa, M. D. M., Kanno, A., Sekine, M., Haidar, M., Yamamoto, K., Imai, T., & Higuchi, T. (2016). Satellite-Derived Bathymetry Using Random Forest Algorithm and Worldview-2 Imagery. *Geoplanning: Journal of Geomatics and Planning*, 3(2), 117. <https://doi.org/10.14710/geoplanning.3.2.117-126>
- Matthews, M. W. (2011). A current review of empirical procedures of remote sensing in Inland and near-coastal transitional waters. *International Journal of Remote Sensing*, 32(21), 6855–6899. <https://doi.org/10.1080/01431161.2010.512947>
- Mckinna, L. I., & Werdell, J. P. (2018). An approach for identifying optically shallow pixels when processing ocean-color imagery. *Opt Express*, 26(22), 915–928. <https://doi.org/10.1364/OE.26.00A915>
- Mobley, C. D. (2001). Radiative Transfer in the Ocean. *Encyclopedia of Ocean Sciences*, 2321–2330. <https://doi.org/10.1006/rwos.2001.0469>
- Morel, A. (2001). Bio-optical Models. *Encyclopedia of Ocean Sciences*, 317–326. <https://doi.org/10.1006/rwos.2001.0407>
- Mountrakis, G., Im, J., & Ogole, C. (2011). Support vector machines in remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 66(3), 247–259. <https://doi.org/10.1016/j.isprsjprs.2010.11.001>
- Mouw, C. B., Greb, S., Aurin, D., DiGiacomo, P. M., Lee, Z., Twardowski, M., Binding, C., Hu, C., Ma, R., Moore, T., Moses, W., & Craig, S. E. (2015). Aquatic color

- radiometry remote sensing of coastal and inland waters: Challenges and recommendations for future satellite missions. *Remote Sensing of Environment*, 160, 15–30. <https://doi.org/10.1016/j.rse.2015.02.001>
- Mudiyansele, S. D., Wilkinson, B., & Abd-Elrahman, A. (2024). Automated High-Resolution Bathymetry from Sentinel-1 SAR Images in Deeper Nearshore Coastal Waters in Eastern Florida. *Remote Sensing*, 16(1). <https://doi.org/10.3390/rs16010001>
- Mudiyansele, S. S. J. D., Abd-Elrahman, A., Wilkinson, B., & Lecours, V. (2022). Satellite-derived bathymetry using machine learning and optimal Sentinel-2 imagery in South-West Florida coastal waters. *GIScience and Remote Sensing*, 59(1), 1143–1158. <https://doi.org/10.1080/15481603.2022.2100597>
- Nashrullah, M. F., Susanto, A. B., Pratikto, I., & Yati, E. (2021). Analisis Kesesuaian Lahan Budidaya Rumput Laut *Kappaphycus alvarezii* (Doty) menggunakan Citra Satelit Di Perairan Pulau Nusa Lembongan, Bali. *Journal of Marine Research*, 10(3), 345–354. <https://doi.org/10.14710/jmr.v10i3.30507>
- Novacek, E., Howse, V., Pretty, C., Devillers, R., Edinger, E., & Copeland, A. (2017). Limited contribution of small marine protected areas to regional biodiversity: The example of a small Canadian no-take MPA. *Frontiers in Marine Science*, 4. <https://doi.org/10.3389/fmars.2017.00174>
- Nugraha, A. (2023). Pemanfaatan dan Pembangunan Pulau-Pulau Kecil Terluar Sebagai Strategi Memperkuat Pertahanan, Keamanan dan Kedaulatan Maritim. *Simbur Cahaya*, XXX(2), 272–300. <https://doi.org/10.28946/sc.v30i2.2858>
- Nugraha, W. A., & Insafitri. (2023). Suitability Index of Snorkeling Tourism in Sepulu District, Bangkalan, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1251(1). <https://doi.org/10.1088/1755-1315/1251/1/012018>
- Oegroseno, A. H. (2009). Status Hukum Pulau-Pulau Terluar Indonesia. *Indonesian Journal of International Law*, 6(3). <https://doi.org/10.17304/ijil.vol6.3.129>
- Philpot, W. D. (1989). Bathymetric mapping with passive multispectral imagery. *Applied Optics*, 28(8), 1569. <https://doi.org/10.1364/ao.28.001569>
- Planet. (2023). *Planetscope Product Specifications* (Issue December). Planet.
- Platt, U., Pfeilsticker, K., & Vollmer, M. (2007). Radiation and Optics in the Atmosphere. In F. Träger (Ed.), *Springer Handbook of Lasers and Optics* (pp. 1165–1197). Springer.
- Purwanto, Sugianto, D. N., Zainuri, M., Permatasari, G., Atmodjo, W., Rochaddi, B., Ismanto, A., Wetchayont, P., & Wirasatriya, A. (2021). Seasonal variability of waves within the Indonesian seas and its relation with the monsoon wind. *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, 26(3), 189–196. <https://doi.org/10.14710/ik.ijms.26.3.189-196>
- Pushidrosal. (2020). *The Key of Maritime Decisions Making*. Pusat Hidro-Oseanografi TNI AL.
- Pushidrosal. (2023). Peta Laut Indonesia ID4088R4: Indonesia, Jawa - Pantai Utara.Pulau-Pulau Karimunjawa,Pelabuhan Karimunjawa. Skala 1:22.000. Pusat Hidro-Oseanografi TNI AL.
- Rahman, W., & Wicaksono, P. (2019). Aplikasi Citra WorldView-2 untuk Pemetaan Batimetri di Pulau Kemujan Taman Nasional Karimunjawa. *Jurnal Penginderaan Jauh Indonesia*, 1(1), 333–338. <http://jurnal.mapin.or.id/index.php/jpji/issue/view/1>

- Raj, R., Dunn, S., & Purkis, S. (2009). Mapping Velondriake: the application of bathymetric and marine habitat mapping to support conservation planning, southwest Madagascar. *Blue Ventures Conservation Report Abstract*.
- Rees, W. G. (2013). Physical Principles of Remote Sensing: Third Edition. In *Geophysical Journal International* (Three). Cambridge University Press.
- Saravanan, S., Parthasarathy, K. S. S., & Vishnuprasath, S. R. (2019). Monitoring Spatial and Temporal Scales of Shoreline Changes in the Cuddalore Region, India. In *Coastal Zone Management: Global Perspectives, Regional Processes, Local Issues*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814350-6.00004-5>
- Setiawan, R. Y., & Habibi, A. (2010). SST Cooling in the Indonesian Seas. *Ilmu Kelautan*, 15(1), 42–46. <https://www.researchgate.net/publication/228449553>
- Stumpf, R. P., Holderied, K., & Sinclair, M. (2003). Determination of water depth with high-resolution satellite imagery over.pdf. *Limnology and Oceanography*, 48(1), 547–556. [https://doi.org/https://doi.org/10.4319/lo.2003.48.1\\_part\\_2.0547](https://doi.org/https://doi.org/10.4319/lo.2003.48.1_part_2.0547)
- Su, H., Liu, H., & Heyman, W. (2008). Automated derivation of bathymetric information from multi-spectral satellite imagery using a non-linear inversion model. *Marine Geodesy*, 31(4), 281–298. <https://doi.org/10.1080/01490410802466652>
- Susa, T. (2022). Satellite Derived Bathymetry with Sentinel-2 Imagery: Comparing Traditional Techniques with Advanced Methods and Machine Learning Ensemble Models. *Marine Geodesy*, 45(5), 435–461. <https://doi.org/10.1080/01490419.2022.2064572>
- Susanto, R. D., Moore, T. S., & Marra, J. (2006). Ocean color variability in the Indonesian Seas during the SeaWiFS era. *Geochemistry, Geophysics, Geosystems*, 7(5), 1–16. <https://doi.org/10.1029/2005GC001009>
- Thomas, N., Pertiwi, A. P., Traganos, D., Lagomasino, D., Poursanidis, D., Moreno, S., & Fatoyinbo, L. (2021). Geophysical Research Letters - 2021 - Thomas - Space-Borne Cloud-Native Satellite-Derived Bathymetry SDB Models Using.pdf. *Geophysical Research Letters*, 48(6), 1–11. <https://doi.org/https://doi.org/10.1029/2020GL092170>
- Tonion, F., Pirotti, F., Faina, G., & Paltrinieri, D. (2020). A machine learning approach to multispectral satellite derived bathymetry. In P. N., M. C., L. F., J. J., S. A., Z. H., L. X., O. B., S. U., H. E., S. M., Z. J., P. A., W. L., L. R., Y. M., D. K., A. O., A. H.M., & F. F.S. (Eds.), *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences* (Vol. 5, Issue 3, pp. 565–570). Copernicus GmbH. <https://doi.org/10.5194/isprs-Annals-V-3-2020-565-2020>
- Traganos, D., Poursanidis, D., Aggarwal, B., Chrysoulakis, N., & Reinartz, P. (2018). Estimating satellite-derived bathymetry (SDB) with the Google Earth Engine and sentinel-2. *Remote Sensing*, 10(6), 1–18. <https://doi.org/10.3390/rs10060859>
- Traganos, D., Poursanidis, D., Aggrawal, B., Chrysoulakis, N., & Reinartz, P. (2018). Estimating Satellite-Derived Bathymetry ( SDB ) with the Google Earth Engine and Sentinel-2. *Remote Sensing*, 10(859), 1–18. <https://doi.org/10.3390/rs10060859>
- Vinayaraj, P., Raghavan, V., & Masumoto, S. (2016a). Satellite-Derived Bathymetry using Adaptive Geographically Weighted Regression Model. *Marine Geodesy*, 39(6), 458–478. <https://doi.org/10.1080/01490419.2016.1245227>
- Vinayaraj, P., Raghavan, V., & Masumoto, S. (2016b). Satellite-Derived Bathymetry using Adaptive Geographically Weighted Regression Model. *Marine Geodesy*,



- 39(6), 458–478. <https://doi.org/10.1080/01490419.2016.1245227>
- Voss, K. J., Mobley, C. D., Sundman, L. K., Ivey, J. E., & Mazel, C. H. (2003). The spectral upwelling radiance distribution in optically shallow waters. *Limnology and Oceanography*, 48(1 II), 364–373. [https://doi.org/10.4319/lo.2003.48.1\\_part\\_2.0364](https://doi.org/10.4319/lo.2003.48.1_part_2.0364)
- Wahyuningrum, I. P., Jaya, I., & Simbolon, D. (2008). Algoritma Untuk Estimasi Kedalaman Perairan Dangkal Menggunakan Data LANDSAT-7 ETM + (Studi Kasus: Perairan Gugus Pulau Pari, Kepulauan Seribu, Jakarta). *Buletin PSP*, 17(3), 333–340. <https://journal.ipb.ac.id/index.php/bulpsp/article/view/4289>
- Wei, C., Zhao, Q., Lu, Y., & Fu, D. (2021). Assessment of empirical algorithms for shallow water bathymetry using multi-spectral imagery of pearl river delta coast, China. *Remote Sensing*, 13(16). <https://doi.org/10.3390/rs13163123>
- Wei, J., Wang, M., Lee, Z., Briceño, H. O., Yu, X., Jiang, L., Garcia, R., Wang, J., & Luis, K. (2020). Shallow water bathymetry with multi-spectral satellite ocean color sensors: Leveraging temporal variation in image data. *Remote Sensing of Environment*, 250(August), 112035. <https://doi.org/10.1016/j.rse.2020.112035>
- Werner, F., & Blanton, J. O. (2019). Coastal circulation models. In *Encyclopedia of Ocean Sciences* (3rd ed., Issue July 2018). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-409548-9.11412-5>
- Wicaksono, P. (2015). Perbandingan Akurasi Metode Band Tunggal Dan Band Rasio Untuk Pemetaan Batimetri Pada Laut Dangkal Optis. *Symposium Nasional Sains Geoinformasi*, IV(March), 792. <https://doi.org/10.13140/RG.2.1.1340.3286>
- Wicaksono, P., Djody Harahap, S., & Hendriana, R. (2024). Satellite-derived bathymetry from WorldView-2 based on linear and machine learning regression in the optically complex shallow water of the coral reef ecosystem of Kemujan island. *Remote Sensing Applications: Society and Environment*, 33, 101085. <https://doi.org/10.1016/j.rsase.2023.101085>
- Wicaksono, P., & Harahap, S. D. (2023). Mapping Seagrass Biodiversity Indicators of Pari Island using Multiple WorldView-2 Bands Derivatives. *Geosfera Indonesia*, 8(2), 189. <https://doi.org/10.19184/geosi.v8i2.41214>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wulandari, S. A., & Wicaksono, P. (2021). Bathymetry mapping using PlanetScope imagery on Kemujan Island, Karimunjawa, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 686(1). <https://doi.org/10.1088/1755-1315/686/1/012032>
- Xu, C., Du, X., Fan, X., Giuliani, G., Hu, Z., Wang, W., Liu, J., Wang, T., Yan, Z., Zhu, J., Jiang, T., & Guo, H. (2022). Cloud-based storage and computing for remote sensing big data: a technical review. In *International Journal of Digital Earth* (Vol. 15, Issue 1, pp. 1417–1445). <https://doi.org/10.1080/17538947.2022.2115567>
- Yunus, A. P., Dou, J., Song, X., & Avtar, R. (2019). Improved bathymetric mapping of coastal and lake environments using sentinel-2 and landsat-8 images. *Sensors (Switzerland)*, 19(12). <https://doi.org/10.3390/s19122788>
- Zhuang, J., Jacob, D. J., Lin, H., Lundgren, E. W., Yantosca, R. M., Gaya, J. F., Sulprizio,