

## DAFTAR PUSTAKA

- American Gastroenterological Association (AGA) Institute (2022) ‘Assessing the Impact of Changes to the Rome IV Criteria for Clinical Practice in Irritable Bowel Syndrome’, *Gastroenterology*, 162(6), pp. 1752-1754.e1. doi: 10.1053/j.gastro.2022.01.021.
- Avelar Rodriguez, D. *et al.* (2021) ‘Functional Constipation and the Gut Microbiome in Children: Preclinical and Clinical Evidence’, *Frontiers in Pediatrics*, 8(January), pp. 1–10. doi: 10.3389/fped.2020.595531.
- Baker, P. *et al.* (2021) ‘First-food systems transformations and the ultra-processing of infant and young child diets: The determinants, dynamics and consequences of the global rise in commercial milk formula consumption’, *Maternal and Child Nutrition*, 17(2), pp. 1–18. doi: 10.1111/mcn.13097.
- Bakshi, S. *et al.* (2023) ‘A comprehensive review on infant formula: nutritional and functional constituents, recent trends in processing and its impact on infants’ gut microbiota’, *Frontiers in Nutrition*, 10(June). doi: 10.3389/fnut.2023.1194679.
- Benninga, M. A., Voskuil, W. P. dan Taminiau, J. A. J. M. (2004) ‘Childhood constipation: Is there new light in the tunnel?’, *Journal of Pediatric Gastroenterology and Nutrition*, 39(5), pp. 448–464. doi: 10.1097/00005176-200411000-00002.
- Bu, Y. *et al.* (2022) ‘Screening and Probiotic Potential Evaluation of Bacteriocin-Producing *Lactiplantibacillus plantarum* In Vitro’, *Foods*, 11(11). doi: 10.3390/foods11111575.
- Bytzer, P. *et al.* (2001) ‘Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: A population based study in 15 000 Australian adults’, *Gut*, 49(1), pp. 66–72. doi: 10.1136/gut.49.1.66.
- Camilleri, M., Sellin, J. H. dan Barrett, K. E. (2017) ‘Pathophysiology, Evaluation, and Management of Chronic Watery Diarrhea’, *Gastroenterology*, 152(3), pp. 515-532.e2. doi: 10.1053/j.gastro.2016.10.014.
- Carabotti, M. *et al.* (2015) ‘The gut-brain axis: Interactions between enteric microbiota, central and enteric nervous systems’, *Annals of Gastroenterology*, 28(2), pp. 203–209.
- Chang, Y. H. *et al.* (2021) ‘Quality characteristics of yogurts fermented with short-chain fatty acid-producing probiotics and their effects on mucin production and probiotic adhesion onto human colon epithelial cells’, *Journal of Dairy Science*, 104(7), pp. 7415–7425. doi: 10.3168/jds.2020-19820.
- Chen, J., Cai, W. dan Feng, Y. (2007) ‘Development of intestinal bifidobacteria and lactobacilli in breast-fed neonates’, *Clinical Nutrition*, 26(5), pp. 559–566. doi: 10.1016/j.clnu.2007.03.003.
- Chen, M. *et al.* (2022) ‘Neurotransmitter and Intestinal Interactions: Focus on the Microbiota-Gut-Brain Axis in Irritable Bowel Syndrome’, *Frontiers in Endocrinology*, 13(February), pp. 1–12. doi: 10.3389/fendo.2022.817100.
- Chichlowski, M. *et al.* (2020) ‘Opportunities for Formulas’, pp. 331–351. doi: 10.1146/annurev-food-022510-133743.The.
- Chogle, A. *et al.* (2016) ‘A Population-Based Study on the Epidemiology of Functional Gastrointestinal Disorders in Young Children’, *Journal of*

- Pediatrics*, 179, pp. 139-143.e1. doi: 10.1016/j.jpeds.2016.08.095.
- Chua, M. C. *et al.* (2017) ‘Effect of Synbiotic on the Gut Microbiota of Cesarean Delivered Infants: A Randomized, Double-blind, Multicenter Study’, *Journal of Pediatric Gastroenterology and Nutrition*, 65(1), pp. 102–106. doi: 10.1097/MPG.0000000000001623.
- Delgado-Aros, S. *et al.* (2004) ‘Obesity is associated with increased risk of gastrointestinal symptoms: A population-based study’, *American Journal of Gastroenterology*, 99(9), pp. 1801–1806. doi: 10.1111/j.1572-0241.2004.30887.x.
- Dellon, E. S. dan Ringel, Y. (2006) ‘Treatment of functional diarrhea’, *Current Treatment Options in Gastroenterology*, 9(4), pp. 331–342. doi: 10.1007/s11938-006-0015-6.
- Devanarayana, N. M. dan Rajindrajith, S. (2018) ‘Irritable bowel syndrome in children: Current knowledge, challenges and opportunities’, *World Journal of Gastroenterology*, 24(21), pp. 2211–2235. doi: 10.3748/wjg.v24.i21.2211.
- Direktorat P2PM (2022) ‘Laporan Kinerja 2022 Direktorat P2PM’, *Laporan Kinerja P2PM*, 1(1), p. 129.
- Dong, M. *et al.* (2023) ‘Effect of probiotics intake on constipation in children: an umbrella review’, *Frontiers in Nutrition*, 10(September). doi: 10.3389/fnut.2023.1218909.
- Douard, V. dan Ferraris, R. P. (2013) ‘The role of fructose transporters in diseases linked to excessive fructose intake’, *Journal of Physiology*, 591(2), pp. 401–414. doi: 10.1113/jphysiol.2011.215731.
- Dreher, M. L. (2018) ‘Whole fruits and fruit fiber emerging health effects’, *Nutrients*, 10(12). doi: 10.3390/nu10121833.
- Drossman, D. A. (2016) ‘Functional gastrointestinal disorders: History, pathophysiology, clinical features, and Rome IV’, *Gastroenterology*, 150(6), pp. 1262-1279.e2. doi: 10.1053/j.gastro.2016.02.032.
- El-Soud, N. H. A. *et al.* (2015) ‘Bifidobacterium lactis in treatment of children with acute diarrhea. A randomized double blind controlled trial’, *Open Access Macedonian Journal of Medical Sciences*, 3(3), pp. 403–407. doi: 10.3889/oamjms.2015.088.
- Eliaz, I. (1945) ‘The Failure of Probiotics — and the Strategy of Microbiome Synergy’.
- Francavilla, R. *et al.* (2010) ‘A randomized controlled trial of lactobacillus GG in children with functional abdominal pain’, *Pediatrics*, 126(6). doi: 10.1542/peds.2010-0467.
- Gangaraju, D., Raghu, A. V. dan Siddalingaiya Gurudutt, P. (2022) ‘Green synthesis of  $\gamma$ -aminobutyric acid using permeabilized probiotic *Enterococcus faecium* for biocatalytic application’, *Nano Select*, 3(10), pp. 1436–1447. doi: 10.1002/nano.202200059.
- Gao, J. *et al.* (2021) ‘Probiotics in the dairy industry—Advances and opportunities’, *Comprehensive Reviews in Food Science and Food Safety*, 20(4), pp. 3937–3982. doi: 10.1111/1541-4337.12755.
- Gaufin, T., Tobin, N. H. dan Aldrovandi, G. M. (2018) ‘The importance of the microbiome in pediatrics and pediatric infectious diseases’, *Current Opinion in*

- Pediatrics*, 30(1), pp. 117–124. doi: 10.1097/MOP.0000000000000576.
- Giannetti, E. *et al.* (2017) ‘A Mixture of 3 Bifidobacteria Decreases Abdominal Pain and Improves the Quality of Life in Children with Irritable Bowel Syndrome’, *Journal of Clinical Gastroenterology*, 51(1), pp. e5–e10. doi: 10.1097/MCG.0000000000000528.
- Gill, S. K. *et al.* (2021) ‘Dietary fibre in gastrointestinal health and disease’, *Nature Reviews Gastroenterology and Hepatology*, 18(2), pp. 101–116. doi: 10.1038/s41575-020-00375-4.
- Guerra, P. V. P. *et al.* (2011) ‘Pediatric functional constipation treatment with bifidobacterium-containing yogurt: A crossover, double-blind, controlled trial’, *World Journal of Gastroenterology*, 17(34), pp. 3916–3921. doi: 10.3748/wjg.v17.i34.3916.
- Guney, C., Bal, N. B. dan Akar, F. (2023) ‘The impact of dietary fructose on gut permeability, microbiota, abdominal adiposity, insulin signaling and reproductive function’, *Heliyon*, 9(8), p. e18896. doi: 10.1016/j.heliyon.2023.e18896.
- Hidalgo-Cantabrana, C. *et al.* (2017) ‘Bifidobacteria and Their Health-Promoting Effects’, *Microbiology Spectrum*. Edited by R. A. Britton and P. D. Cani, 5(3), pp. 1–19. doi: 10.1128/microbiolspec.BAD-0010-2016.
- Hiraku, A. *et al.* (2023) ‘Early Probiotic Supplementation of Healthy Term Infants with Bifidobacterium longum subsp. infantis M-63 Is Safe and Leads to the Development of Bifidobacterium-Predominant Gut Microbiota: A Double-Blind, Placebo-Controlled Trial’, *Nutrients*, 15(6). doi: 10.3390/nu15061402.
- Horigome, A. *et al.* (2021) ‘Colonization of Supplemented Bifidobacterium breve M-16V in Low Birth Weight Infants and Its Effects on Their Gut Microbiota Weeks Post-administration’, *Frontiers in Microbiology*, 12(April), pp. 1–11. doi: 10.3389/fmicb.2021.610080.
- Hoveyda, N. *et al.* (2009) ‘A systematic review and meta-analysis: Probiotics in the treatment of irritable bowel syndrome’, *BMC Gastroenterology*, 9, pp. 1–11. doi: 10.1186/1471-230X-9-15.
- Huo, J. *et al.* (2022) ‘Effect of fruit intake on functional constipation: A systematic review and meta-analysis of randomized and crossover studies’, *Frontiers in Nutrition*, 9(October), pp. 1–13. doi: 10.3389/fnut.2022.1018502.
- Ibarra, A. *et al.* (2018) ‘Effects of 28-day Bifidobacterium animalis subsp. lactis HN019 supplementation on colonic transit time and gastrointestinal symptoms in adults with functional constipation: A double-blind, randomized, placebo-controlled, and dose-ranging trial’, *Gut Microbes*, 9(3), pp. 236–251. doi: 10.1080/19490976.2017.1412908.
- Inchingolo, F. *et al.* (2024) ‘The Impact of Cesarean Section Delivery on Intestinal Microbiota: Mechanisms, Consequences, and Perspectives—A Systematic Review’, *International Journal of Molecular Sciences*, 25(2). doi: 10.3390/ijms25021055.
- Keefer, L. *et al.* (2016) ‘Centrally mediated disorders of gastrointestinal pain’, *Gastroenterology*, 150(6), pp. 1408–1419. doi: 10.1053/j.gastro.2016.02.034.
- Khandpur, N. *et al.* (2020) ‘Ultra-Processed Food Consumption among the Paediatric Population: An Overview and Call to Action from the European

- Childhood Obesity Group', *Annals of Nutrition and Metabolism*, 76(2), pp. 109–113. doi: 10.1159/000507840.
- Khine, W. W. T. *et al.* (2020) 'Indonesian children fecal microbiome from birth until weaning was different from microbiomes of their mothers', *Gut Microbes*, 12(1), pp. 1–19. doi: 10.1080/19490976.2020.1761240.
- Kluijfhout, S., Trieu, T. Van dan Vandenplas, Y. (2020) 'Efficacy of the probiotic probiotal confirmed in acute gastroenteritis', *Pediatric Gastroenterology, Hepatology and Nutrition*, 23(5), pp. 464–471. doi: 10.5223/PGHN.2020.23.5.464.
- Kortnerink, J. J. *et al.* (2014) 'Probiotics for childhood functional gastrointestinal disorders: A systematic review and meta-analysis', *Acta Paediatrica, International Journal of Paediatrics*, 103(4), pp. 365–372. doi: 10.1111/apa.12513.
- Kortnerink, J. J. *et al.* (2015) 'Epidemiology of pediatric functional abdominal pain disorders: A meta-analysis', *PLoS ONE*, 10(5), pp. 1–17. doi: 10.1371/journal.pone.0126982.
- Kramer, M. S. dan Kakuma, R. (2004) 'The optimal duration of exclusive breastfeeding: A systematic review', *Advances in Experimental Medicine and Biology*, 554, pp. 63–77. doi: 10.1007/978-1-4757-4242-8\_7.
- Lacy, B. E. *et al.* (2019) 'Essential Medical Disorders of the Stomach and Small Intestine: A Clinical Casebook', *Essential Medical Disorders of the Stomach and Small Intestine: A Clinical Casebook*, pp. 1–496. doi: 10.1007/978-3-030-01117-8.
- Lai, H. H. *et al.* (2019) 'Probiotic Lactobacillus casei: Effective for managing childhood diarrhea by altering gut microbiota and attenuating fecal inflammatory markers', *Nutrients*, 11(5), pp. 1–15. doi: 10.3390/nu11051150.
- Latif, A. *et al.* (2023) 'Probiotics: mechanism of action, health benefits and their application in food industries', *Frontiers in Microbiology*, 14(August). doi: 10.3389/fmicb.2023.1216674.
- Lewis, M. L. *et al.* (2016) 'Prevalence of Functional Gastrointestinal Disorders in Children and Adolescents', *Journal of Pediatrics*, 177, pp. 39-43.e3. doi: 10.1016/j.jpeds.2016.04.008.
- Li, C., Cai, Y. Y. dan Yan, Z. X. (2018) 'Brain-derived neurotrophic factor preserves intestinal mucosal barrier function and alters gut microbiota in mice', *Kaohsiung Journal of Medical Sciences*, 34(3), pp. 134–141. doi: 10.1016/j.kjms.2017.11.002.
- Longstreth, G. F. *et al.* (2006) 'Functional Bowel Disorders', *Gastroenterology*, 130(5), pp. 1480–1491. doi: 10.1053/j.gastro.2005.11.061.
- Lozupone, C. A. *et al.* (2012) 'Diversity, stability and resilience of the human gut microbiota', *Nature*, 489(7415), pp. 220–230. doi: 10.1038/nature11550.
- Ma, X. Y. *et al.* (2022) 'Citation: Tight Junction Protein Expression-Inducing Probiotics Alleviate TNBS-Induced Cognitive Impairment with Colitis in Mice', *Nutrients*, 14(14). doi: 10.3390/nu14142975.
- Maldonado Galdeano, C. *et al.* (2019) 'Beneficial effects of probiotic consumption on the immune system', *Annals of Nutrition and Metabolism*, 74(2), pp. 115–124. doi: 10.1159/000496426.

- Mao, M. *et al.* (2008) 'Effect of a lactose-free milk formula supplemented with bifidobacteria and streptococci on the recovery from acute diarrhoea.', *Asia Pacific journal of clinical nutrition*, 17(1), pp. 30–4. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/18364323>.
- Martín-Peláez, S. *et al.* (2022) 'The Impact of Probiotics, Prebiotics, and Synbiotics during Pregnancy or Lactation on the Intestinal Microbiota of Children Born by Cesarean Section: A Systematic Review', *Nutrients*, 14(2). doi: 10.3390/nu14020341.
- Meybodi dan Mortazavian (2017) 'Probiotic Supplements and Food Products: A Comparative Approach', *Biochemistry & Pharmacology: Open Access*, 06(02), pp. 1–7. doi: 10.4172/2167-0501.1000227.
- Milani, C. *et al.* (2017) 'The First Microbial Colonizers of the Human Gut: Composition, Activities, and Health Implications of the Infant Gut Microbiota', *Microbiology and Molecular Biology Reviews*, 81(4), pp. 1–67. doi: 10.1128/mmbr.00036-17.
- Mitsuoka, T. (1996) '2.pdf', *Asia Pacific Journal of Clinical Nutrition*, 5(1), pp. 2–9.
- Mugambi, M. N. *et al.* (2012) 'Synbiotics, probiotics or prebiotics in infant formula for full term infants: A systematic review', *Nutrition Journal*, 11(1). doi: 10.1186/1475-2891-11-81.
- Muhardi, L. *et al.* (2023) 'Early-Life Gut Health Indicators and Reported Prevalence of Infant Functional Constipation by Healthcare Professionals', *Nutrients*, 15(2). doi: 10.3390/nu15020298.
- Mukhtar, K., Nawaz, H. dan Abid, S. (2019) 'Functional gastrointestinal disorders and gut-brain axis: What does the future hold?', *World Journal of Gastroenterology*, 25(5), pp. 552–566. doi: 10.3748/wjg.v25.i5.552.
- Osterberg, L. dan Blaschke, T. (2005) 'Adherence to Medication', *New England Journal of Medicine*, 353(5), pp. 487–497. doi: 10.1056/NEJMra050100.
- Oswari, H. *et al.* (2018) 'Epidemiology of Paediatric constipation in Indonesia and its association with exposure to stressful life events', *BMC Gastroenterology*, 18(1), pp. 1–8. doi: 10.1186/s12876-018-0873-0.
- Palsson, O. S. *et al.* (2016) 'Development and validation of the Rome IV diagnostic questionnaire for adults', *Gastroenterology*, 150(6), pp. 1481–1491. doi: 10.1053/j.gastro.2016.02.014.
- Papademas, P. dan Kotsaki, P. (2019) 'Technological Utilization of Whey towards Sustainable Exploitation', *Advances in Dairy Research*, 7(231), p. 231. doi: 10.35248/2329-888X.7.4.231.
- Pecyna, P. *et al.* (2023) 'Gender Influences Gut Microbiota among Patients with Irritable Bowel Syndrome', *International Journal of Molecular Sciences*, 24(13). doi: 10.3390/ijms241310424.
- Petruzzello, C., Saviano, A. dan Ojetti, V. (2023) 'Probiotics, the Immune Response and Acute Appendicitis: A Review', *Vaccines*, 11(7). doi: 10.3390/vaccines11071170.
- Picard, C. *et al.* (2005) 'Review article: Bifidobacteria as probiotic agents - Physiological effects and clinical benefits', *Alimentary Pharmacology and Therapeutics*, 22(6), pp. 495–512. doi: 10.1111/j.1365-2036.2005.02615.x.

- Plaza-Diaz, J. *et al.* (2019) ‘Mechanisms of Action of Probiotics’, *Advances in Nutrition*, 10, pp. S49–S66. doi: 10.1093/advances/nmy063.
- Probiotics in food: Health and Nutritional Properties and Guidelines for Evaluation* (2006). Cordoba, Argentina.
- Rajindrajith, S. *et al.* (2016) ‘Childhood constipation as an emerging public health problem’, *World Journal of Gastroenterology*, 22(30), pp. 6864–6875. doi: 10.3748/wjg.v22.i30.6864.
- Ranmal, S. R. *et al.* (2018) ‘Methodologies for assessing the acceptability of oral formulations among children and older adults: a systematic review’, *Drug Discovery Today*, 23(4), pp. 830–847. doi: 10.1016/j.drudis.2018.01.038.
- Ritchie, M. L. dan Romanuk, T. N. (2012) ‘A meta-analysis of probiotic efficacy for gastrointestinal diseases’, *PLoS ONE*, 7(4). doi: 10.1371/journal.pone.0034938.
- Ruzhentsova, T. A. *et al.* (2020) ‘Childhood functional gastrointestinal disorders: Rational therapy’, *Meditinskiy Sovet*, 2020(1), pp. 106–112. doi: 10.21518/2079-701X-2020-1-106-112.
- Saha, L. (2014) ‘Irritable bowel syndrome: Pathogenesis, diagnosis, treatment, and evidence-based medicine’, *World Journal of Gastroenterology*, 20(22), pp. 6759–6773. doi: 10.3748/wjg.v20.i22.6759.
- Sajedi, D., Shabani, R. dan Elmieh, A. (2021) ‘Changes in leptin, serotonin, and cortisol after eight weeks of aerobic exercise with probiotic intake in a cuprizone-induced demyelination mouse model of multiple sclerosis’, *Cytokine*, 144(May), p. 155590. doi: 10.1016/j.cyto.2021.155590.
- Sánchez, B. *et al.* (2017) ‘Probiotics, gut microbiota, and their influence on host health and disease’, *Molecular Nutrition and Food Research*, 61(1), pp. 1–15. doi: 10.1002/mnfr.201600240.
- Sazawal, S. *et al.* (2006) ‘Efficacy of probiotics in prevention of acute diarrhoea: a meta-analysis of masked, randomised, placebo-controlled trials’, *Lancet Infectious Diseases*, 6(6), pp. 374–382. doi: 10.1016/S1473-3099(06)70495-9.
- Sjölund, J. *et al.* (2021) ‘Allergy-related diseases in childhood and risk for abdominal pain-related functional gastrointestinal disorders at 16 years—a birth cohort study’, *BMC Medicine*, 19(1), pp. 1–11. doi: 10.1186/s12916-021-02069-3.
- Smiliotopoulos, T. *et al.* (2023) ‘Association of fructose consumption with prevalence of functional gastrointestinal disorders manifestations: results from Hellenic National Nutrition and Health Survey (HNNHS)’, *British Journal of Nutrition*, 130(11), pp. 1961–1972. doi: 10.1017/S0007114523001198.
- Srivastav, S. *et al.* (2019) ‘Probiotics mixture increases butyrate, and subsequently rescues the nigral dopaminergic neurons from MPTP and rotenone-induced neurotoxicity’, *Journal of Nutritional Biochemistry*, 69, pp. 73–86. doi: 10.1016/j.jnutbio.2019.03.021.
- Stark, P. L. dan Lee, A. (1982) ‘The Microbial Ecology of The Large Bowel of Breast-fed and Formula-fed Infants During The First Year of Life’, 15, pp. 189–203.
- Szajewska, H. *et al.* (2006) ‘Probiotics in Gastrointestinal Diseases in Children’, *Journal of Pediatric Gastroenterology and Nutrition*, 42(5), pp. 454–475. doi:

10.1097/01.mpg.0000221913.88511.72.

- Tabbers, M. M. *et al.* (2011) 'Fermented milk containing Bifidobacterium lactis DN-173 010 in childhood constipation: A randomized, double-blind, controlled trial', *Pediatrics*, 127(6). doi: 10.1542/peds.2010-2590.
- Tack, J. (2012) 'Functional Diarrhea', *Gastroenterology Clinics of North America*, 41(3), pp. 629–637. doi: 10.1016/j.gtc.2012.06.007.
- Van Tilburg, M. A. L. *et al.* (2015) 'Prevalence of functional gastrointestinal disorders in infants and toddlers', *Journal of Pediatrics*. Elsevier Inc, pp. 684–689. doi: 10.1016/j.jpeds.2014.11.039.
- Tojo, R. *et al.* (2014) 'Intestinal microbiota in health and disease: Role of bifidobacteria in gut homeostasis', *World Journal of Gastroenterology*, 20(41), pp. 15163–15176. doi: 10.3748/wjg.v20.i41.15163.
- Toscano, M. *et al.* (2015) 'Probiotic characteristics and in vitro compatibility of a combination of Bifidobacterium breve M-16 V, Bifidobacterium longum subsp. infantis M-63 and Bifidobacterium longum subsp. longum BB536', *Annals of Microbiology*, 65(2), pp. 1079–1086. doi: 10.1007/s13213-014-0953-5.
- Velasco-Benítez, C. A. *et al.* (2021) 'Diagnostic Accuracy of the Rome IV Criteria for the Diagnosis of Functional Gastrointestinal Disorders in Children', *Journal of Pediatric Gastroenterology and Nutrition*, 72(4), pp. 538–541. doi: 10.1097/MPG.0000000000003030.
- Vernon-Roberts, A., Alexander, I. dan Day, A. S. (2023) 'Prevalence of Functional Gastrointestinal Disorders (Rome IV Criteria) among a Cohort of New Zealand Children', *Gastrointestinal Disorders*, 5(2), pp. 261–272. doi: 10.3390/gidisord5020021.
- De Vrese, M. dan Marteau, P. R. (2007) 'Probiotics and prebiotics: Effects on diarrhea', *Journal of Nutrition*, 137(3), pp. 803–811. doi: 10.1093/jn/137.3.803s.
- Vriesman, M. H. *et al.* (2020) 'Management of functional constipation in children and adults', *Nature Reviews Gastroenterology and Hepatology*, 17(1), pp. 21–39. doi: 10.1038/s41575-019-0222-y.
- Waller, P. A. *et al.* (2011) 'Dose-response effect of Bifidobacterium lactis HN019 on whole gut transit time and functional gastrointestinal symptoms in adults', *Scandinavian Journal of Gastroenterology*, 46(9), pp. 1057–1064. doi: 10.3109/00365521.2011.584895.
- Wang, H. L. (2015) 'Understanding the Pathogenesis of Slow-Transit Constipation: One Step Forward', *Digestive Diseases and Sciences*, 60(8), pp. 2216–2218. doi: 10.1007/s10620-015-3754-1.
- Wang, L. *et al.* (2024) 'Relationship between dietary fiber intake and chronic diarrhea in adults', *World Journal of Clinical Cases*, 12(19), pp. 3692–3700. doi: 10.12998/wjcc.v12.i19.3692.
- Weizman, Z. dan Alsheikh, A. (2006) 'Safety and Tolerance of a Probiotic Formula in Early Infancy Comparing Two Probiotic Agents: A Pilot Study', *Journal of the American College of Nutrition*, 25(5), pp. 415–419. doi: 10.1080/07315724.2006.10719554.
- Whorwell, P. J. *et al.* (2006) 'Efficacy of an encapsulated probiotic Bifidobacterium infantis 35624 in women with irritable bowel syndrome', *American Journal of*

- Gastroenterology*, 101(7), pp. 1581–1590. doi: 10.1111/j.1572-0241.2006.00734.x.
- Wong, C. B., Iwabuchi, N. dan Xiao, J. Z. (2019) ‘Exploring the science behind Bifidobacterium breve M-16V in infant health’, *Nutrients*, 11(8), pp. 1–24. doi: 10.3390/nu11081724.
- Wong, C. B., Odamaki, T. dan Xiao, J. zhong (2019) ‘Beneficial effects of Bifidobacterium longum subsp. longum BB536 on human health: Modulation of gut microbiome as the principal action’, *Journal of Functional Foods*, 54(January), pp. 506–519. doi: 10.1016/j.jff.2019.02.002.
- Yang, N. *et al.* (2024) ‘Lactiplantibacillus plantarum P9 for chronic diarrhea in young adults: a large double-blind, randomized, placebo-controlled trial’, *Nature Communications*, 15(1). doi: 10.1038/s41467-024-51094-2.
- Yao, Y. *et al.* (2021) ‘The Role of Microbiota in Infant Health: From Early Life to Adulthood’, *Frontiers in Immunology*, 12(October), pp. 1–21. doi: 10.3389/fimmu.2021.708472.
- You, S. *et al.* (2022) ‘The promotion mechanism of prebiotics for probiotics: A review’, *Frontiers in Nutrition*, 9(2). doi: 10.3389/fnut.2022.1000517.
- Zhang, C. *et al.* (2020) ‘Meta-analysis of randomized controlled trials of the effects of probiotics on functional constipation in adults’, *Clinical Nutrition*, 39(10), pp. 2960–2969. doi: 10.1016/j.clnu.2020.01.005.
- Zhao, Q. *et al.* (2021) ‘Action Mode of Gut Motility, Fluid and Electrolyte Transport in Chronic Constipation’, *Frontiers in Pharmacology*, 12(July), pp. 1–15. doi: 10.3389/fphar.2021.630249.
- Zheng, Y. *et al.* (2023) ‘Effect of a probiotic formula on gastrointestinal health, immune responses and metabolic health in adults with functional constipation or functional diarrhea’, *Frontiers in Nutrition*, 10(July). doi: 10.3389/fnut.2023.1196625.
- Ziętek, M., Szczuko, M. dan Machałowski, T. (2024) ‘Gastrointestinal Disorders and Atopic Dermatitis in Infants in the First Year of Life According to ROME IV Criteria—A Possible Association with the Mode of Delivery and Early Life Nutrition’, *Journal of Clinical Medicine*, 13(4). doi: 10.3390/jcm13040927.