

## DAFTAR PUSTAKA

- Abdallah, M., Shanableh, A., Adghim, M., Ghenai, C., & Saad, S. (2018). Biogas production from different types of cow manure. *2018 Advances in Science and Engineering Technology International Conferences (ASET)*, 1–4. <https://doi.org/10.1109/ICASET.2018.8376791>
- Aili Hamzah, A. F., Hamzah, M. H., Che Man, H., Jamali, N. S., Siajam, S. I., & Ismail, M. H. (2023). Effect of organic loading on anaerobic digestion of cow dung: Methane production and kinetic study. *Heliyon*, 9(6), e16791. <https://doi.org/10.1016/j.heliyon.2023.e16791>
- Ali, S., Hua, B., Huang, J. J., Droste, R. L., Zhou, Q., Zhao, W., & Chen, L. (2019). Effect of different initial low pH conditions on biogas production, composition, and shift in the acetoclastic methanogenic population. *Bioresource Technology*, 289, 121579. <https://doi.org/10.1016/j.biortech.2019.121579>
- Astuti, T., Akbar, S. A., Rofiq, M. N., Jamarun, N., Huda, N., & Fudholi, A. (2022). Activity of cellulase and ligninase enzymes in a local bioactivator from cattle and buffalo rumen contents. *Biocatalysis and Agricultural Biotechnology*, 45, 102497. <https://doi.org/10.1016/j.bcab.2022.102497>
- Awadalla, O. A., Atawy, W. A., Bedaiwy, M. Y., Ali, S. S., & Mahmoud, Y. A.-G. (2023). Anaerobic digestion of lignocellulosic waste for enhanced methane production and biogas-digestate utilization. *Industrial Crops and Products*, 195, 116420. <https://doi.org/10.1016/j.indcrop.2023.116420>
- Awalludin, M. F., Sulaiman, O., Hashim, R., & Nadhari, W. N. A. W. (2015). An overview of the oil palm industry in Malaysia and its waste utilization through thermochemical conversion, specifically via liquefaction. *Renewable and Sustainable Energy Reviews*, 50, 1469–1484. <https://doi.org/10.1016/j.rser.2015.05.085>
- Bahira, B. Y., Baki, A. S., & Bello, A. (2018). *Effect of Varying pH on Biogas Generation using Cow Dung*. <https://doi.org/10.26765/DRJAFS.2018.7198>
- Batstone, D. J., Keller, J., Angelidaki, I., Kalyuzhnyi, S. V., Pavlostathis, S. G., Rozzi, A., Sanders, W. T. M., Siegrist, H., & Vavilin, V. A. (2002). The IWA Anaerobic Digestion Model No 1 (ADM1). *Water Science and Technology*, 45(10), 65–73. <https://doi.org/10.2166/wst.2002.0292>
- Bauchop, T., & Mountfort, D. O. (1981). Cellulose Fermentation by a Rumen Anaerobic Fungus in Both the Absence and the Presence of Rumen Methanogens. *Applied and Environmental Microbiology*, 42(6), 1103–1110. <https://doi.org/10.1128/aem.42.6.1103-1110.1981>
- Bayer, E. A., Belaich, J.-P., Shoham, Y., & Lamed, R. (2004). The Cellulosomes: Multienzyme Machines for Degradation of Plant Cell Wall Polysaccharides. *Annual Review of Microbiology*, 58(1), 521–554. <https://doi.org/10.1146/annurev.micro.57.030502.091022>
- Borrel, G., O'Toole, P. W., Harris, H. M. B., Peyret, P., Brugère, J.-F., & Gribaldo, S. (2013). Phylogenomic Data Support a Seventh Order of Methylophilic Methanogens and Provide Insights into the Evolution of Methanogenesis.

- Genome Biology and Evolution*, 5(10), 1769–1780.  
<https://doi.org/10.1093/gbe/evt128>
- Bugg, T. D., Ahmad, M., Hardiman, E. M., & Singh, R. (2011). The emerging role for bacteria in lignin degradation and bio-product formation. *Current Opinion in Biotechnology*, 22(3), 394–400.  
<https://doi.org/10.1016/j.copbio.2010.10.009>
- Calbry-Muzyka, A. (2022). Biogas composition from agricultural sources and organic fraction of municipal solid waste. *Renewable Energy*.
- Chandra, R., Takeuchi, H., Hasegawa, T., & Kumar, R. (2012). Improving biodegradability and biogas production of wheat straw substrates using sodium hydroxide and hydrothermal pretreatments. *Energy*, 43(1), 273–282. <https://doi.org/10.1016/j.energy.2012.04.029>
- Chen, X. Y., Vinh-Thang, H., Ramirez, A. A., Rodrigue, D., & Kaliaguine, S. (2015). Membrane gas separation technologies for biogas upgrading. *RSC Advances*, 5(31), 24399–24448. <https://doi.org/10.1039/C5RA00666J>
- Cheng, Y. F., Edwards, J. E., Allison, G. G., Zhu, W.-Y., & Theodorou, M. K. (2009). Diversity and activity of enriched ruminal cultures of anaerobic fungi and methanogens grown together on lignocellulose in consecutive batch culture. *Bioresource Technology*, 100(20), 4821–4828. <https://doi.org/10.1016/j.biortech.2009.04.031>
- Chesson, J. (1978). Measuring Preference in Selective Predation. *Ecology*, 59(2), 211–215. <https://doi.org/10.2307/1936364>
- Choi, Y., Ryu, J., & Lee, S. R. (n.d.). *Influence of carbon type and carbon to nitrogen ratio on the biochemical methane potential, pH, and ammonia nitrogen in anaerobic digestion*.
- Couger, M. B., Youssef, N. H., Struchtemeyer, C. G., Liggenstoffer, A. S., & Elshahed, M. S. (2015). Transcriptomic analysis of lignocellulosic biomass degradation by the anaerobic fungal isolate *Orpinomyces* sp. Strain C1A. *Biotechnology for Biofuels*, 8(1), 208. <https://doi.org/10.1186/s13068-015-0390-0>
- Dagar, S. S., Kumar, S., Griffith, G. W., Edwards, J. E., Callaghan, T. M., Singh, R., Nagpal, A. K., & Puniya, A. K. (2015). A new anaerobic fungus (*Oontomyces anksri* gen. Nov., sp. Nov.) from the digestive tract of the Indian camel (*Camelus dromedarius*). *Fungal Biology*, 119(8), 731–737. <https://doi.org/10.1016/j.funbio.2015.04.005>
- Davidson, E. A., Embley, T. M., & Howe, C. J. (2002). An [Fe] hydrogenase from the anaerobic hydrogenosome-containing fungus *Neocallimastix frontalis* L2q.
- Dehhaghi, M., Tabatabaei, M., Aghbashlo, M., Kazemi Shariat Panahi, H., & Nizami, A.-S. (2019). A state-of-the-art review on the application of nanomaterials for enhancing biogas production. *Journal of Environmental Management*, 251, 109597. <https://doi.org/10.1016/j.jenvman.2019.109597>
- Dioha, I. J., Ikeme, C. H., Nafi’u, T., & Soba, N. I. (2013). *EFFECT OF CARBON TO NITROGEN RATIO ON BIOGAS PRODUCTION*. 1(3).
- Dollhofer, V., Podmirseg, S. M., Callaghan, T. M., Griffith, G. W., & Fliegerová, K. (2015). Anaerobic Fungi and Their Potential for Biogas Production. In

- G. M. Guebitz, A. Bauer, G. Bochmann, A. Gronauer, & S. Weiss (Eds.), *Biogas Science and Technology* (Vol. 151, pp. 41–61). Springer International Publishing. [https://doi.org/10.1007/978-3-319-21993-6\\_2](https://doi.org/10.1007/978-3-319-21993-6_2)
- Edwards, J. E., Forster, R. J., Callaghan, T. M., Dollhofer, V., Dagar, S. S., Cheng, Y., Chang, J., Kittelmann, S., Fliegerova, K., Puniya, A. K., Henske, J. K., Gilmore, S. P., O'Malley, M. A., Griffith, G. W., & Smidt, H. (2017). PCR and Omics Based Techniques to Study the Diversity, Ecology and Biology of Anaerobic Fungi: Insights, Challenges and Opportunities. *Frontiers in Microbiology*, 8, 1657. <https://doi.org/10.3389/fmicb.2017.01657>
- Elekwachi, C. O., Wang, Z., Wu, X., Rabee, A., & Forster, R. J. (2017). Total rRNA-Seq Analysis Gives Insight into Bacterial, Fungal, Protozoal and Archaeal Communities in the Rumen Using an Optimized RNA Isolation Method. *Frontiers in Microbiology*, 8, 1814. <https://doi.org/10.3389/fmicb.2017.01814>
- Embley, T. M., & Finlay, B. J. (1994). The use of small subunit rRNA sequences to unravel the relationships between anaerobic ciliates and their methanogen endosymbionts. *Microbiology*, 140(2), 225–235. <https://doi.org/10.1099/13500872-140-2-225>
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- Fanutti, C., Ponyi, T., Black, G. W., Hazlewood, G. P., & Gilbert, H. J. (1995). The Conserved Ncatalytic 40-Residue Sequence in Cellulases and Hemicellulases from Anaerobic Fungi Functions as a Protein Docking Domain. *Journal of Biological Chemistry*, 270(49), 29314–29322. <https://doi.org/10.1074/jbc.270.49.29314>
- Fatah, I., Khalil, H., Hossain, Md., Aziz, A., Davoudpour, Y., Dungani, R., & Bhat, A. (2014). Exploration of a Chemo-Mechanical Technique for the Isolation of Nanofibrillated Cellulosic Fiber from Oil Palm Empty Fruit Bunch as a Reinforcing Agent in Composites Materials. *Polymers*, 6(10), 2611–2624. <https://doi.org/10.3390/polym6102611>
- Ferry, J. G. (2010). How to Make a Living by Exhaling Methane. *Annual Review of Microbiology*, 64(1), 453–473. <https://doi.org/10.1146/annurev.micro.112408.134051>
- Fontes, C. M. G. A., & Gilbert, H. J. (2010). Cellulosomes: Highly Efficient Nanomachines Designed to Deconstruct Plant Cell Wall Complex Carbohydrates. *Annual Review of Biochemistry*, 79(1), 655–681. <https://doi.org/10.1146/annurev-biochem-091208-085603>
- Frigon, J., & Guiot, S. R. (2010). Biomethane production from starch and lignocellulosic crops: A comparative review. *Biofuels, Bioproducts and Biorefining*, 4(4), 447–458. <https://doi.org/10.1002/bbb.229>
- Ghose, T. K. (n.d.). *MEASUREMENT OF CELLULASE ACTIVITIES*. 12.
- Gilmore, S. P., Lillington, S. P., Haitjema, C. H., De Groot, R., & O'Malley, M. A. (2020). Designing chimeric enzymes inspired by fungal cellulosomes. *Synthetic and Systems Biotechnology*, 5(1), 23–32.

<https://doi.org/10.1016/j.synbio.2020.01.003>

- Gruninger, R. J., Puniya, A. K., Callaghan, T. M., Edwards, J. E., Youssef, N., Dagar, S. S., Fliegerova, K., Griffith, G. W., Forster, R., Tsang, A., McAllister, T., & Elshahed, M. S. (2014). Anaerobic fungi (phylum *Neocallimastigomycota*): Advances in understanding their taxonomy, life cycle, ecology, role and biotechnological potential. *FEMS Microbiology Ecology*, *90*(1), 1–17. <https://doi.org/10.1111/1574-6941.12383>
- Hagen, L. H., Brooke, C. G., Shaw, C. A., Norbeck, A. D., Piao, H., Arntzen, M. Ø., Olson, H. M., Copeland, A., Isern, N., Shukla, A., Roux, S., Lombard, V., Henrissat, B., O'Malley, M. A., Grigoriev, I. V., Tringe, S. G., Mackie, R. I., Pasa-Tolic, L., Pope, P. B., & Hess, M. (2021). Proteome specialization of anaerobic fungi during ruminal degradation of recalcitrant plant fiber. *The ISME Journal*, *15*(2), 421–434. <https://doi.org/10.1038/s41396-020-00769-x>
- Haitjema, C. H., Gilmore, S. P., Henske, J. K., Solomon, K. V., de Groot, R., Kuo, A., Mondo, S. J., Salamov, A. A., LaButti, K., Zhao, Z., Chiniquy, J., Barry, K., Brewer, H. M., Purvine, S. O., Wright, A. T., Hainaut, M., Boxma, B., van Alen, T., Hackstein, J. H. P., ... O'Malley, M. A. (2017). A parts list for fungal cellulosomes revealed by comparative genomics. *Nature Microbiology*, *2*(8), 17087. <https://doi.org/10.1038/nmicrobiol.2017.87>
- Haitjema, C. H., Solomon, K. V., Henske, J. K., Theodorou, M. K., & O'Malley, M. A. (2014). Anaerobic gut fungi: Advances in isolation, culture, and cellulolytic enzyme discovery for biofuel production. *Biotechnology and Bioengineering*, *111*(8), 1471–1482. <https://doi.org/10.1002/bit.25264>
- Hansen, T. L., Schmidt, J. E., Angelidaki, I., Marca, E., Jansen, J. L. C., Mosbæk, H., & Christensen, T. H. (2004). Method for determination of methane potentials of solid organic waste. *Waste Management*, *24*(4), 393–400. <https://doi.org/10.1016/j.wasman.2003.09.009>
- Harun, S., Mohd Tajuddin, A., Abdul Latif, A., Mahmud, S. S., Sajab, M. S., Markom, M., & Md Jahim, J. (2021). Insight into the deep eutectic solvent pretreatment of oil palm empty fruit bunches: Effects of temperature, empty fruit bunch to solvent ratio, and time. *BioResources*, *16*(3), 6313–6341. <https://doi.org/10.15376/biores.16.3.6313-6341>
- Henske, J. K., Wilken, St. E., Solomon, K. V., Smallwood, C. R., Shutthanandan, V., Evans, J. E., Theodorou, M. K., & O'Malley, M. A. (2018). Metabolic characterization of anaerobic fungi provides a path forward for bioprocessing of crude lignocellulose. *Biotechnology and Bioengineering*, *115*(4), 874–884. <https://doi.org/10.1002/bit.26515>
- Hess, M., Paul, S. S., Puniya, A. K., van der Giezen, M., Shaw, C., Edwards, J. E., & Fliegerová, K. (2020). Anaerobic Fungi: Past, Present, and Future. *Frontiers in Microbiology*, *11*, 584893. <https://doi.org/10.3389/fmicb.2020.584893>
- Ho, Y. W., Abdullah, N., & Jalaludin, S. (1988). Penetrating Structures of Anaerobic Rumen Fungi in Cattle and Swamp Buffalo. *Microbiology*, *134*(1), 177–181. <https://doi.org/10.1099/00221287-134-1-177>
- Hobson, P. N., & Stewart, C. S. (Eds.). (1997). *The Rumen Microbial Ecosystem*.

- Springer Netherlands. <https://doi.org/10.1007/978-94-009-1453-7>
- Hungate1000 project collaborators, Seshadri, R., Leahy, S. C., Attwood, G. T., Teh, K. H., Lambie, S. C., Cookson, A. L., Eloë-Fadrosh, E. A., Pavlopoulos, G. A., Hadjithomas, M., Varghese, N. J., Paez-Espino, D., Perry, R., Henderson, G., Creevey, C. J., Terrapon, N., Lapebie, P., Drula, E., Lombard, V., ... Kelly, W. J. (2018). Cultivation and sequencing of rumen microbiome members from the Hungate1000 Collection. *Nature Biotechnology*, *36*(4), 359–367. <https://doi.org/10.1038/nbt.4110>
- Irbis, C., & Ushida, K. (2004). Detection of methanogens and proteobacteria from a single cell of rumen ciliate protozoa. *The Journal of General and Applied Microbiology*, *50*(4), 203–212. <https://doi.org/10.2323/jgam.50.203>
- Janssen, P. H. (2010). Influence of hydrogen on rumen methane formation and fermentation balances through microbial growth kinetics and fermentation thermodynamics. *Animal Feed Science and Technology*, *160*(1–2), 1–22. <https://doi.org/10.1016/j.anifeedsci.2010.07.002>
- Jayaraj, S., Deepanraj, B., & Sivasubramanian, V. (n.d.). *STUDY ON THE EFFECT OF pH ON BIOGAS PRODUCTION FROM FOOD WASTE BY ANAEROBIC DIGESTION*.
- Jin, W., Cheng, Y.-F., Mao, S.-Y., & Zhu, W.-Y. (2011). Isolation of natural cultures of anaerobic fungi and indigenously associated methanogens from herbivores and their bioconversion of lignocellulosic materials to methane. *Bioresource Technology*, *102*(17), 7925–7931. <https://doi.org/10.1016/j.biortech.2011.06.026>
- Jin, X., & Wei, S. (2023a). Efficient short time pretreatment on lignocellulosic waste using an isolated fungus *Trametes* sp. W-4 for the enhancement of biogas production. *Heliyon*, *9*(3), e14573. <https://doi.org/10.1016/j.heliyon.2023.e14573>
- Jin, X., & Wei, S. (2023b). Efficient short time pretreatment on lignocellulosic waste using an isolated fungus *Trametes* sp. W-4 for the enhancement of biogas production. *Heliyon*, *9*(3), e14573. <https://doi.org/10.1016/j.heliyon.2023.e14573>
- Kacprzak, A., Krzystek, L., & Ledakowicz, S. (2010). Co-digestion of agricultural and industrial wastes. *Chemical Papers*, *64*(2). <https://doi.org/10.2478/s11696-009-0108-5>
- Kazda, M., Langer, S., & Bengelsdorf, F. R. (2014). Fungi open new possibilities for anaerobic fermentation of organic residues. *Energy, Sustainability and Society*, *4*(1), 6. <https://doi.org/10.1186/2192-0567-4-6>
- Kazemi Shariat Panahi, H., Dehhaghi, M., Guillemin, G. J., Gupta, V. K., Lam, S. S., Aghbashlo, M., & Tabatabaei, M. (2022). A comprehensive review on anaerobic fungi applications in biofuels production. *Science of The Total Environment*, *829*, 154521. <https://doi.org/10.1016/j.scitotenv.2022.154521>
- Keerthana Devi, M., Manikandan, S., Oviyapriya, M., Selvaraj, M., Assiri, M. A., Vickram, S., Subbaiya, R., Karmegam, N., Ravindran, B., Chang, S. W., & Awasthi, M. K. (2022). Recent advances in biogas production using Agro-Industrial Waste: A comprehensive review outlook of Techno-Economic analysis. *Bioresource Technology*, *363*, 127871.

<https://doi.org/10.1016/j.biortech.2022.127871>

- Kim, S., & Kim, C. H. (2012). Production of cellulase enzymes during the solid-state fermentation of empty palm fruit bunch fiber. *Bioprocess and Biosystems Engineering*, 35(1–2), 61–67. <https://doi.org/10.1007/s00449-011-0595-y>
- Krauss, J., Zverlov, V. V., & Schwarz, W. H. (2012). *In Vitro* Reconstitution of the Complete *Clostridium thermocellum* Cellulosome and Synergistic Activity on Crystalline Cellulose. *Applied and Environmental Microbiology*, 78(12), 4301–4307. <https://doi.org/10.1128/AEM.07959-11>
- Kurniawan, M. P., Guritno, A. D., Purwantana, B., & Supartono, W. (2020). Production cost approach and material flow cost accounting as a step towards increasing responsibility, efficiency, and sustainability (RES): The case of palm oil mill in Banten Indonesia. *IOP Conference Series: Earth and Environmental Science*, 425(1), 012042. <https://doi.org/10.1088/1755-1315/425/1/012042>
- Lahboubi, N., Kerrou, O., Karouach, F., Bakraoui, M., Schüch, A., Schmedemann, K., Stinner, W., El Bari, H., & Essamri, A. (2022). Methane production from mesophilic fed-batch anaerobic digestion of empty fruit bunch of palm tree. *Biomass Conversion and Biorefinery*, 12(9), 3751–3760. <https://doi.org/10.1007/s13399-020-00864-1>
- Lamed, R., Setter, E., & Bayer, E. A. (1983). Characterization of a cellulose-binding, cellulase-containing complex in *Clostridium thermocellum*. *Journal of Bacteriology*, 156(2), 828–836. <https://doi.org/10.1128/jb.156.2.828-836.1983>
- Lebuhn, M., Weiß, S., Munk, B., & Guebitz, G. M. (2015). Microbiology and Molecular Biology Tools for Biogas Process Analysis, Diagnosis and Control. In G. M. Guebitz, A. Bauer, G. Bochmann, A. Gronauer, & S. Weiss (Eds.), *Biogas Science and Technology* (Vol. 151, pp. 1–40). Springer International Publishing. [https://doi.org/10.1007/978-3-319-21993-6\\_1](https://doi.org/10.1007/978-3-319-21993-6_1)
- Lecharlier, A., Carrier, H., & Le Hécho, I. (2022). Characterization of biogas and biomethane trace compounds: A critical review of advances in in situ sampling and preconcentration techniques. *Analytica Chimica Acta*, 1229, 340174. <https://doi.org/10.1016/j.aca.2022.340174>
- Liew, Z. K., Chan, Y. J., Ho, Z. T., Yip, Y. H., Teng, M. C., Ameer Abbas bin, A. I. T., Chong, S., Show, P. L., & Chew, C. L. (2021). Biogas production enhancement by co-digestion of empty fruit bunch (EFB) with palm oil mill effluent (POME): Performance and kinetic evaluation. *Renewable Energy*, 179, 766–777. <https://doi.org/10.1016/j.renene.2021.07.073>
- Ljungdahl, L. G. (2008). *The Cellulase/Hemicellulase System of the Anaerobic Fungus ORPINOMYCES PC-2 and Aspects of Its Applied Use*. *Annals of the New York Academy of Sciences*, 1125(1), 308–321. <https://doi.org/10.1196/annals.1419.030>
- Lyu, Z., Shao, N., Akinyemi, T., & Whitman, W. B. (2018). Methanogenesis. *Current Biology*, 28(13), R727–R732. <https://doi.org/10.1016/j.cub.2018.05.021>

- Mamimin, C., Chanthong, S., Leamdum, C., O-Thong, S., & Prasertsan, P. (2021). Improvement of empty palm fruit bunches biodegradability and biogas production by integrating the straw mushroom cultivation as a pretreatment in the solid-state anaerobic digestion. *Bioresource Technology*, *319*, 124227. <https://doi.org/10.1016/j.biortech.2020.124227>
- Mamimin, C., Jehlee, A., Saelor, S., Prasertsan, P., & O-Thong, S. (2016). Thermophilic hydrogen production from co-fermentation of palm oil mill effluent and decanter cake by *Thermoanaerobacterium thermosaccharolyticum* PSU-2. *International Journal of Hydrogen Energy*, *41*(46), 21692–21701. <https://doi.org/10.1016/j.ijhydene.2016.07.152>
- Marvin-Sikkema, F. D., Richardson, A. J., Stewart, C. S., Gottschal, J. C., & Prins, R. A. (1990). Influence of hydrogen-consuming bacteria on cellulose degradation by anaerobic fungi. *Applied and Environmental Microbiology*, *56*(12), 3793–3797. <https://doi.org/10.1128/aem.56.12.3793-3797.1990>
- Mata-Alvarez, J., Macé, S., & Llabrés, P. (2000). Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. *Bioresource Technology*, *74*(1), 3–16. [https://doi.org/10.1016/S0960-8524\(00\)00023-7](https://doi.org/10.1016/S0960-8524(00)00023-7)
- McNamara, J. T., Morgan, J. L. W., & Zimmer, J. (2015). A Molecular Description of Cellulose Biosynthesis. *Annual Review of Biochemistry*, *84*(1), 895–921. <https://doi.org/10.1146/annurev-biochem-060614-033930>
- Mignogna, D., Ceci, P., Cafaro, C., Corazzi, G., & Avino, P. (2023). Production of Biogas and Biomethane as Renewable Energy Sources: A Review. *Applied Sciences*, *13*(18), 10219. <https://doi.org/10.3390/app131810219>
- Mönch-Tegeder, M., Lemmer, A., Oechsner, H., & Jungbluth, T. (2013). *Investigation of the methane potential of horse manure*. 15.
- Murphy, C. L., Youssef, N. H., Hanafy, R. A., Couger, M. B., Stajich, J. E., Wang, Y., Baker, K., Dagar, S. S., Griffith, G. W., Farag, I. F., Callaghan, T. M., & Elshahed, M. S. (2019). Horizontal Gene Transfer as an Indispensable Driver for Evolution of Neocallimastigomycota into a Distinct Gut-Dwelling Fungal Lineage. *Applied and Environmental Microbiology*, *85*(15), e00988-19. <https://doi.org/10.1128/AEM.00988-19>
- Nieves, D. C., Karimi, K., & Horváth, I. S. (2011). Improvement of biogas production from oil palm empty fruit bunches (OPEFB). *Industrial Crops and Products*, *34*(1), 1097–1101. <https://doi.org/10.1016/j.indcrop.2011.03.022>
- Nurika, I., Shabrina, E. N., Azizah, N., Suhartini, S., Bugg, T. D. H., & Barker, G. C. (2022). Application of ligninolytic bacteria to the enhancement of lignocellulose breakdown and methane production from oil palm empty fruit bunches (OPEFB). *Bioresource Technology Reports*, *17*, 100951. <https://doi.org/10.1016/j.biteb.2022.100951>
- Ogunyewo, O. A., Randhawa, A., Gupta, M., Kaladhar, V. C., Verma, P. K., & Yazdani, S. S. (2020). Synergistic Action of a Lytic Polysaccharide Monooxygenase and a Cellobiohydrolase from *Penicillium funiculosum* in Cellulose Saccharification under High-Level Substrate Loading. *Applied and Environmental Microbiology*, *86*(23), e01769-20.

<https://doi.org/10.1128/AEM.01769-20>

- Ohnishi, Y., Nagase, M., Ichianagi, T., Kitamoto, Y., & Aimi, T. (2007). Transcriptional regulation of two cellobiohydrolase encoding genes (*cel1* and *cel2*) from the wood-degrading basidiomycete *Polyporus arcularius*. *Applied Microbiology and Biotechnology*, 76(5), 1069–1078. <https://doi.org/10.1007/s00253-007-1090-x>
- Okal, E. J., Aslam, M. M., Karanja, J. K., & Nyimbo, W. J. (2020). Mini review: Advances in understanding regulation of cellulase enzyme in white-rot basidiomycetes. *Microbial Pathogenesis*, 147, 104410. <https://doi.org/10.1016/j.micpath.2020.104410>
- Ozbayram, E. G., Kleinstaub, S., Nikolausz, M., Ince, B., & Ince, O. (2017). Effect of bioaugmentation by cellulolytic bacteria enriched from sheep rumen on methane production from wheat straw. *Anaerobe*, 46, 122–130. <https://doi.org/10.1016/j.anaerobe.2017.03.013>
- Partida-Martinez, L. P., Monajembashi, S., Greulich, K.-O., & Hertweck, C. (2007). Endosymbiont-Dependent Host Reproduction Maintains Bacterial-Fungal Mutualism. *Current Biology*, 17(9), 773–777. <https://doi.org/10.1016/j.cub.2007.03.039>
- Payne, P., & Crane-Godreau, M. A. (2015). The preparatory set: A novel approach to understanding stress, trauma, and the bodymind therapies. *Frontiers in Human Neuroscience*, 9. <https://doi.org/10.3389/fnhum.2015.00178>
- Peng, X. “Nick,” Gilmore, S. P., & O’Malley, M. A. (2016). Microbial communities for bioprocessing: Lessons learned from nature. *Current Opinion in Chemical Engineering*, 14, 103–109. <https://doi.org/10.1016/j.coche.2016.09.003>
- Poulsen, M., Schwab, C., Borg Jensen, B., Engberg, R. M., Spang, A., Canibe, N., Højberg, O., Milinovich, G., Fragner, L., Schleper, C., Weckwerth, W., Lund, P., Schramm, A., & Urich, T. (2013). Methylophilic methanogenic Thermoplasmata implicated in reduced methane emissions from bovine rumen. *Nature Communications*, 4(1), 1428. <https://doi.org/10.1038/ncomms2432>
- Procházka, J., Mrázek, J., Strosová, L., Fliegerová, K., Záborská, J., & Michal Dohányos. (2012). Enhanced biogas yield from energy crops with rumen anaerobic fungi. <https://doi.org/10.1002/elsc.201100076>
- Rabee, A. E., Forster, R., Sabra, E. A., Animal and Poultry Nutrition Department, Desert Research Center, Cairo, Egypt, Lethbridge Research and Development Centre, Agriculture and Agrifood Canada, Lethbridge, AB, Canada, & Animal Biotechnology Department, Genetic Engineering and Biotechnology Research Institute, University of Sadat City, Sadat City, Egypt. (2021). Lignocellulolytic activities and composition of bacterial community in the camel rumen. *AIMS Microbiology*, 7(3), 354–367. <https://doi.org/10.3934/microbiol.2021022>
- Rasi, S., Veijanen, A., & Rintala, J. (2007). Trace compounds of biogas from different biogas production plants. *Energy*, 32(8), 1375–1380. <https://doi.org/10.1016/j.energy.2006.10.018>
- Rezaeian, M., Beakes, G. W., & Parker, D. S. (2004). Distribution and estimation

- of anaerobic zoospore fungi along the digestive tracts of sheep. *Mycological Research*, 108(10), 1227–1233. <https://doi.org/10.1017/S0953756204000929>
- Rittmann, S. K.-M. R. (2015). A Critical Assessment of Microbiological Biogas to Biomethane Upgrading Systems. In G. M. Guebitz, A. Bauer, G. Bochmann, A. Gronauer, & S. Weiss (Eds.), *Biogas Science and Technology* (Vol. 151, pp. 117–135). Springer International Publishing. [https://doi.org/10.1007/978-3-319-21993-6\\_5](https://doi.org/10.1007/978-3-319-21993-6_5)
- Rohma, N. A., Suhartini, S., & Nurika, I. (2021). Chemical pre-treatments on oil palm empty fruit bunches: Impacts on characteristics and methane potential. *IOP Conference Series: Earth and Environmental Science*, 924(1), 012071. <https://doi.org/10.1088/1755-1315/924/1/012071>
- Saelor, S., Kongjan, P., & O-Thong, S. (2017). Biogas Production from Anaerobic Co-digestion of Palm Oil Mill Effluent and Empty Fruit Bunches. *Energy Procedia*, 138, 717–722. <https://doi.org/10.1016/j.egypro.2017.10.206>
- Saritpongteeraka, K., Natisupacheevin, K., Tan, C., Rehman, S., Charnnok, B., Paul Vours, L., Leu, S.-Y., & Chairapat, S. (2022). Comparative assessment between hydrothermal treatment and anaerobic digestion as fuel pretreatment for industrial conversion of oil palm empty fruit bunch to methane and electricity-A preparation study to full scale. *Fuel*, 310, 122479. <https://doi.org/10.1016/j.fuel.2021.122479>
- Schink, B. (1997). Energetics of syntrophic cooperation in methanogenic degradation. *MICROBIOL. MOL. BIOL. REV.*, 61, 19.
- Shetty, D., Joshi, A., Dagar, S. S., Kshirsagar, P., & Dhakephalkar, P. K. (2020). Bioaugmentation of anaerobic fungus *Orpinomyces joyonii* boosts sustainable biomethanation of rice straw without pretreatment. *Biomass and Bioenergy*, 138, 105546. <https://doi.org/10.1016/j.biombioe.2020.105546>
- Shi, Q., Li, Y., Li, Y., Cheng, Y., & Zhu, W. (2019). Effects of steam explosion on lignocellulosic degradation of, and methane production from, corn stover by a co-cultured anaerobic fungus and methanogen. *Bioresource Technology*, 290, 121796. <https://doi.org/10.1016/j.biortech.2019.121796>
- Shirzad, M., Kazemi Shariat Panahi, H., Dashti, B. B., Rajaeifar, M. A., Aghbashlo, M., & Tabatabaei, M. (2019). A comprehensive review on electricity generation and GHG emission reduction potentials through anaerobic digestion of agricultural and livestock/slaughterhouse wastes in Iran. *Renewable and Sustainable Energy Reviews*, 111, 571–594. <https://doi.org/10.1016/j.rser.2019.05.011>
- Siegl, S., Laaber, M., & Holubar, P. (2012). Green Electricity from Biomass, Part II: Environmental Impacts Considering Avoided Burdens from Replacing the Conventional Provision of Additional Functions. *Waste and Biomass Valorization*, 3(1), 1–21. <https://doi.org/10.1007/s12649-011-9091-5>
- Sijtsma, L., & Tan, B. (1996). Degradation of Perennial Ryegrass Leaf and Stem Cell Walls by the Anaerobic Fungus *Neocallimastix* sp. Strain CS3b. *Applied and Environmental Microbiology*, 62(4), 1437–1440. <https://doi.org/10.1128/aem.62.4.1437-1440.1996>
- Sirohi, S. K., Choudhury, P. K., Dagar, S. S., Puniya, A. K., & Singh, D. (2013).

- Isolation, characterization and fibre degradation potential of anaerobic rumen fungi from cattle. *Annals of Microbiology*, 63(3), 1187–1194. <https://doi.org/10.1007/s13213-012-0577-6>
- Solomon, K. V., Haitjema, C. H., Henske, J. K., Gilmore, S. P., Borges-Rivera, D., Lipzen, A., Brewer, H. M., Purvine, S. O., Wright, A. T., Theodorou, M. K., Grigoriev, I. V., Regev, A., Thompson, D. A., & O'Malley, M. A. (2016). Early-branching gut fungi possess a large, comprehensive array of biomass-degrading enzymes. *Science*, 351(6278), 1192–1195. <https://doi.org/10.1126/science.aad1431>
- Souza, D. M. D., Morais, P. A. D. O., Matsushige, I., & Rosa, L. A. (2016). Development of Alternative Methods for Determining Soil Organic Matter. *Revista Brasileira de Ciência Do Solo*, 40(0). <https://doi.org/10.1590/18069657rbc20150150>
- Suhartini, S., Hidayat, N., Rohma, N. A., Paul, R., Pangestuti, M. B., Utami, R. N., Nurika, I., & Melville, L. (2022). Sustainable strategies for anaerobic digestion of oil palm empty fruit bunches in Indonesia: A review. *International Journal of Sustainable Energy*, 41(11), 2044–2096. <https://doi.org/10.1080/14786451.2022.2130923>
- Suksong, W., Kongjan, P., Prasertsan, P., & O-Thong, S. (2019). Thermotolerant cellulolytic Clostridiaceae and Lachnospiraceae rich consortium enhanced biogas production from oil palm empty fruit bunches by solid-state anaerobic digestion. *Bioresourcetechnology*, 291, 121851. <https://doi.org/10.1016/j.biortech.2019.121851>
- Suksong, W., Tukangan, W., Promnuan, K., Kongjan, P., Reungsang, A., Insam, H., & O-Thong, S. (2020). Biogas production from palm oil mill effluent and empty fruit bunches by coupled liquid and solid-state anaerobic digestion. *Bioresourcetechnology*, 296, 122304. <https://doi.org/10.1016/j.biortech.2019.122304>
- Sukumaran, R. K., Christopher, M., Kooloth-Valappil, P., Sreeja-Raju, A., Mathew, R. M., Sankar, M., Puthiyamadham, A., Adarsh, V.-P., Aswathi, A., Rebinro, V., Abraham, A., & Pandey, A. (2021). Addressing challenges in production of cellulases for biomass hydrolysis: Targeted interventions into the genetics of cellulase producing fungi. *Bioresourcetechnology*, 329, 124746. <https://doi.org/10.1016/j.biortech.2021.124746>
- Sumardiono, S., Hawali Abdul Matin, H., Ivan Hartono, I., Choiruly, L., & Budiyono. (2022). Biogas production from corn stalk as agricultural waste containing high cellulose material by anaerobic process. *Materials Today: Proceedings*, 63, S477–S483. <https://doi.org/10.1016/j.matpr.2022.04.135>
- Syaichurrozi, I., & Sumardiono, S. (n.d.). Biogas production from bioethanol waste: The effect of pH and urea addition to biogas production rate. *Waste Technology*, 1.
- Tahir, A. A., Mohd Barnoh, N. F., Yusof, N., Mohd Said, N. N., Utsumi, M., Yen, A. M., Hashim, H., Mohd Noor, M. J. M., Akhir, F. N. M., Mohamad, S. E., Sugiura, N., Othman, N., Zakaria, Z., & Hara, H. (2019). Microbial Diversity in Decaying Oil Palm Empty Fruit Bunches (OPEFB) and Isolation of Lignin-degrading Bacteria from a Tropical Environment.

- Microbes and Environments*, 34(2), 161–168.  
<https://doi.org/10.1264/jsme2.ME18117>
- Tajima, K., Aminov, R. I., Nagamine, T., Matsui, H., Nakamura, M., & Benno, Y. (2001). Diet-Dependent Shifts in the Bacterial Population of the Rumen Revealed with Real-Time PCR. *Applied and Environmental Microbiology*, 67(6), 2766–2774. <https://doi.org/10.1128/AEM.67.6.2766-2774.2001>
- Tawfik, A., Eraky, M., Osman, A. I., Ai, P., Zhou, Z., Meng, F., & Rooney, D. W. (2023). Bioenergy production from chicken manure: A review. *Environmental Chemistry Letters*, 21(5), 2707–2727. <https://doi.org/10.1007/s10311-023-01618-x>
- Teunissen, M. J., Kets, E. P. W., Op Den Camp, H. J. M., Huis In't Veld, J. H. J., & Vogels, G. D. (1992). Effect of coculture of anaerobic fungi isolated from ruminants and non-ruminants with methanogenic bacteria on cellulolytic and xylanolytic enzyme activities. *Archives of Microbiology*, 157(2), 176–182. <https://doi.org/10.1007/BF00245287>
- Teunissen, M. J., & Op den Camp, H. J. M. (1993). Anaerobic fungi and their cellulolytic and xylanolytic enzymes. *Antonie van Leeuwenhoek*, 63(1), 63–76. <https://doi.org/10.1007/BF00871733>
- Valle, E. R., Henderson, G., Janssen, P. H., Cox, F., Alexander, T. W., & McAllister, T. A. (2015). Considerations in the use of fluorescence in situ hybridization (FISH) and confocal laser scanning microscopy to characterize rumen methanogens and define their spatial distributions. *Canadian Journal of Microbiology*, 61(6), 417–428. <https://doi.org/10.1139/cjm-2014-0873>
- Van Der Giezen, M. (2009). Hydrogenosomes and Mitosomes: Conservation and Evolution of Functions. *Journal of Eukaryotic Microbiology*, 56(3), 221–231. <https://doi.org/10.1111/j.1550-7408.2009.00407.x>
- Veloz Villavicencio, E., Mali, T., Mattila, H. K., & Lundell, T. (2020). Enzyme Activity Profiles Produced on Wood and Straw by Four Fungi of Different Decay Strategies. *Microorganisms*, 8(1), 73. <https://doi.org/10.3390/microorganisms8010073>
- Vinzelj, J., Joshi, A., Insam, H., & Podmirseg, S. M. (2020). Employing anaerobic fungi in biogas production: Challenges & opportunities. *Bioresource Technology*, 300, 122687. <https://doi.org/10.1016/j.biortech.2019.122687>
- Wadchasit, P., Siripattana, C., & Nuithitikul, K. (2020). The effect of pretreatment methods for improved biogas production from oil-palm empty fruit bunches (EFB): Experimental and model. *IOP Conference Series: Earth and Environmental Science*, 463(1), 012126. <https://doi.org/10.1088/1755-1315/463/1/012126>
- Wadchasit, P., Suksong, W., O-Thong, S., & Nuithitikul, K. (2021). Development of a novel reactor for simultaneous production of biogas from oil-palm empty fruit bunches (EFB) and palm oil mill effluents (POME). *Journal of Environmental Chemical Engineering*, 9(3), 105209. <https://doi.org/10.1016/j.jece.2021.105209>
- Wang, X., Xia, K., Yang, X., & Tang, C. (2019). Growth strategy of microbes on mixed carbon sources. *Nature Communications*, 10(1), 1279.

<https://doi.org/10.1038/s41467-019-09261-3>

- Weimer, P. J., Waghorn, G. C., Odt, C. L., & Mertens, D. R. (1999). Effect of Diet on Populations of Three Species of Ruminant Cellulolytic Bacteria in Lactating Dairy Cows. *Journal of Dairy Science*, 82(1), 122–134. [https://doi.org/10.3168/jds.S0022-0302\(99\)75216-1](https://doi.org/10.3168/jds.S0022-0302(99)75216-1)
- Xue, Y., Li, Q., Gu, Y., Yu, H., Zhang, Y., & Zhou, X. (2020). Improving biodegradability and biogas production of miscanthus using a combination of hydrothermal and alkaline pretreatment. *Industrial Crops and Products*, 144, 111985. <https://doi.org/10.1016/j.indcrop.2019.111985>
- Yadav, M., Paritosh, K., Pareek, N., & Vivekanand, V. (2019). Coupled treatment of lignocellulosic agricultural residues for augmented biomethanation. *Journal of Cleaner Production*, 213, 75–88. <https://doi.org/10.1016/j.jclepro.2018.12.142>
- Yıldırım, E., Ince, O., Aydın, S., & Ince, B. (2017). *Improvement of biogas potential of anaerobic digesters using rumen fungi*. <http://dx.doi.org/10.1016/j.renene.2017.03.021>
- Youssef, N., Elshahed, M. S., & McInerney, M. J. (2009). Chapter 6 Microbial Processes in Oil Fields. In *Advances in Applied Microbiology* (Vol. 66, pp. 141–251). Elsevier. [https://doi.org/10.1016/S0065-2164\(08\)00806-X](https://doi.org/10.1016/S0065-2164(08)00806-X)
- Yu, X., Wang, Y., Yan, L., Wang, Y., Lu, J., Huang, Y., Bi, S., & Wang, W. (2023). Synergistic Effects of Anaerobic Co-Digestion of Chicken Manure and Corn Stover in Batch and Continuous Modes. *Fermentation*, 9(7), 666. <https://doi.org/10.3390/fermentation9070666>
- Zoghalmi, A., & Paës, G. (2019). Lignocellulosic Biomass: Understanding Recalcitrance and Predicting Hydrolysis. *Frontiers in Chemistry*, 7, 874. <https://doi.org/10.3389/fchem.2019.00874>