



DAFTAR PUSTAKA

- Adawiyah, D.R., Wefiani, F.P., Patricia, K., 2022. Karakterisasi Serat Pangan, Kapasitas Pengikatan Air dan Kemampuan Emulsifikasi Biji Selasih dan Chia. Jurnal Mutu Pangan : Indonesian Journal of Food Quality 8, 63–69.
<https://doi.org/10.29244/jmpi.2021.8.2.63>
- Afifah, D.N., Imananti, A., Rachmawati, T., Nindita, Y., Anjani, G., Syauqy, A., Pratiwi, S.N., 2023. The characteristics of noodles produced from tuber and leaf of taro (*Colocasiaesculenta* L. Schott). Food Res. 7, 154–163.
[https://doi.org/10.26656/fr.2017.7\(2\).807](https://doi.org/10.26656/fr.2017.7(2).807)
- Ag, H.B.B., 1994. Pharmacology of α -glucosidase inhibition. Eur J Clin Investigation 24, 3–10. <https://doi.org/10.1111/j.1365-2362.1994.tb02249.x>
- Agusmansyah, S., 2021. Syzygium Polyanthum Extract as A Therapy for Dyslipidemia. OAIJMR 1, 111–115.
<https://doi.org/10.37275/oaijmr.v1i5.52>
- Ahamad, J., Mir, S.R., Ali, Mohd., Shuaib, Mohd., Naquvi, K.J., 2011. Review On Role Of Natural Alpha-Glucosidase Inhibitors For Management Of Diabetes Mellitus. Int Jour of Biomed Res 2, 374–380.
<https://doi.org/10.7439/ijbr.v2i6.121>
- Akeem O, T., Emmanuel K, O., Henry A, B., Tawakalitu R, T., 2017. Quality Evaluation of Instant Noodles Produced From Composite Breadfruit Flour. Researcher 9.



- Andrés-Bello, A., Barreto-Palacios, V., García-Segovia, P., Mir-Bel, J., Martínez-Monzó, J., 2013. Effect of pH on Color and Texture of Food Products. *Food Eng Rev* 5, 158–170. <https://doi.org/10.1007/s12393-013-9067-2>
- Anggraini, I.M.D., Mulachela, F., Zainuri, Z., Handito, D., 2024. Pengaruh Lama Pengeringan Terhadap Sifat Kimia dan Fisik Daun Salam (*Syzgium polyanthum*). *Jurnal Ilmu dan Teknologi Pangan* 10, 80–87. <https://doi.org/10.29303/profood.v10i1.392>
- AOAC, 2005. Association of Official Analytical Chemist. Official Method of Analysis of The Association of Official Analytical Chemist. The Association of Official Analytical Chemist : Arlington.
- Aprianita, A., Vasiljevic, T., Bannikova, A., Kasapis, S., 2014. Physicochemical properties of flours and starches derived from traditional Indonesian tubers and roots. *J Food Sci Technol* 51, 3669–3679. <https://doi.org/10.1007/s13197-012-0915-5>
- Aryal, S., Baniya, M.K., Danekhu, K., Kunwar, P., Gurung, R., Koirala, N., 2019. Total Phenolic Content, Flavonoid Content and Antioxidant Potential of Wild Vegetables from Western Nepal. *Plants (Basel)* 8, 96. <https://doi.org/10.3390/plants8040096>
- Assefa, S.T., Yang, E.-Y., Chae, S.-Y., Song, M., Lee, J., Cho, M.-C., Jang, S., 2019. Alpha Glucosidase Inhibitory Activities of Plants with Focus on Common Vegetables. *Plants* 9, 2. <https://doi.org/10.3390/plants9010002>
- Azhar, M., 2016. Biomolekul sel: karbohidrat, protein, dan enzim.



- Azkia, M.N., Wahjuningsih, S.B., Wibowo, C.H., 2021. The Nutritional and Functional Properties of Noodles Prepared from Sorghum, Mung Bean and Sago Flours. Food Res. 5, 65–69.
[https://doi.org/10.26656/fr.2017.5\(S2\).002](https://doi.org/10.26656/fr.2017.5(S2).002)
- Batool, S., Khera, R.A., Hanif, M.A., Ayub, M.A., 2020. Chapter 5 - Bay Leaf, in: Hanif, M.A., Nawaz, H., Khan, M.M., Byrne, H.J. (Eds.), Medicinal Plants of South Asia. Elsevier, pp. 63–74. <https://doi.org/10.1016/B978-0-08-102659-5.00005-7>
- Bendich, A., 1993. Physiological Role of Antioxidants in the Immune System. Journal of Dairy Science 76, 2789–2794. [https://doi.org/10.3168/jds.S0022-0302\(93\)77617-1](https://doi.org/10.3168/jds.S0022-0302(93)77617-1)
- Bodner, J.M., Sieg, J., 2009. Fiber, in: Tarté, R. (Ed.), Ingredients in Meat Products: Properties, Functionality and Applications. Springer, New York, NY, pp. 83–109. https://doi.org/10.1007/978-0-387-71327-4_4
- Cadenas, E., 1997. Basic mechanisms of antioxidant activity. BioFactors 6, 391–397. <https://doi.org/10.1002/biof.5520060404>
- Castañeda-Ovando, A., Pacheco-Hernández, Ma. de L., Páez-Hernández, Ma.E., Rodríguez, J.A., Galán-Vidal, C.A., 2009. Chemical studies of anthocyanins: A review. Food Chemistry 113, 859–871. <https://doi.org/10.1016/j.foodchem.2008.09.001>
- Celik, G.Y., Onbaslı, D., Altınsoy, B., Allı, H., 2014. In vitro Antimicrobial and Antioxidant Properties of *Ganoderma lucidum* Extracts Grown in Turkey.



European Journal of Medicinal Plants 709–722.

<https://doi.org/10.9734/EJMP/2014/8546>

Charles, A.L., Cato, K., Huang, T.-C., Chang, Y.-H., Ciou, J.-Y., Chang, J.-S., Lin, H.-H., 2016. Functional properties of arrowroot starch in cassava and sweet potato composite starches. *Food Hydrocolloids, Functional Hydrocolloids: A Key to Human Health* 53, 187–191.

<https://doi.org/10.1016/j.foodhyd.2015.01.024>

Chen, Q., Toy, J.Y.H., Seta, C., Yeo, T.C., Huang, D., 2021. Inhibition Effect of Extract of *Psychotria viridiflora* Stem on α -Amylase and α -Glucosidase and Its Application in Lowering the Digestibility of Noodles. *Front. Nutr.* 8. <https://doi.org/10.3389/fnut.2021.701114>

Chen, Y., Wang, E., Wei, Z., Zheng, Y., Yan, R., Ma, X., 2019. Phytochemical analysis, cellular antioxidant and α -glucosidase inhibitory activities of various herb plant organs. *Industrial Crops and Products* 141, 111771. <https://doi.org/10.1016/j.indcrop.2019.111771>

Choi, M.-H., Kim, K.-H., Choi, C.-U., Yook, H.-S., 2019. Quality Characteristics and Antioxidant Activities of Instant Rice Noodles Amended with Perilla Leaf Powder. *Journal of the Korean Society of Food Science and Nutrition* 48, 424–432. <https://doi.org/10.3746/jkfn.2019.48.4.424>

Clydesdale, F.M., 1993. Color as a factor in food choice. *Critical Reviews in Food Science and Nutrition* 33, 83–101.

<https://doi.org/10.1080/10408399309527614>



- Costa, T.M., Mayer, D.A., Siebert, D.A., Micke, G.A., Alberton, M.D., Tavares, L.B.B., De Oliveira, D., 2020. Kinetics Analysis of the Inhibitory Effects of Alpha-Glucosidase and Identification of Compounds from Ganoderma lipsiense Mycelium. *Appl Biochem Biotechnol* 191, 996–1009.
<https://doi.org/10.1007/s12010-020-03239-4>
- Cui, C., Wang, Y., Ying, J., Zhou, W., Li, D., Wang, L., 2024. Low glycemic index noodle and pasta: Cereal type, ingredient, and processing. *Food Chemistry* 431, 137188. <https://doi.org/10.1016/j.foodchem.2023.137188>
- Cummings, J.H., Stephen, A.M., 2007. Carbohydrate terminology and classification. *Eur J Clin Nutr* 61, S5–S18.
<https://doi.org/10.1038/sj.ejcn.1602936>
- Darmawan, S.R., Sarofa, U., 2024. The Effect of Different Stabilizers on the Characteristics of Gluten-Free Dried Noodle from Arrowroot and Mung bean Flour. *AJARCDE (Asian Journal of Applied Research for Community Development and Empowerment)* 8, 58–65.
<https://doi.org/10.29165/ajarcde.v8i3.453>
- Devi, R.M., Nuhriawangsa, A.M.P., Rahardjo, S.S., 2024. Analysis Of Iron (Fe) And Zinc Content (Zn) From Bay Leaves (*Syzygium Polyanthum*). *International Journal of Health and Pharmaceutical (IJHP)* 4, 547–551.
<https://doi.org/10.51601/ijhp.v3i4.307>
- Dewi, R., Sylvia, N., Zulnazri, Riza, M., 2023. The Effect of Pineapple Leaf Fiber Addition to Mechanical and Thermal Characteristics of Sago Starch Based



- Biofoam with Thermopressing Method. Indonesian Journal of Chemical Analysis 06, 31–41. <https://doi.org/10.20885/ijca.vol6.iss1.art4>
- Dewijanti, I., Mangunwardoyo, W., Dwiranti, A., Hanafi, M., Artanti, N., 2020. Short communication: Effects of the various source areas of Indonesian bay leaves (*Syzygium polyanthum*) on chemical content and antidiabetic activity. Biodiversitas Journal of Biological Diversity 21. <https://doi.org/10.13057/biodiv/d210345>
- Dias, M.C., Pinto, D.C.G.A., Silva, A.M.S., 2021. Plant Flavonoids: Chemical Characteristics and Biological Activity. Molecules 26, 5377. <https://doi.org/10.3390/molecules26175377>
- Drewnowski, A., 1997. Taste Preferences and Food Intake. Annu. Rev. Nutr. 17, 237–253. <https://doi.org/10.1146/annurev.nutr.17.1.237>
- Englyst, K.N., Englyst, H.N., Hudson, G.J., Cole, T.J., Cummings, J.H., 1999. Rapidly available glucose in foods: an in vitro measurement that reflects the glycemic response. The American Journal of Clinical Nutrition 69, 448–454. <https://doi.org/10.1093/ajcn/69.3.448>
- Fang, Y.-Z., Yang, S., Wu, G., 2002. Free radicals, antioxidants, and nutrition. Nutrition 18, 872–879. [https://doi.org/10.1016/S0899-9007\(02\)00916-4](https://doi.org/10.1016/S0899-9007(02)00916-4)
- Faridah, D.N., Fardiaz, D., Andarwulan, N., Sunarti, T.C., 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinacea*). 34.
- Fatima, S., Usmani, M.A., Srivastava, A.K., Fatima, S., Usmani, M.A., Srivastava, A.K., 2024. Nutritional Value Addition of Bread, Pasta, and Noodles by



Incorporating Leaves of *Moringa oleifera*. *Cureus* 16.

<https://doi.org/10.7759/cureus.75793>

Fatmawati, S., Shimizu, K., Kondo, R., 2011. Ganoderol B: A potent α -glucosidase inhibitor isolated from the fruiting body of *Ganoderma lucidum*. *Phytomedicine* 18, 1053–1055.

<https://doi.org/10.1016/j.phymed.2011.03.011>

Fidianingsih, I., Aryandono, T., Widyarini, S., Herwiyanti, S., Sunarti, 2020. Arrowroot (*Maranta arundinacea L.*) as a new potential functional food: A scoping review. *International Food Research Journal* 29, 1240–1255.

<https://doi.org/10.47836/ifrj.29.6.02>

Fraser, J.R., Holmes, D.C., 1958. The proximate analysis of rice carbohydrates. *J Sci Food Agric* 9, 511–515. <https://doi.org/10.1002/jsfa.2740090807>

Fu, B.X., 2008. Asian noodles: History, classification, raw materials, and processing. *Food Research International, Cereal Foods* 41, 888–902.
<https://doi.org/10.1016/j.foodres.2007.11.007>

Fu, B.X., Malcolmson, L., 2010. Sensory Evaluation of Noodles, in: Hou, G.G. (Ed.), *Asian Noodles*. Wiley, pp. 251–260.
<https://doi.org/10.1002/9780470634370.ch10>

Guthausen, A., Guthausen, G., Kamrowski, A., Todt, H., Burk, W., Schmalbein, D., 2004. Measurement of fat content of food with single-sided NMR. *J Amer Oil Chem Soc* 81, 727–731. <https://doi.org/10.1007/s11746-004-0969-5>

Haerussana, A.N.E.M., Dwiaستuti, W.P., Sukowati, C.A., 2021. Antibacterial Activity of Salam (*Syzygium polyanthum*) Leaves 70% Ethanolic Extract



on *Staphylococcus aureus* and *Staphylococcus epidermidis*. *Journal of Tropical Pharmacy and Chemistry* 5, 375–380.
<https://doi.org/10.25026/jtpc.v5i4.352>

Haley, H., McDonald, S.T., 2016. Spice and herb extracts with chemesthetic effects, in: McDonald, S.T., Bolliet, D.A., Hayes, J.E. (Eds.), *Chemesthesia*. Wiley, pp. 32–47. <https://doi.org/10.1002/9781118951620.ch3>

Halim, Y., Maryani, 2022. Functional and sensory properties of Indonesian bay leaf (*Syzygium polyanthum*)herbal tea. *Food Res.* 6, 25–33.
[https://doi.org/10.26656/fr.2017.6\(2\).174](https://doi.org/10.26656/fr.2017.6(2).174)

Halliwell, B., 1994. Free Radicals and Antioxidants: a Personal View. *Nutrition Reviews* 52, 253–265. <https://doi.org/10.1111/j.1753-4887.1994.tb01453.x>

Harismah, K., 2017. PEMANFAATAN DAUN SALAM (*Eugenia polyantha*) SEBAGAI OBAT HERBAL DAN REMPAH PENYEDAP MAKANAN. *Warta LPM* 19, 110–118. <https://doi.org/10.23917/warta.v19i2.2742>

Hartanti, L., Yonas, S.M.K., Mustamu, J.J., Wijaya, S., Setiawan, H.K., Soegianto, L., 2019. Influence of extraction methods of bay leaves (*Syzygium polyanthum*) on antioxidant and HMG-CoA Reductase inhibitory activity. *Heliyon* 5, e01485. <https://doi.org/10.1016/j.heliyon.2019.e01485>

Hedrington, M.S., Davis, S.N., 2019. Considerations when using alpha-glucosidase inhibitors in the treatment of type 2 diabetes. *Expert Opinion on Pharmacotherapy* 20, 2229–2235.
<https://doi.org/10.1080/14656566.2019.1672660>



- Hendrasty, H.K., Setyaningsih, S., Sugiarto, R., 2019. Optimasi Kondisi Pengeringan Mie Singkong dengan Response Surface Methodology Terhadap Karakteristik Produknya. agriTECH 39, 153. <https://doi.org/10.22146/agritech.43541>
- Heriyanto, Ariani, T.K., 2019. PRODUKSI TANAMAN BIOFARMAKA II. Pusat Pendidikan Pertanian.
- Hermanto, S., Muawanah, A., Wardhani, P., 2010. Analisis Tingkat Kerusakan Lemak Nabati dan Lemak Hewani Akibat Proses Pemanasan. Jurnal Kimia Valensi 1.
- Hiyoshi, T., Fujiwara, M., Yao, Z., 2019. Postprandial hyperglycemia and postprandial hypertriglyceridemia in type 2 diabetes. J Biomed Res 33, 1–16. <https://doi.org/10.7555/JBR.31.20160164>
- Hou, G.G. (Ed.), 2010. Asian Noodles: Science, Technology, and Processing, 1st ed. Wiley. <https://doi.org/10.1002/9780470634370>
- Iamkeng, S., Santibenchakul, S., Sooksawat, N., 2022. Potential of *Maranta arundinacea* residues for recycling: Analysis of total phenolic, flavonoid, and tannin contents. Biodiversitas Journal of Biological Diversity 23. <https://doi.org/10.13057/biodiv/d230303>
- IDF, 2022. IDF Diabetes Atlas Reports 2022: Type 1 Diabetes Estimates in Children and Adults [WWW Document]. Google Docs. URL [https://drive.google.com/file/d/1DVjsqeQZDIIbaaxKhDco6rJwupqxJ4xi/v iew?usp=sharing&usp=embed_facebook](https://drive.google.com/file/d/1DVjsqeQZDIIbaaxKhDco6rJwupqxJ4xi/view?usp=sharing&usp=embed_facebook) (accessed 8.31.23).



- Ijarotimi, O.S., Adesanya, I.H., Oluwajuyitan, T.D., 2021. Nutritional, antioxidant, angiotensin-converting-enzyme and carbohydrate-hydrolyzing-enzyme inhibitory activities of underutilized leafy vegetable: African wild lettuce (*Lactuca taraxacifolia* Willd). Clinical Phytoscience 7, 47. <https://doi.org/10.1186/s40816-021-00282-4>
- Indrianti, N., Sholichah, E., Afifah, N., Sarifudin, A., Ratnawati, L., Desnilasari, D., Pareek, S., CHAVALI, M., Sami, R., Aljahani, A., Helal, M., Fikry, M., 2023. Physicochemical and Microstructural Properties of Gluten-Free Noodles with Dietary Enriched Pumpkin Flour. Journal of Biobased Materials and Bioenergy 17, 125–131. <https://doi.org/10.1166/jbmb.2023.2251>
- Islam, Md.R., Haque, A.R., Kabir, Md.R., Hasan, Md.M., Khushe, K.J., Hasan, S.M.K., 2021. Fruit by-products: the potential natural sources of antioxidants and α -glucosidase inhibitors. J Food Sci Technol 58, 1715–1726. <https://doi.org/10.1007/s13197-020-04681-2>
- Istiqomah, Harlia, Jayuska, A., 2020. Kakarterisasi Minyak Atsiri Daun Salam (*Syzygium polyanthum* Wight) Asal Kalimantan Barat dengan Metode Destilasi Uap. Jurnal Kimia Khatulistiwa 8.
- Kabir, M.R., Hasan, S.M.K., Islam, M.R., Ahmed, M., 2024. Development of functional noodles by encapsulating mango peel powder as a source of bioactive compounds. Heliyon 10, e24061. <https://doi.org/10.1016/j.heliyon.2024.e24061>



- Kang, J., Lee, J., Choi, M., Jin, Y., Chang, D., Chang, Y.H., Kim, M., Jeong, Y., Lee, Y., 2017. Physicochemical and Textural Properties of Noodles Prepared from Different Potato Varieties. Preventive Nutrition and Food Science 22, 246–250. <https://doi.org/10.3746/pnf.2017.22.3.246>
- Kato, A., Nasu, N., Takebayashi, K., Adachi, I., Minami, Y., Sanae, F., Asano, N., Watson, A.A., Nash, R.J., 2008. Structure-activity relationships of flavonoids as potential inhibitors of glycogen phosphorylase. J Agric Food Chem 56, 4469–4473. <https://doi.org/10.1021/jf800569s>
- Kaushal, P., Sharma, H. k., 2014. Effect of Incorporating Taro (Colocasia esculenta), Rice (*Oryza sativa*), and Pigeon Pea (*Cajanus cajan*) Flour Blends on Noodle Properties. International Journal of Food Properties 17, 765–781. <https://doi.org/10.1080/10942912.2012.665405>
- Kayama, K., Wei, R., Zhang, Y., Wu, F., Su, Z., Dong, J., Liu, X., 2022. Effects of Tea Powder on the Cooking Properties, Antioxidative Potential and Volatile Profiles of Dried Noodles. Foods 11, 858. <https://doi.org/10.3390/foods11060858>
- Kementerian Kesehatan, 2019b. Angka Kecukupan Gizi yang Dianjurkan untuk Masyarakat Indonesia.
- Kementerian Pertanian, 2020. Potensi Pangan Lokal Indonesia.
- Kementerian Kesehatan, 2019a. Tanda dan Gejala Diabetes [WWW Document]. Direktorat P2PTM. URL <https://p2ptm.kemkes.go.id/artikel-sehat/tanda-dan-gejala-diabetes> (accessed 10.3.23).



Kementrian Kesehatan, 2018. Data Komposisi Pangan Indonesia - Beranda [WWW Document]. URL <https://www.panganku.org/id-ID/view> (accessed 10.3.23).

Khan, R.A., Khan, M.R., Sahreen, S., Ahmed, M., 2012. Assessment of flavonoids contents and in vitro antioxidant activity of *Launaea procumbens*.

Chemistry Central Journal 6, 43. <https://doi.org/10.1186/1752-153X-6-43>

Kim, C.-Y., Choi, S.-H., Kim, J.-S., 2012. Quality Characteristics of Fresh Noodles With Perilla Leaves. Culinary science and hospitality research 18, 182–196.

Kim, S.-J., 2014. Herbal Chrysanthemi Flos, Oxidative Damage and Protection against Diabetic Complications, in: Diabetes: Oxidative Stress and Dietary Antioxidants. Elsevier, pp. 201–211. <https://doi.org/10.1016/B978-0-12-405885-9.00021-8>

Kim, S.-Y., Chung, C.-H., 2017. Quality Characteristics of Noodles added with *Moringa oleifera* Leaf Powder. Journal of the East Asian Society of Dietary Life 27, 321–331. <https://doi.org/10.17495/easdl.2017.6.27.3.321>

Koes, R., Verweij, W., Quattrocchio, F., 2005. Flavonoids: a colorful model for the regulation and evolution of biochemical pathways. Trends Plant Sci 10, 236–242. <https://doi.org/10.1016/j.tplants.2005.03.002>

Koksel, H., Cetiner, B., Shamanin, V.P., Tekin-Cakmak, Z.H., Pototskaya, I.V., Kahraman, K., Sagdic, O., Morgounov, A.I., 2023. Quality, Nutritional Properties, and Glycemic Index of Colored Whole Wheat Breads. Foods 12, 3376. <https://doi.org/10.3390/foods12183376>



- Kovatchev, B.P., 2012. Diabetes Technology: Markers, Monitoring, Assessment, and Control of Blood Glucose Fluctuations in Diabetes. *Scientifica* 2012, e283821. <https://doi.org/10.6064/2012/283821>
- Krishnaiah, D., Sarbatly, R., Bono, A., 2007. Phytochemical antioxidants for health and medicine – A move towards nature. *Biotechnology and Molecular Biology Review* 1, 097–104.
- Kritharides, L., Stocker, R., 2002. The use of antioxidant supplements in coronary heart disease. *Atherosclerosis* 164, 211–219.
[https://doi.org/10.1016/S0021-9150\(02\)00011-4](https://doi.org/10.1016/S0021-9150(02)00011-4)
- Kusuma, I.W., Kuspradini, H., Arung, E.T., Aryani, F., Min, Y.-H., Kim, J.-S., Kim, Y., 2011. Biological Activity and Phytochemical Analysis of Three Indonesian Medicinal Plants, *Murraya koenigii*, *Syzygium polyanthum* and *Zingiber purpurea*. *Journal of Acupuncture and Meridian Studies* 4, 75–79.
[https://doi.org/10.1016/S2005-2901\(11\)60010-1](https://doi.org/10.1016/S2005-2901(11)60010-1)
- Laar, F.A. van de, 2008. Alpha-glucosidase inhibitors in the early treatment of type 2 diabetes. *Vascular Health and Risk Management*.
- Laar, F.A. van de, Lucassen, P.L., Akkermans, R.P., Van De Lisdonk, E.H., Rutten, G.E., Van Weel, C., 2005. Alpha-glucosidase inhibitors for type 2 diabetes mellitus. *Cochrane Database of Systematic Reviews* 2009.
<https://doi.org/10.1002/14651858.CD003639.pub2>
- Lafeuille, J.-L., Lefèvre, S., Lebuhotel, J., 2014. Quantitation of Chlorophylls and 22 of Their Colored Degradation Products in Culinary Aromatic Herbs by HPLC-DAD-MS and Correlation with Color Changes During the



Dehydration Process. J. Agric. Food Chem. 62, 1926–1935.

<https://doi.org/10.1021/jf4054947>

Lawless, H.T., Heymann, H., 2010. Sensory Evaluation of Food: Principles and Practices, Food Science Text Series. Springer New York, New York, NY.

<https://doi.org/10.1007/978-1-4419-6488-5>

Lebovitz, H.E., 1997. Alpha-Glucosidase Inhibitors. Endocrinology and Metabolism Clinics of North America 26, 539–551.

[https://doi.org/10.1016/S0889-8529\(05\)70266-8](https://doi.org/10.1016/S0889-8529(05)70266-8)

Lee, J.E., Kim, J.-H., Son, S.J., Ahn, Y., Lee, J., Park, C., Lee, L., Erickson, K.L., Jung, I.-K., 2011. Dietary pattern classifications with nutrient intake and health-risk factors in Korean men. Nutrition 27, 26–33.

<https://doi.org/10.1016/j.nut.2009.10.011>

Lee, J.Y., Lee, H.-S., Lee, Y.-Y., Kim, M.-H., Kim, H.-J., Han, N., Kang, M.S., Yeon, Y.J., 2024. Comprehensive study on the inhibition mechanism of alpha-glucosidase by flavonoids via kinetic and structural analysis. Biotechnol Bioproc E 29, 413–425. <https://doi.org/10.1007/s12257-024-00018-4>

Lee, S., Woo, K., Lim, J., Kim, H.I., Lim, S., 2005. Effect of Processing Variables on Texture of Sweet Potato Starch Noodles Prepared in a Nonfreezing Process. Cereal Chem 82, 475–478. <https://doi.org/10.1094/CC-82-0475>

Lei, M., Huang, J., Tian, X., Zhou, P., Zhu, Q., Li, Limin, Li, Li, Ma, S., Wang, X., 2021. Effects of insoluble dietary fiber from wheat bran on noodle quality.



Grain & Oil Science and Technology 4, 1–9.

<https://doi.org/10.1016/j.gaost.2020.11.002>

León, K., Mery, D., Pedreschi, F., León, J., 2006. Color Measurement in L* a* b* Units from RGB Digital Images. Food Research International, Physical Properties VI 39, 1084–1091.

<https://doi.org/10.1016/j.foodres.2006.03.006>

Li, Y.Q., Zhou, F.C., Gao, F., Bian, J.S., Shan, F., 2009. Comparative Evaluation of Quercetin, Isoquercetin and Rutin as Inhibitors of α -Glucosidase. J. Agric. Food Chem. 57, 11463–11468. <https://doi.org/10.1021/jf903083h>

Lien, E.C., Westermark, A.M., Zhang, Y., Yuan, C., Li, Z., Lau, A.N., Sapp, K.M., Wolpin, B.M., Vander Heiden, M.G., 2021. Low glycaemic diets alter lipid metabolism to influence tumour growth. Nature 599, 302–307.
<https://doi.org/10.1038/s41586-021-04049-2>

Liu, T.-T., Liu, X.-T., Chen, Q.-X., Shi, Y., 2020. Lipase Inhibitors for Obesity: A Review. Biomedicine & Pharmacotherapy 128, 110314.

<https://doi.org/10.1016/j.biopha.2020.110314>

Long, T., Liu, K., Long, J., Li, J., Cheng, L., 2022. Dietary Glycemic Index, Glycemic Load and Cancer Risk: a Meta-Analysis of Prospective Cohort Studies. Eur J Nutr 61, 2115–2127. <https://doi.org/10.1007/s00394-022-02797-z>

Luo, M., Zhou, L., Huang, Z., Li, B., Nice, E.C., Xu, J., Huang, C., 2022. Antioxidant Therapy in Cancer: Rationale and Progress. Antioxidants 11, 1128. <https://doi.org/10.3390/antiox11061128>



- Makchuay, T., Tongchitpakdee, S., Ratanasumawong, S., 2023. Effect of Mulberry Leaf Tea on Texture, Microstructure, Starch Retrogradation, and Antioxidant Capacity of Rice Noodles. *Journal of Food Processing and Preservation* 2023, 2964013. <https://doi.org/10.1155/2023/2964013>
- Makhlof, S., Jones, S., Ye, S.-H., Sancho-Madriz, M., Burns-Whitmore, B., Li, Y.O., 2019. Effect of selected dietary fibre sources and addition levels on physical and cooking quality attributes of fibre-enhanced pasta. *Food Quality and Safety* 3, 117–127. <https://doi.org/10.1093/fqsafe/fyz010>
- Malki, M.K.S., Wijesinghe, J.A.A.C., Ratnayake, R.H.M.K., Thilakarathna, G.C., 2023. Characterization of arrowroot (*Maranta arundinacea*) starch as a potential starch source for the food industry. *Heliyon* 9, e20033. <https://doi.org/10.1016/j.heliyon.2023.e20033>
- Mardiyani, S.A., 2024. Drying Kinetic Behavior of Dried Salam Leaves (*Syzygium polyanthum*) Based on Forced Convective Solar Drying and Open Sun Drying. *Ecological Engineering & Environmental Technology* Vol. 25, iss. 2. <https://doi.org/10.12912/27197050/176269>
- Markovic, I., Ilic, J., Markovic, D., Simonovic, V., Kosanic, N., 2013. Color Measurement Of Food Products Using CIE L*a*b* And RGB Color Space. *Journal of Hygienic Engineering and Design.*
- Marshall, M.R., 2010. Ash Analysis, in: Nielsen, S.S. (Ed.), *Food Analysis*. Springer US, Boston, MA, pp. 105–115. https://doi.org/10.1007/978-1-4419-1478-1_7



Marsono, Y., 2002. Indeks Glisemik Umbi-Umbian. agriTECH 22, 13–16.

<https://doi.org/10.22146/agritech.13574>

Mathlouthi, M., 2001. Water content, water activity, water structure and the stability of foodstuffs. Food Control, Water Determination in Food - a Challenge for the Analysts 12, 409–417. [https://doi.org/10.1016/S0956-7135\(01\)00032-9](https://doi.org/10.1016/S0956-7135(01)00032-9)

Matsuda, H., Morikawa, T., Toguchida, I., Yoshikawa, M., 2002. Structural requirements of flavonoids and related compounds for aldose reductase inhibitory activity. Chem Pharm Bull (Tokyo) 50, 788–795.
<https://doi.org/10.1248/cpb.50.788>

Mead, R., Gay, C., 1995. Sequential design of sensory trials. Food Quality and Preference 6, 271–280. [https://doi.org/10.1016/0950-3293\(95\)00029-1](https://doi.org/10.1016/0950-3293(95)00029-1)

Metodiewa, D., Kochman, A., Karolczak, S., 1997. Evidence for antiradical and antioxidant properties of four biologically active N,N-Diethylaminoethyl ethers of flavaone oximes: A comparison with natural polyphenolic flavonoid rutin action. IUBMB Life 41, 1067–1075.
<https://doi.org/10.1080/15216549700202141>

Miller, A., 1996. Antioxidant flavonoids: Structure, function and clinical usage. Alternative Medicine Review 1, 103–111.

Miskelly, D.M., Moss, H.J., 1985. Flour quality requirements for chinese noodle manufacture. Journal of Cereal Science 3, 379–387.
[https://doi.org/10.1016/S0733-5210\(85\)80010-2](https://doi.org/10.1016/S0733-5210(85)80010-2)



- Molyneux, P., 2004. The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology* 26.
- Moussa, Z., Judeh, Z.M.A., Ahmed, S.A., Moussa, Z., Judeh, Z.M.A., Ahmed, S.A., 2019. Nonenzymatic Exogenous and Endogenous Antioxidants, in: Free Radical Medicine and Biology. IntechOpen.
<https://doi.org/10.5772/intechopen.87778>
- Murtini, E.S., Lorenza, C.S., 2019. Characteristics of Sago Noodles as Affected by Varied Concentration of Carbonized Rice Straw-Based Liquid Colorant, in: ResearchGate. Presented at the 50th International Conference on Food, Agriculture and Natural Resources, Advances in Engineering Research, pp. 237–240. <https://doi.org/10.2991/aer.k.200325.046>
- Navale, S.A., Swami, S.B., Thakor, N.J., 2016. Effect of Flour Composition (Arrowroot, Lesser Yam and Potato) on its Nutritional and Functional Properties. *Journal of Root Crops* 42, 61–73.
- Neibaho, N.M., 2019. Uji Sensoris Minuman Kulit Buah Naga (*Hylocereus costaricensis*). buletinloupe 15, 7.
<https://doi.org/10.51967/buletinloupe.v15i01.21>
- Nguyen, H.D., Vu, M.T., Do, H.D.K., 2023. The complete chloroplast genome of *Syzygium polyanthum* (Wight) Walp. (Myrtales: Myrtaceae). *Journal of Asia-Pacific Biodiversity* 16, 267–271.
<https://doi.org/10.1016/j.japb.2023.03.002>



- Ni, J., Zhou, X., Ge, W., Chen, H., Wang, H., 2024. Investigation of synergistic effect and mechanism of green tea extract and coffee extract on α -amylase and α -glucosidase inhibition. International Journal of Food Science and Technology 59, 6590–6597. <https://doi.org/10.1111/ijfs.17412>
- Nishaa, S., Vishnupriya, M., Sasikumar, J.M., Hephzibah, P.C., Gopalkrishnan, V.K., 2012. Antioxidant Activity of Ethanolic Extract of *Maranta Arundinacea* L Tuberous Rhizomes. Asian Journal of Pharmaceutical and Clinical Research 5.
- Nochera, C.L., Ragone, D., 2019. Development of a Breadfruit Flour Pasta Product. Foods 8, 110. <https://doi.org/10.3390/foods8030110>
- Nouri, L., Nafchi, A.M., Karim, A.A., 2015. Mechanical and Sensory Evaluation of Noodles Incorporated with Betel Leaf Extract. International Journal of Food Engineering 11, 221–227. <https://doi.org/10.1515/ijfe-2014-0183>
- NY 5188-2002, n.d. The Chinese Agriculture Trade Standards for Starch Noodles.
- Oh, H.N., Seib, A.P., Deyoe, W.C., Ward, B.A., 1983. Cereal Chem 1983 | Noodles. I. Measuring the Textural Characteristics of Cooked Noodles. [WWW Document]. URL <https://www.cerealsgrains.org/publications/cc/backissues/1983/Documents/CC1983a143.html> (accessed 12.7.24).
- Orita, T., Chogahara, S., Okuda, M., Sakao, K., Miyata, T., Hou, D.-X., 2023. Extraction Efficiency and Alpha-Glucosidase Inhibitory Activities of Green Tea Catechins by Different Infusion Methods. Foods 12, 2611. <https://doi.org/10.3390/foods12132611>



- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D., Unakalamba, C.B., 2013. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus, in: Journal of Physiology and Pathophysiology. pp. 46–57. <https://doi.org/10.5897/JPAP2013.0001>
- Panche, A.N., Diwan, A.D., Chandra, S.R., 2016. Flavonoids: an overview. Journal of Nutritional Science 5, e47. <https://doi.org/10.1017/jns.2016.41>
- Papadakis, S.E., Abdul-Malek, S., Kamdem, R.E., Yam, K.L., 2000. A Versatile and Inexpensive Technique for Measuring Color of Foods [WWW Document]. URL <https://www.ift.org/news-and-publications/food-technology-magazine/issues/2000/december/features/a-versatile-and-inexpensive-technique-for-measuring-color-of-foods> (accessed 12.16.24).
- Park, C.S., Baik, B. -K., 2002. Flour Characteristics Related to Optimum Water Absorption of Noodle Dough for Making White Salted Noodles. Cereal Chem 79, 867–873. <https://doi.org/10.1094/CCHEM.2002.79.6.867>
- Pietta, P.-G., 2000. Flavonoids as Antioxidants. J. Nat. Prod. 63, 1035–1042. <https://doi.org/10.1021/np9904509>
- Pielleers, D., Chintinne, M., Denys, B., Martens, G., Keymeulen, B., Gorus, F., 2008. Restoring a functional β -cell mass in diabetes. Diabetes Obesity Metabolism 10, 54–62. <https://doi.org/10.1111/j.1463-1326.2008.00941.x>
- Pi-Sunyer, F.X., 2002. Glycemic index and disease^{1,2,3,4}. The American Journal of Clinical Nutrition, Is the Glycemic Index Important in Human Nutrition? 76, 290S-298S. <https://doi.org/10.1093/ajcn/76/1.290S>



- Poonsri, T., Jafarzadeh, S., Ariffin, F., Zainul Abidin, S., 2019. Improving Nutrition, Physicochemical and Antioxidant Properties of Rice Noodles with Fiber and Protein-rich Fractions Derived from Cassava Leaves. *JFNR* 7, 325–332. <https://doi.org/10.12691/jfnr-7-4-10>
- Prakash, D., Gupta, K.R., 2009. The Antioxidant Phytochemicals of Nutraceutical Importance. *TONUTRAJ* 2, 20–35. <https://doi.org/10.2174/1876396000902010020>
- Pratiwi, T.F., Wahdi, A., Susanti, N., Hr, H.T., Firdaus, R.A.O., 2021. Dietary Pattern Adherence in Patients with Type II Diabetes Mellitus 7.
- Prior, R.L., Cao, G., Martin, A., Sofic, E., McEwen, J., O'Brien, C., Lischner, N., Ehlenfeldt, M., Kalt, W., Krewer, G., Mainland, C.M., 1998. Antioxidant Capacity As Influenced by Total Phenolic and Anthocyanin Content, Maturity, and Variety of *Vaccinium* Species. *J. Agric. Food Chem.* 46, 2686–2693. <https://doi.org/10.1021/jf980145d>
- Pudjihastuti, I., Sumardiono, S., Supriyo, E., Kusumayanti, H., 2019. Analog Rice Made From Cassava Flour, Corn and Taro for Food Diversification. *E3S Web Conf.* 125, 03010. <https://doi.org/10.1051/e3sconf/201912503010>
- Qi, X., Hong, T., Nie, A., Xu, D., Jin, Y., Xu, X., Wu, F., 2023. Impacts of surfactin on the qualities and gluten network structure of fresh noodles during storage. *Food Hydrocolloids* 138, 108417. <https://doi.org/10.1016/j.foodhyd.2022.108417>
- Qumbisa, N.D., Ngobese, N.Z., Kolanisi, U., Siwela, M., Cynthia, G.F., 2022. Effect of Amaranthus leaf powder addition on the nutritional composition,



physical quality and consumer acceptability of instant noodles. South African Journal of Botany, Special issue on underutilised fruits and vegetables in the face of climate change 145, 258–264.
<https://doi.org/10.1016/j.sajb.2021.01.022>

Rahayu, I., Heng, P., Timotius, K., Timotius, K., 2019. In vitro Antioxidant Properties and α -Glucosidase Inhibition of Combined Leaf Infusions from *Psidium guajava* L., *Syzygium polyanthum* L., and *Annona muricata* L. Pharmacognosy Journal 11, 1269–1277.
<https://doi.org/10.5530/pj.2019.11.197>

Rauf, R., Sarbini, D., 2015. Daya Serap Air Sebagai Acuan untuk Menentukan Volume Air dalam Pembuatan Adonan Roti dari Campuran Tepung Terigu dan Tepung Singkong. agriTECH 35, 324–330.
<https://doi.org/10.22146/agritech.9344>

Raungrusmee, S., Shrestha, S., Sadiq, M.B., Anal, A.K., 2020. Influence of resistant starch, xanthan gum, inulin and defatted rice bran on the physicochemical, functional and sensory properties of low glycemic gluten-free noodles. LWT 126, 109279. <https://doi.org/10.1016/j.lwt.2020.109279>

Rhamadan, R., Restiana, N., Badrudin, U., 2022. PENERAPAN REBUSAN DAUN SALAM UNTUK MENURUNKAN TEKANAN DARAH PADA PENDERITA HIPERTENSI DI DESA PASIRLAJA. HealthCare Nursing Journal 4, 157–162.



- Rice-Evans, C.A., Miller, N.J., Paganga, G., 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* 20, 933–956. [https://doi.org/10.1016/0891-5849\(95\)02227-9](https://doi.org/10.1016/0891-5849(95)02227-9)
- Rodríguez De Luna, S.L., Ramírez-Garza, R.E., Serna Saldívar, S.O., 2020. Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties. *The Scientific World Journal* 2020, e6792069. <https://doi.org/10.1155/2020/6792069>
- Ross, A.S., Crosbie, G.B., 2010. Effects of Flour Characteristics on Noodle Texture, in: *Asian Noodles*. John Wiley & Sons, Ltd, pp. 313–329. <https://doi.org/10.1002/9780470634370.ch13>
- Salama, M., Mu, T., Sun, H., 2021. Influence of sweet potato flour on the microstructure and nutritional quality of gluten-free fresh noodles. *International Journal of Food Science & Technology* 56, 3938–3947. <https://doi.org/10.1111/ijfs.15010>
- Saloko, S., Paramartha, D.N.A., Sukmawati, M., 2024. Fortification of moringa leaves (*Moringa oleifera*) and seaweed (*Eucheuma cottonii*) on the quality of Mocafsgum dried noodles. *BIO Web Conf.* 99, 02020. <https://doi.org/10.1051/bioconf/20249902020>
- Sancheti, Shruti, Sancheti, Sandesh, Seo, S.-Y., 2009. Chaenomeles Sinensis: A Potent α-and β-Glucosidase Inhibitor. *American J. of Pharmacology and Toxicology* 4, 8–11. <https://doi.org/10.3844/ajptsp.2009.8.11>



- Sandoval Gordillo, C.A., Ayala Valencia, G., Vargas Zapata, R.A., Agudelo Henao, A.C., 2014. Physicochemical characterization of arrowroot starch (*maranta arundinacea linn*) and glycerol/arrowroot starch membranes. International Journal of Food Engineering 10, 727–735. <https://doi.org/10.1515/ijfe-2014-0122>
- Sasaki, T., Kohyama, K., Yasui, T., Satake, T., 2004. Rheological Properties of White Salted Noodles with Different Amylose Content at Small and Large Deformation. Cereal Chem 81, 226–231. <https://doi.org/10.1094/CCHEM.2004.81.2.226>
- Schlossareck, C., Ross, C.F., 2020. Consumer sensory evaluation of aftertaste intensity and liking of spicy paneer cheese. Int J of Food Sci Tech 55, 2710–2718. <https://doi.org/10.1111/ijfs.14524>
- Scott, J.A., King, G.L., 2004. Oxidative Stress and Antioxidant Treatment in Diabetes. Annals of the New York Academy of Sciences 1031, 204–213. <https://doi.org/10.1196/annals.1331.020>
- Segnini, S., Dejmek, P., Öste, R., 1999. A Low Cost Video Technique for Colour Measurement of Potato Chips. LWT - Food Science and Technology 32, 216–222. <https://doi.org/10.1006/fstl.1999.0536>
- Setyowati, L., Handayani, A.M., Kusumasari, F.C., Satya, M.C.N., 2023. The Karakteristik Fisik Mie Basah Bebas Gluten dengan Penambahan Bubuk Daun Kersen: Physical Characteristics of Gluten-Free Wet Noodles with the Addition of Kersen Leaves Powder. Jurnal Ilmiah Inovasi 23, 259–264. <https://doi.org/10.25047/jii.v23i3.4226>



Shahidi, F., Zhong, Y., 2015. Measurement of antioxidant activity. *Journal of Functional Foods, Natural Antioxidants* 18, 757–781.

<https://doi.org/10.1016/j.jff.2015.01.047>

Shaker, L.M., Al-Amiery, A.A., Abed, T.K., Al-Azzawi, W.K., Kadhum, A.A.H., Sulaiman, G.M., Mohammed, H.A., Khan, M., Khan, R.A., 2024. An overview of the density functional theory on antioxidant bioactivity predictive feasibilities: Insights from natural antioxidant products. *Journal of Molecular Structure* 1301, 137393.

<https://doi.org/10.1016/j.molstruc.2023.137393>

Shamsudin, N.F., Ahmed, Q.U., Mahmood, S., Shah, S.A.A., Sarian, M.N., Khattak, M.M.A.K., Khatib, A., Sabere, A.S.M., Yusoff, Y.M., Latip, J., 2022. Flavonoids as Antidiabetic and Anti-Inflammatory Agents: A Review on Structural Activity Relationship-Based Studies and Meta-Analysis. *International Journal of Molecular Sciences* 23, 12605.

<https://doi.org/10.3390/ijms232012605>

Sharma, H.K., Kaushal, P., 2016. Introduction to Tropical Roots and Tubers, in: Tropical Roots and Tubers. John Wiley & Sons, Ltd, pp. 1–33. <https://doi.org/10.1002/9781118992739.ch1>

Shihabudeen, M.S.H., Hansi Priscilla, D., Thirumurugan, K., 2011. Cinnamon extract inhibits α -glucosidase activity and dampens postprandial glucose excursion in diabetic rats. *Nutr Metab (Lond)* 8, 46. <https://doi.org/10.1186/1743-7075-8-46>



- Sies, H., 2015. Oxidative stress: a concept in redox biology and medicine. *Redox Biology* 4, 180–183. <https://doi.org/10.1016/j.redox.2015.01.002>
- Sigal, R.J., Armstrong, M.J., Bacon, S.L., Boulé, N.G., Dasgupta, K., Kenny, G.P., Riddell, M.C., 2018. Physical Activity and Diabetes : Diabetes Canada Clinical Practice Guidelines Expert Committee. *Canadian Journal of Diabetes* 42, S54–S63. <https://doi.org/10.1016/j.jcjd.2017.10.008>
- SNI-2987:2015, n.d. Mi Basah [WWW Document]. URL <https://akses-sni.bsn.go.id/dokumen/2015/SNI%202987-2015/#p=24> (accessed 10.3.23).
- SNI-8217:2015, n.d. MI Kering [WWW Document]. URL <https://akses-sni.bsn.go.id/viewsni/baca/6364> (accessed 10.3.23).
- Soelistijo, A.S., Suastika, K., Lindarto, D., Decroli, E., Permana, H., Sucipto, W.K., Kusnadi, Y., Budiman, Ikhsan, R., Sasiarini, L., Sanusi, H., Nugroho, H., Susanto, H., 2021. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PB PERKENI.
- Şöhretoğlu, D., Sari, S., 2020. Flavonoids as alpha-glucosidase inhibitors: mechanistic approaches merged with enzyme kinetics and molecular modelling. *Phytochem Rev* 19, 1081–1092. <https://doi.org/10.1007/s11101-019-09610-6>
- Song, J., Pan, T., Wu, J., Ren, F., 2016. The improvement effect and mechanism of citrus fiber on the water-binding ability of low-fat frankfurters. *J Food Sci Technol* 53, 4197–4204. <https://doi.org/10.1007/s13197-016-2407-5>
- Srikaeo, K., Mingyai, S., Sopade, P.A., 2011. Physicochemical properties, resistant starch content and enzymatic digestibility of unripe banana, edible canna,



taro flours and their rice noodle products. International Journal of Food Science & Technology 46, 2111–2117. <https://doi.org/10.1111/j.1365-2621.2011.02724.x>

Steele, K., Dickin, E., Keerio, M.D., Samad, S., Kambona, C., Brook, R., Thomas, W., Frost, G., 2013. Breeding low-glycemic index barley for functional food. Field Crops Research 154, 31–39. <https://doi.org/10.1016/j.fcr.2013.07.018>

Suárez, S.E., Quiroga, A., Sabbione, A.C., Rodríguez, M., Nardo, A.E., Jardin, J., Scilingo, A., Tironi, V., Speroni, F., Añón, M.C., 2020. Multitarget Peptides Released by In Vitro Static Gastrointestinal Digestion of an Amaranth Protein Beverage. Plant Foods Hum Nutr 80, 27. <https://doi.org/10.1007/s11130-024-01243-1>

Syabana, M.A., Yuliana, N.D., Batubara, I., Fardiaz, D., 2022. α -glucosidase Inhibitors from *Syzygium polyanthum* (Wight) Walp Leaves as Revealed by Metabolomics and in Silico Approaches. Journal of Ethnopharmacology 282, 114618. <https://doi.org/10.1016/j.jep.2021.114618>

Syabana, M.A., Yuliana, N.D., Batubara, I., Fardiaz, D., 2020. Antidiabetic activity screening and nmr profile of vegetable and spices commonly consumed in Indonesia. Food Sci. Technol 41, 254–264. <https://doi.org/10.1590/fst.14120>

Tan, H.-Z., Li, Z.-G., Tan, B., 2009. Starch noodles: History, classification, materials, processing, structure, nutrition, quality evaluating and improving.



Food Research International 42, 551–576.

<https://doi.org/10.1016/j.foodres.2009.02.015>

Taneya, M.L.J., Biswas, M.M.H., Ud-Din, M.S., 2014. The studies on the preparation of instant noodles from wheat flour supplementing with sweet potato flour. *Journal of the Bangladesh Agricultural University* 12, 135–142. <https://doi.org/10.3329/jbau.v12i1.21403>

Tarique, J., Sapuan, S.M., Khalina, A., Sherwani, S.F.K., Yusuf, J., Ilyas, R.A., 2021. Recent developments in sustainable arrowroot (*Maranta arundinacea* Linn) starch biopolymers, fibres, biopolymer composites and their potential industrial applications: A review. *Journal of Materials Research and Technology* 13, 1191–1219. <https://doi.org/10.1016/j.jmrt.2021.05.047>

Tashim, N.A.-Z., Lim, S.A., Basri, A.M., 2022. Synergistic antioxidant activity of selected medicinal plants in Brunei Darussalam and its application in developing fortified pasta. *Journal of the Science of Food and Agriculture* 102, 7331–7342. <https://doi.org/10.1002/jsfa.12099>

Thumrongchote, D., Suzuki, T., Laohasongkram, K., Chaiwanichsiri, S., 2012. Properties of non-glutinous Thai rice flour: Effect of rice variety. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 3, 150–164.

Ulya, F., 2015. Pengaruh konsentrasi tepung daun kelor (*Moringa oleifera* Lamk.) terhadap kualitas pemasakan (Cooking Quality) dan sifat kimia mi kelor instan / Faidati Ulya (diploma). Universitas Negeri Malang.



- USDA, 2019a. Spices, bay leaf - USDA FoodData Central Food Details [WWW Document]. URL <https://fdc.nal.usda.gov/food-details/170917/nutrients> (accessed 1.18.25).
- USDA, 2019b. Egg, whole, cooked, hard-boiled - USDA FoodData Central Food Details [WWW Document]. URL <https://fdc.nal.usda.gov/food-details/173424/nutrients> (accessed 1.4.25).
- USDA, 2019c. Wheat flour, white, all-purpose, unenriched - USDA FoodData Central Food Details [WWW Document]. URL <https://fdc.nal.usda.gov/food-details/169761/nutrients> (accessed 1.8.25).
- Utomo, G.Y., Widjanarko, S.B., 2024. Optimizing the Formula of Wet Noodle from Wheat, Taro, and Porang Flour Using the Mixture Design Method: Optimizing the Formula of Wet Noodle. Journal of Underutilized Crops 1, 23–36.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., Mazur, M., Telser, J., 2007. Free radicals and antioxidants in normal physiological functions and human disease. The International Journal of Biochemistry & Cell Biology 39, 44–84. <https://doi.org/10.1016/j.biocel.2006.07.001>
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., Gritsanapan, W., 2013. Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method. Industrial Crops and Products 44, 566–571. <https://doi.org/10.1016/j.indcrop.2012.09.021>



Widiastuti, T.C., Rahayu, T.P., Lestari, A., Kinanti, A.P., 2023. Uji Aktivitas Antidiabetes Kombinasi Ekstrak Terstandar Daun Salam (*Syzygium polyanthum* Walp.) dan Daun Ganitri (*Elaeocarpus ganitri Roxb.*) Pada Tikus Putih (*Rattus norvegicus*) Jantan Galur Wistar yang Diinduksi Streptozotosin. *JPSCR: Journal of Pharmaceutical Science and Clinical Research* 8, 92–105.

Widjajakusuma, E.C., Jonosewojo, A., Hendriati, L., Wijaya, S., Ferawati, Surjadhana, A., Sastrowardoyo, W., Monita, N., Muna, N.M., Fajarwati, R.P., Ervina, M., Esar, S.Y., Soegianto, L., Lang, T., Heriyanti, C., 2019. Phytochemical screening and preliminary clinical trials of the aqueous extract mixture of *Andrographis paniculata* (Burm. f.) Wall. ex Nees and *Syzygium polyanthum* (Wight.) Walp leaves in metformin treated patients with type 2 diabetes. *Phytomedicine* 55, 137–147.
<https://doi.org/10.1016/j.phymed.2018.07.002>

Widyawati, T., Pase, A., Daulay, M., Sumantri, I.B., 2021. *Syzygium polyanthum* (Wight.) Walp Ethanol Extract Decreased Malondialdehyde Level in Type 2 Diabetic Patients. *PJ* 13, 1557–1561.
<https://doi.org/10.5530/pj.2021.13.198>

Widyawati, T., Purnawan, W.W., Atangwho, I.J., Yusoff, N.A., Asmawi, M.Z., 2015a. Anti-Diabetic Activity of *Syzygium Polyanthum* (Wight) Leaf Extract, The Most Commonly used Herb among Diabetic Patients in Medan, North Sumatera, Indonesia. *International Journal of Pharmaceutical Sciences and Research* 6, 1698–1704.



Widyawati, T., Yusoff, A.N., Asmawi, Z.M., Ahmad, M., 2015b.

Antihyperglycemic Effect of Methanol Extract of *Syzygium polyanthum* (Wight.) Leaf in Streptozotocin-Induced Diabetic Rats [WWW Document].

URL <https://www.mdpi.com/2072-6643/7/9/5365> (accessed 9.25.23).

WINA, 2022. World Instant Noodles Association. [WWW Document]. URL <https://instantnoodles.org/en/noodles/demand/table/> (accessed 8.26.23).

Wu, G., Bazer, F.W., Dai, Z., Li, D., Wang, J., Wu, Z., 2014. Amino Acid Nutrition in Animals: Protein Synthesis and Beyond. *Annu. Rev. Anim. Biosci.* 2, 387–417. <https://doi.org/10.1146/annurev-animal-022513-114113>

Wu, X., Hu, M., Hu, X., Ding, H., Gong, D., Zhang, G., 2019. Inhibitory mechanism of epicatechin gallate on α -amylase and α -glucosidase and its combinational effect with acarbose or epigallocatechin gallate. *Journal of Molecular Liquids* 290, 111202. <https://doi.org/10.1016/j.molliq.2019.111202>

Wulandari, L., Retnaningtyas, Y., Nuri, U., Lukman, H., 2016. Analysis of Flavonoid in Medicinal Plant Extract Using Infrared Spectroscopy and Chemometrics. *Journal of Analytical Methods in Chemistry* 2016, e4696803. <https://doi.org/10.1155/2016/4696803>

Xiao, J.B., Hogger, P., 2015. Dietary Polyphenols and Type 2 Diabetes: Current Insights and Future Perspectives. *Curr Med Chem* 22, 23–38. <https://doi.org/10.2174/0929867321666140706130807>



- Xu, P., Chen, L., Wang, Y., 2019. Effect of storage time on antioxidant activity and inhibition on α -Amylase and α -Glucosidase of white tea. *Food Science & Nutrition* 7, 636–644. <https://doi.org/10.1002/fsn3.899>
- Yam, K.L., Papadakis, S.E., 2004. A simple digital imaging method for measuring and analyzing color of food surfaces. *Journal of Food Engineering*, Applications of computer vision in the food industry 61, 137–142. [https://doi.org/10.1016/S0260-8774\(03\)00195-X](https://doi.org/10.1016/S0260-8774(03)00195-X)
- Yazdankhah, S., Hojjati, M., Azizi, M.H., 2019. The Antidiabetic Potential of Black Mulberry Extract-Enriched Pasta through Inhibition of Enzymes and Glycemic Index. *Plant Foods Hum Nutr* 74, 149–155. <https://doi.org/10.1007/s11130-018-0711-0>
- Yetgin, Ş., Çavdar, Ö., Çavdar, A., 2008. The effects of the fiber contents on the mechanic properties of the adobes. *Construction and Building Materials* 22, 222–227. <https://doi.org/10.1016/j.conbuildmat.2006.08.022>
- Yu, K., Zhou, H.-M., Zhu, K.-X., Guo, X.-N., Peng, W., 2020. Water Cooking Stability of Dried Noodles Enriched with Different Particle Size and Concentration Green Tea Powders. *Foods* 9, 298. <https://doi.org/10.3390/foods9030298>
- Yuan, E., Liu, B., Wei, Q., Yang, J., Chen, L., Li, Q., 2014. Structure activity relationships of flavonoids as potent alpha-amylase inhibitors. *Nat Prod Commun* 9, 1173–1176.
- Zaenab, S., Hasyim, Z., 2022. Antidiabetic Activity of Catechin from Cinnamon (*Cinnamomum Burmanii*) by Inhibiting Alfa Glucosidase Enzyme |



International Journal of Applied Biology. International Journal of Applied Biology 6.

Zhafira, A.S., Farida, E., 2023. Pengaruh Tepung Umbi Garut (Maranta arydinacea) terhadap Kandungan Gizi dan Sifat Organoleptik Mi Kering. Indonesian Journal of Public Health and Nutrition 3, 296–305.
<https://doi.org/10.15294/ijphn.v3i3.60990>

Zhao, X., Andersson, M., Andersson, R., 2018. Resistant starch and other dietary fiber components in tubers from a high-amylose potato. Food Chemistry 251, 58–63. <https://doi.org/10.1016/j.foodchem.2018.01.028>

Zhu, J., Chen, C., Zhang, B., Huang, Q., 2020. The inhibitory effects of flavonoids on α -amylase and α -glucosidase. Critical Reviews in Food Science and Nutrition 60, 695–708. <https://doi.org/10.1080/10408398.2018.1548428>

Zula, A.T., Ayele, D.A., Egigayhu, W.A., 2021. Proximate Composition, Antinutritional Content, Microbial Load, and Sensory Acceptability of Noodles Formulated from Moringa (*Moringa oleifera*) Leaf Powder and Wheat Flour Blend. International Journal of Food Science 2021, 6689247.
<https://doi.org/10.1155/2021/6689247>