

REFERENCES

- Aaron, J.-J. . and Trajkovska, S. (2005). PURINES, PYRIMIDINES, AND NUCLEOTIDES. *Encyclopedia of Analytical Science*, pp.393–402. doi:<https://doi.org/10.1016/b0-12-369397-7/00500-8>.
- Abdelwahed, W., Degobert, G., Stainmesse, S. And Fessi, H. (2006). Freeze-drying of nanoparticles: Formulation, process and storage considerations☆. *Advanced Drug Delivery Reviews*, 58(15), pp.1688–1713.
- Ahirrao S, Gide P, Shrivastav B, Sharma P. (2013). Iontropic Gelation: A Promising Cross Linking Technique for Hydrogels. *Journal of Pharmaceutics and Nanotechnology* 2(1):1-6.
- Akshay Kumar Lunawat, Thakur, S., Balak Das Kurmi, Ghanshyam Das Gupta, Patel, P. and Sarjana Raikwar (2024). REVOLUTIONIZING CANCER TREATMENT: THE ROLE OF CHITOSAN NANOPARTICLES IN THERAPEUTIC ADVANCEMENTS. *Journal of drug delivery science and technology*, pp.105661–105661.
- Alberts, B. (2002). *Molecular Biology of the Cell*. 4th ed. New York, Ny U.A.: Garland Science Taylor & Francis.
- Allison, L.A. (2011). *Fundamental molecular biology*. Hoboken, Nj: Wiley.
- Aranaz, I., Mengibar, M., Harris, R., Panos, I., Miralles, B., Acosta, N., Galed, G. and Heras, A. (2009). Functional Characterization of Chitin and Chitosan. *Current Chemical Biology*, 3(2), pp.203–230.
- Bao, H., Pan, Y., Ping, Y., Sahoo, N.G., Wu, T., Li, L., Li, J. and Gan, L.H. (2011). Chitosan-functionalized graphene oxide as a nanocarrier for drug and gene delivery. *Small (Weinheim an Der Bergstrasse, Germany)*, [online] 7(11), pp.1569–1578. doi:<https://doi.org/10.1002/sml.201100191>.
- Bektas, S., Karakaya, K., Can, M., Bahadir, B., Guven, B., Erdogan, N. and Ozdamar, S.O. (2016). The effects of tadalafil and pentoxifylline on apoptosis and nitric oxide synthase in liver ischemia/reperfusion injury. *The Kaohsiung Journal of Medical Sciences*, 32(7), pp.339–347. doi:<https://doi.org/10.1016/j.kjms.2016.05.005>.
- Bhatt, A.P., Neppalli, V.T., Kelley, E.A., Schlueter, A.J. and Thomas, C.P. (2011). Dextran Removal by Plasmapheresis in a Kidney-Pancreas Transplant Recipient With Dextran 40–Induced Osmotic Nephrosis. *American Journal of Kidney Diseases*, 57(4), pp.621–623. doi:<https://doi.org/10.1053/j.ajkd.2010.10.057>.

- Bhatia, S., Shah, Y.A., Al-Harrasi, A., Jawad, M., Khan, T.S., Koca, E. and Aydemir, L.Y. (2024). Tuning the structure and physiochemical properties of sodium alginate and chitosan composite films through sodium tripolyphosphate (STPP) crosslinking. *International Journal of Biological Macromolecules*, 264, p.130463. doi:<https://doi.org/10.1016/j.ijbiomac.2024.130463>.
- Biesenbach, G., Kaiser, W. and Zazgornik, J. (1997). Incidence of Acute Oligoanuric Renal Failure in Dextran 40 Treated Patients with Acute Ischemic Stroke Stage III or IV. *Renal Failure*, 19(1), pp.69–75. doi:<https://doi.org/10.3109/08860229709026261>.
- Bonventre, J.V. and Yang, L. (2011). Cellular pathophysiology of ischemic acute kidney injury. *Journal of Clinical Investigation*, 121(11), pp.4210–4221. doi:<https://doi.org/10.1172/jci451>
- Borkan, S.C. (2016). The Role of BCL-2 Family Members in Acute Kidney Injury. *Seminars in Nephrology*, 36(3), pp.237–250. doi:<https://doi.org/10.1016/j.semnephrol.2016.04.001>.
- Calne, R.Y., Rolles, K., Thiru, S., McMaster, P., Craddock, G.N., Aziz, S., White, D.J.G., Evans, D.B., Dunn, D.C., Henderson, R.G. and Lewis, P. (1979). CYCLOSPORIN A INITIALLY AS THE ONLY IMMUNOSUPPRESSANT IN 34 RECIPIENTS OF CADAVERIC ORGANS: 32 KIDNEYS, 2 PANCREASES, AND 2 LIVERS. *The Lancet*, 314(8151), pp.1033–1036. doi:[https://doi.org/10.1016/s0140-6736\(79\)92440-1](https://doi.org/10.1016/s0140-6736(79)92440-1).
- Camacho-Sanchez, M., Burraco, P., Gomez-Mestre, I. and Leonard, J.A. (2013). Preservation of RNA and DNA from mammal samples under field conditions. *Molecular Ecology Resources*, 13(4), pp.663–673. doi:<https://doi.org/10.1111/1755-0998.12108>.
- Chigozie Uko and Frady, R.B. (2024). Finerenone: Who Prescribe It for Chronic Kidney Disease? Nurse Practitioner Perspectives. *The Journal of nurse practitioners The journal for nurse practitioners*, 20(7), pp.105062–105062. doi:<https://doi.org/10.1016/j.nurpra.2024.105062>.
- Chonghaile, T.N., Sarosiek, K.A., Vo, T.-T. , Ryan, J.A., Tammareddi, A., Moore, V.D.G., Deng, J., Anderson, K.C., Richardson, P., Tai, Y.-T. , Mitsiades, C.S., Matulonis, U.A., Drapkin, R., Stone, R., DeAngelo, D.J., McConkey, D.J., Sallan, S.E., Silverman, L., Hirsch, M.S. and Carrasco, D.R. (2011). Pretreatment Mitochondrial Priming Correlates with Clinical Response to Cytotoxic Chemotherapy. *Science*, 334(6059), pp.1129–1133. doi:<https://doi.org/10.1126/science.1206727>.
- Chovatia, M., Williams, T., Sharma, A., Guitierrez, A., Yan, J., Lail, K., Wei, C.-L. and Yoshinaga, Y. (2018). *User SOP -Total RNA Sample QC STANDARD OPERATING PROCEDURE Total RNA Sample QC*. [online] Available at:

https://jgi.doe.gov/wp-content/uploads/2018/10/User-SOP-Total-RNA-Sample-QC_v2.pdf

- Clark, D.P., Pazdernik, N.J. and McGehee, M.R. (2019). *Molecular biology*. 3rd ed. Amsterdam: Academic Cell.
- Corvin, A. and Gill, M. (2012). Psychiatric genetics. *Core Psychiatry*, pp.35–53. doi:<https://doi.org/10.1016/b978-0-7020-3397-1.00003-3>.
- Daemi, H. and Barikani, M. (2012). Synthesis and characterization of calcium alginate nanoparticles, sodium homopolymannuronate salt and its calcium nanoparticles. *Scientia Iranica*, 19(6), pp.2023–2028. doi:<https://doi.org/10.1016/j.scient.2012.10.005>.
- Dar, S.A. and Abd, M. (2022). Biodegradation, Biosynthesis, Isolation, and Applications of Chitin and Chitosan. *Springer eBooks*, pp.1–42. doi:https://doi.org/10.1007/978-3-030-83783-9_72-1.
- De, S. (2003). Polymer relationships during preparation of chitosan–alginate and poly-l-lysine–alginate nanospheres. *Journal of Controlled Release*, [online] 89(1), pp.101–112. doi:[https://doi.org/10.1016/s0168-3659\(03\)00098-1](https://doi.org/10.1016/s0168-3659(03)00098-1).
- Desai, N., Rana, D., Salave, S., Gupta, R., Patel, P., Karunakaran, B., Sharma, A., Giri, J., Benival, D. and Kommineni, N. (2023). Chitosan: A Potential Biopolymer in Drug Delivery and Biomedical Applications. *Pharmaceutics*, [online] 15(4), p.1313. doi:<https://doi.org/10.3390/pharmaceutics15041313>.
- Ding, X., Zhao, L., Imran Mahmood Khan, Yue, L., Zhang, Y. and Wang, Z. (2022). Emerging chitosan grafted essential oil components: A review on synthesis, characterization, and potential application. *Carbohydrate polymers*, 297, pp.120011–120011. doi:<https://doi.org/10.1016/j.carbpol.2022.120011>.
- Dulbecco, R. (1954). PLAQUE FORMATION AND ISOLATION OF PURE LINES WITH POLIOMYELITIS VIRUSES. *Journal of Experimental Medicine*, 99(2), pp.167–182. doi:<https://doi.org/10.1084/jem.99.2.167>.
- Elliott, G.D., Wang, S. and Fuller, B.J. (2017). Cryoprotectants: A review of the actions and applications of cryoprotective solutes that modulate cell recovery from ultra-low temperatures. *Cryobiology*, 76, pp.74–91. doi:<https://doi.org/10.1016/j.cryobiol.2017.04.004>.
- El-Reshaid, W. and Abdul-Fattah, H. (2014). Sonographic Assessment of Renal Size in Healthy Adults. *Medical Principles and Practice*, [online] 23(5), pp.432–436. doi:<https://doi.org/10.1159/000364876>.

- Esteva-Socias, M., Gómez-Romano, F., Carrillo-Ávila, J.A. et al. Impact of different stabilization methods on RT-qPCR results using human lung tissue samples. *Sci Rep* 10, 3579 (2020). <https://doi.org/10.1038/s41598-020-60618-x>
- Even, S. (2005). Ribonucleases J1 and J2: two novel endoribonucleases in *B.subtilis* with functional homology to *E.coli* RNase E. *Nucleic Acids Research*, 33(7), pp.2141–2152. doi:<https://doi.org/10.1093/nar/gki505>.
- Fabre, A.-L., Colotte, M., Luis, A., Tuffet, S. and Bonnet, J. (2014). An efficient method for long-term room temperature storage of RNA. *European Journal of Human Genetics*, 22(3), pp.379–385. doi:<https://doi.org/10.1038/ejhg.2013.145>.
- FAVORGEN BIOTECH CORP. (2024). FavorPrep™ RNA Stabilization Solution. [online] Available at: <https://www.favorgen.com/en/product.php?act=view&cid=84&id=58> [Accessed 26 Dec. 2024].
- Fang, E.F. and Ng, T.B. (2011). Ribonucleases of different origins with a wide spectrum of medicinal applications. *Biochimica Et Biophysica Acta*, [online] 1815(1), pp.65–74. doi:<https://doi.org/10.1016/j.bbcan.2010.09.001>.
- Foroutan, B. (2023). A Narrative Review of the TP53 and Its Product the p53 Protein. *OBM Genetics*, 7(3), pp.1–71. doi:<https://doi.org/10.21926/obm.genet.2302185>.
- Friso, S., Udali, S., De Santis, D. and Choi, S.-W. (2017). One-carbon metabolism and epigenetics. *Molecular Aspects of Medicine*, 54, pp.28–36. doi:<https://doi.org/10.1016/j.mam.2016.11.007>.
- Ghimici, L. and Nichifor, M. (2018). Dextran derivatives application as flocculants. *Carbohydrate Polymers*, 190, pp.162–174. doi:<https://doi.org/10.1016/j.carbpol.2018.02.075>.
- Golriz, M., Hamidreza Fonouni, Gani Kuttymuratov, Majid Esmaeilzadeh, Morva Tahmasbi Rad, Parvin Jarahian, Longerich, T., Alireza Faridar, Abbasi, S., Mehrabi, A. and Gebhard, M.M. (2017). Influence of a modified preservation solution in kidney transplantation: A comparative experimental study in a porcine model. *Asian journal of surgery*, 40(2), pp.106–115. doi:<https://doi.org/10.1016/j.asjsur.2015.07.001>.
- Hardwick, J.M. and Soane, L. (2013). Multiple Functions of BCL-2 Family Proteins. *Cold Spring Harbor Perspectives in Biology*, 5(2), pp.a008722–a008722. doi:<https://doi.org/10.1101/cshperspect.a008722>.

- Jacob de Boer, Johan De Meester, Smits, J.M., Arwin Groenewoud, Bok, A., Oscar, Ilias I.N. Doxiadis and Persijn, G.G. (1999). Eurotransplant randomized multicenter kidney graft preservation study comparing HTK with UW and Euro-Collins. *Transplant International*, 12(6), pp.447–453. doi:<https://doi.org/10.1007/s001470050256>.
- Jay, C.L., Dean, P.G., Helmick, R.A. and Stegall, M.D. (2016). Reassessing Preemptive Kidney Transplantation in the United States. *Transplantation*, 100(5), pp.1120–1127. doi:<https://doi.org/10.1097/tp.0000000000000944>.
- Johannes Sobotta, Friedrich Paulsen, J Waschke, Klonisch, T. and S Hombach-Klonisch (2013). *Sobotta atlas of human anatomy*. München: Elsevier/Urban & Fischer.
- Kaiser, A.M. and Attardi, L.D. (2017). Deconstructing networks of p53-mediated tumor suppression in vivo. *Cell Death & Differentiation*, 25(1), pp.93–103. doi:<https://doi.org/10.1038/cdd.2017.171>.
- Kalogeris, T., Baines, C.P., Krenz, M. and Korthuis, R.J. (2012). Cell Biology of Ischemia/Reperfusion Injury. *International Review of Cell and Molecular Biology* Volume 298, 298(298), pp.229–317. doi:<https://doi.org/10.1016/b978-0-12-394309-5.00006-7>.
- Khalaf, E.M., Noor Adil Abood, Atta, R.Z., Andrés Alexis Ramírez-Coronel, Reem Alazragi, Rosario Mireya Romero-Parra, Abed, O.H., Munther Abosaooda, Abduladheem Turki Jalil, Yasser Fakri Mustafa, Asghar Narmani and Farhood, B. (2023). Recent progressions in biomedical and pharmaceutical applications of chitosan nanoparticles: A comprehensive review. *International Journal of Biological Macromolecules*, 231, pp.123354–123354. doi:<https://doi.org/10.1016/j.ijbiomac.2023.123354>.
- Korsmeyer, S.J., Yin, X.-M., Oltvai, Z.N., Veis-Novack, D.J. and Linette, G.P. (1995). Reactive oxygen species and the regulation of cell death by the Bcl-2 gene family. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1271(1), pp.63–66. doi:[https://doi.org/10.1016/0925-4439\(95\)00011-r](https://doi.org/10.1016/0925-4439(95)00011-r).
- Kruse, C. P. S., Basu, P., Luesse, D. R., & Wyatt, S. E. (2017). Transcriptome and proteome responses in RNA later preserved tissue of *Arabidopsis thaliana*. *PloS one*, 12(4), e0175943. <https://doi.org/10.1371/journal.pone.0175943>
- Kumari, S., Singh, R.P., Chavan, N.N. and Annamalai, P.K. (2018). Chitosan-based bionanocomposites for biomedical application. *Bioinspired, Biomimetic and Nanobiomaterials*, 7(4), pp.219–227. doi:<https://doi.org/10.1680/jbibn.15.00015>.
- Kushner, S.R. (2002). mRNA Decay in *Escherichia coli* Comes of Age. *Journal of Bacteriology*, 184(17), pp.4658–4665. doi:<https://doi.org/10.1128/jb.184.17.4658-4665.2002>.

- L. Aravind and Koonin, E.V. (2001). A Natural Classification of Ribonucleases. *Methods in enzymology on CD-ROM/Methods in enzymology*, pp.3–28. doi:[https://doi.org/10.1016/s0076-6879\(01\)41142-6](https://doi.org/10.1016/s0076-6879(01)41142-6).
- Legeai, C., Durand, L., Savoye, E., Macher, M.-A. and Bastien, O. (2020). Effect of preservation solutions for static cold storage on kidney transplantation outcomes: A National Registry Study. *American Journal of Transplantation*, 20(12), pp.3426–3442. doi:<https://doi.org/10.1111/ajt.15995>.
- Leonard, M., De Boissesson, M.Rastello., Hubert, P., Dalençon, F. and Dellacherie, E. (2004). Hydrophobically modified alginate hydrogels as protein carriers with specific controlled release properties. *Journal of Controlled Release*, 98(3), pp.395–405. doi:<https://doi.org/10.1016/j.jconrel.2004.05.009>.
- Lodish, H.F. (2016). *Molecular Cell Biology*. 8th ed. New York: W.H. Freeman-Macmillan Learning.
- Luhtala, N. and Parker, R. (2010). T2 Family ribonucleases: ancient enzymes with diverse roles. *Trends in Biochemical Sciences*, 35(5), pp.253–259. doi:<https://doi.org/10.1016/j.tibs.2010.02.002>.
- Matlock, B. (2015). *Assessment of Nucleic Acid Purity*. [online] Thermo Scientific. Available at: <https://assets.thermofisher.com/TFS-Assets/CAD/Product-Bulletins/TN52646-E-0215M-NucleicAcid.pdf>.
- Mescher, A.L. (2018). *Junqueira's Basic Histology: Text and Atlas*. 15th ed. New York: Mcgraw Hill Education.
- Miller, W.G. and Jones, G.R.D. (2018). Estimated Glomerular Filtration Rate; Laboratory Implementation and Current Global Status. *Advances in Chronic Kidney Disease*, 25(1), pp.7–13. doi:<https://doi.org/10.1053/j.ackd.2017.09.013>.
- Minchin, S. and Lodge, J. (2019). Understanding biochemistry: structure and function of nucleic acids. *Essays in Biochemistry*, [online] 63(4), pp.433–456. doi:<https://doi.org/10.1042/EBC20180038>.
- Moers, C., Smits, J.M., Maathuis, M.-H.J., Treckmann, J., van Gelder, F., Napieralski, B.P., van Kasterop-Kutz, M., van der Heide, J.J.H., Squifflet, J.-P., van Heurn, E., Kirste, G.R., Rahmel, A., Leuvenink, H.G.D., Paul, A., Pirenne, J. and Ploeg, R.J. (2009). Machine Perfusion or Cold Storage in Deceased-Donor Kidney Transplantation. *New England Journal of Medicine*, 360(1), pp.7–19. doi:<https://doi.org/10.1056/nejmoa0802289>.
- Morris, M.C., Depollier, J., Mery, J., Heitz, F. and Divita, G. (2001). A peptide carrier for the delivery of biologically active proteins into mammalian

- cells. *Nature Biotechnology*, 19(12), pp.1173–1176.
doi:<https://doi.org/10.1038/nbt1201-1173>.
- Murray, J.E. (2005). The first successful organ transplants in man. *Journal of the American College of Surgeons*, 200(1), pp.5–9.
doi:<https://doi.org/10.1016/j.jamcollsurg.2004.09.033>.
- Mutter, G.L., Zahrieh, D., Liu, C., Neuberg, D., Finkelstein, D., Baker, H.E. and Warrington, J.A. (2004). Comparison of frozen and RNALater solid tissue storage methods for use in RNA expression microarrays. *BMC Genomics*, 5(1). doi:<https://doi.org/10.1186/1471-2164-5-88>.
- Nagpal, K., Singh, S.K. and Mishra, D.N. (2010). Chitosan Nanoparticles: A Promising System in Novel Drug Delivery. *Chemical and Pharmaceutical Bulletin*, 58(11), pp.1423–1430. doi:<https://doi.org/10.1248/cpb.58.1423>.
- Neidle, S. (2010). *Principles of Nucleic Acid Structure*. Elsevier.
- Niculescu, A.-G. and Grumezescu, A.M. (2022). Applications of Chitosan-Alginate-Based Nanoparticles—An Up-to-Date Review. *Nanomaterials*, 12(2), p.186. doi:<https://doi.org/10.3390/nano12020186>.
- N Ismillayli, I G A S Andayani, R Honiar, Mariana, B., Sanjaya, R.K. and D Hermanto (2020). Polyelectrolyte Complex (PEC) film based on chitosan as potential edible films and their antibacterial activity test. *IOP Conference Series Materials Science and Engineering*, 959(1), pp.012009–012009. doi:<https://doi.org/10.1088/1757-899x/959/1/012009>.
- No, H. (2002). Antibacterial activity of chitosans and chitosan oligomers with different molecular weights. *International Journal of Food Microbiology*, 74(1-2), pp.65–72. doi:[https://doi.org/10.1016/s0168-1605\(01\)00717-6](https://doi.org/10.1016/s0168-1605(01)00717-6).
- Okpechi, I.G., Bello, A.K., Ameh, O.I. and Swanepoel, C.R. (2017). Integration of Care in Management of CKD in Resource-Limited Settings. *Seminars in Nephrology*, 37(3), pp.260–272.
doi:<https://doi.org/10.1016/j.semnephrol.2017.02.006>.
- Pan, C., Qian, J., Fan, J., Guo, H., Gou, L., Yang, H. and Liang, C. (2019). Preparation nanoparticle by ionic cross-linked emulsified chitosan and its antibacterial activity. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 568, pp.362–370.
doi:<https://doi.org/10.1016/j.colsurfa.2019.02.039>.
- Peniche, C., Argüelles-Monal, W., Peniche, H. and Acosta, N. (2003). Chitosan: An Attractive Biocompatible Polymer for Microencapsulation. *Macromolecular Bioscience*, 3(10), pp.511–520.
doi:<https://doi.org/10.1002/mabi.200300019>.

- Ploeg, R.J., J.H. van Bockel, P.T.H. Langendijk, Groenewegen, M., Der, V., Persijn, G.G., Thorogood, J. and Hermans, J. (1992). Effect of preservation solution on results of cadaveric kidney transplantation. *The Lancet*, 340(8812), pp.129–137. doi:[https://doi.org/10.1016/0140-6736\(92\)93212-6](https://doi.org/10.1016/0140-6736(92)93212-6).
- Ross, H., Marshall, V.C. and Escott, M.L. (1976). 72-HR CANINE KIDNEY PRESERVATION WITHOUT CONTINUOUS PERFUSION. *Transplantation*, 21(6), pp.498–501. doi:<https://doi.org/10.1097/00007890-197606000-00009>.
- Rudolph, B., Podschun, R., Sahly, H., Schubert, S., Schröder J.M. and Harder J. (2006). Identification of RNase 8 as a Novel Human Antimicrobial Protein. *Antimicrobial Agents and Chemotherapy*, 50(9), pp.3194–3196. doi:<https://doi.org/10.1128/aac.00246-06>.
- Sari, F.T., N Arfian and Sari, D.C.R. (2020). Effect of kidney ischemia/reperfusion injury on proliferation, apoptosis, and cellular senescence in acute kidney injury in mice. 75, pp.20–23.
- Scanlon, V.C. and Sanders, T. (2007). *Essentials of anatomy and physiology*. 5th ed. Philadelphia: F.A. Davis Co.
- Schreinemachers, M.C.J.M., Doorschodt, B.M., Florquin, S. and Tolba, R.H. (2009). Comparison of Preservation Solutions for Washout of Kidney Grafts: An Experimental Study. *Transplantation Proceedings*, 41(10), pp.4072–4079. doi:<https://doi.org/10.1016/j.transproceed.2009.09.089>.
- Steinle, H., Ionescu, T. M., Schenk, S., Golombek, S., Kunnakattu, S. J., Özbek, M. T., Schlensak, C., Wendel, H. P., & Avci-Adali, M. (2018). Incorporation of Synthetic mRNA in Injectable Chitosan-Alginate Hybrid Hydrogels for Local and Sustained Expression of Exogenous Proteins in Cells. *International journal of molecular sciences*, 19(5), 1313. <https://doi.org/10.3390/ijms19051313>
- Schwarz, C., Hauser, P., Steininger, R., Regele, H., Heinze, G., Mayer, G. and Rainer Oberbauer (2002). Failure of BCL-2 Up-Regulation in Proximal Tubular Epithelial Cells of Donor Kidney Biopsy Specimens Is Associated with Apoptosis and Delayed Graft Function. *Laboratory investigation*, 82(7), pp.941–948. doi:<https://doi.org/10.1097/01.lab.0000021174.66841.4c>.
- Sharfuddin, A.A. and Molitoris, B.A. (2011). Pathophysiology of ischemic acute kidney injury. *Nature Reviews Nephrology*, 7(4), pp.189–200. doi:<https://doi.org/10.1038/nrneph.2011.16>.
- Sherwood, L. (2012). *Human physiology : From Cells to Systems*. 9th ed. Ca: Wadsworth Publishing Co Inc.

- Stojković, V. and Fujimori, D.G. (2015). Radical SAM-Mediated Methylation of Ribosomal RNA. *Methods in Enzymology*, [online] pp.355–376. doi:<https://doi.org/10.1016/bs.mie.2015.03.002>.
- Sun, G., Zhang, X., Shen, Y.-I. , Sebastian, R., Dickinson, L.E., Fox-Talbot, K., Reinblatt, M., Steenbergen, C., Harmon, J.W. and Gerecht, S. (2011). Dextran hydrogel scaffolds enhance angiogenic responses and promote complete skin regeneration during burn wound healing. *Proceedings of the National Academy of Sciences*, 108(52), pp.20976–20981. doi:<https://doi.org/10.1073/pnas.1115973108>.
- Sun, Y., Zhang, M., Bhandari, B. and Yang, C. (2019). Ultrasound treatment of frozen crayfish with chitosan Nano-composite water-retaining agent: Influence on cryopreservation and storage qualities. *Food Research International*, 126, pp.108670–108670. doi:<https://doi.org/10.1016/j.foodres.2019.108670>.
- Supit, T., Nugroho, E.A., Santosa, A., Soedarso, M.A., Daniswara, N. and Addin, S.R. (2019). Kidney transplantation in Indonesia: An update. *Asian Journal of Urology*, 6(4), pp.305–311. doi:<https://doi.org/10.1016/j.ajur.2019.02.003>.
- Takarabio.com. (2024). *qPCR Human Reference Total RNA Protocol-At-A-Glance*. Available at: <https://www.takarabio.com/search-results?term=qPCR%20Human%20Reference%20Total%20RNA%20Protocol-At-A-Glance&tab=support> [Accessed 2 Jan. 2025].
- Terkula Iber, B., Azman Kasan, N., Torsabo, D. and Wese Omuwa, J. (2022). A Review of Various Sources of Chitin and Chitosan in Nature. *Journal of Renewable Materials*, 10(4), pp.1097–1123. doi:<https://doi.org/10.32604/jrm.2022.018142>.
- Termeer, Weiss, SchÖpf, Vanscheidt and Simon (1998). The low molecular weight Dextran 40 inhibits the adhesion of T lymphocytes to endothelial cells. *Clinical & Experimental Immunology*, 114(3), pp.422–426. doi:<https://doi.org/10.1046/j.1365-2249.1998.00729.x>.
- ThermoFisher.com. (2024a). Preserve RNA in the Tissue Before RNA Isolation | Thermo Fisher Scientific - US. [online] Available at: <https://www.thermoFisher.com/id/en/home/references/ambion-tech-support/rna-isolation/tech-notes/preserve-rna-in-the-tissue-before-rna-isolation.html> [Accessed 26 Dec. 2024].
- ThermoFisher.com. (2024). *RNA Sequencing Sample Preparation* | Thermo Fisher Scientific - US. [online] Available at: <https://www.thermoFisher.com/id/en/home/life-science/dna-rna-purification-analysis/rna-extraction/rna-applications/rna-sequencing-sample-preparation.html> [Accessed 2 Jan. 2025].

- Thwala LN. 2012. *Preparation and Characterization of Alginate-chitosan Nanoparticles as a Drug Delivery System for Lipophilic Compounds*: University of Johannesburg.
- Tomaszewski, C. (n.d.). *TBS vs PBS in Immunohistochemistry: Navigating the Buffers*. Available at: <https://visikol.com/blog/2024/01/04/tbs-vs-pbs-in-immunohistochemistry-navigating-the-buffers/>.
- Tortora, G.J. and Derrickson, B. (2017). *Principles of anatomy & physiology*. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Transgenbiotech.com. (2022). *RT-PCR - PCR, RT-PCR, qPCR, qRT-PCR - Products - TransGen Biotech Co., LTD*. [online] Available at: https://www.transgenbiotech.com/rt_pcr.html [Accessed 2 Jan. 2025].
- Tsujimoto, Y., Finger, L.R., Yunis, J., Nowell, P.C. and Croce, C.M. (1984). Cloning of the chromosome breakpoint of neoplastic B cells with the t(14;18) chromosome translocation. *Science*, 226(4678), pp.1097–1099. doi:<https://doi.org/10.1126/science.6093263>.
- Tuttle, K.R., Alicic, R.Z., Duru, O.K., Jones, C.R., Daratha, K.B., Nicholas, S.B., McPherson, S.M., Neumiller, J.J., Bell, D.S., Mangione, C.M. and Norris, K.C. (2019). Clinical Characteristics of and Risk Factors for Chronic Kidney Disease Among Adults and Children. *JAMA Network Open*, 2(12), p.e1918169. doi:<https://doi.org/10.1001/jamanetworkopen.2019.18169>.
- Walther, C.P., Winkelmayr, W.C. and Navaneethan, S.D. (2022). Updated US Prevalence Estimates for Chronic Kidney Disease Stage and Complications Using the New Race-Free Equation to Estimate Glomerular Filtration Rate. *JAMA Network Open*, 5(2), p.e220460. doi:<https://doi.org/10.1001/jamanetworkopen.2022.0460>.
- Wang, L., & Stegemann, J. P. (2009). Extraction of high quality RNA from polysaccharide matrices using cetyltrimethylammonium bromide. *Biomaterials*, 31(7), 1612–1618. doi:<https://doi.org/10.1016/j.biomaterials.2009.11.024>
- Wang, X., Cheng, F., Wang, X., Feng, T., Xia, S. and Zhang, X. (2021). Chitosan decoration improves the rapid and long-term antibacterial activities of cinnamaldehyde-loaded liposomes. *International journal of biological macromolecules*, 168, pp.59–66. doi:<https://doi.org/10.1016/j.ijbiomac.2020.12.003>.
- Wilfinger, W., Mackey, K. and Chomczynski, P. (1997). NanoDrop and design are registered trademarks of NanoDrop Technologies 260/280 and 260/230 Ratios NanoDrop® ND-1000 and ND-8000 8-Sample Spectrophotometers. *BioTechniques*, [online] 22, pp.474–481. Available at: https://www.bio.davidson.edu/projects/gcat/protocols/NanoDrop_tip.pdf.

- Wolfe, R.A., Ashby, V.B., Milford, E.L., Ojo, A.O., Ettenger, R.E., Agodoa, L.Y.C., Held, P.J. and Port, F.K. (1999). Comparison of Mortality in All Patients on Dialysis, Patients on Dialysis Awaiting Transplantation, and Recipients of a First Cadaveric Transplant. *New England Journal of Medicine*, 341(23), pp.1725–1730. doi:<https://doi.org/10.1056/nejm199912023412303>.
- Wong, L.-M., Santha Silvaraj and Lee-Quen Phoon (2014). An Optimised High-Salt CTAB Protocol for Both DNA and RNA Isolation from Succulent Stems of *Hylocereus* sp. *Journal of Medical and Bioengineering*, pp.236–240. doi:<https://doi.org/10.12720/jomb.3.4.236-240>.
- Wu, X., Zhang, Q., Wang, Z., Xu, Y., Tao, Q., Wang, J., Kong, X., Sheng, K. and Wang, Y. (2022). Investigation of construction and characterization of carboxymethyl chitosan - sodium alginate nanoparticles to stabilize Pickering emulsion hydrogels for curcumin encapsulation and accelerating wound healing. *International Journal of Biological Macromolecules*, 209, pp.1837–1847. doi:<https://doi.org/10.1016/j.ijbiomac.2022.04.157>.
- Xin, Y., Hu, T. and Chu, P.K. (2010). Influence of Test Solutions on In Vitro Studies of Biomedical Magnesium Alloys. *Journal of The Electrochemical Society*, 157(7), pp.C238–C238. doi:<https://doi.org/10.1149/1.3421651>.
- Yan, J., Chen, R., Zhang, H., & Bryers, J. D. (2019). Injectable Biodegradable Chitosan-Alginate 3D Porous Gel Scaffold for mRNA Vaccine Delivery. *Macromolecular bioscience*, 19(2), e1800242. doi:<https://doi.org/10.1002/mabi.201800242>
- Yang, J., Liang, G., Xiang, T. and Situ, W. (2021). Effect of crosslinking processing on the chemical structure and biocompatibility of a chitosan-based hydrogel. *Food Chemistry*, 354, p.129476. doi:<https://doi.org/10.1016/j.foodchem.2021.129476>.
- Yu, C., Young, S., Russo, V., Amsden, B. G., & Flynn, L. E. (2013). Techniques for the Isolation of High-Quality RNA from Cells Encapsulated in Chitosan Hydrogels. *Tissue Engineering Part C Methods*, 19(11), 829–838. doi:<https://doi.org/10.1089/ten.tec.2012.0693>
- Zhang, Q., Tong, J., Zhou, W., Zhong, Z., Hu, Q., Ma, Q., Long, H., Wu, S., Shi, X. and Ye, Q. (2022). Antibacterial and antioxidant chitosan nanoparticles improve the preservation effect for donor kidneys in vitro. *Carbohydrate polymers*, 287, pp.119326–119326. doi:<https://doi.org/10.1016/j.carbpol.2022.119326>.
- Zhang, R., Tian, G., Zhao, Y., Zhao, L., Wang, H., Gong, Z. and Ng, T.B. (2014). A novel ribonuclease with HIV-1 reverse transcriptase inhibitory activity

purified from the fungus *Ramaria formosa*. *Journal of Basic Microbiology*, 55(2), pp.269–275. doi:<https://doi.org/10.1002/jobm.2013008>