

DAFTAR PUSTAKA

- Ambrosy, A. P., Pang, P. S., Khan, S., Konstam, M. A., Fonarow, G. C., Traver, B., Maggioni, A. P., Cook, T., Swedberg, K., Burnett, J. C., Grinfeld, L., Udelson, J. E., Zannad, F., & Gheorghide, M. (2013). Clinical course and predictive value of congestion during hospitalization in patients admitted for worsening signs and symptoms of heart failure with reduced ejection fraction: findings from the EVEREST trial. *European Heart Journal*, *34*(11), 835–843. <https://doi.org/10.1093/eurheartj/ehs444>
- Ardhana, T., Aminuddin, M., dan Nugraha, J. (2013). Relationship between NT-proBNP level and protein ST2 level in acute coronary syndrome patient. *Folia Medica Indonesiana*, *49*(4), 202-207.
- Arrigo, M., Gayat, E., Parenica, J., Ishihara, S., Zhang, J., Choi, D., Park, J. J., Alhabib, K. F., Sato, N., Miro, O., Maggioni, A. P., Zhang, Y., Spinar, J., Cohen-Solal, A., Iwashyna, T. J., dan Mebazaa, A. (2017). Precipitating factors and 90-day outcome of acute heart failure: a report from the intercontinental GREAT registry. *European Journal of Heart Failure*, *19*(2), 201–208. <https://doi.org/10.1002/ejhf.682>
- Arrigo, M., Parissis, J. T., Akiyama, E., dan Mebazaa, A. (2016). Understanding acute heart failure: pathophysiology and diagnosis. *European Heart Journal Supplements*, *18*(suppl G), G11–G18. <https://doi.org/10.1093/eurheartj/suw044>
- Bayés-Genís, A., Lopez, L., Zapico, E., Cotes, C., Santaló, M., Ordonez-Llanos, J., dan Cinca, J. (2005). NT-ProBNP reduction percentage during admission for acutely decompensated heart failure predicts long-term cardiovascular mortality. *Journal of Cardiac Failure*, *11*(5 Suppl). <https://doi.org/10.1016/j.cardfail.2005.04.006>
- Benmachiche, M., Marques-Vidal, P., Waeber, G., dan Méan, M. (2018). In-hospital mortality is associated with high NT-proBNP level. *PLOS ONE*, *13*(11), e0207118. <https://doi.org/10.1371/journal.pone.0207118>
- Bergler-Klein, J. (2020). NT-proBNP as a Cornerstone for Prognosis in Valve Disease. *Journal of the American College of Cardiology*, *75*(14), 1673–1675. <https://doi.org/10.1016/j.jacc.2020.02.030>
- Bettencourt, P., Azevedo, A., Pimenta, J., Friões, F., Ferreira, S., dan Ferreira, A. (2004). N-Terminal-Pro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. *Circulation*, *110*(15), 2168–2174. <https://doi.org/10.1161/01.CIR.0000144310.04433.BE>
- Cao, Jia, dan Zhu. (2019). BNP and NT-proBNP as Diagnostic Biomarkers for Cardiac Dysfunction in Both Clinical and Forensic Medicine. *International Journal of Molecular Sciences*, *20*(8), 1820. <https://doi.org/10.3390/ijms20081820>
- Čerlinskaitė, K., Javanainen, T., Cinotti, R., dan Mebazaa, A. (2018). Acute Heart Failure Management. *Korean Circulation Journal*, *48*(6), 463. <https://doi.org/10.4070/kcj.2018.0125>

- Charan, J., dan Biswas, T. (2013). How to Calculate Sample Size for Different Study Designs in Medical Research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>
- de la Espriella, R., Núñez-Marín, G., Codina, P., Núñez, J., & Bayés-Genís, A. (2023). Biomarkers to Improve Decision-making in Acute Heart Failure. *Cardiac Failure Review*, 9. <https://doi.org/10.15420/cfr.2023.08>
- di Somma, S., Magrini, L., Mazzone, M., de Leva, R., Tabacco, F., Marino, R., Talucci, V., Ferri, E., Forte, P., Cardelli, P., Gentiloni, N., dan Pittoni, V. (2007). Decrease in NTproBNP plasma levels indicates clinical improvement of acute decompensated heart failure. *The American Journal of Emergency Medicine*, 25(3), 335–339. <https://doi.org/10.1016/j.ajem.2006.08.012>
- Felker, G. M., O'Connor, C. M., dan Braunwald, E. (2009). Loop Diuretics in Acute Decompensated Heart Failure. *Circulation: Heart Failure*, 2(1), 56–62. <https://doi.org/10.1161/CIRCHEARTFAILURE.108.821785>
- Gaggin, H. K., dan Januzzi, J. L. (2013). Biomarkers and diagnostics in heart failure. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1832(12), 2442–2450. <https://doi.org/10.1016/j.bbadis.2012.12.014>
- Gibson, G., Blumer, V., Mentz, R. J., & Lala, A. (2021). Universal Definition and Classification of Heart Failure: A Step in the Right Direction from Failure to Function. *American College of Cardiology*.
- Gilotra, N. A., dan Russell, S. D. (2014). Arginine vasopressin as a target in the treatment of acute heart failure. *World Journal of Cardiology*, 6(12), 1252–1261. <https://doi.org/10.4330/wjc.v6.i12.1252>
- Hall, C. (2005). NT-ProBNP: the mechanism behind the marker. In *Journal of cardiac failure* (Vol. 11, Issue 5 Suppl). <https://doi.org/10.1016/j.cardfail.2005.04.019>
- Hall, C. (2004). Essential biochemistry and physiology of (NT-pro)BNP. *European Journal of Heart Failure*, 6(3), 257–260. <https://doi.org/10.1016/j.ejheart.2003.12.015>
- Harjola, V., Parissis, J., Bauersachs, J., Brunner-La Rocca, H., Bueno, H., Čelutkienė, J., Chioncel, O., Coats, A. J. S., Collins, S. P., de Boer, R. A., Filippatos, G., Gayat, E., Hill, L., Laine, M., Lassus, J., Lommi, J., Masip, J., Mebazaa, A., Metra, M., dan Yilmaz, M. B. (2020). Acute coronary syndromes and acute heart failure: a diagnostic dilemma and high-risk combination. A statement from the Acute Heart Failure Committee of the Heart Failure Association of the European Society of Cardiology. *European Journal of Heart Failure*, 22(8), 1298–1314. <https://doi.org/10.1002/ejhf.1831>
- Institute of Medicine (US) Committee on Social Security Cardiovascular Disability Criteria. Cardiovascular Disability: Updating the Social Security Listings. Washington (DC): National Academies Press (US); 2010. 12, Valvular Heart Disease. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK209979/>
- Irmawatini and Nurhaedah (2017). *Bahan Ajar Kesehatan Lingkungan Metodologi Penelitian*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Knebel, F., Schimke, I., Diaz Ramirez, I., Schattke, S., Eddicks, S., Borges, A. C., & Baumann, G. (2009). Hemodynamic improvement of acutely decompensated heart failure patients is associated with decreasing levels of

- NT-proBNP. *International Journal of Cardiology*, 134(2), 260–263. <https://doi.org/10.1016/j.ijcard.2007.12.106>
- Knebel, F., Schimke, I., Pliet, K., Schattke, S., Martin, S., Borges, A. C., dan Baumann, G. (2005). NT-ProBNP in Acute Heart Failure: Correlation With Invasively Measured Hemodynamic Parameters During Re-compensation. *Journal of Cardiac Failure*, 11(5), S38–S41. <https://doi.org/10.1016/j.cardfail.2005.04.012>
- Krauser, D. G., Lloyd-Jones, D. M., Chae, C. U., Cameron, R., Anwaruddin, S., Baggish, A. L., Chen, A., Tung, R., dan Januzzi, J. L. (2005). Effect of body mass index on natriuretic peptide levels in patients with acute congestive heart failure: A ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) substudy. *American Heart Journal*, 149(4), 744–750. <https://doi.org/10.1016/j.ahj.2004.07.010>
- Kumar, A., & Cannon, C. P. (2009). Acute Coronary Syndromes: Diagnosis and Management, Part I. *Mayo Clinic Proceedings*, 84(10), 917–938. <https://doi.org/10.4065/84.10.917>
- Kurmani, S., dan Squire, I. (2017). Acute Heart Failure: Definition, Classification and Epidemiology. *Current Heart Failure Reports*, 14(5), 385–392. <https://doi.org/10.1007/s11897-017-0351-y>
- Lorlowhakarn, K., Arayakarnkul, S., Trongtorsak, A., Leesutipornchai, T., Kewcharoen, J., Sinphurmsukskul, S., Siwamogsatham, S., Puwanant, S., & Ariyachaipanich, A. (2022). Outcomes and predictors of one-year mortality in patients hospitalized with Acute Heart Failure. *IJC Heart & Vasculature*, 43, 101159. <https://doi.org/10.1016/j.ijcha.2022.101159>
- Magnusson, M., Melander, O., Israelsson, B., Grubb, A., Groop, L., & Jovinge, S. (2004). Elevated Plasma Levels of Nt-proBNP in Patients With Type 2 Diabetes Without Overt Cardiovascular Disease. *Diabetes Care*, 27(8), 1929–1935. <https://doi.org/10.2337/diacare.27.8.1929>
- Malik, A., Brito, D., Vaqar, S., dan Chhabra, L. (2023). *Congestive Heart Failure*.
- Mallick, A., dan Januzzi, J. L. (2015). Biomarkers in Acute Heart Failure. *Revista Española de Cardiología (English Edition)*, 68(6), 514–525. <https://doi.org/10.1016/j.rec.2015.02.009>
- Marchetti, M., Benedetti, A., Mimoz, O., Lardeur, J.-Y., Guenezan, J., dan Marjanovic, N. (2017). Predictors of 30-day mortality in patients admitted to ED for acute heart failure. *The American Journal of Emergency Medicine*, 35(3), 444–447. <https://doi.org/10.1016/j.ajem.2016.11.050>
- Marini, M., Manfredi, R., Battistoni, I., Francioni, M., Vittoria Matassini, M., Pongetti, G., Angelini, L., Shkoza, M., Bontempo, A., Belfioretti, L., dan Piero Perna, G. (2023). Acute heart failure: differential diagnosis and treatment. *European Heart Journal Supplements*, 25(Supplement_C), C276–C282. <https://doi.org/10.1093/eurheartjsup/suad027>
- Mauro, C., Chianese, S., Cocchia, R., Arcopinto, M., Auciello, S., Capone, V., Carafa, M., Carbone, A., Caruso, G., Castaldo, R., Citro, R., Crisci, G., D'Andrea, A., D'Assante, R., D'Avino, M., Ferrara, F., Frangiosa, A., Galzerano, D., Maffei, V., ... Bossone, E. (2023). Acute Heart Failure: Diagnostic–Therapeutic Pathways and Preventive Strategies—A Real-World

- Clinician's Guide. *Journal of Clinical Medicine*, 12(3), 846. <https://doi.org/10.3390/jcm12030846>
- McDonagh, T. A., Metra, M., Adamo, M., Baumbach, A., Böhm, M., Burri, H., Čelutkienė, J., Chioncel, O., Cleland, J. G. F., Coats, A. J. S., Crespo-Leiro, M. G., Farmakis, D., Gardner, R. S., Gilard, M., Heymans, S., Hoes, A. W., Jaarsma, T., Jankowska, E. A., Lainscak, M., dan Koskinas, K. C. (2021). 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. In *European Heart Journal* (Vol. 42, Issue 36, pp. 3599–3726). Oxford University Press. <https://doi.org/10.1093/eurheartj/ehab368>
- McIlvennan, C. K., dan Allen, L. A. (2014). Outcomes in Acute Heart Failure: 30-Day Readmission Versus Death. *Current Heart Failure Reports*, 11(4), 445–452. <https://doi.org/10.1007/s11897-014-0215-7>
- Mebazaa, A., Tolppanen, H., Mueller, C., Lassus, J., DiSomma, S., Baksyte, G., Cecconi, M., Choi, D. J., Cohen Solal, A., Christ, M., Masip, J., Arrigo, M., Noura, S., Ojji, D., Peacock, F., Richards, M., Sato, N., Sliwa, K., Spinar, J., dan Januzzi, J. (2016). Acute heart failure and cardiogenic shock: a multidisciplinary practical guidance. *Intensive Care Medicine*, 42(2), 147–163. <https://doi.org/10.1007/s00134-015-4041-5>
- Metra, M., Gheorghiu, M., Bonow, R. O., dan Dei Cas, L. (2010). Postdischarge Assessment After a Heart Failure Hospitalization. *Circulation*, 122(18), 1782–1785. <https://doi.org/10.1161/CIRCULATIONAHA.110.982207>
- Michtalik, H. J., Yeh, H.-C., Campbell, C. Y., Haq, N., Park, H., Clarke, W., dan Brotman, D. J. (2011). Acute Changes in N-Terminal Pro-B-Type Natriuretic Peptide During Hospitalization and Risk of Readmission and Mortality in Patients With Heart Failure. *The American Journal of Cardiology*, 107(8), 1191–1195. <https://doi.org/10.1016/j.amjcard.2010.12.018>
- Mosterd, A., dan Hoes, A. W. (2007). Clinical epidemiology of heart failure. *Heart*, 93(9), 1137–1146. <https://doi.org/10.1136/hrt.2003.025270>
- Muscari, A., Bianchi, G., Forti, P., Magalotti, D., Pandolfi, P., dan Zoli, M. (2021). N-terminal pro B-type natriuretic peptide (NT-proBNP): a possible surrogate of biological age in the elderly people. *GeroScience*, 43(2), 845–857. <https://doi.org/10.1007/s11357-020-00249-2>
- O'Brien, R. J., Squire, I. B., Demme, B., Davies, J. E., dan Ng, L. L. (2003). Pre-discharge, but not admission, levels of NT-proBNP predict adverse prognosis following acute LVF. *European Journal of Heart Failure*, 5(4), 499–506. [https://doi.org/10.1016/S1388-9842\(03\)00098-9](https://doi.org/10.1016/S1388-9842(03)00098-9)
- Otsuka, T., Kawada, T., Seino, Y., Ibuki, C., Katsumata, M., & Kodani, E. (2010). Relation of Smoking Status to Serum Levels of N-Terminal Pro-Brain Natriuretic Peptide in Middle-Aged Men Without Overt Cardiovascular Disease. *The American Journal of Cardiology*, 106(10), 1456–1460. <https://doi.org/10.1016/j.amjcard.2010.06.075>
- Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., González-Juanatey, J. R., Harjola, V.-P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., dan van der Meer, P. (2016). 2016 ESC Guidelines for the diagnosis and treatment of acute and

- chronic heart failure. *European Heart Journal*, 37(27), 2129–2200. <https://doi.org/10.1093/eurheartj/ehw128>
- Rivera, M., Taléns-Visconti, R., Salvador, A., Bertomeu, V., Miró, V., García de Burgos, F., Climent, V., Cortés, R., Payá, R., Pérez-Boscá, J. L., Mainar, L., Jordán, A., Sogorb, F., Cosín, J., Mora, V., Diago, J. L., & Marín, F. (2004). NT-proBNP Levels and Hypertension. Their Importance in the Diagnosis of Heart Failure. *Revista Española de Cardiología (English Edition)*, 57(5), 396–402. [https://doi.org/10.1016/S1885-5857\(06\)60170-9](https://doi.org/10.1016/S1885-5857(06)60170-9)
- Rudolf, H., Mügge, A., Trampisch, H. J., Scharnagl, H., März, W., dan Kara, K. (2020). NT-proBNP for risk prediction of cardiovascular events and all-cause mortality: The getABI-study. *IJC Heart dan Vasculature*, 29, 100553. <https://doi.org/10.1016/j.ijcha.2020.100553>
- Salah, K., Stienen, S., Pinto, Y. M., Eurlings, L. W., Metra, M., Bayes-Genis, A., Verdiani, V., Tijssen, J. G. P., & Kok, W. E. (2019). Prognosis and NT-proBNP in heart failure patients with preserved versus reduced ejection fraction. *Heart*, 105(15), 1182–1189. <https://doi.org/10.1136/heartjnl-2018-314173>
- Sargento, L., Satendra, M., Longo, S., Lousada, N., & Palma dos Reis, R. (2013). Early NT-proBNP Decrease With Ivabradine in Ambulatory Patients With Systolic Heart Failure. *Clinical Cardiology*, 36(11), 677–682. <https://doi.org/10.1002/clc.22183>
- Sarraf, M., dan Schrier, R. W. (2011). Cardiorenal Syndrome in Acute Heart Failure Syndromes. *International Journal of Nephrology*, 2011, 1–10. <https://doi.org/10.4061/2011/293938>
- Savarese, G., Hage, C., Orsini, N., Dahlström, U., Perrone-Filardi, P., Rosano, G. M. C., & Lund, L. H. (2016). Reductions in N-Terminal Pro-Brain Natriuretic Peptide Levels Are Associated With Lower Mortality and Heart Failure Hospitalization Rates in Patients With Heart Failure With Mid-Range and Preserved Ejection Fraction. *Circulation: Heart Failure*, 9(11). <https://doi.org/10.1161/CIRCHEARTFAILURE.116.003105>
- Srisawasdi, P., Vanavanan, S., Charoenpanichkit, C., dan Kroll, M. H. (2010). The Effect of Renal Dysfunction on BNP, NT-proBNP, and Their Ratio. *American Journal of Clinical Pathology*, 133(1), 14–23. <https://doi.org/10.1309/AJCP60HTPGIGFCNK>
- Steinen, S. (2016). Can NT-PRoBNP-Guided Therapy During Hospital Admission for Acute Decompensated Heart Failure Reduce Mortality and Readmissions? An International, Multicenter, Randomized Clinical Trial (PRIMA II). *Journal of Cardiac Failure*, 22(11), 939–940. <https://doi.org/10.1016/j.cardfail.2016.09.011>
- Tubaro, M., Vranckx, P., Price, S., dan Vrints, C. (2015). *The ESC Textbook of Intensive and Acute Cardiovascular Care* (M. Tubaro, P. Vranckx, S. Price, dan C. Vrints, Eds.; Vol. 1). Oxford University Press. <https://doi.org/10.1093/med/9780199687039.001.0001>
- Tworek, J. A., Brown, R. W., Schiffman, R. B., Blond, B., Long, T., & Nichols, J. (2023). *B-Type Natriuretic Peptide (BNP) or N-Terminal-ProBNP (NT-proBNP)*.

- Verdiani, V., Ognibene, A., Rutili, M. S., Lombardo, C., Bacci, F., Terreni, A., & Nozzoli, C. (2008). NT-ProBNP reduction percentage during hospital stay predicts long-term mortality and readmission in heart failure patients. *Journal of Cardiovascular Medicine*, 9(7), 694–699. <https://doi.org/10.2459/JCM.0b013e3282f447ae>
- Vonk Noordegraaf, A., dan Westerhof, N. (2007). Right ventricular ejection fraction and NT-proBNP are both indicators of wall stress in pulmonary hypertension. *European Respiratory Journal*, 29(4), 622–623. <https://doi.org/10.1183/09031936.00001407>
- Weber, M. (2005). Role of B-type natriuretic peptide (BNP) and NT-proBNP in clinical routine. *Heart*, 92(6), 843–849. <https://doi.org/10.1136/hrt.2005.071233>
- Zhang, J., Wang, X., Xiao, W., Liu, Y., Wu, H., Ye, P., & Sheng, L. (2019). NT-proBNP is associated with age, gender and glomerular filtration rate in a community-dwelling population. *International Journal of Clinical and Experimental Medicine*, 12(10), 12220–12227.