DAFTAR PUSTAKA

Abdelhadi L. O, Santini F. J. and Gagliostro G.A., 2005. Corn silage of high moisture corn supplements for beef heifers grazing temperate pasture; effects on performance ruminal fermentatioan and ini situ pasture digestion. Animal Feed Science 118: 63-78.

Aglazziyah, H., B. Ayuningsih, dan L. Khairani. 2020. Pengaruh penggunaan dedak fermentasi terhadap kualitas fisik dan ph silase rumput gajah (*Pennisetum purpureum*). Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan 2(3): 156-166.

Ahmed, M. G., A. A. Al-Sagheer, A. M. El-Waziry, S. Z. El-Zarkouny, and E. A. Elwakeel. 2023. Ensiling characteristics, *in vitro* rumen fermentation patterns, feed degradability, and methane and ammonia production of berseem (*Trifolium alexandrinum* L.) co-ensiled with artichoke bracts (*Cynara cardunculus* L.). Animals 13: 1-16. doi:10.3390/ani13091543.

Al-Arif, M. A., L. T. Suwanti, A. T. S. Estoepangestie, and M. Lamid. 2017. The nutrients contents, dry matter digestibility, organic matter digestibility, total digestible nutrient, and nh3 rumen production of three kinds of cattle feeding models. The Veterinary Medicine International Conference 2017 338-343.

Al-Snafi, A. E. The contents and pharmacology of Crotalaria juncea- A review. IOSR Journal Of Pharmacy 6(6): 77-86.

Allen, V. G. and E. Segarra. 2001. Anti quality components in forage: Overview, significance and economic impart. Journal Range Manage 54:49-412.

Alves, J. P., S. S. Mendes, E. S. Galeano, M. A. P. Orrico, T. Fernandes, M. Retore, A. C. A. Orrico, and L. D. S. Lopes. 2022. Forage production and quality of brs capiaçu as a response of cutting age and nitrogen application. Tropical Animal Science Journal 45(2): 179–186.

Anggraito, Y. U., R. Susanti, R. S, Iswari, A. Yuniastuti, Lisdiana, Nugrahaningsih, N. A. Habibah, S. H. Bintari, dan M. Dafi. 2018. Metabolit Sekunder dari Tanaman. Fakultas Matematika dan Ilmu Pengetahuan Alam Univerisitas Negeri Semarang, Semarang. 1-2.

AOAC. 2005. Official Method of Analysis. Association of Official Analytical Chemists. Maryland

Aprianto, S. A., Asril dan Y. Usman. 2016. Evaluasi kecernaan *in vitro* complete feed fermentasi berbahan dasar ampas sagu dengan teknik fermentasi berbeda. Jurnal Ilmiah Mahasiswa Pertanian Unsyiah 1(1): 808-815.

Ardiansah, T., S. Suryanti, E. N. Kristaliasi. 2023. Pemanfaatan komposisi pupuk bokashi dan tanah regosol terhadap pertumbuhan bibit kelapa sawit (*Elaeis Guineensis* Jacq) pada masa pre nursery. Agroforetech 1(3): 1350-1353.

Astutik, A. A., Mashudi, A. Irsyammawati, P. H. Ndaru, M. 2019. Pengaruh silase rumput odot (*Pennisetum purpureum* cv. Mott) dengan penambahan bakteri *Lactobasillus plantarum* terhadap produksi gas dan kecernaan secara *in vitro*. Jurnal Nutrisi Ternak Tropis 2(1): 10-18.

Azizah, N. H., B. Ayuningsih, and I. Susilawati. 2020. Pengaruh penggunaan dedak fermentasi terhadap kandungan bahan kering dan bahan organik silase rumput gajah (*Pennisetum Purpureum*). Jurnal Sumber Daya Hewan 1(1): 9-13. doi:10.24198/jsdh.v1i1.31391.

Badewi, B. dan B. Hadisutanto. 2020. Kualitas bahan kering dan bahan organik pakan komplit fermentasi berbasis daun gamal secara *in vitro*. Partner 25(2): 1435 – 1444.

Bhandari, H. R., M. K. Tripathi, B. Chaudhary, and S. K. Sarkar. 2016. Sunnhemp breeding: challenges and prospects. Indian Journal of Agriculture Sciences 86(11): 1391-1398.

Clarke, E.G.C. and M.L. Clarke. 1977. Cyanides. Veterinary Toxicology. 1st Ed. Collier Macmillan Publication, New York. Page 250-255.

Colegate, S. M., D. R. Gardener, R. J. Joy, J. M. Betz, and K. E. Panter. 2013. Dehydropyrrolizidine alkaloids, including monoesters with an unusual esterifying acid, from cultivated *Crotalaria juncea* (sunn hemp cv.'tropic sun'). J. Agric. Food Chem. 60(14): 3541-3550.

Dayantolis, W., A. Ripaldi, dan An. Supeni. 2016. Penentuan normal musim hujan di indonesia berdasarkan frekuensi curah hujan dasarian. Megasains 7(1): 25-32.

Dewhurst, R. 2013. Milk production from silage: comparison of grass, legume and maize silages and their mixtures 22: 57-69.

Dewi, M. P., N. Umami, and B Suhartanto. 2019. The effect of variety and harvesting time of sorghum planted in stylosanthes pasture on growth, production and prussic acid content Buletin Peternakan 43(3): 166-170.

Dong, Z., S. Wang, J. Zhao, J. Li, and T. Shao. 2020. Effects of additives on the fermentation quality, *in vitro* digestibility and aerobic stability of mulberry (*Morus alba* L.) leaves silage. Asian-Australas J Anim Sci 33:1292–1300. doi:10.5713/ajas.19.0420.

Driehuis, F., J. M. Wilkinson, Y. Jiang, I. Ogunade, and A. T. Adesogan. 2018. Silage review: animal and human health risks from silage. J Dairy Sci 101:4093–4110. doi:10.3168/jds.2017-13836.

Dzvene, A. R., W. Tesfuhuney, S. Walker, and G. Ceronio. 2022. Effect of intercropping sunn hemp into maize at different times and densities on productivity under rainwater harvesting technique. Front. Sustain. Food Syst. 6: 1009443.

Elgersma, A. and K. Søegaard. 2017. Changes in nutritive value and herbage yield during extended growth intervals in grass–legume mixtures: effects of species, maturity at harvest, and relationships between productivity and components of feed quality. Grass and Forage Science 00: 1-16. doi:10.1111/gfs.12287.

Fathurrohman, F., I. A. Budiman, and I. T. Dhalika. 2015. Pengaruh tingkat penambahan molases pada pembuatan silase kulit umbi singkong (*Mannihot esculenta*) terhadap kandungan bahan kering, bahan organik, dan hcn. Students e-journal 4(1): 1-8.

Ferreira, E. A., J. G. de Abreu, J. C. Martinez, T. G. D. S. Braz, and D. P. Ferreira. 2018. Cutting ages of elephant grass for chopped hay production. Pesq Agropec Trop 48(3): 245–253. doi:10.1590/1983-40632018v4851569.

Garzon, J., J. M. B. Vendramini, M. L. Silveira, P. Moriel, H. M. S. d. Silva, J. C. B. Dubeux Jr, M. Kaneko, C. C. Carnelos, and P. A. Mamede. 2021. Harvest management and genotype effects on sunn hemp forage characteristics. Agronomy Journal 113: 298-307.

Griffiths, M. R., B. W. Strobel, J. R. Hama, and N. Cedergreen. 2021. Toxicity and risk of plant-produced alkaloids to Daphnia magna. Environ Sci Eur 33(10): 1-12 doi:10.1186/s12302-020-00452-0.

Guo, G., C. Shen, Q. Liu, S. L. Zhang, C. Wang, L. Chen, Q. F. Xu, Y. X. Wang, and W. J. Huo. 2019. Fermentation quality and *in vitro* digestibility of first and second cut alfalfa (*Medicago sativa* L.) silages harvested at three stages of maturity. Animal Feed Science and Technology 257: 1-9. doi:10.1016/j.anifeedsci.2019.114274.

Handriati, L.N., B. Suhartanto, S. Widodo, M.P. Dewi, and N. Umami. 2019. Effect of sorghum varieties and molasses addition on prussic acid content and of silage quality. Page in IOP Conference Series: Earth and Environmental Science. Institute of Physics Publishing 387: 1-5.

Herdiawan, I., L. Abdullah, dan D. Sopandi. 2014. Status nutrisi hijauan *Indigofera zollingeriana* pada berbagai taraf perlakuan stres kekeringan dan interval pemangkasan. Jurnal Ilmu Ternak dan Veteriner 19(2): 91-103.

Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. Jurnal Sain Peternakan Indonesia 11(2): 89-98.

0oJain, M., Jain, V. 2014. Pharmacognostical, phytochemical, and pharmacological Review on *Crotalaria juncea*. India Journal 3(2): 441-447.

Jakubus, M. 2015. Phosphorus forms in some grassland soils in wielkopolska region: characterisation and availability for plants. Nauka Przyroda Technol ogie 9(2): 1-11. doi:10.17306/J.NPT.2015.2.16.

Jayanegara, A., M. Ridla, E. B. Laconi dan Nahrowi. 2019. Komponen antinutrisi pada pakan. IPB Press, Bogor. Hal 56-57

Ji, X., I. Khan, J. A. Mosjidis, H. Wang, and P. Livant. 2005. Variability for the presence of pyrrolizidine alkaloids in *Crotolaria juncea* L. Pharmazie 60: 620-622.

Kaca, I. N., Y. Tonga, L. Suariani, I. G. A. M. P. Sanjaya, N. M. Yudiastari, and N. K. E. Suwitari. 2021. Dry matter digestibility, organic matter and digestibility *in vitro* of setaria grass at types and different dosage of fertilizers. International Journal of Life Sciences 5(3):125–132. doi:10.29332/ijls.v5n3.1530.

Kalač, P. and F. Kaltner. 2021. Pyrrolizidine alkaloids of european senecio/jacobaea species in forage and their carry-over to milk: a review. Anim Feed Sci Technol 280: 1-11. doi:10.1016/j.anifeedsci.2021.115062.

Kaneko, M., N. Kato, and M. Matsuoka. 2022. Variety and seeding time influence on flowering characteristics and trichodesmine content in sunn hemp (*Crotalaria juncea* L.). Legume Research 45(7):888–892. doi:10.18805/LRF-678.

Katayun, K. K. S., Mulyono dan F. Wahyono. 2012. Pemberian orok - orok (*Crotalaria usaramoensis*) pada ransum burung puyuh periode layer terhadap lemak abdominal dan lemak telur. Animal Agriculture Journal 1(1): 499-505.

Kiliç A. 1984. Silo Yemi (Silage Feed). Bilgehan Press. Izmir. Turkey.

Klevenhusen, F., A. These, J. Taenzer, K. Weiß, and R. Pieper. 2022. Effects of ensiling conditions on pyrrolizidine alkaloid degradation in silages mixed with two different *Senecio* spp. Arch Anim Nutr 76: 93–111. doi:10.1080/1745039X.2022.2084321.

Kumar V., V. V. Belavadi, Revanasidda, K. B. Tharini, and Y. B. Srinivasa. 2019. Stamen elongation in sunn hemp appears to allow delayed self-pollination in the absence of pollinators – A case of bet-hedging?. South African Journal of Botany 127:110–116. doi:10.1016/j.sajb.2019.08.052.

Kuncoro C. D. and F. Fathul. 2015. Pengaruh penambahan berbagai starter pada silase ransum berbasis limbah pertanian terhadap protein kasar, bahan kering, bahan organik, dan kadar abu. Jurnal Ilmiah Peternakan Terpadu. 3(4): 234-238.

Kung, L., R. D. Shaver, R. J. Grant, and R. J. Schmidt. 2018. Silage review: interpretation of chemical, microbial, and organoleptic components of silages. J Dairy Sci 101:4020–4033. doi:10.3168/jds.2017-13909.

Kurniawan, W., A. Bain, Syamsuddin, M. Abadi, and Y. N. Sandy. 2019. Quality and fermentation characteristic of corn stover - rubber cassava (*Manihot glaziovii* M.A) combination silage. IOP Conf. Series: Earth and Environmental Science 287: 012022.

Kurniawan, W., N. A. Lestari, P. D. Isnaeni, and N. Sandinah. 2022. Different composition of *Indigofera zolingeriana* and corn stover mix on silage quality and fermentation characteristic. Proceedings of the International Conference on Improving Tropical Animal Production for Food Security 335-339.

Lalman, D. and C. Richard. 2017. Nurtient Requirements of Beef Cattle. Oklahoma State University pg 2.

Lepcha, I., H. D. Naumann, F. B. Fritschi, and R. L. Kallenbach. 2019. Herbage accumulation, nutritive value, and regrowth potential of sunn hemp at different harvest regimens and maturity. Crop Sci 59:413–421. doi:10.2135/cropsci2017.09.0589.

Lepcha, I., and H. D. Naumann. 2021. Partitioning of forage mass and nutritive value in sunn hemp leaf and stem components. International Journal of Agronomy 2021: 1-10.

Luo, R., Y. Zhang, F. Wang, K. Liu, G. Huang, N. Zheng, and J. Wang. 2021. Effects of sugar cane molasses addition on the fermentation quality, microbial community, and tastes of alfalfa silage. Animals 11:1–11. doi:10.3390/ani11020355.

Ma, B., J. Ma, B. Li, Q. Tao, J. Gan, and Z. Yan. 2021. Effects of different harvesting times and processing methods on the quality of cultivated *Fritillaria cirrhosa* D. Don. Food Science Nutrition 9(6): 2853-2861

Mandic, V., Z. Bijelic, V. Krnjaja, A. Simic, M. Petricevic, N. Micic, and V. Caro-Petrovic. 2018. Effect of harvesting time on forage yield and quality of maize. Biotechnology in Animal Husbandry 34:345–353. doi:10.2298/bah1803345m.

Meagher Jr, R. L., K. M. Watrous, S. J. Fleischer, R. N. Nagoshi, J. T. Brown, K. Bowers, N. Miller. 2019. Documenting potential sunn hemp (*Crotalaria juncea* L.) (Fabaceae) pollinators in florida. Environmental Entomology 48(2): 343-350.

Molyneux, R.J., D.L. Gardner, S.M. Colegate, and J.A. Edgar. 2011. Pyrrolizidine alkaloid toxicity in livestock: A paradigm for human poisoning?. Food Additives and Contaminants - Part A 28:293–307. doi:10.1080/19440049.2010.547519.

Monção, F. P., M. A. M. S. Costa, J. P. S. Rigueira, M. M. A. Moura, V. R. Rocha, V. M. Gomes, D. B. Leal, C. M. A. Maranhão, C. J. B. Albuquerque, and J. M. A. Chamone. 2019. Yield and nutritional value of brs capiaçu grass at different regrowth ages. Semina:Ciencias Agrarias 40:2045–2055. doi:10.5433/1679-0359.2019v40n5p2045.

Morris, J. B., C. Chase, D. Treadwell, R. Koenig, A. Cho, J. P. M. Payan, T. Murphy, and G. F. Antonious. 2015. Effect of sunn hemp (*Crotalaria juncea* L.) cutting date and planting density on weed suppression in Georgia, USA. J Environ Sci Health B 50:614–621. doi:10.1080/03601234.2015.1028855.

Mosjidis, J. A., J. M. Burke, and J. B. Hess. 2012. The facts about sunn hemp toxicity. Crop Science 52: 1469-1474.

Mu'min, I.M. Al, B. Joy, and A. Yunianrti. 2016. Dinamika kalium tanah dan hasil padi sawah (*Oryza sativa* L.) akibat pemberian npk majemuk dan penggenangan pada fluvaquentic epiaquepts. Soilrens 14(1): 11-15.

Muhid, A. 2010. Analisis Statistik SPSS for Windows: Cara Praktis Melakukan Analisis Statistik. CV Duta Aksara, Surabaya. Hal 79

Muhindo, Z. K., F. Tendonkeng, E. Miégoué, J. Lemoufouet, and E. T. Pamo. 2018. Effect of harvesting time on the chemical composition of *Pennisetum clandestinum*. Journal of Animal Husbandry and Dairy Science 2(2): 10-17.

Muindi, E. M. 2019. Understanding soil phosporus. International journal of Plants and Soil Science. 31(1): 1-18

Nahak, O. P., P. K. Tahuk, G. F. Bira, and Y. B. Ambone. 2021. The *in vitro* digestibility of complete silage from *Sorghum bicolor* (L.) Moench ingredient using different additives. Buletin of Animal Science 45(2): 90-94 doi:10.21059/buletinpeternak.v45i2.43300.

Ndaru, P. H., A. N. Huda, dan Mashudi. 2021. Pengaruh penambahan asam lemak pada pakan ternak ruminansia terhadap kandungan nutrisi pakan. Jurnal Ternak Tropika 22(1): 12-19.

Nikiyuluw, V., R. Soplanit, and A. Siregar. 2018. Efisiensi pemberian air dan kompos terhadap mineralisasi npk pada tanah regosol. Jurnal Budidaya Pertanian 14:105–122. doi:10.30598/jbdp.2018.14.2.105.

Nopsagiarti, T., D. Okalia, G. Marlina. 2020. Analisis c-organik, nitrogen dan c/n tanah pada lahan agrowisata beken jaya. Jurnal Agrosains dan Teknologi 5(1): 11-18.

Nurlaha, A. Setiana dan N. S. Asminaya. 2014. Identifikasi jenis hijauan makanan ternak di lahan persawahan desa babakan kecamatan dramaga kabupaten bogor. Jurnal Ilmu dan Teknologi Peternakan Tropik 1(1): 54-62.

Osweiler, G.D., T.L. Carson, W.B. Buck, and G.A. Van Gelder. 1976. Clinical and Diagnostic Veterinary Toxicology. Kendall/Hunt. Pub. Co. IOWA. 455−457.

Ozyazici, M. A, S. Seydosoglu, and S. Acikbas. 2022. Determination of silage quality of fenugreek (*Trigonella foenum-graecum* L.) with oat (*Avena sativa* L.) and rye (*Secale cereale* L.) mixtures. Tr. J. Nature Sci. 11(3): 102-109.

Pakpahan, T. E. 2018. Pemanfaatan orok-orok *(Crotolaria juncea)* mendukung pertanian berkelanjutan. Journal of Animal Science and Agronomy Panca Budi 3(2): 1-3.

Parenti, A., G. Cappelli, W. Z. Lizarazu, C. M. Sastre, M. Christou, A. Monti, and F. Ginaldi. 2021. SunnGro: a new crop model for the simulation of sunn hemp

(*Crotalaria juncea* L.) grown under alternative management practices. Biomass and Bioenergy 146: 1-16. doi:10.1016/j.biombioe.2021.105975.

Prastyawan, R. M., B. I. M. Tampoebolon, dan Surono. 2012. Peningkatan kualitas tongkol jagung melalui teknologi amoniasi fermentasi (amofer) terhadap kecernaan bahan kering dan bahan organik serta protein total secara *in vitro*. Animal Agriculture Journal 1(1): 611-621.

Prawitasari, R. H., V. D. Y. B. Ismadi, dan I. Estiningdriati. 2012. Kecernaan protein kasar dan serat kasar serta laju digesta pada ayam arab yang diberi ransum dengan berbagai level *Azolla microphylla*. Animal Agricultural Journal 1(1): 471-483.

Rahila, K.C., L. Bhatt, M. Chakraborty, and J. V. Kamath. 2013. Hepatoprotective activity of *Crotalaria juncea* againts thioacetamide intoxicated rats. India-International Research Journal of Pharmaceutical and Applied Sciences 3(1): 98-101.

Rahman, A. M. Tasse, dan D. Agustina. 2013. Pengaruh penambahan tepung daun sisik naga (*Drymoglosum pilloselloides*) terhadap kecernaan *in vitro* konsentrat berbahan *in vitro* konsentrat berbahan pakan fermentasi Agriplus 23(3): 219-224.

Ramzan, H. N., A. Tanveer, R. Maqbool, H. M. Akram, and M. A. Mirza. 2022. Use of sugarcane molasses as an additive can improve the silage quality of sorghum-sudangrass hybrid. Pak J Agric Sci 59:75–81. doi:10.21162/PAKJAS/22.522.

Rawat, R. and C. S. Saini. 2022. Effect of soaking conditions in the reduction of antinutritional factors in sunnhemp (*Crotalaria juncea*) seeds. Food Chemistry Advances 1: 1-9.

Roidah, I.S. 2013. Manfaat penggunaan pupuk organik untuk kesuburan tanah. Jurnal Universitas Tulungagung Bonorowo 1(1):30–24.

Rudiarto, A., E. Pangestu dan Sumarsono. 2014. Pertumbuhan, produksi dan kualitas nutrisi tanaman orok-orok dan jagung manis sebagai bahan pakan yang ditanam secara tumpangsari. Animal Agriculture Journal 3(2): 230-241.

Sajid, Q. U. A., M. Wilik, and M. U. Asghar. 2024. Analysis of crude protein utilisation in ruminant rations: supplementation of limiting amino acids and their effect on the environment – an updated review. Journal of Animal and Feed Sciences 33(1):3–12.

Sarkar, S.K., Hazra, S.K., Sen, H.S., Karmakar, P.G. and Tripathi, M.K. 2015. Sunnhemp in India. ICAR-Central Research Institute for Jute and Allied Fibres (ICAR), Barrackpore, West Bengal. Page 140.

Sarmadi, B., Y. Rouzbehan, and J. Rezaei. 2016. Influences of growth stage and nitrogen fertilizer on chemical composition, phenolics, in situ degradability and

in vitro ruminal variables in amaranth forage. Anim Feed Sci Technol 215:73–84. doi:10.1016/j.anifeedsci.2016.03.007.

Siregar, B. 2017. Analisa kadar c-organik dan perbandingan c/n tanah di lahan tambak kelurahan sicanang kecamatan medan belawan. Jurnal Warta 53: 1-14.

Schramm, S., N. Köhler, and W. Rozhon. 2019. Pyrrolizidine alkaloids: Biosynthesis, biological activities and occurrence in crop plants. Molecules 24: 1-44. doi:10.3390/molecules24030498.

Sembiring, A. A., T. H. Wahyuni, N. D. Hanafi, A. H. Taulany, Hasnudi. 2018. Digestibility of dry matter and organic matter of fermented sago pulp on local sheep male weaning. Talenta Publisher 6(2): 1-5.

Seremet, O. C., O. T. Olaru, C. M. Gutu, G. M. Nitulescu, M. Ilie, S. Negres, C. E. Zbarcea, C. N. Purdel, D. A. Spandidos, A. M. Tsatsakis, M. D. Coleman, and D. M. Margina. 2018. Toxicity of plant extracts containing pyrrolizidine alkaloids using alternative invertebrate models. Mol Med Rep 17:7757–7763. doi:10.3892/mmr.2018.8795.

Shekinah, D. E. and J. K. Stute. 2018. Sunn hemp: a legume cover crop with potential for the midwest?. sustainable agriculture research 7(4): 63-69. doi:10.5539/sar.v7n4p63.

Soni, R., R. Gupta, P. Agarwal, and R. Mishra. 2022. Organic framing: A sustainable agriculture practice. Vantage: Journal of Thematic Analysis. 3(1) 21-44.

Srisaikham, S. and P. Lounglawan. 2018. Effect of cutting age and cutting height on production and nutritive value of sunnhemp (*Crotalaria juncea*) harvest in nakhon ratchasima, Thailand. Holticulturae 1210: 29-34.

Stegelmeier, B. L. 2011. Pyrrolizidine alkaloid-containing toxic plants (*Senecio, Crotalaria, Cynoglossum, Amsinckia, Heliotropium,* and *Echium* spp.). Veterinary Clinics of North America - Food Animal Practice 27:419–428. doi:10.1016/j.cvfa.2011.02.013.

Stefani, J. W. H., F. Driehuis, J. C. Gottschal and S. F. Spoelstra. 2010. Silage fermentation processes and their manipulation: Electronic Conference on Tropical Silage FAO: 6 – 33.

Steel, R.G.D. and J.H. Torrie. 1981. Principles and Procedures of Statistics: A Biometrical Approach. Mc Graw-Hill Book Company, page 352-358.

Suardin, N. Sandinah dan R. Aka. 2014. Kecernaan bahan kering dan bahan organik campuran rumput mulato (*Brachiaria hybrid* cv mulato) dengan jenis legum berbeda menggunakan cairan rumen sapi. Jurnal Ilmu dan Teknologi Peternakan Tropik 1(1): 16-22.

Sudirman, 2013. Evaluasi Pakan Tropis dari Konsep ke Aplikasi (Metode *in vitro* Feces). Penerbit Pustaka Reka Cipta. Bandung. 132-134.

Sulistiyanti, S. R., M. Hartono, and A. K. Wijaya. 2018. The technology induction for preventing livestock of animal feed farmer groups in district of east lampung. Journal of Community Service and Research 1(2): 53-58.

Sutaryono, Y. A., R. A. Putra, M. Mardiansyah, E. Yuliani, H. Harjono, M. Mastur, S. Sukarne, L. S. Enawati, and D. Dahlanuddin. 2023. Mixed *Leucaena* and molasses can increase the nutritional quality and rumen degradation of corn stover silage. J Adv Vet Anim Res 10:118–125. doi:10.5455/javar.2023.j660.

Syapura, M. Bata, dan W. S. Pratama. 2013. Peningkatan kualitas jerami padi dan pengaruhnya terhadap kecernaan nutrien dan produk fermentasi rumen kerbau dengan feses sebagai sumber inokulum. Agripet 13 (2): 59- 67.

Taenzer, J., M. Gehling, F. Klevenhusen, J. Saltzmann, S. Dänicke, and A. These. 2022. Rumen metabolism of senecio pyrrolizidine alkaloids may explain why cattle tolerate higher doses than monogastric species. J Agric Food Chem 70:10111–10120. doi:10.1021/acs.jafc.2c01332.

Thanesya, A., Sumarsono dan L.K. Nuswantara. 2014. Kecernaan dan fermentabilitas hijauan orok-orok secara *in vitro* sebagai bahan pakan yang ditanam secara tumpangsari dengan jagung manis. Animal Agriculture Journal 3(2): 281-291.

Tilley, J. M. A and R. A. Terry. 1963. A Two Stage Technique for the *In vitro* Digestion of Forage Crops. Journal of British Grassland 18: 104-111.

Topçu, G.D., and Ş.S. Özkan. 2021. Quality properties of sunn hemp (*Crotalaria juncea* L.) and maize (*Zea mays* L.) silages. Tropical Grasslands-Forrajes Tropicales 9:315–320. doi:10.17138/TGFT(9)315-320.

Tripathi, M. K., B. Chaudhary, S. R. Singh, and H. R. Bhandari. 2013. Growth and yield of sunnhemp (*Crotalaria juncea L.*) as influenced by spacing and topping practices. African Journal of Agricultural Research 8(28): 3744-3749.

Trisnadewi, A. A. A. S., and I. G. L. O. Cakra. 2020. Physical characteristics, nutritional qualities and *in vitro* digestibility of silage from various sources of fiber. Pakistan Journal of Nutrition 19:166–171. doi:10.3923/pjn.2020.166.171.

Utomo, R., S. P. S. Budhi, A. Agus, C. T. Noviandi, R. Fardhana and M. O. Sakti. 2014. Effect of conservation methods on cyanic acid concentration and *in vitro* digestibility of ceara rubber *(Manihot glaziovii)* leaves. Proceedings of the 16th AAAP Animal Science Congress 2: 664-667.

Van Steenis. 2008. Flora, Cetakan ke-12. PT. Pradnya Paramita, Jakarta. Halaman 247.

Wanapat, M., P. Totakul, B. Viennasay, and M. Matra. 2021. Sunnhemp (*Crotalaria juncea* L.) silage can enrich rumen fermentation process, microbial protein synthesis, and nitrogen utilization efficiency in beef cattle crossbreds. Trop Anim Health Prod 53: 2-7. doi:10.1007/s11250-021-02628-z.

Wang, Q., Y. Li, W. Klassen, and E. A. Hanlon Jr. 2018. Sunn Hemp: A Promising Cover Crop in Florida. The Institute of Food and Agricultural Sciences 1-4.

Wawan, W., E. Ariani, dan H. R. Lubis, P. 2019. Sifat kimia tanah dan produktivitas kelapa sawit (*Elaeis guineensis* Jacq.) pada tinggi muka air tanah yang berbeda di lahan gambut. Jurnal Agroteknologi 9(2): 27-34

Wiedenfeld, H., and J. Edgar. 2011. Toxicity of pyrrolizidine alkaloids to humans and ruminants. Phytochemistry Reviews 10:137–151. doi:10.1007/s11101-010-9174-0.

Yanuartono, S. Indarjulianto, A. Nururrozi dan H. Purnamaningsih. 2019. Review: Hidrogen sianida dan implikasinya pada ternak. Jurnal Ilmu dan Teknologi Peternakan Tropis 6(2): 214-224.

Yuniarti, A., E. Solihin, and A. T. A. Putri. 2020. Aplikasi pupuk organik dan n, p, k terhadap ph tanah, p-tersedia, serapan p, dan hasil padi hitam (*Oryza sativa* L.) pada inceptisol. Jurnal Kultivasi 19(1):1040-1046. doi:10.24198/kultivasi.v19i1.24563.

Yunilas, Y., N. Ginting, T. H. Wahyuni, M. Zahoor, N. Fati, and A. Wahyudi. 2021. Effect of various doses of local microorganism additives on silage physical quality of corn (*Zea mays* L.) waste. Sarhad Journal of Agriculture 37:197–206. doi:10.17582/journal.sja/2022.37.s1.197.206.

Zakirullah, M. 2017. Effect of different nitrogen levels and cutting stages on crude protein, crude fiber, dry matter and green fodder yield of oat (*Avena sativa* L.). Pure and Applied Biology 6. doi:10.19045/bspab.2017.60044.

Zhang, X. X., L. Chunjie, and N. A. N. Zhibao. 2011. Effect of cutting frequency and height on alkaloid production in endophyte-infected drunken horse grass *(Achnatherum inebrians)*. Sci China Life Sci 54(6): 567-571.

Zhank, P. 2022. Fundamental significances of dry matter and its aspects. Global Science Research Journal 7(3):1-2.

Zuhra, K. and C. Szabo. 2021. The two faces of cyanide: an environmental toxin and a potential novel mammalian gasotransmitter. FEBS Journal 289: 2481–2515.