

DAFTAR PUSTAKA

- Alfred Witjes, J., Le Bret, T., Comp erat, E. M., Cowan, N. C., De Santis, M., Bruins, H. M., Hern andez, V., Espin os, E. L., Dunn, J., Rouanne, M., Neuzillet, Y., Veskim ae, E., van der Heijden, A. G., Gakis, G. and Ribal, M. J. (2017) ‘Updated 2016 EAU Guidelines on Muscle-invasive and Metastatic Bladder Cancer’, *European Urology*, 71(3), pp. 462–475. doi: 10.1016/j.eururo.2016.06.020.
- Andersson, K. E. and Arner, A. (2004) ‘Urinary bladder contraction and relaxation: Physiology and pathophysiology’, *Physiological Reviews*, 84(3), pp. 935–986. doi: 10.1152/physrev.00038.2003.
- Azam, F., Latif, M. F., Farooq, A., Tirmazy, S. H., AlShahrani, S., Bashir, S. and Bukhari, N. (2019) ‘Performance Status Assessment by Using ECOG (Eastern Cooperative Oncology Group) Score for Cancer Patients by Oncology Healthcare Professionals’, *Case Reports in Oncology*, 12(3), pp. 728–736. doi: 10.1159/000503095.
- Bestari, M. G., Oktarina A. L., Karim, M. I., Aryanti, Melati, R. and Octavian, I. (2022) ‘Giant bladder stone resulting in renal failure and concurrent bladder cancer: A case report’, *International Journal of Surgery Case Reports*, 94, p. 107170. doi: 10.1016/j.ijscr.2022.107170.
- Burger, M., Catto, J. W. F., Dalbagni, G., Grossman, H. B., Herr, H., Karakiewicz, P., Kassouf, W., Kiemeny, L. A., La Vecchia, C., Shariat, S. and Lotan, Y. (2013a) ‘Epidemiology and risk factors of urothelial bladder cancer’, *European Urology*. European Association of Urology, 63(2), pp. 234–241. doi: 10.1016/j.eururo.2012.07.033.
- Burger, M., Catto, J. W. F., Dalbagni, G., Grossman, H. B., Herr, H., Karakiewicz, P., Kassouf, W., Kiemeny, L. A., La Vecchia, C., Shariat, S. and Lotan, Y. (2013b) ‘Epidemiology and Risk Factors of Urothelial Bladder Cancer’, *European Urology*, 63(2), pp. 234–241. doi: 10.1016/j.eururo.2012.07.033.
- Campbell-Walsh (2015) ‘Campbell-Walsh Urology - 4 Volume Set [11E][2016][UnitedVRG][PDF].pdf’.
- Chen, H.-I., Liou, S.-H., Loh, C.-H., Uang, S.-N., Yu, Y.-C. and Shih, T.-S. (2005) ‘Bladder cancer screening and monitoring of 4,4’-Methylenebis(2-chloroaniline) exposure among workers in Taiwan’, *Urology*, 66(2), pp. 305–310. doi: 10.1016/j.urology.2005.02.031.
- Davis, N. F., Burke, J. P., McDermott, T., Flynn, R., Manecksha, R. P. and Thornhill, J. A. (2015) ‘Bricker versus Wallace anastomosis: A meta-analysis of ureteroenteric stricture rates after ileal conduit urinary diversion’, *Canadian Urological Association Journal*, 9(5–6), pp. E284–E290. doi: 10.5489/cuaj.2692.
- Edington, G. M., Nwabuebo, I., Taylor, J. R., Smith, J. H. and Von Lichtenberg, F. (1971) ‘Pathologic Effects of Schistosomiasis in Ibadan, Western State of Nigeria’, *The American Journal of Tropical Medicine and Hygiene*, 20(2), pp. 244–254. doi: 10.4269/ajtmh.1971.20.244.
- Fairey, A. S., Jacobsen, N. E. B., Chetner, M. P., Mador, D. R., Metcalfe, J. B., Moore, R. B., Rourke, K. F., Todd, G. T., Venner, P. M., Voaklander, D. C. and Estey, E. P. (2009) ‘Associations Between Comorbidity, and Overall Survival and Bladder Cancer Specific Survival After Radical Cystectomy: Results From the Alberta Urology Institute Radical Cystectomy Database’, *Journal of Urology*. American Urological Association, 182(1), pp. 85–93. doi: 10.1016/j.juro.2008.11.111.
- Gayatri, D. and Halley, E. (2005) ‘MENGENAL ANALISIS KETAHANAN (SURVIVAL ANALYSIS)’, 9(1), pp. 36–40.
- Hara, T., Matsuyama, H., Kamiryo, Y., Hayashida, S., Yamamoto, N., Nasu, T., Joko, K., Baba, Y., Suga, A., Yamamoto,



- M., Aoki, A., Takai, K., Yoshihiro, S., Konishi, M., Sakano, S., Imoto, K., Tei, Y., Yamaguchi, S. and Yano, S. (2016) 'Use of preoperative performance status and hemoglobin concentration to predict overall survival for patients aged ≥ 75 years after radical cystectomy for treatment of bladder cancer', *International Journal of Clinical Oncology*. Springer Japan, 21(1), pp. 139–147. doi: 10.1007/s10147-015-0857-9.
- Hari, N. C., Komalig, H. and Langi, Y. (2018) 'Analisis Survival Dalam Menentukan Faktor-faktor Yang Mempengaruhi Lama Studi Mahasiswa Matematika Di Jurusan Matematika FMIPA Universitas Sam Ratulangi Manado', *d'CARTESIAN*, 7(2), p. 84. doi: 10.35799/dc.7.2.2018.21455.
- Huang, H., Yan, B., Hao, H., Shang, M., He, Q., Liu, L. and Xi, Z. (2021) 'Laparoscopic versus open radical cystectomy in 607 patients with bladder cancer: Comparative survival analysis', *International Journal of Urology*, 28(6), pp. 673–680. doi: 10.1111/iju.14537.
- Kataria, A., Yakubu, I., Winstead, R., Gowda, M. and Gupta, G. (2020) 'COVID-19 in Kidney Transplantation: Epidemiology, Management Considerations, and the Impact on Kidney Transplant Practice', *Transplantation Direct*, 6(8), pp. 1–10. doi: 10.1097/TXD.0000000000001031.
- Khalilullah, S. A., Tranggono, U., Hendri, A. Z. and Danarto, R. (2021) 'Comparing the outcome of ileal conduit and transuretero - cutaneostomy urinary diversion after radical cystectomy : a retrospective cohort study', *African Journal of Urology*. Springer Berlin Heidelberg. doi: 10.1186/s12301-021-00163-9.
- Kihara, C., Patel, A. N., Oakley, K., Gay, C., Stolzenberg, L. and Seale, J. (2023) 'The Incidental Discovery of an Ileal Conduit Calculus: A Case Report', *Cureus*, 15(8), pp. 2–7. doi: 10.7759/cureus.43299.
- Kurniawati, I. (2018) 'Clinical, pathological profile and complications after radical cystectomy - ileal conduit for bladder cancer since January 2013 – April 2015 in Rsup Sanglah Denpasar', *Medicina*, 49(1), pp. 9–13. doi: 10.15562/medicina.v49i1.252.
- Lisiński, J., Kienitz, J., Tousty, P., Kaczmarek, K., Lemiński, A. and Słojewski, M. (2022) 'Comparison of Laparoscopic and Open Radical Cystectomy for Muscle-Invasive Bladder Cancer', *International Journal of Environmental Research and Public Health*, 19(23). doi: 10.3390/ijerph192315995.
- Meier, K. (no date) 'ANALISIS SURVIVAL Endang lestari Analisis Survival'.
- Mostafa, M. H., Sheweita, S. A. and O'Connor, P. J. (1999) 'Relationship between schistosomiasis and bladder cancer', *Clinical Microbiology Reviews*, 12(1), pp. 97–111. doi: 10.1128/cmr.12.1.97.
- Novotny, V., Froehner, M., Koch, R., Zastrow, S., Heberling, U., Leike, S., Hübler, M. and Wirth, M. P. (2016) 'Age, American Society of Anesthesiologists physical status classification and Charlson score are independent predictors of 90-day mortality after radical cystectomy', *World Journal of Urology*, 34(8), pp. 1123–1129. doi: 10.1007/s00345-015-1744-8.
- Pitoyo, J. and Safriadi, F. (2015) 'THE INSIDENCE OF BLADDER SQUAMOUS CELL CARCINOMA IN LARGE BLADDER STONE CASES', *Indonesian Journal of Urology*, 22(1). doi: 10.32421/juri.v22i1.102.
- Pramod, S., Safriadi, F., Hemowo, B., Dwiyan, R. and Batista, B. (2020) 'Smoking history, smoking intensity, and type of cigarette as risk factors of bladder cancer: A literature review', *Urological Science*, 31(4), pp. 147–155. doi: 10.4103/UROS.UROS_6_20.
- Ray, W. D. and Collett, D. (1995) *Modelling Survival Data in Medical Research.*, *Journal of the Royal Statistical Society. Series A (Statistics in Society)*. doi: 10.2307/2983419.



- Ribal, M. J., Cornford, P., Briganti, A., Knoll, T., Gravas, S., Marek, Babjuk, 7, Harding, C. and Breda, A. (2020) 'EAU Guidelines Office Rapid Reaction Group: An organisation-wide collaborative effort to adapt the EAU guidelines recommendations to the COVID-19 era'.
- Saginala, K., Barsouk, Adam, Aluru, J. S., Rawla, P., Padala, S. A. and Barsouk, Alexander (2020) 'medical sciences Epidemiology of Bladder Cancer', *Medical Sciences*, 8(15), pp. 1–12.
- Samanic, C. M., Kogevinas, M., Silverman, D. T., Tardón, A., Serra, C., Malats, N., Real, F. X., Carrato, A., García-Closas, R., Sala, M., Lloreta, J., Rothman, N. and Dosemeci, M. (2008) 'Occupation and bladder cancer in a hospital-based case-control study in Spain', *Occupational and Environmental Medicine*, 65(5), pp. 347–353. doi: 10.1136/oem.2007.035816.
- Schiffmann, J., Gandaglia, G., Larcher, A., Sun, M., Tian, Z., Shariat, S. F., McCormack, M., Valiquette, L., Montorsi, F., Graefen, M., Saad, F. and Karakiewicz, P. I. (2014) 'Contemporary 90-day mortality rates after radical cystectomy in the elderly', *European Journal of Surgical Oncology*. Elsevier Ltd, 40(12), pp. 1738–1745. doi: 10.1016/j.ejso.2014.10.004.
- Shantanam, S. and MUELLER (2018) '乳鼠心肌提取 HHS Public Access', *Physiology & behavior*, 176(1), pp. 139–148. doi: 10.1007/s10552-017-0885-z.Age.
- Supit, W., Mochtar, C. A., Santoso, R. B. and Umbas, R. (2014) 'Outcomes of radical cystectomy and bladder preservation treatment for muscle-invasive urothelial carcinoma of the bladder', *Asian Journal of Surgery*. Elsevier Taiwan LLC, 37(4), pp. 184–189. doi: 10.1016/j.asjsur.2014.01.010.
- Supit, W., Mochtar, C. A., Sugiono, M. and Umbas, R. (2011) 'Survival of patients with transitional cell carcinoma of the urinary bladder in indonesia: A single institution review', *Asian Pacific Journal of Cancer Prevention*, 12(2), pp. 549–553.
- Vlaming, M., Kiemeny, L. A. L. M. and van der Heijden, A. G. (2020) 'Survival after radical cystectomy: Progressive versus De novo muscle invasive bladder cancer', *Cancer Treatment and Research Communications*. Elsevier Ltd, 25, p. 100264. doi: 10.1016/j.ctarc.2020.100264.
- Widarsa, I. K. T. (2014) 'Modul Pelatihan Analisis Kesintasan dalam Penelitian Kesehatan dengan SPSS & STATA', *Program Studi Kesehatan Masyarakat Fakultas Kedokteran Universitas Udayana*.
- Witjes, C. A., Bruins, H. M. and Cathomas, R. (2021) 'Guideline: Muscle-invasive and Metastatic Bladder Cancer', *European Association of Urology*, p. 5.2.1.Local staging of MIBC. Available at: <https://uroweb.org/guideline/bladder-cancer-muscle-invasive-and-metastatic/#5>.
- Zhang, B., Xie, H. and Liu, C. (2019) 'Risk factors of calculi in upper urinary tract after radical cystectomy with urinary diversion', *Actas Urológicas Españolas (English Edition)*. AEU, 43(10), pp. 568–572. doi: 10.1016/j.acuroe.2019.04.008.