

DAFTAR PUSTAKA

- Alaedeem, D.I., 2017. Introduction and Epidemiology of Incisional Hernias and the Argument for *Mesh* in Incisional Hernia Repair. *Textb. Hernia* 177-180. doi:10.1007/978-3-319-43045-4_23
- Apte, R.S., Chen, D.S., & Ferrara, N., 2019. VEGF in Signaling and Disease: Beyond Discovery and Development. *Cell* 176: 1248. doi: 10.1016/J.CELL.2019.01.021
- Ashcroft, G.S., Jeong, M.-J., Ashworth, J.J., Hardman, M., Jin, W., Moutsopoulos, N., Wild, T., McCartney-Francis, N., Sim, D., McGrady, G., Song, X.-y. and Wahl, S.M., 2012. TNF- α and wound healing. *Wound Repair Regen*, 20: 38-49. <https://doi.org/10.1111/j.1524-475X.2011.00748.x>
- Ashcroft GS, Jeong MJ, Ashworth JJ, Hardman M, Jin W, Moutsopoulos N, Wild T, McCartney-Francis N, Sim D, McGrady G, Song XY, Wahl SM. Tumor necrosis factor-alpha (TNF- α) is a therapeutic target for impaired cutaneous wound healing. *Wound Repair Regen*. 2012. Jan-Feb;20(1):38-49. doi: 10.1111/j.1524-475X.2011.00748.x. Epub 2011 Dec 8. PMID: 22151742; PMCID: PMC3287056.
- Asling, B. *et al.* 2019 'Collagen type III Alpha I is a gastro-oesophageal reflux disease susceptibility gene and a male risk factor for hiatus hernia', *Gut*, 58(8), pp. 1063–1069. doi:10.1136/gut.2008.167353.
- Baylón K, Rodríguez-Camarillo P, Elías-Zúñiga A, Díaz-Elizondo JA, Gilkerson R, Lozano K. Past, Present and Future of Surgical *Meshes*: A Review. *Membranes* (Basel). 2017 Aug 22;7(3):47. doi: 10.3390/membranes7030047. PMID: 28829367; PMCID: PMC5618132.
- Beer L, Mildner M, Ankers MIT HJ. Cell secretome based drug substances in regenerative medicine: when regulatory affairs meet basic science. *Ann Transl Med*. 2017 Apr;5(7):170. doi: 10.21037/atm.2017.03.50. PMID: 28480206; PMCID: PMC5401661.
- Bi, Q., Liu, J., Wang, X., & Sun, F. 2020. Downregulation of miR-27b promotes skin wound healing in a rat model of scald burn by promoting fibroblas proliferation. *Experimental and therapeutic medicine*, 20(5), 63. <https://doi.org/10.3892/etm.2020.9191>
- Bilsel Y, Abci I. The search for ideal hernia repair; mesh materials and types. *Int J Surg*.

2012;10(6):317–21. Available from: <http://dx.doi.org/10.1016/j.ijssu.2012.05.002>

Birindelli A, Sartelli M, Di Saverio S, Coccolini F, Ansaloni L, van Ramshorst GH, Campanelli G, Khokha V, Moore EE, Peitzman A, Velmahos G, Moore FA, Leppaniemi A, Burlew CC, Biffl WL, Koike K, Kluger Y, Fraga GP, Ordonez CA, Novello M, Agresta F, Sakakushev B, Gerych I, Wani I, Kelly MD, Gomes CA, Faro MP Jr, Tarasconi A, Demetrashvili Z, Lee JG, Vettoretto N, Guercioni G, Persiani R, Tranà C, Cui Y, Kok KYY, Ghnam WM, Abbas AE, Sato N, Marwah S, Rangarajan M, Ben-Ishay O, Adesunkanmi ARK, Lohse HAS, Kenig J, Mandalà S, Coimbra R, Bhangu A, Suggett N, Biondi A, Portolani N, Baiocchi G, Kirkpatrick AW, Scibé R, Sugrue M, Chiara O, Catena F. 2017 update of the WSES guidelines for emergency repair of complicated abdominal wall hernias. *World J Emerg Surg.* 2017 Aug 7; 12:37. doi: 10.1186/s13017-017-0149-y. PMID: 28804507; PMCID: PMC5545868.

Bittner J.G., El-Hayek K., Strong A.T., LaPinska M.P., Yoo J.S., Pauli E.M., Kroh M. 2018. First human use of hybrid synthetic/biologic *mesh* in ventral hernia repair: a multicenter trial. *Surg Endosc.* Mar;32(3):1123-1130. doi: 10.1007/s00464-017-5715-6. Epub 2017 Jul 19. Erratum in: *Surg Endosc.* 2017 Sep 21;; PMID: 28726148.

Blotta, R.M., Costa, S. dos S., Trindade, E.N., Meurer, L., & Maciel-Trindade, M.R., 2018. Kolagen I and III in women with diastasis recti. *Clinics* 73. doi:10.6061/CLINICS/2018/E319

Borab ZM, Shakir S, Lanni MA, Tecce MG, MacDonald J, Hope WW, Fischer JP 2017. Does prophylactic *mesh* placement in elective, midline laparotomy reduce the incidence of incisional hernia? A systematic review and meta-analysis. *Surgery* 161: 1149–1163. doi: 10.1016/J.SURG.2016.09.036

Braune J, Weyer U, Hobusch C, Mauer J, Brüning JC, Bechmann I, Gericke M. IL-6 Regulates M2 Polarization and Local Proliferation of Adipose Tissue Macrophages in Obesity. *J. Immunol.* 2017, 198, 2927–2934.

Brown, S.R., Cleveland, E.M., Deeken, C.R., Huitron, S.S., Aluka, K.J., & Davis, K.G., 2017. Type I/type III Kolagen ratio associated with diverticulitis of the colon in young patients. *J. Surg. Res.* 207: 229-234. doi:10.1016/J.JSS.2016.08.044

- Chandrasinghe, P., De Silva, A., Welivita, A., & Deen, K., 2020. Complete migration of a *mesh composite* into small bowel incidentally found during laparotomy for colectomy in an asymptomatic patient: a case report. *J. Med. Case Rep.* 14. doi:10.1186/S13256-020-02540-4
- Chen, X., Cui, Y., Xie, X., Xing, Y., Yuan, Z., & Wei, Y. 2018. Functional role of miR-27b in the development of gastric cancer. *Molecular Medicine Reports*, 17, 5081-5087. <https://doi.org/10.3892/mmr.2018.8538>
- Dahlan, Sopiudin., 2014. *Statistik Untuk Kedokteran dan Kesehatan Edisi 5*. Jakarta, Salemba Medika.
- DeBord, J. R. 1998. The Historical Development of *Prosthetics* In Hernia Surgery. *Surgical Clinics of North America*, 78(6), 973-1006. doi:10.1016/s0039-6109(05)70365-0
- Doctor HG. Evaluation of various *prosthetic* materials and newer *meshes* for hernia repairs. *J Minim Access Surg.* 2006 Sep;2(3):110-6. doi: 10.4103/0972-9941.27721. PMID: 21187889; PMCID: PMC2999768.
- de Vries, H.S., Smeeing, D., Lourens, H., Kruyt, P.M., & Mollen, R.M.H.G., 2019. Long-term clinical experience with laparoscopic ventral hernia repair using a ParietexTM *mesh composite* in severely obese and non-severe obese patients: a single center cohort study. *Minim. Invasive Ther. Allied Technol.* 28: 304-308. doi:10.1080/13645706.2018.1521431
- Di Nicola, V., 2019. *Omental* a powerful biological source in regenerative surgery. *Regen. Ther.* 11: 182-191. doi: 10.1016/j.reth.2019.07.008
- Dietz, U.A., Menzel, S., Lock, J., & Wiegering, A., 2018. The Treatment of Incisional Hernia. *Dtsch. Arztebl. Int.* 115: 31. doi:10.3238/ARZTEBL.2018.0031
- Dykstra, J.A. et al. 2020 'Human adipose-derived stromal vascular fraction: Characterization, safety and therapeutic potential in an experimental mouse model of articular injury', *Journal of Stem Cells and Regenerative Medicine*, 16(1), pp. 16–25. doi:10.46582/jsrm.1601004.
- Edwards, D.C., Cahn, D.B., Reddy, M., Kivlin, D., Malhotra, A., Li, T., et.al., 2018. Incisional Hernia after Cystectomy: Incidence, Risk Factors and Anthropometric Predisposition. *Can. J. Urol.* 25: 9573.

- Fay, L. Y., Lin, Y. R., Liou, D. Y., Chiu, C. W., Yeh, M. Y., Huang, W. C., Wu, J. C., Tsai, M. J., & Cheng, H. 2021. The Application of an Omentum Graft or Flap in Spinal Cord Injury. *International journal of molecular sciences*, 22(15), 7930. <https://doi.org/10.3390/ijms22157930>
- Federer, W. T. 1967. Experimental Design, Theory and Application. *Oxford and IBH Publ. Co.* New Delhi
- Gonzalez AC, Costa TF, Andrade ZA, Medrado AR. Wound healing - A literature review. *An Bras Dermatol.* 2016 Sep-Oct;91(5):614-620. doi: 10.1590/abd1806-4841.20164741. PMID: 27828635; PMCID: PMC5087220
- Harji D, Thomas C, Antoniou SA, Chandraratan H, Griffiths B, Henniford BT, et.al., 2021. A systematic review of outcome reporting in incisional hernia surgery. *BJS Open* 5. doi:10.1093/BJSOOPEN/ZRAB006
- Henriksen, N.A., Yadete, D.H., Sorensen, L.T., Ågren, M.S., & Jorgensen, L.N., 2011. Connective tissue alteration in abdominal wall hernia. *Br. J. Surg.* 98: 210-219. doi:10.1002/BJS.7339
- Henriksen, K., & Karsdal, M. A. 2016. Type I Collagen. *Biochemistry of Collagens, Laminins and Elastin*, 1–11. doi:10.1016/b978-0-12-809847-9.00001-5
- Holihan, J., & Liang, M., 2021. Prophylactic mesh for ventral incisional hernia prevention. [Document]. URL https://www.uptodate.com/contents/prophylactic-mesh-for-ventral-incisional-hernia-prevention?search=herniaincisionalindonesia&source=search_result&selectedTitle=4~122&usage_type=default&display_rank=4#H4188528683 (accessed 11.14.21).
- Hope, W.W., & Tuma, F., 2021. Incisional Hernia. *Illus. Handb. Gen. Surg.* 239-241.
- Hu C, Li L. Preconditioning influences mesenchymal stem cell properties in vitro and in vivo. *J Cell Mol Med.* 2018 Mar;22(3):1428-1442. doi: 10.1111/jcmm.13492. Epub 2018 Feb 1. PMID: 29392844; PMCID: PMC5824372
- Husain, M., Khan, R.N., Rehmani, B., & Haris, H., 2011. *Omental patch* Technique for the Ileal Perforation Secondary to Typhoid Fever. *Saudi J. Gastroenterol.* 17: 208. doi:10.4103/1319-3767.80386
- Isakson M, de Blacam C, Whelan D, McArdle A, Clover AJ. Mesenchymal Stem Cells

- and Cutaneous Wound Healing: Current Evidence and Future Potential. *Stem Cells Int.* 2015; 2015:831095. doi: 10.1155/2015/831095. Epub 2015 May 27. PMID: 26106431; PMCID: PMC4461792.
- Johnson, B.Z. *et al.* (2020) 'The role of IL-6 in skin fibrosis and cutaneous wound healing', *Biomedicines*, 8(5), p. 101. doi:10.3390/biomedicines8050101.
- Kalra T, Soni RK, Sinha A. Comparing Early Outcomes using Non-Absorbable *Polypropylene Mesh* and Partially Absorbable Composite *Mesh* through Laparoscopic Transabdominal Preperitoneal Repair of Inguinal Hernia. *J Clin Diagn Res.* 2017 Aug;11(8): PC13-PC16. doi: 10.7860/JCDR/2017/27982.10478. Epub 2017 Aug 1. PMID: 28969193; PMCID: PMC5620834.
- Kaczmarek A, Vandenabeele P, Krysko DV. Necroptosis: The release of damage-associated molecular patterns and its physiological relevance. *Immunity* 2013, 38, 209–223
- Kerkis, I., Silva, Á.P. and Araldi, R.P. (2024) 'The impact of interleukin-6 (IL-6) and mesenchymal stem cell-derived IL-6 on neurological conditions', *Frontiers in Immunology*, 15. doi:10.3389/fimmu.2024.1400533.
- Kim, Hyun & Choi, Seong-Mi & Kim, han-soo. 2013. Mesenchymal Stem Cell-Derived Secretome and Microvesicles as a Cell-Free Therapeutics for Neurodegenerative Disorders. *Tissue Engineering and Regenerative Medicine.* 10. 10.1007/s13770-013-0010-7.
- Khaidir Yusuf. 2022. The Role of TNF-Alpha in the Wound Healing Process: Molecular and Clinical Perspectives - A Systematic Literature Review. *Jurnal RSMH Palembang*, 3(2), 222-228.
- Kolasiński W. 2018. Surgical site infections - review of current knowledge, methods of prevention. *Polski przegląd chirurgiczny*, 91(4), 41-47. <https://doi.org/10.5604/01.3001.0012.7253>
- Lazarenko, V.A., Ivanov, S. V., Ivanov, I.S., Rosberg, E.P., Tsukanov, A. V., Popova, L.P., et.al., 2017. Kolagen types ratio in prediction of postoperative ventral hernias. *Khirurgiia (Sofia)*. 33-36. doi:10.17116/HIRURGIA2017633-36
- León-López A, Morales-Peñaloza A, Martínez-Juárez VM, Vargas-Torres A, Zeugolis DI, Aguirre-Álvarez G. Hydrolyzed Kolagen-Sources and Applications. *Molecules.*

2019;24(22):4031.

Liu, C. *et al.* 2023 *Mir-21 expressed by dermal fibroblasts enhances skin wound healing through the regulation of inflammatory cytokine expression - inflammation*, SpringerLink. Available at: <https://link.springer.com/article/10.1007/s10753-023-01930-2> (Accessed: 26 August 2024).

Magaki S, Hojat SA, Wei B, So A, Yong WH. An Introduction to the Performance of Immunohistochemistry. *Methods Mol Biol.* 2019;1897:289-298. doi: 10.1007/978-1-4939-8935-5_25. PMID: 30539453; PMCID: PMC6749998

Makhmudi, A 2014. Polimorfisme Gena Metilen tetrahidrofolat reduktase, Protrombin, Faktor V Leiden, Interseluler adhesi matriks-1, Nitrit oksid sintase-3, sebagai Faktor Risiko Gastrosisis. Universitas Gadjah Mada.

McCloskey, D., Linden, K., Lin, A., Zhang, P., Schweinsburg, J., Melillo, A., Wang, H., Barroeta, J., Brown, S., Carpenter, J., Spitz, F., & Shersher, D. 2021. Human Adipose Derived Stem Cells Enhance Healing in a Rat Model of Esophageal Injury with Stent. *The Journal of surgical research*, 267, 458-466. <https://doi.org/10.1016/j.jss.2021.05.035>

Melnick, D.M., & Arbuckle, J.D., 2021. Incisional Hernia. *Illus. Handb. Gen. Surg.* 239-241. doi:10.1007/978-1-84882-089-0_30

Muñoz, E.M., Pardo-Aranda, F., García-Olivares, E., Sousa, S.P.P. De, Forcada, P., & Veloso, E., 2016. *Omental patch* reinforced with *MPP* and split-thickness skin grafting: A new procedure to close the “open abdomen.” *Int. J. Surg. Case Rep.* 25: 153. doi: 10.1016/J.IJSCR.2016.06.001

Nahas, F.X., Ferreira, L.M., Ely, P.B., & Ghelfond, C., 2011. Rectus diastasis corrected with absorbable suture: A long-term evaluation. *Aesthetic Plast. Surg.* 35: 43-48. doi:10.1007/S00266-010-9554-2

Nelson, Benjamin, Kristo, & Gentian, 2017. *Omental patch* to prevent *mesh* contact with bowel during port-site hernia repair. *J. Case Reports Images Surg.* 3: 64-66. doi:10.5348/Z12-2017-52-CR-17

Nguyen, A., Guo, J., Banyard, D. A., Fadavi, D., Toranto, J. D., Wirth, G. A., Paydar, K. Z., Evans, G. R., & Widgerow, A. D. 2016. Stromal vascular fraction: A regenerative reality? Part 1: Current concepts and review of the literature. *Journal*

- of plastic, reconstructive & aesthetic surgery: JPRAS*, 69(2), 170–179.
<https://doi.org/10.1016/j.bjps.2015.10.015>
- O'Brien, J., Hayder, H., Zayed, Y., & Peng, C. 2018. Overview of MicroRNA Biogenesis, Mechanisms of Actions, and Circulation. *Frontiers in endocrinology*, 9, 402. <https://doi.org/10.3389/fendo.2018.00402>
- Opreanu, R.C., 2021. *Omental (Graham) Patch: Background, Indications, Technical Considerations* URL <https://emedicine.medscape.com/article/1892935-overview#a>
- Pattanaik, S.K., Firodous, A., John, A., Pattnaik, H., Mishra, B., & Sahu, B., 2019. A prospective study on incisional hernia, its incidence, etiology and management in a tertiary care hospital of Odisha. *Int. Surg. J.* 6: 1280-1286. doi:10.18203/2349-2902.ISJ20191263
- Pham, Phuc & Vu, Ngoc. 2016. In vitro expansion of mesenchymal stem cells for clinical use. *Progress in Stem Cell*. 2016. 87-96. 10.15419/psc.v2i1.81.
- Prasanna S, Sekaran PG, Sivakumar A, Govindan VK. Role of Collagen in the Etiology of Inguinal Hernia Patients: A Case-Control Study. *Cureus*. 2023 Aug 14;15(8): e43479. doi: 10.7759/cureus.43479. PMID: 37711933; PMCID: PMC10499061.
- Primus, F.E. et al. 201) 'Silver microparticles plus fibrin tissue sealant prevents incisional hernias in rats', *Journal of Surgical Research*, 227, pp. 130–136. doi: 10.1016/j.jss.2018.02.026.
- Radu, P., M, B., D, G., C, P., C, L., F, P., et.al., 2013. Molecular factors of failure in incisional hernia surgery - PubMed.
- Sachdev, A.H., Iqbal, S., Ribeiro, I.B., & Moura, D.T.H. de, 2020. Use of *omental patch* and endoscopic closure technique as an alternative to surgery after endoscopic full thickness resection of gastric intestinal stromal tumors: A series of cases. *World J. Clin. Cases* 8: 120. doi:10.12998/WJCC.V8. I1.120
- Sandblom, G., 2018. Editorial: Incisional and Stomal Hernia Prevention. *Front. Surg.* 5: 46. doi:10.3389/FSURG.2018.00046
- Silva, P. C., Jamel, N., Refinetti, R. A., Manso, E. F., & Schanaider, A. 2006. Desenvolvimento de vasos sanguíneos do omento maior no lobo hepático após ligadura vascular. Modelo experimental em ratos [Development of blood vessels of the greater omentum in the hepatic lobe after vascular ligation. An experimental

- model in the rats]. *Acta chirurgica brasileira*, 21(6), 416-421.
<https://doi.org/10.1590/s0102-86502006000600011>
- Sneiders, D., Yurtkap, Y., Kroese, L.F., Kleinrensink, G.-J., Lange, J.F., & Gillion, J.-F., 2019. Risk Factors for Incarceration in Patients with Primary Abdominal Wall and Incisional Hernias: A Prospective Study in 4472 Patients. *World J. Surg.* 2019 43: 1906-1913. doi:10.1007/S00268-019-04989-X
- Söderbäck, H., Gunnarsson, U., Hellman, P., & Sandblom, G., 2018. Incisional hernia after surgery for colorectal cancer: a population-based register study. *Int. J. Colorectal Dis.* 33: 1411-1417. doi:10.1007/S00384-018-3124-5
- Soylu, S., Yildiz, C., Bozkurt, B., Karakus, S., Kurt, B., & Kurt, A., 2018. Amniotic membrane-coated MPP for the repair of incisional hernia: An experimental study in a rat model of abdominal wall defect. *Iran. Red Crescent Med. J.* 20. doi:10.5812/ircmj.62788
- Stanca Melincovici, C., Boşca, A.B., Şuşman, S., Mărginean, M., Mişu, C., Istrate, M., et.al., 2018. Vascular endothelial growth factor (VEGF)-key factor in normal and pathological angiogenesis. *Rom J Morphol Embryol* 59: 455-467.
- Suckow MA, Duke Boynton FD, Johnson C. Use of a Rat Model to Study Ventral Abdominal Hernia Repair. *J Vis Exp.* 2017 Oct 2;(128):53587. doi: 10.3791/53587.
- Sun, B., Guo, S., Xu, F., Wang, B., Liu, X., Zhang, Y., & Xu, Y. 2014. Concentrated Hypoxia-Preconditioned Adipose Mesenchymal Stem Cell-Conditioned Medium Improves Wounds Healing in Full-Thickness Skin Defect Model. *International scholarly research notices*, 2014, 652713. <https://doi.org/10.1155/2014/652713>
- Szczyński, W., Szczepanek, J., Tretyn, A., Dąbrowiecki, S., Szmytkowski, J., & Polak, J., 2015. An analysis of the expression of Kolagen i and III genes in the fascia of obese patients. *J. Surg. Res.* 195: 475-480. doi:10.1016/J.JSS.2015.01.005
- Tanasescu C, Moisin A, Mihetiu A, Serban D, Costache A, Bratu DG. The use of *polypropylene mesh* in inguinal hernia surgery: A retrospective study. *Exp Ther Med.* 2021 Oct;22(4):1193. doi: 10.3892/etm.2021.10627. Epub 2021 Aug 17. PMID: 34475983; PMCID: PMC8406872.
- Turner, R.C., 2018. A GP primer on incisional hernia. *Aust. J. Gen. Pract.* 47: 609-612. doi:10.31128/AJGP-05-18-4574

- Usman, S.Y., Darmawan, G., Hamijoyo, L., & Wachjudi, R.G., 2019. Hyperuricemia Prevalence and Its Metabolic Syndrome Profiles. *Indones. J. Rheumatol.* 11: 2019. doi:10.37275/IJR.V11I2.118
- Usui-Ouchi A, Aguilar E, Murinello S, Prins M, Gantner ML, Wright PE, Berlow RB, Friedlander M. An allosteric peptide inhibitor of HIF-1 α regulates hypoxia-induced retinal neovascularization. *Proc Natl Acad Sci U S A.* 2020 Nov 10;117(45):28297-28306. doi: 10.1073/pnas.2017234117. Epub 2020 Oct 26.
- Wang, M., Yang, S., Cao, Z., & Hu, S. 2020. Application of Acellular Tissue Matrix for Enhancement of Weak Abdominal Wall in Animal Model. *BioMed research international*, 2020, 3475289. <https://doi.org/10.1155/2020/3475289>
- Wilkosz, S., Ireland, G., Khwaja, N., Walker, M., Butt, R., de Giorgio-Miller, A., & Herrick, S. E. 2005. A comparative study of the structure of human and murine greater omentum. *Anatomy and embryology*, 209(3), 251–261. <https://doi.org/10.1007/s00429-004-0446-6>
- Xie, J. et al. 2022 ‘Roles of microrna-21 in skin wound healing: A comprehensive review’, *Frontiers in Pharmacology*, 13. doi:10.3389/fphar.2022.828627.
- Yang R, Masters AR, Fortner KA, Champagne DP, Yanguas-Casás N, Silberger DJ, Weaver CT, Haynes L, Rincon M. IL-6 promotes the differentiation of a subset of naive CD8⁺ T cells into IL-21–producing B helper CD8⁺ T cells. *J. Exp. Med.* 2016, 213, 2281–2291.
- Zhang L. 2015. Incidence of abdominal incisional hernia in developing country: a retrospective cohort study. *International journal of clinical and experimental medicine*, 8(8), 13649–13652.
- Zhang, Z., Wu, C., Yang, J., Liu, J., Yi Li, Liu, L., Kong, M., Zhang, J., & Jiang, X. 2022. Hypoxic preconditioning promotes galvanotaxis of human dermal microvascular endothelial cells through NF- κ B pathway. *Heliyon*, 8(12), e12421. <https://doi.org/10.1016/j.heliyon.2022.e12421>