

DAFTAR PUSTAKA

- Alageel, O. (2023). Characterization of Temporary Dental Crown Materials Prepared by Different Digital Technologies. *Proceedings of the World Congress on Electrical Engineering and Computer Systems and Science*. <https://doi.org/10.11159/icbes23.153>
- Aldahian, N., Khan, R., Mustafa, M., Vohra, F., & Alrahlah, A. (2021). *Influence of Conventional, CAD-CAM, and 3D Printing Fabrication Techniques on the Marginal Integrity and Surface Roughness and Wear of Interim Crowns*. <https://doi.org/10.3390/app>
- Alharbi, N., van de Veen, A. J., Wismeijer, D., & Osman, R. B. (2019). Build angle and its influence on the flexure strength of stereolithography printed hybrid resin material. An in vitro study and a fractographic analysis. *Materials Technology*, 34(1), 12–17. <https://doi.org/10.1080/10667857.2018.1467071>
- AlRumaih, H. S., & Gad, M. M. (2024). The Effect of 3D Printing Layer Thickness and Post-Polymerization Time on the Flexural Strength and Hardness of Denture Base Resins. *Prosthesis*, 6(4), 970-978.
- Alshamrani, A. A., Raju, R., & Ellakwa, A. (2022). Effect of printing layer thickness and postprinting conditions on the flexural strength and hardness of a 3D-printed resin. *BioMed Research International*, 2022(1), 8353137.
- Altarazi, A., Haider, J., Alhotan, A., Silikas, N., & Devlin, H. (2024). Impact of artificial aging on the physical and mechanical characteristics of denture base materials fabricated via 3D printing. *International journal of biomaterials*, 2024(1), 8060363.
- Amir, W. M., Shafiq, M., Mokhtar, K., Aleng, N. A., Rahim, H. A., & Ali, Z. (2016). Simple response surface methodology using RSREG (SAS). *Journal of Modern Applied Statistical Methods*, 15(1), 855-867.
- Andrejovská, J., Petruš, O., Medved', D., Vojtko, M., Riznič, M., Kizek, P., & Dusza, J. (2023). Hardness and indentation modulus of human enamel and dentin. *Surface and Interface Analysis*, 55(4), 270-278.
- Aravind Shanmugasundaram, S., Razmi, J., Mian, M. J., & Ladani, L. (2020). Mechanical anisotropy and surface roughness in additively manufactured parts fabricated by stereolithography (SLA) using statistical analysis. *Materials*, 13(11), 2496.



- Babu, S. S., & Goodridge, R. (2015). Additive manufacturing. *Materials Science and Technology*, 31(8), 881-883.
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. In *Talanta* (Vol. 76, Issue 5, pp. 965–977). Elsevier. <https://doi.org/10.1016/j.talanta.2008.05.019>
- Bintarto, B., Sayoga, H. P., & Mutiaranti, R. (2023, June). Optimization of cyclic steam stimulation using Taguchi design of experiment on RSF-well. In *AIP Conference Proceedings* (Vol. 2598, No. 1). AIP Publishing.
- Blakey, R., & Mah, J. (2010). Effects of surface conditioning on the shear bond strength of orthodontic brackets bonded to temporary polycarbonate crowns. *American Journal of Orthodontics and Dentofacial Orthopedics*, 138(1), 72-78.
- Bolay, S., Cakir, F. Y., & Gurgan, S. (2012). Effects of toothbrushing with fluoride abrasive and whitening dentifrices on both unbleached and bleached human enamel surface in terms of roughness and hardness: An in vitro study. *Journal of Contemporary Dental Practice*, 13(5), 584–589. <https://doi.org/10.5005/jp-journals-10024-1191>
- Brignardello-Petersen, R., Carrasco-Labra, A., Shah, P., & Azarpazhooh, A. (2013). A practitioner's guide to developing critical appraisal skills: What is the difference between clinical and statistical significance? *Journal of the American Dental Association*, 144(7), 780–786. <https://doi.org/10.14219/jada.archive.2013.0187>
- Brinkman, P., Wagener, A. H., Hekking, P. P., Bansal, A. T., Maitland-van der Zee, A. H., Wang, Y., ... & U-BIOPRED Study Group. (2019). Identification and prospective stability of electronic nose (eNose)–derived inflammatory phenotypes in patients with severe asthma. *Journal of Allergy and Clinical Immunology*, 143(5), 1811-1820.
- Budharaju, H., Suresh, S., Sekar, M. P., De Vega, B., Sethuraman, S., Sundaramurthi, D., & Kalaskar, D. M. (2023). Ceramic materials for 3D printing of biomimetic bone scaffolds – Current state-of-the-art & future perspectives. In *Materials and Design* (Vol. 231). Elsevier Ltd. <https://doi.org/10.1016/j.matdes.2023.112064>
- Butler, N., Zhao, Y., Lu, S., & Yin, S. (2024). Effects of light exposure intensity and time on printing quality and compressive strength of β -TCP scaffolds fabricated with digital light processing. *Journal of the European Ceramic Society*, 44(4), 2581-2589.



- Cai, R., Luo, X., Xie, G., Wang, K., Peng, Y., & Rao, Y. (2024). Effects of the printing parameters on geometric accuracy and mechanical properties of digital light processing printed polymer. *Journal of Materials Science*, 59(31), 14807–14819. <https://doi.org/10.1007/s10853-024-10018-7>
- Callister Jr, W. D., & Rethwisch, D. G. (2012). *Materials Science and Engineering: An Introduction 9e Binder Ready Version+ WileyPLUS Registration Card*. John Wiley & Sons.
- Callister, W. D., & Rethwisch, D. (2018). Characteristics, applications, and processing of polymers. *Materials science and engineering: an introduction*, 8.
- Chockalingam, K., Jawahar, N., & Chandrasekhar, U. (2006). Influence of layer thickness on mechanical properties in stereolithography. *Rapid Prototyping Journal*, 12(2), 106–113. <https://doi.org/10.1108/13552540610652456>
- Chua, C. K., & Yeong, W. Y. (2014). *Bioprinting: principles and applications* (Vol. 1). World Scientific Publishing Co Inc.
- Chua, C. K., & Leong, K. F. (2016). *3D printing and additive manufacturing: principles and applications-of rapid prototyping*. World Scientific Publishing Company.
- Chua, B. L., Jang, Y. H., & Ahn, D. G. (2017). Influence of Corrugation Angle and Load Position on the Flexural Characteristics of Lightweight Plastic Sandwich Panel with Corrugated Cores. *J. Korean Soc. Precis. Eng*, 34(7), 493-500.
- Cohen, J. (2013). *Statistical Power Analysis for the Behavioral Sciences*. Cambridge: Academic Press. <https://doi.org/10.4324/9780203771587>
- Colán Guzmán, P., Furtado, F., Freitas, A. De, Ferreira, P. M., Antunes De Freitas, C., & Reis, K. R. (2008). *INFLUENCE OF DIFFERENT CANTILEVER EXTENSIONS AND GLASS OR POLYARAMID REINFORCEMENT FIBERS ON FRACTURE STRENGTH OF IMPLANT-SUPPORTED TEMPORARY FIXED PROSTHESIS*. www.fob.usp.br/jaos
- Davis, J. R. (Ed.). (2005). *Gear materials, properties, and manufacture*. ASM international.
- del Hougne, M., Di Lorenzo, I., Höhne, C., & Schmitter, M. (2024). A retrospective cohort study on 3D printed temporary crowns. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-68354-2>



- Del Hougne, M., Di Lorenzo, I., Höhne, C., & Schmitter, M. (2024). A retrospective cohort study on 3D printed temporary crowns. *Scientific Reports*, *14*(1), 17295.
- Della Bona, A., Anusavice, K. J., & DeHoff, P. H. (2003). Weibull analysis and flexural strength of hot-pressed core and veneered ceramic structures. *Dental Materials*, *19*(7), 662-669.
- Discepolo, K., & Sultan, M. (2017). Investigation of adult stainless steel crown longevity as an interim restoration in pediatric patients. *International Journal of Paediatric Dentistry*, *27*(4), 247-254.
- Dornfeld, D. A. (Ed.). (2012). *Green manufacturing: fundamentals and applications*. Springer Science & Business Media.
- Dureja, I., Yadav, B., Malhotra, P., Dabas, N., Bhargava, A., & Pahwa, R. (2018). A comparative evaluation of vertical marginal fit of provisional crowns fabricated by computer-aided design/computer-aided manufacturing technique and direct (intraoral technique) and flexural strength of the materials: An in vitro study. *Journal of Indian Prosthodontist Society*, *18*(4), 314–320. https://doi.org/10.4103/jips.jips_306_17
- Dwornicka, R., & Pietraszek, J. (2018). The outline of the expert system for the design of experiment. *Production Engineering Archives*, *20*(20), 43–48. <https://doi.org/10.30657/pea.2018.20.09>
- Ehteshamfar, M. V., Kiadarbandsari, A., Ataee, A., Ghozati, K., & Bagherkhani, M. A. (2024). Chemical treatment in 3D dental model production for clear aligners via additive manufacturing: a comprehensive evaluation. *Rapid Prototyping Journal*, *30*(6), 1121–1136. <https://doi.org/10.1108/RPJ-08-2023-0300>
- Espinar, Cristina, María M. Pérez, Rosa Pulgar, Alberto Leon-Cecilla, Modesto T. López-López, and Alvaro Della Bona. "Influence of printing orientation on mechanical properties of aged 3D-printed restorative resins." *Dental Materials* *40*, no. 4 (2024): 756-763.
- Farashi, S., & Vafaei, F. (2022). Effect of printing parameters on the tensile strength of FDM 3D samples: a meta-analysis focusing on layer thickness and sample orientation. *Progress in Additive Manufacturing*, *7*(4), 565–582. <https://doi.org/10.1007/s40964-021-00247-6>
- Ferracane, J. L. (2011). Resin composite—State of the art. *Dental materials*, *27*(1), 29-38.



- Field, A.P. (2018) *Discovering Statistics Using IBM SPSS Statistics*. 5th Edition, Sage, Newbury Park.
- Firlej, M., Pieniak, D., Niewczas, A. M., Walczak, A., Domagała, I., Borucka, A., Przystupa, K., Igielska-Kalwat, J., Jarosz, W., & Biedziak, B. (2021). Effect of artificial aging on mechanical and tribological properties of CAD/CAM composite materials used in dentistry. *Materials*, *14*(16). <https://doi.org/10.3390/ma14164678>
- Ford, S., Mortara, L., & Minshall, T. (2016). The Emergence of Additive Manufacturing: Introduction to the Special Issue. In *Technological Forecasting and Social Change* (Vol. 102, pp. 156–159). Elsevier Inc. <https://doi.org/10.1016/j.techfore.2015.09.023>
- Gad, M. M., Alzaki, F. A., Abuwarwar, F. A., Alhammad, A., Al Hussain, M., Khan, S. Q., ... & Ayad, N. M. (2024). Impact of printing layer thickness on the flexural strength of nanocomposite 3D printed resins: An in vitro comparative study. *The Saudi Dental Journal*, *36*(10), 1307-1312.
- Gaikwad, S. R., Pawar, N. H., & Sapkal, S. U. (2022). Comparative evaluation of 3D printed components for deviations in dimensional and geometrical features. *Materials Today: Proceedings*, *59*, 297-304
- GANDHI, D. R., PARKARWAR, D. P. C., KARKADE, D. A., & BHAGWAT, D. V. (2024). *DIGITAL DENTISTRY*. sarvad publication.
- Garoushi, S., Vallittu, P. K., & Lassila, L. V. J. (2008). Short glass fiber-reinforced composite with a semi-interpenetrating polymer network matrix for temporary crowns and bridges. *Journal of Contemporary Dental Practice*, *9*(1), 014–021. <https://doi.org/10.5005/jcdp-9-1-14>
- Ghadge, A., Karantoni, G., Chaudhuri, A., & Srinivasan, A. (2018). Impact of additive manufacturing on aircraft supply chain performance: A system dynamics approach. *Journal of Manufacturing Technology Management*, *29*(5), 846-865.
- Ghaffari, T., Nourizadeh, A., Shafiei, E., Mahboub, F., & Kalantari, A. R. (2023). Compressive Strength of Temporary Crowns Made from Default design in Two Types of Software. *Journal of Dentistry (Iran)*, *24*(1), 47–52. <https://doi.org/10.30476/DENTJODS.2022.89736.1433>
- Guo, H., Xu, J., Zhang, S., & Yi, G. (2020). *Orientation printing* optimization based on weighted analysis of local surface region curvature. *Applied Sciences*, *11*(1), 304.

- Gupta, P., Bhat, M., Khamkar, V., Tandel, G., & Salunkhe, G. (2020, February 18). Designing of cost effective resin 3D printer using UV LED. *2020 International Conference on Convergence to Digital World - Quo Vadis, ICCDW 2020*. <https://doi.org/10.1109/ICCDW45521.2020.9318691>
- Hadiyat, M. A., Sopha, B. M., & Wibowo, B. S. (2022). Response surface methodology using observational data: a systematic literature review. *Applied Sciences*, *12*(20), 10663.
- Henry, P. J., & Liddelow, G. J. (2008). Immediate loading of dental implants. *Australian dental journal*, *53*, S69-S81.
- Hofmann, M., & Meyer-Nieberg, S. (2018). Time to dispense with the p-value in OR?: Rationale and implications of the statement of the American Statistical Association (ASA) on p-values. *Central European Journal of Operations Research*, *26*(1), 193–214. <https://doi.org/10.1007/s10100-017-0484-9>
- Hopkinson, N., Hague, R., & Dickens, P. (Eds.). (2006). *Rapid manufacturing: an industrial revolution for the digital age*. John Wiley & Sons.
- Hu, M., Cheng, H., & Feng, Y. (2024). Rapid Continuous 3D Printing via Orthogonal Dual-Color Photoinitiation and Photoinhibition. *3D Printing and Additive Manufacturing*, *11*(2), 476-484.
- Hull, C. W. (2015). The birth of 3D printing. *Research-Technology Management*, *58*(6), 25-30.
- Ian Gibson, I. G. (2015). Additive manufacturing technologies 3D printing, rapid prototyping, and direct digital manufacturing.
- Jacobs, P. F. (1992). *Rapid prototyping & manufacturing: fundamentals of stereolithography*. Society of Manufacturing Engineers.
- Jacob, S., Nair, A. B., Patel, V., & Shah, J. (2020). 3D printing technologies: recent development and emerging applications in various drug delivery systems. *AAPS PharmSciTech*, *21*, 1-16.
- Kalilayeva, A., Zhumashev, D., Wei, D., Perveen, A., & Talamona, D. (2024). Investigation of Stereolithography Additively Manufactured Components for Deviations in Dimensional and Geometrical Features. *Polymers*, *16*(23), 3311.
- Karamchand, L., Makeiff, D., Gao, Y., Azyat, K., Serpe, M. J., & Kulka, M. (2023). Biomaterial inks and bioinks for fabricating 3D biomimetic lung tissue: A delicate

- balancing act between biocompatibility and mechanical printability. In *Bioprinting* (Vol. 29). Elsevier B.V. <https://doi.org/10.1016/j.bprint.2022.e00255>
- Le, T. Van, Ghazlan, A., Ngo, T., & Nguyen, T. (2020). Performance of a bio-mimetic 3D printed conch-like structure under quasi-static loading. *Composite Structures*, 246. <https://doi.org/10.1016/j.compstruct.2020.112433>
- Kim, E. K., Park, E. Y., & Kang, S. (2023). Three-dimensional printing of temporary crowns with polylactic acid polymer using the fused deposition modeling technique: a case series. *Journal of Yeungnam medical science*, 40(3), 302-307.
- Korondi, P. Z., Marchi, M., & Poloni, C. (2020). Response surface methodology. In *Optimization Under Uncertainty with Applications to Aerospace Engineering* (pp. 387-409). Cham: Springer International Publishing.
- Kurth, M., Schleyer, C., & Feuser, D. (2017). Smart factory and education: An integrated automation concept. *International Journal of Service and Computing Oriented Manufacturing*, 3(1), 43-53.
- Lang, L. A., Turkyilmaz, I., Edgin, W. A., Verrett, R., & Garcia, L. T. (2014). Immediate restoration of single tapered implants with nonoccluding provisional crowns: a 5-year clinical prospective study. *Clinical implant dentistry and related research*, 16(2), 248-258.
- Le, T. Van, Ghazlan, A., Ngo, T., & Nguyen, T. (2020). Performance of a bio-mimetic 3D printed conch-like structure under quasi-static loading. *Composite Structures*, 246. <https://doi.org/10.1016/j.compstruct.2020.112433>
- Libonati, A., Di Taranto, V., Gallusi, G., Dolci, A., Montemurro, E., & Campanella, V. (2022). Evaluation of the marginal and internal fit of provisional crown fabricated with two different 3D printing technologies. *JOURNAL OF BIOLOGICAL REGULATORS & HOMEOSTATIC AGENTS*, 36, 49-55.
- Li, J., Guo, D., Li, J., Wei, X., Sun, Z., Yang, B., Lu, T., Ouyang, P., Chang, S., Liu, W., & He, X. (2022). Irregular pore size of degradable bioceramic Voronoi scaffolds prepared by stereolithography: Osteogenesis and computational fluid dynamics analysis. *Materials and Design*, 224. <https://doi.org/10.1016/j.matdes.2022.111414>



- Li, W., Wang, M., Ma, H., Chapa-Villarreal, F. A., Lobo, A. O., & Zhang, Y. S. (2023). *iScience Stereolithography apparatus and digital light processing-based 3D bioprinting for tissue fabrication*. <https://doi.org/10.1016/j.isci>
- Li, X., Xie, B., Jin, J., Chai, Y., & Chen, Y. (2018). *3D Printing Temporary Crown and Bridge by Temperature Controlled Mask Image Projection Stereolithography*. *26*, 1023–1033. <https://doi.org/10.1016/j.promfg.2018.07.134>
- Ligon, S. C., Liska, R., Stampfl, J., Gurr, M., & Mülhaupt, R. (2017). Polymers for 3D printing and customized additive manufacturing. *Chemical reviews*, *117*(15), 10212–10290.
- Liu, Y., Bai, W., Cheng, X., Tian, J., Wei, D., Sun, Y., & Di, P. (2021). *Effects of printing layer thickness on mechanical properties of 3D-printed custom trays*.
- Lu, F., Wu, R., Shen, M., Xie, L., Liu, M., Li, Y., Xu, S., Wan, L., Yang, X., Gao, C., & Gou, Z. (2021). Rational design of bioceramic scaffolds with tuning pore geometry by stereolithography: Microstructure evaluation and mechanical evolution. *Journal of the European Ceramic Society*, *41*(2), 1672–1682. <https://doi.org/10.1016/j.jeurceramsoc.2020.10.002>
- Lüchtenborg, J., Willems, E., Zhang, F., Wesemann, C., Weiss, F., Nold, J., Sun, J., Sandra, F., Bai, J., Reveron, H., Chevalier, J., & Spies, B. C. (2022). Accuracy of additively manufactured zirconia four-unit fixed dental prostheses fabricated by stereolithography, digital light processing and material jetting compared with subtractive manufacturing. *Dental Materials*, *38*(9), 1459–1469. <https://doi.org/10.1016/j.dental.2022.06.026>
- Mazzoli, A., Ferretti, C., Gigante, A., Salvolini, E., & Mattioli-Belmonte, M. (2015). Selective laser sintering manufacturing of polycaprolactone bone scaffolds for applications in bone tissue engineering. *Rapid prototyping journal*, *21*(4), 386–392.
- McCabe, J. F., & Walls, A. W. (Eds.). (2013). *Applied dental materials*. John Wiley & Sons.
- McClave, J.T., & Sincich, T. (2020). *Statistics* (12th Edition). Pearson, Boston.
- Melchels, F. P. (2012). Celebrating three decades of stereolithography. *Virtual and Physical Prototyping*, *7*(3), 173–175.
- Mitra, I., Bose, S., Dernell, W. S., Dasgupta, N., Eckstrand, C., Herrick, J., ... & Bandyopadhyay, A. (2021). 3D Printing in alloy design to improve biocompatibility in metallic implants. *Materials today*, *45*, 20–34.



- Mizrahi, B. (2019). Temporary restorations: the key to success. *British dental journal*, 226(10), 761-768.
- Montgomery, D. C. (2017). *Design and analysis of experiments*. John Wiley & sons.
- Montgomery, D.C. (2019) *Design and Analysis of Experiments*. John Wiley & Sons, New York.
- Munoz-Seijas, N., Fernandes, H., Outeirino, D., Morán-Aguilar, M. G., Domínguez, J. M., & Salgado, J. M. (2024). Potential use of frass from edible insect *Tenebrio molitor* for proteases production by solid-state fermentation. *Food and Bioprocess Processing*, 144, 146-155.
- Murphy, M., Walczak, M. S., Thomas, A. G., Silikas, N., Berner, S., & Lindsay, R. (2017). Toward optimizing dental implant performance: Surface characterization of Ti and TiZr implant materials. *Dental Materials*, 33(1), 43-53.
- Murr, L. E., Gaytan, S. M., Medina, F., Lopez, H., Martinez, E., Machado, B. I., ... & Bracke, J. (2010). Next-generation biomedical implants using additive manufacturing of complex, cellular and functional mesh arrays. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 368(1917), 1999-2032.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response surface methodology: process and product optimization using designed experiments*. John Wiley & Sons.
- Nemani, K. S., Peldszus, S., & Huck, P. M. (2023). Practical framework for evaluation and improvement of drinking water treatment robustness in preparation for extreme-weather-related adverse water quality events. *ACS Es&t Water*, 3(5), 1305-1313.
- Noorani, R. (2006). Rapid prototyping: principles and applications. (*No Title*).
- Nooraziah, A., & Tiagrajah, V. J. (2014). A study on regression model using response surface methodology. *Applied Mechanics and Materials*, 666, 235–239. <https://doi.org/10.4028/www.scientific.net/AMM.666.235>
- Oladapo, B. I., Kayode, J. F., Karagiannidis, P., Naveed, N., Mehrabi, H., & Ogundipe, K. O. (2022). Polymeric composites of cubic-octahedron and gyroid lattice for biomimetic dental implants. *Materials Chemistry and Physics*, 289. <https://doi.org/10.1016/j.matchemphys.2022.126454>



- Park, S. (2016). Significant results: Statistical or clinical? *Korean Journal of Anesthesiology*, 69(2), 121–125. <https://doi.org/10.4097/kjae.2016.69.2.121>
- Pazhamannil, R. V., Rajeev, A., Govindan, P., & Edacherian, A. (2022). Experimental investigations into the effects of process parameters and UV curing on the tensile strength of projection based stereolithography. *Strength of Materials*, 54(3), 483-492.
- Phadke, M. S. (1989). Quality engineering using design of experiments. *Quality control, robust design, and the Taguchi method*, 31-50.
- Pillai, S., Upadhyay, A., Khayambashi, P., Farooq, I., Sabri, H., Tarar, M., ... & Tran, S. D. (2021). Dental 3D-printing: transferring art from the laboratories to the clinics. *Polymers*, 13(1), 157.
- Prasad, K. S., Rao, C. S., & Rao, D. N. (2012). Application of design of experiments to plasma arc welding process: a review. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 34, 75-81.
- Puebla, K., Arcaute, K., Quintana, R., & Wicker, R. B. (2012). Effects of environmental conditions, aging, and build orientations on the mechanical properties of ASTM type I specimens manufactured via stereolithography. *Rapid Prototyping Journal*, 18(5), 374-388.
- Quintana, R., Choi, J. W., Puebla, K., & Wicker, R. (2010). Effects of build orientation on tensile strength for stereolithography-manufactured ASTM D-638 type I specimens. *The International Journal of Advanced Manufacturing Technology*, 46, 201-215.
- Rahmah, A. A., & Aqli, W. (2020). Konsep arsitektur biomimetik pada bangunan Oseanarium. *ARTEKS: Jurnal Teknik Arsitektur*, 5(2), 297–306. <https://doi.org/10.30822/arteks.v5i2.442>
- Riswanto, F. D. O., Rohman, A., Pramono, S., & Martono, S. (2019). Application of response surface methodology as mathematical and statistical tools in natural product research. *Journal of Applied Pharmaceutical Science*, 9(10), 125–133. <https://doi.org/10.7324/JAPS.2019.91018>
- Ross, A. D. (2000). Performance-based strategic resource allocation in supply networks. *International journal of production economics*, 63(3), 255-266.



- Rosenstiel, S. F., Land, M. F., & Walter, R. (Eds.). (2022). *Contemporary fixed prosthodontics-e-book: Contemporary fixed prosthodontics-e-book*. Elsevier Health Sciences.
- Rusianto, T., Huda, S., Hary Wibowo, dan, Kalisahak No, J., & Balapan Yogyakarta, K. (n.d.). *A RIVIEW: JENIS DAN PENCETAKAN 3D (3D PRINTING) UNTUK PEMBUATAN PROTOTIPE*. <https://aaq.auburn.edu/node/9907/take>
- SANTOS, H. É. D. S., NASCIMENTO, M. D. L., PENAFORT, K. L. D. S., TÔRRES NETO, A. J., BARRETO, L. A. L., GRANGEIRO, M. T. V., ... & FIGUEIREDO, V. M. G. D. (2024). Performance of conventional acrylic resin vs. 3D printed resin in surface roughness, hardness, and mechanical resistance. *Revista de Odontologia da UNESP*, 53, e20240017.
- Sherwood, R. G., Murphy, N., Kearns, G., & Barry, C. (2020). The use of 3D printing technology in the creation of patient-specific facial prostheses. *Irish Journal of Medical Science (1971-)*, 189, 1215-1221.
- Simeon, P., Unkovskiy, A., Sarmadi, B. S., Nicic, R., Koch, P. J., Beuer, F., & Schmidt, F. (2024). Wear resistance and flexural properties of low force SLA-and DLP-printed splint materials in different printing orientations: An in vitro study. *Journal of the Mechanical Behavior of Biomedical Materials*, 152, 106458.
- Singh, S., Ramakrishna, S., & Singh, R. (2017). Material issues in additive manufacturing: A review. *Journal of manufacturing processes*, 25, 185-200.
- Saini, J. S., Dowling, L., Kennedy, J., & Trimble, D. (2020). Investigations of the mechanical properties on different print orientations in SLA 3D printed resin. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 234(11), 2279-2293.
- Sakaguchi, R. L., & Powers, J. M. (2011). *Craig's Restorative Dental Materials-E-Book: Craig's Restorative Dental Materials-E-Book*. Elsevier Health Sciences.
- Simpson, J. R., Landman, D., Giroux, R., Zeisset, M., Hall, B., & Rhew, R. D. (2008). Adapting second-order response surface designs to specific needs. *Quality and Reliability Engineering International*, 24(3), 331-349.
- Singh, T., Kumar, S., & Sehgal, S. (2020). 3D printing of engineering materials: A state of the art review. *Materials today: proceedings*, 28, 1927-1931.



- Suchanek, W., & Yoshimura, M. (1998). *Processing and properties of hydroxyapatite-based biomaterials for use as hard tissue replacement implants.*
- Sukindar, N. A., Khata, M. T. A. H. M., Yasir, A. S. H. M., Zawawi, M. F., Kamaruddin, S., & Ab Aziz, A. A. (2024). EFFECT OF THE PRINTING PARAMETERS ON THE TENSILE STRENGTH AND SURFACE ROUGHNESS OF A PHOTOPOLYMER RESIN USING DLP 3D PRINTING. *Malaysian Journal of Microscopy*, 20(1), 189-200.
- Sun, J., Yu, S., Wade-Zhu, J., Wang, Y., Qu, H., Zhao, S., Zhang, R., Yang, J., Binner, J., & Bai, J. (2022). 3D printing of ceramic composite with biomimetic toughening design. *Additive Manufacturing*, 58. <https://doi.org/10.1016/j.addma.2022.103027>
- Taguchi, G., & Cariapa, V. (1993). Taguchi on robust technology development.
- Taguchi, G., & Konishi, S. (1987). Taguchi methods. *Orthogonal Arrays and Linear Graphs, Tools for Quality Engineering, American Supplier Institute*, 35-38.
- Talhah, M., Hafiz, A., Khata, M., Sukindar, A., Shah, A., Yasir, H. M., Zawawi, M. F., Kamaruddin, S., Azlan, A., & Aziz, A. (2024). EFFECT OF THE PRINTING PARAMETERS ON THE TENSILE STRENGTH AND SURFACE ROUGHNESS OF A PHOTOPOLYMER RESIN USING DLP 3D PRINTING. *Malaysian Journal of Microscopy*, 20(1), 189–200.
- Taufik, I., Santosa Budiono, H., Andriyansyah, D., & Teknik Mesin Sekolah Tinggi Teknologi Warga Surakarta, J. (2020). PENGARUH PRINTING SPEED TERHADAP TINGKAT KEKASARAN PERMUKAAN HASIL ADDITIVE MANUFACTURING DENGAN POLYLACTIC ACID FILAMENT. In *Journal of Mechanical Engineering* (Vol. 4, Issue 2).
- Tiller, B., Reid, A., Zhu, B., Guerreiro, J., Domingo-Roca, R., Jackson, J. C., & Windmill, J. F. C. (2019). Piezoelectric microphone via a digital light processing 3D printing process. *Materials & Design*, 165, 107593.
- Tumbleston, J. R., Shirvanyants, D., Ermoshkin, N., Januszewicz, R., Johnson, A. R., Kelly, D., ... & DeSimone, J. M. (2015). Continuous liquid interface production of 3D objects. *Science*, 347(6228), 1349-1352.
- Unkovskiy, A., Bui, P. H. B., Schille, C., Geis-Gerstorfer, J., Huettig, F., & Spintzyk, S. (2018). Objects build orientation, positioning, and curing influence dimensional

- accuracy and flexural properties of stereolithographically printed resin. *Dental Materials*, 34(12), e324-e333.
- Vaezi, M., Seitz, H., & Yang, S. (2013). A review on 3D micro-additive manufacturing technologies. *The international journal of advanced manufacturing technology*, 67, 1721-1754.
- Veza, I., Spraggon, M., Fattah, I. M. R., & Idris, M. (2023). Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biofuel: Review of RSM for sustainability energy transition. In *Results in Engineering* (Vol. 18). Elsevier B.V. <https://doi.org/10.1016/j.rineng.2023.101213>
- Wang, E., Yang, F., Shen, X., Li, Z., Yang, X., Zhang, X., & Peng, W. (2022). Investigation and Optimization of the Impact of Printing Orientation on Mechanical Properties of Resin Sample in the Low-Force Stereolithography Additive Manufacturing. *Materials*, 15(19). <https://doi.org/10.3390/ma15196743>
- Wang, H., Shen, F., Li, Z., Zhou, B., Zhao, P., Wang, W., Cheng, B., Yang, J., Li, B., & Wang, X. (2023). Preparation of high-performance ZrO₂ bio-ceramics by stereolithography for dental restorations. *Ceramics International*, 49(17), 28048–28061. <https://doi.org/10.1016/j.ceramint.2023.06.052>
- Xu, W., Wang, C., Liu, B., & Jia, S. (2023). Crushing responses and energy absorption of bionic inspired corrugated honeycombs. *International Journal of Impact Engineering*, 179. <https://doi.org/10.1016/j.ijimpeng.2023.104641>
- Zhou, X., Esworthy, T., Lee, S. J., Miao, S., Cui, H., Plesiniak, M., Fenniri, H., Webster, T., Rao, R. D., & Zhang, L. G. (2019). 3D Printed scaffolds with hierarchical biomimetic structure for osteochondral regeneration. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 19, 58–70. <https://doi.org/10.1016/j.nano.2019.04.002>
- Zhu, J., Zhang, Q., Yang, T., Liu, Y., & Liu, R. (2020). 3D printing of multi-scalable structures via high penetration near-infrared photopolymerization. *Nature communications*, 11(1), 3462.