

DAFTAR PUSTAKA

- Anand, I., McMurray, J.J.V., Whitmore, J., Warren, M., Pham, A., McCamish, M.A., *et al.*, 2004. Anemia and its relationship to clinical outcome in heart failure. *Circulation* 110, 149–154.
- Anker, S.D., Egerer, K.R., Volk, H.D., Kox, W.J., Poole-Wilson, P.A., Coats, A.J., 1997. Elevated soluble CD14 receptors and altered cytokines in chronic heart failure. *Am. J. Cardiol.* 79, 1426–1430.
- Apple, F.S., Kavsak, P.A., Jaffe, A.S., 2023. Cardiac Function. In: Rifai, N., Chiu, R.W.K., Young, I., Burnham, C.D., Wittwer, C.T. (Eds.), *Tietz Textbook Of Laboratory Medicine*. Elsevier, pp. 544–602.
- Bayes-Genis, A., Docherty, K.F., Petrie, M.C., Januzzi, J.L., Mueller, C., Anderson, L., *et al.*, 2023. Practical algorithms for early diagnosis of heart failure and heart stress using NT-proBNP: A clinical consensus statement from the Heart Failure Association of the ESC. *Eur. J. Heart Fail.* 25, 1891–1898.
- Biancucci, M., Barbiero, R., Pennella, B., Cannatà, A., Ageno, W., Tangianu, F., *et al.*, 2024. Hypoalbuminaemia and heart failure : A practical review of current evidence. *Eur. J. Heart Fail.* 1–14.
- Çakmak, E.Ö., Bayam, E., Çelik, M., Kahyaoğlu, M., Eren, K., Imanov, E., *et al.*, 2020. Uric Acid-to-Albumin Ratio: A Novel Marker for the Extent of Coronary Artery Disease in Patients with Non-ST-Elevated Myocardial Infarction. *Pulse* 8, 99–107.
- Don, B.R., Kaysen, G., 2004. Serum albumin: Relationship to inflammation and nutrition. *Semin. Dial.* 17, 432–437.
- Gijsberts, C.M., Ellenbroek, G.H.J.M., Berg, M.J., Huisman, A., Solinge, W.W. Van, Lam, C.S., *et al.*, 2017. Effect of Monocyte-to-Lymphocyte Ratio on Heart Failure Characteristics and Hospitalizations in a Coronary Angiography Cohort. *Am. J. Cardiol.* 120, 911–916.
- Gopal, D., Kalogeropoulos, A.P., Georgiopoulou, V. V, Tang, W.W.H., Methvin, A., Smith, A.L., *et al.*, 2011. Serum Albumin Concentration and Heart Failure Risk: The Health, Aging, and Body Composition Study. *Am. J. Cardiol.* 160, 279–285.
- Henry-Okafor, Q., P. Collins, S., A. Jenkins, C., F. Miller, K., J. Maron, D., J. Naftilan, A., *et al.*, 2012. Relationship between Uric Acid Levels and Diagnostic and Prognostic Outcomes in Acute Heart Failure. *Open Biomark. J.* 5, 9–15.

- Hersunarti, N., Rohman, M.S., 2007. Pemeriksaan BNP atau NT pro BNP pada Pasien Gagal Jantung. *J. Kardiol. Indones.* 28, 229–232.
- Kalkan, S., Cagan Efe, S., Karagöz, A., Zeren, G., Yılmaz, M.F., Şimşek, B., *et al.*, 2022. A New Predictor of Mortality in ST-Elevation Myocardial Infarction: The Uric Acid Albumin Ratio. *Angiology* 73, 461–469.
- Kumar, V., Abbas, A.K., Aster, J.C., 2013. Heart. In: ROBBINS BASIC PATHOLOGY. Elsevier, Philadelphia, pp. 365–406.
- Kumrić, M., Borovac, J.A., Kurir, T.T., Božić, J., 2021. Clinical implications of uric acid in heart failure: A comprehensive review. *Life* 11, 1–16.
- Kurmani, S., Squire, I., 2017. Acute Heart Failure: Definition, Classification and Epidemiology. *Curr. Heart Fail. Rep.* 14, 385–392.
- Kusumoto, F.M., 2014. Cardiovascular Disorders: Heart Disease. In: Hammer, G.D., McPhee, S.J. (Eds.), Pathophysiology Of Disease: An Introduction to Clinical Medicine. *McGraw Hill*, pp. 255–293.
- Lafuse, W.P., Wozniak, D.J., Rajaram, M.V.S., 2021. Role of cardiac macrophages on cardiac inflammation, fibrosis and tissue repair. *Cells* 10, 1–27.
- Lamb, E.J., Jones, R.D., 2023. Kidney Function Test. In: Rifai, N., Chiu, R.W.K., Young, I., Burnham, C.D., Wittwer, C.T. (Eds.), *Tietz Textbook Of Laboratory Medicine*. Elsevier, pp. 352.e22–352.e60.
- Li, L., Sun, M., Zhang, Y., 2016. Serum uric acid , NT-ProBNP and hs-CRP as biomarkers in chronic heart failure. *Int J Clin Exp Med* 9, 18324–18331.
- Liu, W., Ding, K., Bao, J., Hu, Y., Gui, Y., Ye, L., *et al.*, 2023. Relationship between uric acid to albumin ratio and in-stent restenosis in patients with coronary artery disease undergoing drug-eluting stenting. *Coron. Artery Dis.* 34, 589–594.
- Liu, X., Chu, A., Ding, X., 2024. Elevated uric acid to serum albumin ratio: a predictor of short-term outcomes in Chinese heart failure patients. *Front. Nutr.* 11, 1–11.
- Madamanchi, C., Alhosaini, H., Sumida, A., Runge, M.S., 2014. Obesity and Natriuretic Peptides, BNP and NT-proBNP: Mechanisms and Diagnostic Implications for Heart Failure. *NIH Public Access* 176, 611–617.
- Majmundar, M., Kansara, T., Park, H., Ibarra, G., Marta Lenik, J., Shah, P., *et al.*, 2022. Absolute lymphocyte count as a predictor of mortality and readmission in heart failure hospitalization. *IJC Hear. Vasc.* 39, 1–9.
- McCord, J., Mundy, B.J., Hudson, M.P., Maisel, A.S., Hollander, J.E., Abraham,

- W.T., *et al.*, 2004. Relationship Between Obesity and B-Type Natriuretic Peptide Levels. *Arch. Intern. Med.* 164, 2247–2252.
- McDonagh, T.A., Metra, M., Adamo, M., Baumbach, A., Böhm, M., Burri, H., *et al.*, 2021. 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *Eur. Heart J.* 42, 3599–3726.
- Metra, M., Brutsaert, D., Dei Cas, L., Gheorghiade, M., 2011. Acute heart failure: epidemiology, classification, and pathophysiology. In: Tubaro, M., Vranckx, P., Price, S., Vrints, C. (Eds.), *The ESC Textbook of Intensive and Acute Cardiovascular Care* (2 Ed.). *Oxford University Press*, pp. 1–32.
- Nishikawa, T., Shimizu, S., Kamiya, H., Ueyama, J., Yamada, S., 2022. Association of Redox State of Human Serum Albumin with Severity in Patients with Heart Failure A Cross-Sectional Study. *Int. Heart J.* 63, 1107–1114.
- Nunez, J., Minana, G., Bodi, V., Nunez, E., Sanchis, J., Husser, O., *et al.*, 2011. Low Lymphocyte Count and Cardiovascular Diseases. *Curr. Med. Chem.* 18, 3226–3233.
- Oeun, B., Nakatani, D., Hikoso, S., Kojima, T., Dohi, T., Kitamura, T., *et al.*, 2020. Factors Associated With Elevated N-Terminal Pro B-Type Natriuretic Peptide Concentrations at the Convalescent Stage and 1-Year Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. *Circ. Reports* 2, 400–408.
- Oflar, E., Yildiz, C., Koyuncu, A., Mavi, B., Karabulut, D., Çağlar, F.N.T., *et al.*, 2023. Relationship between uric acid albumin ratio and peripheral artery disease complexity. *Eur. Rev. Med. Pharmacol. Sci.* 27, 11472–11478.
- Oh, E.S., You, Z., Nowak, K.L., Jovanovich, A.J., 2022. Association of Monocyte Count and Monocyte/ Lymphocyte Ratio with the Risk of Cardiovascular Outcomes in Patients with CKD. *Kidney360* 3, 657–665.
- Ołasińska-Wiśniewska, A., Urbanowicz, T., Perek, B., Misterski, M., Grodecki, K., Grygier, M., *et al.*, 2024. Predictive Value of Monocyte-To-Lymphocyte Ratio in Differentiating Heart Failure with Reduced Ejection Fraction in Patients with Severe Aortic Stenosis—A Retrospective Analysis. *J. Clin. Med.* 13, 1–12.
- Pena, E., Brito, J., El Alam, S., Siques, P., 2020. Oxidative stress, kinase activity and inflammatory implications in right ventricular hypertrophy and heart failure under hypobaric hypoxia. *Int. J. Mol. Sci.* 21, 1–17.
- Rangaswami, J., Bhalla, V., Blair, J.E.A., Chang, T.I., Costa, S., Lentine, K.L., *et al.*, 2019. Cardiorenal Syndrome: Classification, Pathophysiology, Diagnosis, and Treatment Strategies: A Scientific Statement From the American Heart

Association. *Circulation* 139, E840–E878.

Reina-Couto, M., Pereira-Terra, P., Quelhas-Santos, J., Silva-Pereira, C., Albino-Teixeira, A., Sousa, T., 2021. Inflammation in Human Heart Failure: Major Mediators and Therapeutic Targets. *Front. Physiol.* 12, 1–25.

Rørth, R., Jhund, P.S., Yilmaz, M.B., Kristensen, S.L., Welsh, P., Desai, A.S., *et al.*, 2020. Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. *Circ. Hear. Fail.* 1–10.

Schou, M., Gustafsson, F., Kistorp, C.N., Corell, P., Kjaer, A., Hildebrandt, P.R., 2007. Prognostic Usefulness of Anemia and N-Terminal Pro-Brain Natriuretic Peptide in Outpatients With Systolic Heart Failure. *Am. J. Cardiol.* 100, 1571–1576.

Shahid, F., Lip, G.Y.H., Shantsila, E., 2018. Role of monocytes in heart failure and atrial fibrillation. *J. Am. Heart Assoc.* 7, 3436–3446a.

Shenoy Belle, V., Prabhu, K., Biswas, M., Suvarna, R., Krishnan S, V., Devasia, T., 2022. The mechanistic role of neutrophil lymphocyte ratio perturbations in the leading non communicable lifestyle diseases. *F1000 Res.* 11, 1–31.

Siddiqui, S.W., Ashok, T., Patni, N., Fatima, M., Lamis, A., Anne, K., 2022. Anemia and Heart Failure : A Narrative Review. *Cureus* 14, 1–10.

Sumantra, I.G., 2019. Tantangan diagnostik dan pengelolaan gagal jantung akut dari subset hemodinamik untuk pengobatan yang tepat. *J. Ilm. Kedokt.* 3, 14–25.

Tabata, F., Wada, Y., Kawakami, S., Miyaji, K., 2021. Serum albumin redox states: More than oxidative stress biomarker. *Antioxidants* 10, 1–16.

Tang, Y., Katz, S.D., 2006. Contemporary Reviews in Cardiovascular Medicine Anemia in Chronic Heart Failure Prevalence , Etiology , Clinical Correlates , and Treatment Options Prevalence of Anemia in CHF. *Circulation* 113, 2454–2461.

Vakhshoori, M., Nemati, S., Sabouhi, S., Shakarami, M., Yavari, B., Emami, S.A., *et al.*, 2023a. Prognostic impact of monocyte-to-lymphocyte ratio in coronary heart disease: a systematic review and meta-analysis. *J. Int. Med. Res.* 51, 1–19.

Vakhshoori, M., Nemati, S., Sabouhi, S., Tavakol, G., Yavari, B., Shakarami, M., *et al.*, 2023b. Selection of Monocyte-to-Lymphocyte Ratio (MLR) or Lymphocyte-to-Monocyte Ratio (LMR) as Best Prognostic Tool in Heart Failure: a Systematic Review. *SN Compr. Clin. Med.* 5, 1–8.

Wang, C.S., Sun, Y., Ren, J., 2024. Uric Acid to Albumin Ratio, A Novel

Biomarker of Cardiovascular Disease. *Angiology* 75, 394.

Willis, M.S., Lee, E.S., Grenache, D.G., 2005. Effect of anemia on plasma concentrations of NT-proBNP. *Clin. Chim. Acta* 358, 175–181.

Wróbel-Nowicka, K., Wojciechowska, C., Jacheć, W., Zalewska, M., Romuk, E., 2024. The Role of Oxidative Stress and Inflammatory Parameters in Heart Failure. *Med.* 60, 1–21.

Xia, H., Shen, H., Cha, W., Lu, Q., 2021. The Prognostic Significance of Anemia in Patients With Heart Failure: A Meta-Analysis of Studies From the Last Decade. *Front. Cardiovasc. Med.* 8, 1–12.

Yi, S., Chen, M., 2020. Decreased albumin is associated with elevated N-terminal pro-brain natriuretic peptide and poor long-term prognosis in patients with chronic heart failure. *Med. (United States)* 99, E23872.

Yin, R., Ye, Z., You, H., Wu, Y., Chen, W., Jiang, T., 2024. Elevated uric acid/albumin ratio as a predictor of poor coronary collateral circulation development in patients with non-ST segment elevation myocardial infarction. *Clin. Cardiol.* 47, 1–8.

Yolanda, D.W., Hendriyanto, P., 2024. Heart Failure with Preserved Ejection Fraction (HFpEF) Akibat Valvular Heart Disease pada Usia Muda. *PREPOTIF J. Kesehat. Masy.* 8, 3885–3891.