



DAFTAR PUSTAKA

- ASTM. (2004). *ASTM D8-02: Standard Terminology Relating to Materials for Roads and Pavements. Vol. 04.03: Annual Book of ASTM Standards*. West Conshohocken, PA,,: ASTM International.
- Asphalt Institute. (2009). *A Basic Asphalt Emulsion Manual*, 4th ed. Manual Series 19. Lexington, KY: Asphalt Institute.
- Buchanan, S. a. (2004). *Field Tack coat Evaluator (ATAckerTM). Final report. FHWA/MS-DOT-RD-04-168. Mississippi State University, Mississippi Department of Transportation*. Mississippi: Federal Highway Administration.
- Al-Barqawi, M., Aqel, R., Wayne, M., Titi, H., Elhajjar, R. (2021). Polymer geogrids: A review of material, design and structure relationships. *Materials*, 14(16). <https://doi.org/10.3390/ma14164745>
- Ananda, F. (2020). *Kuat Geser Antar Lapis AC-WC dan AC-BC yang Menggunakan Tack Coat Tipe CRS- 1 dan CSS-1*.
- ASTM. (2022). ASTM D-8: Standard Terminology Relating to Materials for Roads and Pavements. *Nanomaterials*, 126(2), 13–15. <https://doi.org/10.1520/D0008-21.10.1520/D0008-22.2>
- Balaji*, D. S., Vinodhkumar, S., Ridhuvarsine, R. G. (2019). Applications and Performance of Geogrids in Structures. *International Journal of Recent Technology and Engineering (IJRTE)*, 8(4), 5495–5500. <https://doi.org/10.35940/ijrte.d8831.118419>
- Bashir, R. H., Hamad, B. S., Chehab, G. R. (2024). Assessment of external and internal geogrid confinement of reinforced concrete columns. *Case Studies in Construction Materials*, 20(January), e02974. <https://doi.org/10.1016/j.cscm.2024.e02974>
- Bonny F. Sompie, F. J. (2014). *Kajian Pengaruh Air Terhadap Kekuatan Geser Tack Coat Pada Perkerasan Lentur*. 4(4), 265–282.
- Chen, J., Wang, H., Xie, P. (2019). Pavement temperature prediction: Theoretical models and critical affecting factors. *Applied Thermal Engineering*, 158(April). <https://doi.org/10.1016/j.applthermaleng.2019.113755>
- Chen, M., Xu, G., Wu, S., Zheng, S. (2010). *Measurements for Asphalt Pavement*.
- Christiady, H. (2011). *Perancangan perkerasan jalan dan penyelidikan tanah*. UGM Press.
- Correia, N. S., Mugayar, A. N. (2021). Effect of binder rates and geogrid characteristics on the shear bond strength of reinforced asphalt interfaces. *Construction and Building Materials*, 269, 121292. <https://doi.org/10.1016/j.conbuildmat.2020.121292>
- Desbrousses, R. L. E., Meguid, M. A., Bhat, S. (2022). Effect of temperature on the mechanical



- properties of two polymeric geogrid materials. *Geosynthetics International*, 29(3), 326–336. <https://doi.org/10.1680/jgein.21.00032a>
- Direktorat Jenderal Bina Marga. (2023). Kondisi Jalan Nasional 2023 semester II. *Kementrian Pekerjaan Umum Dan Perumahan Rakyat*, 2.
- Diretorate General of Highways. (2020). Spesifikasi Umum Bina Marga 2018 Untuk Pekerjaan Konstruksi Jalan dan Jembatan (Revisi 2). *Ministry of Public Works and Housing*, Oktober, 1036.
- Fadhilah, M. R., Suparma, L. B., Siswosukarto, S. (2022). Penentuan Optimum Setting Time Aspal Emulsi Jenis Crs-1 Dan Crs-1P Sebagai Material Lapis Perekat. *Jurnal Transportasi*, 22(1), 1–10.
- Geosynthetic Material Association. (2002). *Handbook of Geosynthetics USA*.
- Hatmoko, J. U. D., Lendra, L. (2021). Quantifying energy consumption and greenhouse gas emissions of construction projects: A case study of Semarang -Bawen road project. *IOP Conference Series: Materials Science and Engineering*, 1072(1), 012070. <https://doi.org/10.1088/1757-899x/1072/1/012070>
- Hu, X., Lei, Y., Wang, H., Jiang, P., Yang, X., You, Z. (2017). Effect of tack coat dosage and temperature on the interface shear properties of asphalt layers bonded with emulsified asphalt binders. *Construction and Building Materials*, 141, 86–93. <https://doi.org/10.1016/j.conbuildmat.2017.02.157>
- Huber, G. a. (1994). *Weather Database for the SUPERPAVE TM Mix Design System*. February, 139.
- James G. Speight PhD, D. (2016). *Asphalt Materials Science and Technology*.
- Koerner, R. M. (2005). *Designing with geosynthetics- 2Th Edition*. 652.
- Lee, S. L., Mannan, M. A., Wan Ibrahim, W. H. (2020). Shear strength evaluation of composite pavement with geotextile as reinforcement at the interface. *Geotextiles and Geomembranes*, 48(3), 230–235. <https://doi.org/10.1016/j.geotexmem.2019.11.002>
- Li, Sheng, Li Yu-Zhi, Liu Zhao Hui, Sun Zhi Lin. (2013). Interlaminar Shear Stress and Structure of Continuously Reinforced Concrete Composite Asphalt Pavements. *ASCE*, 7(4). <https://doi.org/https://doi.org/10.1061/JHTRCQ.0000341>
- Li, S., Huang, Y., Liu, Z. H. (2016). Experimental evaluation of asphalt material for interlayer in rigid-flexible composite pavement. *Construction and Building Materials*, 102, 699–705. <https://doi.org/10.1016/j.conbuildmat.2015.10.122>
- Loba Sagnol, Juan Carlos Quezada, C. C. (2018). Effect of glass fibre grids on the bonding strength between two asphalt layers and its Contact Dynamics method modelling. *Taylor and Francis Journal*, 20(5). <https://doi.org/https://doi.org/10.1080/14680629.2018.1439764>



- Lopez-Carreño, R. D., Pujadas, P., Cavalaro, S. H. P., Aguado, A. (2017). Bond strength of whitetoppings and bonded overlays constructed with self-compacting high-performance concrete. *Construction and Building Materials*, 153, 835–845. <https://doi.org/10.1016/j.conbuildmat.2017.07.136>
- Lung, C. K., Mohd Hasan, M. R., Hamzah, M. O., Sani, A., Poovaneshvaran, S., Ramadhansyah, P. J. (2020). Effect of temperatures and loading rates on direct shear strength of asphaltic concrete using layer-parallel direct shear test. *IOP Conference Series: Materials Science and Engineering*, 712(1). <https://doi.org/10.1088/1757-899X/712/1/012047>
- Mahfuda, A., Siswosukarto, S., Suhendro, B. (2023). The Influence of Temperature Variations on Rigid Pavement Concrete Slabs. *Journal of the Civil Engineering Forum*, 9(May), 139–150. <https://doi.org/10.22146/jcef.5744>
- Massey, R. C. O., Company, D. A., Corporation, M. D. (n.d.). *Aircraft Pavement Loading : Static and Dynamic*. 75–83.
- Of, R., With, P., Meshes, S. (2006). *COST Action 348 - REIPAS*.
- Rahman, T., Dawson, A., Thom, N., Ahmed, I., Carvajal-Munoz, J. S. (2022). Determining the allowable opening-to-traffic asphalt temperature for airport pavements. *International Journal of Pavement Engineering*, 23(7), 2351–2369. <https://doi.org/10.1080/10298436.2020.1855350>
- Raposeiras, A. C., Castro-Fresno, D., Vega-Zamanillo, A., Rodriguez-Hernandez, J. (2013). Test methods and influential factors for analysis of bonding between bituminous pavement layers. *Construction and Building Materials*, 43, 372–381. <https://doi.org/10.1016/j.conbuildmat.2013.02.011>
- Road, P., Engineer, D., Umum, D. P. (2005). *MODUL RDE - 11 : PERENCANAAN PERENCANAAN SAN*.
- Rumkita, I., Anwar, R., Ringkasan, Y. (n.d.). *Pengaruh Curing Time Dan Pengaruh Air Pada Lapisan Ber-Tack Coat Terhadap Kinerja Tahanan Geser Pada Interface Lapisan Beraspal*.
- Sampouw, B. G., Mandagi, A. T., Tico, J. H. (2019). Analisis Kestabilan Lereng Sebagai Perkuatan Desain Dinding Mse Pada Ruas Jalan Tol 2 Manado - Bitung Sta 9+745 Menggunakan Software Slide V.6.005. *Jurnal Sipil Statik*, 7(12), 1649–1660. <https://ejournal.unsrat.ac.id/index.php/jss/article/view/26143>
- Siregar, M. F. P. S. (2020). *Analisis Interface Shear Bond Strength antara Lapisan AC-WC dan AC-BC Menggunakan Tack Coat Jenis CRS-1 Dan CRS-1P*.
- Sudarsanan, N., Karpurapu, R., Amrithalingam, V. (2018). An investigation on the interface bond strength of geosynthetic-reinforced asphalt concrete using Leutner shear test. *Construction and Building Materials*, 186, 423–437.



<https://doi.org/10.1016/j.conbuildmat.2018.07.010>

- Susanto, H. A., Dewi, K. F., Sipil, J. T., Teknik, F., Soedirman, U. J. (2023). *Penundaan Dan Sebaran Track Coat*. 17(1), 78–86.
- Tumpu, M. 2005. (1390). *Studi Eksperimental Pada Stabilitas Campuran Aspal Emulsi Yang Menggunakan Aspal Alam Buton Sebagai Bahan Emulsifier*.
- W.M. Song, X. Shu, B. S. H. (2015). *Factors Affecting Shear Strength Between Open-graded Friction Course And Underlying Layer*, *Constr. Build. Matter*. 101 (2015), 527–535.
<https://doi.org/http://dx.doi.org/10.1016/j.conbuildmat.2015.10.036>
- Wang, H., Xu, G., Wang, Z., Bennert, T. (2018). Flexible Pavement Interface Bonding: Theoretical Analysis and Shear-Strength Measurement. *Journal of Testing and Evaluation*, 46(1), 99–107. <https://doi.org/10.1520/JTE20160288>
- Zamora-Barraza, D., Calzada-Peréz, M., Castro-Fresno, D., Vega-Zamanillo, A. (2010). New procedure for measuring adherence between a geosynthetic material and a bituminous mixture. *Geotextiles and Geomembranes*, 28(5), 483–489.
<https://doi.org/10.1016/j.geotexmem.2009.12.010>
- Zhang, W. (2017). Effect of tack coat application on interlayer shear strength of asphalt pavement: A state-of-the-art review based on application in the United States. *International Journal of Pavement Research and Technology*, 10(5), 434–445.
<https://doi.org/10.1016/j.ijprt.2017.07.003>