

## DAFTAR PUSTAKA

- Adam, M. A. M., M. S. Phillips, & V. C. Blok. 2007. Molecular diagnostic key for identification of single juveniles of seven common and economically important species of root-knot nematode (*Meloidogyne* spp.). *Plant Pathology*. 56: 190-197.
- Adiwena, M., A. Murtalaksono, S. Egra, M. Hoesain, I. N. Asyiah, A. P. Pradana, & Z. N. Izatika. 2023. The effects of micronutrient-enriched media on the efficacy of *Bacillus subtilis* as biological control agent against *Meloidogyne incognita*. *Biodiversitas Journal of Biological Diversity*, 24(1).
- Aguilar, R., M. Quesada, L. Ashworth, Y. Herrerias-Diego, & J. Lobo. 2008. Genetic consequences of habitat fragmentation in plant populations: susceptible signals in plant traits and methodological approaches. *Molecular Ecology*. 17: 5177–5188.
- Amir-Ahmadi, N., M. R. Moosavi, & G. Moafpourian. 2017. Effect of soil texture and its organic content on the efficacy of *Trichoderma harzianum* (MIAU 145 C) in controlling *Meloidogyne javanica* and stimulating the growth of kidney beans. *Biocontrol science and technology*. 27(1): 115-127.
- Andam, C. P., Choudoir, M. J., Vinh Nguyen, A., Sol Park, H., & Buckley, D. H. (2016). Contributions of ancestral inter-species recombination to the genetic diversity of extant *Streptomyces* lineages. *The ISME Journal*, 10(7), 1731-1741.
- Aprilyani, A., S. Supramana, & G. Suastika. 2015. *Meloidogyne incognita* penyebab umbi berbintil pada kentang di beberapa sentra produksi kentang di Jawa. *Jurnal Fitopatologi Indonesia*, 11(5): 143-143.
- Arunakumar, G. S., B.N. Gnanesh, H. B. Manojkumar, S. G. Doss, T. Mogili, V. Sivaprasad, & P. Tewary. 2021. Genetic diversity, identification, and utilization of novel genetic resources for resistance to *Meloidogyne incognita* in mulberry (*Morus* spp.). *Plant Disease*. 105(10): 2919-2928.
- Badan Pusat Statistik (BPS). 2018. *Statistik Tanaman Sayuran dan Buah-buahan Semusim Indonesia, 2018*. BPS RI, Jakarta.
- Badan Pusat Statistik (BPS). 2023a. <https://www.bps.go.id/id/statistics-table/2/NjEjMg==/produksi-tanaman-sayuran.html>. Diakses pada 23 Januari 2024.
- Badan Pusat Statistik (BPS). 2023a. <https://www.bps.go.id/id/statistics-table/1/OTYylzE=/rata-rata-pengeluaran-per-kapita-sebulan-di-daerah>

[perdesaan-menurut-kelompok-barang-dan-golongan-pengeluaran-2013-2023.html](#). Diakses pada 23 Januari 2024.

Badan Pusat Statistik (BPS). 2023b. <https://www.bps.go.id/id/statistics-table/1/OTYylzE=/rata-rata-pengeluaran-per-kapita-sebulan-di-daerah-perdesaan-menurut-kelompok-barang-dan-golongan-pengeluaran-2013-2023.html>. Diakses pada 23 Januari 2024.

Badan Pusat Statistik (BPS). 2023b. <https://www.bps.go.id/id/statistics-table/1/OTQylzE=/rata-rata-pengeluaran-per-kapita-sebulan-di-daerah-perkotaan-menurut-kelompok-barang-dan-golongan-pengeluaran-2013-2023.html>. Diakses pada 23 Januari 2024.

Badan Pusat Statistik (BPS). 2023c. <https://www.bps.go.id/id/statistics-table/1/OTQylzE=/rata-rata-pengeluaran-per-kapita-sebulan-di-daerah-perkotaan-menurut-kelompok-barang-dan-golongan-pengeluaran-2013-2023.html>. Diakses pada 23 Januari 2024.

Balkan, I., & E. A. Suyadi. 2019. Identifikasi spesies nematoda *Meloidogyne* sp pada tanaman tomat (*Solanum lycopersicum* L) dan seledri (*Apium graveolens* L) di Samarinda. *Jurnal Agroekoteknologi Tropik Lembab*, 1(2): 136-143.

Bandelt, H., P. Forster, & A. Röhl. 1999. Median-joining networks for inferring intraspecific phylogenies. *Molecular Biology and Evolution*. 16(1): 37–48.

Banks, S. C. 2013. How does ecological disturbance influence genetic diversity? *Trends Ecol. Evol.* 28: 670–679.

Belitz, H. D., W. Grosch, & P. Schieberle. 2004. *Vegetables and Vegetable Products. In Food Chemistry*. Springer, Berlin, Heidelberg.

Besnard, G., N. Thi-Phan, H. Ho-Bich, A. Dereeper, H. Trang Nguyen, P. Quénehervé, J. Aribi & S. Bellafiore. 2019. On the close relatedness of two rice-parasitic root-knot nematode species and the recent expansion of *Meloidogyne graminicola* in Southeast Asia. *Genes*. 10(2), 175.

Bhat, K. A., R. A. Mir, A. Farooq, M. Manzoor, A. Hami, K. A. Allie, S. M. Wani, M. N. Khan, R. Z. Sayyed, P. Pocza, W. H. Almalki, S. M. Zargar, A. A. Shah. 2022. Advances in nematode identification: A journey from fundamentals to evolutionary aspects. *Diversity* 14, (7): 536.

Bian Z, Q. Yang, & W. Liu. 2015. Effects of light quality on the accumulation of phytochemicals in vegetables produced in controlled environments: a review. *J Sci Food & Agri*. 95: 869–877.

- Bjørnstad, O. N. & B. T. Grenfell. 2001. Noisy clockwork: time series analysis of population fluctuations in animals. *Science*. 293: 638–643
- Blouin, M. S., C. A. Yowell, C. H. Courtney, & J. B. Dame. 1995. Host movement and the genetic structure of populations of parasitic nematodes. *Genetics*. 141(3): 1007-1014.
- Blouin, M. S., J. Liu, & R. E. Berry. 1999. Life cycle variation and the genetic structure of nematode populations. *Heredity*. 83(3): 253-259.
- Bogale, M., A. Baniya, & P. DiGennaro. 2020. Nematode identification techniques and recent advances. *Plants*. 9(10): 1260.
- Boles, B. R., M. Thoendel, & P. K. Singh. 2004. Self-generated diversity produces insurance effects in biofilm communities. *Proc. Natl. Acad. Sci.*, 101: 16630–16635.
- Booth, R. E. & J. P. Grime. 2003. Effects of genetic impoverishment on plant community diversity. *J. Ecol.* 91: 721–730.
- Bramasta, M. W., W. Winarto, & U. Khairul, U. 2023. Diversity and population density of parasitic nematode genera in the rhizosphere of potato plants in Solok District, West Sumatra. In *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*. 9(1): 67-74). October
- Buehler, S., A. R. A. O. I. M. Oberson, I. M. Rao, D. K. Friesen, & E. Frossard. 2002. Sequential phosphorus extraction of a <sup>33</sup>P-labeled Oxisol under contrasting agricultural systems. *Soil Science Society of America Journal*. 66(3): 868-877.
- Calderón, J., G. Miño-Castro, P. Llumiquinga, M. Abbas, C. Gutiérrez-Gutiérrez, M. Segovia-Salcedo, & K. Proaño. 2022. Distribution of *Meloidogyne* spp. in agricultural crops of Ecuador: a literature review (1976–2021). *CABI Reviews*.
- Caplins, S. A., K. J. Gilbert, C. Ciotir, J. Roland, S. F. Matter, & N. Keyghobadi. 2014. Landscape structure and the genetic effects of a population collapse. *Proc. R. Soc. B*. 281(1798).
- Carneiro, R. M. D. G., F. S. O. Lima, & V. Correa. 2017. Methods and Tools Currently Used for the Identification of Plant Parasitic Nematodes. In *Nematology - Concepts, Diagnosis and Control*. InTech, Nigeria. pp.19-35.
- Castagnone-Sereno, P. 2002. Genetic variability of nematodes: a threat to the durability of plant resistance genes?. *Euphytica*. 124(2): 193-199.
- Castagnone-Sereno, P. 2006. Genetic variability and adaptive evolution in parthenogenetic root-knot nematodes. *Heredity*. 96(4): 282-289.

- Castagnone-Sereno, P., C. Piotte, J. Uijthof, P. Abad, E. Wajnberg, F. Vanlerberghe-Masutti, M. Bongiovanni, & A. Dalmasso. 1993. Phylogenetic relationships between amphimictic and parthenogenetic nematodes of the genus *Meloidogyne* as inferred from repetitive DNA analysis. *Heredity*. 70: 195–204.
- Chandra, P., R. Sao, S. K. Gautam, & A. N. Poddar. 2010. Initial population density and its effect on the pathogenic potential and population growth of the root knot nematode *Meloidogyne incognita* in four species of cucurbits. *Asian Journal of Plant Pathology*. 4(1): 1-15.
- Collange, B., M. Navarrete, G. Peyre, T. Mateille, & M. Tchamitchian. 2011. Root-knot nematode (*Meloidogyne*) management in vegetable crop production: The challenge of an agronomic system analysis. *Crop protection*. 30(10): 1251-1262.
- Coltman, D. W. 2008. Molecular ecological approaches to studying the evolutionary impact of selective harvesting in wildlife. *Mol. Ecol*. 17: 221–235.
- Cortada, L., F. J. Sorribas, C. Ornat, M. F. Andrés, & S. Verdejo-Lucas. 2009. Response of tomato rootstocks carrying the Mi-resistance gene to populations of *Meloidogyne arenaria*, *M. incognita* and *M. javanica*. *European Journal of Plant Pathology*. 124:337-343.
- da Silva Mattos, V., Mulet, K., Cares, J. E., Gomes, C. B., Fernandez, D., de Sá, M. F. G., Carneiro, R. M. D. G., & Castagnone-Sereno, P. (2019). Development of diagnostic SCAR markers for *Meloidogyne graminicola*, *M. oryzae*, and *M. salasi* associated with irrigated rice fields in Americas. *Plant disease*, 103(1), 83-88.
- Dayrat, B. 2005. Towards integrative taxonomy. *Biol. J. Linn. Soc.* 85: 407–415.
- De Man, J. G. 1880. Die Eingheimischen, frei in der reinen erde und im sussen wasser lebends Nematoden. *Tijdshr. Ned. Dierk.* 2: 78-196.
- Djian-Caporalino, C. 2012. Root-knot nematodes (*Meloidogyne* spp.), a growing problem in French vegetable crops. *EPPO Bulletin*. 42(1): 127-137.
- Douda, O., M. Marek, M. Zouhar, & P. Ryšánek. 2013. Insights into the structure and phylogeny of the 28S rRNA expansion segments D2 and D3 of the plant-infecting nematodes from the genus *Ditylenchus* (Nematoda: Anguinidae). *Phytopathologia Mediterranea*. 52(1): 84-97.
- Dutta B., Coolong T., Hajihassani A., Sparks A., and Culpepper S., UGA Cooperative Extension. *Sweet Potato Production and Pest Management in Georgia*, 2014.

- Ellegren, H., & N. Galtier. 2016. Determinants of genetic diversity. *Nature Reviews Genetics*. 17(7): 422-433.
- Elling, A. A. 2013. Major emerging problems with minor *Meloidogyne* species. *Phytopathology*. 103: 1092-1102.
- Ennos, R. A. 2003. The contribution of population genetic studies to plant conservation. *Botanical Journal of Scotland*, 55(1): 89-100.
- Escobar, C., M. Barcala, J. Cabrera, & C. Fenoll. 2015. Overview of root-knot nematodes and giant cells. *In Advances in botanical research*. Academic Press. Vol. 73, pp. 1-32.
- Excoffier, L., & H. E. Lischer. 2010. Arlequin suite ver 3.5: a new series of programs to perform population genetics analyses under Linux and Windows. *Molecular ecology resources*, 10(3): 564-567.
- Excoffier, L., P. E. Smouse, & J. M. Quattro. 1992. Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics*. 131: 479-491.
- Fargette, M., Berthier, K., Richaud, M., Lollier, V., Franck, P., Hernandez, A., & Frutos, R. (2010). Crosses prior to parthenogenesis explain the current genetic diversity of tropical plant-parasitic *Meloidogyne* species (Nematoda: Tylenchida). *Infection, Genetics and Evolution*, 10(6), 806-813.
- Garcia, L. E., & M. V. Sánchez-Puerta. 2012. Characterization of a root-knot nematode population of *Meloidogyne arenaria* from Tupungato (Mendoza, Argentina). *Journal of nematology*. 44(3): 291.
- Greco, N., A. Brandonisio, & F. Elia. 1992. Efficacy of SIP 5561 and Soil Solarization for management of *Meloidogyne incognita* and *M. javanica* on tomato. *Nematologia mediterranea*, 20: 13-16.
- Halimah, H., S. Supramana, & G. Suastika. 2013. Identifikasi spesies *Meloidogyne* pada wortel berdasarkan sikuen nukleotida. *Jurnal Fitopatologi Indonesia*, 9(1): 1-1.
- Hamidi, I., K. H. Mutaqin, & F. Kurniawati. 2022. *Meloidogyne* species, the pimple-like knot pathogen of potato tuber in three production centers in Sumatra. *Jurnal Fitopatologi Indonesia*. 18(2): 66-74.
- Hamilton, M. B. 2009. *Population Genetic*. Wiley. Oxford, UK.
- Hartman, K. M., & J. N. Sasser. 1985. Identification of *Meloidogyne* species on the basis of differential host test and perineal pattern morphology. *An advanced treatise on Meloidogyne*, 2: 69-77.

- Hastuti, L. D. S., & J. Faull. 2018. An investigation on Sumateran *Arthrobotrys oligospora* and carbofuran Againts root-knot nematode (*Meloidogyne hapla*) on tomato (*Solanum lycopersicum* mill.). *Int J Sci Technol Res*, 7: 32-38.
- Hesar, A. M., M. Rostami, R. Ghaderi, Y. R. Danesh, A. Jalal, C. E. da Silva Oliveira, & M. C. M. Teixeira Filho. 2022. Population genetic structure of *Meloidogyne javanica* recovered from different regions of Iran. *Agriculture*. 12(9): 1374.
- Hua, C., Li, C., Jiang, Y., Huang, M., Williamson, V. M., & Wang, C. (2020). Response of soybean cyst nematode (*Heterodera glycines*) and root-knot nematodes (*Meloidogyne* spp.) to gradients of pH and inorganic salts. *Plant and Soil*, 455, 305-318.
- Huang, K., T. Wang, D. W. Dunn, P. Zhang, H. Sun, & B. Li. 2021. A generalized framework for AMOVA with multiple hierarchies and ploidies. *Integrative Zoology*. 16(1): 33-52.
- Hughes, A. R., B. D. Inouye, M. T. Johnson, N. Underwood, & M. Vellend. 2008. Ecological consequences of genetic diversity. *Ecology letters*. 11(6): 609-623.
- Hunt, D. J., J. E. Palomares-Rius, & R. H. Manzanilla-López. 2018. Identification, morphology and biology of plant parasitic nematodes. *In* Plant parasitic nematodes in subtropical and tropical agriculture. CAB International, Wallingford, UK. pp. 20-61
- Hunt, D.J., & Z. A. Handoo. 2009. Taxonomy, identification and principal species. *In* Perry, R.N., Moens, M., Starr, J.L. (Eds.). Root-knot Nematodes. CABI International, Cambridge, MA (USA). pp. 55-97.
- Hussey, R. S., & G. J. W. Janssen. 2002. Root-knot nematodes: *Meloidogyne* species. *In* Plant resistance to parasitic nematodes. Wallingford UK: Cabi Publishing. pp. 43-70.
- Igensius, B., & E. A. Syaifudin. 2019. Identifikasi spesies nematoda *Meloidogyne* sp pada tanaman tomat (*Solanum lycopersicum* L) dan seledri (*Apium graveolens* L) di Samarinda. *Jurnal Agroekoteknologi Tropika Lembab*. 1(2): 136-143.
- Irjayanti, A. D., A. S. Wibowo, N. P. Sumartini, Z. Nurfalih, A. D. Adani, M. S. Sijabat, N. Situmorang, Q. Iman, S. R. Damayanti, Y. R. Putra. 2022. *Statistik Hortikultura 2021*. BPS RI, Jakarta.
- Jacquet, M., M. Bongiovanni, M. Martinez, P. Verschave, E. Wajnberg, & P. Castagnone-Sereno. 2005. Variation in resistance to the root-knot nematode

*Meloidogyne incognita* in tomato genotypes bearing the Mi gene. *Plant Pathology*. 54: 93-99.

- Jaraba, J., C. S. Rothrock, T. L. Kirkpatrick, & K. R. Brye. 2014. Soil texture influence on *Meloidogyne incognita* and *Thielaviopsis basicola* and their interaction on cotton. *Plant disease*. 98(3): 336-343.
- Jaraba-Navas J., Rothrock C. S., and Kirkpatrick T. L., Influence of the soil texture on the interaction between *Meloidogyne incognita* and *Thielaviopsis basicola* on cotton, *Phytopathology*. (2007) 97.
- Jones, J. T., A. Haegeman, E. G. J. Danchin, H. S. Gaur, J. Helder, M. G. K. Jones, T. Kikuchi, R. Manzanilla-López, J. E. Palomares-Rius, W. M. L. Wesemael, & R. N. Perry. 2013. Top 10 plant-parasitic nematodes in molecular plant pathology. *Molecular Plant Pathology*. 14(9): 946-961.
- Jones, M. G. K., & D. B. Goto. 2011. Root-knot nematodes and giant cells. *In* J. Jones, G. Gheysen, & C. Fenoll (Eds.), *Genomics and molecular genetics of plant-nematode interactions*. Springer, Netherlands. pp. 83-100.
- Kiewnick, S., Wolf, S., Willareth, M., & Frey, J. E. (2013). Identification of the tropical root-knot nematode species *Meloidogyne incognita*, *M. javanica* and *M. arenaria* using a multiplex PCR assay. *Nematology*, 15(7), 891-894.
- Kim, E., Y. Seo, Y. S. Kim, Y. Park, & Y. H. Kim. 2017. Effects of soil textures on infectivity of root-knot nematodes on carrot. *The plant pathology journal*, 33(1): 66.
- Kurniawati, F., & N. T. Nursipa, A. Munif. 2020. Nematoda parasit pada seledri (*Apium graveolens* L.) dan pengendaliannya menggunakan bakteri endofit secara in vitro. *Agrovigor*. 13(1): 70-81.
- Kurniawati, F., & N. T. Nursipa, A. Munif. 2020. Nematoda parasit pada seledri (*Apium graveolens* L.) dan pengendaliannya menggunakan bakteri endofit secara in vitro. *Agrovigor*. 13(1): 70-81.
- Lee, M. S. 2003. Species concepts and species reality: salvaging a Linnaean rank. *Journal of Evol Biol*. 16: 179-188.
- Liu, M. Y., H. D. Shao, Y. Y. Wu, D. L. Peng, J. W. Yu, J. P. Jia, H. Peng, C. R. Li, A. Sulaiman, X. Y. Yu, C. H. Li & W. K. Huang. 2023. *Meloidogyne graminicola* population structure in China suggests a south-to-north expansion. *Plant Disease*, 107(7): 2070-2080.

- Long, H., Liu H., & Xu J. 2006. Development of a PCR diagnostic for the root-knot nematode *Meloidogyne enterolobii*. *Acta Phytopathologica Sinica*, 36(2): 109-115.
- López-Gómez, M., E. Flor-Peregrín, M. Talavera, & S. Verdejo-Lucas. 2015. Suitability of zucchini and cucumber genotypes to populations of *Meloidogyne arenaria*, *M. incognita* and *M. javanica*. *Journal of Nematology*. 47: 79–85.
- Manzanilla-López, R. H., & J. L. Starr. 2009. Interactions with other pathogens. In *Root-knot nematodes*. Wallingford UK: CABI. pp. 223-245.
- Marquez, J., & A. Hajihassani. 2023. Identification, diversity, and distribution of *Meloidogyne* spp. in vegetable fields of South Georgia, USA. *Phytopathology*. 113(6), 1093-1102.
- Mattila, H. R. & T. D. Seeley. 2007. Genetic diversity in honey bee colonies enhances productivity and fitness. *Science*. 317: 362–364.
- McCarter, J.P., M. D. Mitreva, J. Martin, M. Dante, T. Wylie, U. Rao, D. Pape, Y. Bowers, B. Theising, C. V. Murphy, P. K. Andrew, J. C. Brandi, W. C. Sandra, M. B. David, & H. W. Robert. 2003. Analysis and functional classification of transcripts from the nematode *Meloidogyne incognita*. *Genome Biol*. 4: R26.
- McGill, B.J., B. J. Enquist, E. Weiher, & M. Westoby. 2006. Rebuilding community ecology from functional traits. *Trends Ecol Evol*. 21: 178–185.
- Mirsam, H., & F. Kurniawati. 2018. Laporan pertama di Sulawesi Selatan: karakter morfologi dan molekuler nematoda puru akar yang berasosiasi dengan akar padi di Kabupaten Wajo, Sulawesi Selatan. *Jurnal Perlindungan Tanaman Indonesia*, 22(1): 58-65.
- Mirsam, H., S. Supramana, & G. Suastika. 2015. Deteksi dan Identifikasi Spesies *Meloidogyne* pada Tanaman Wortel dari Dataran Tinggi Malino, Gowa, Sulawesi Selatan. *Jurnal Fitopatologi Indonesia*, 11(1): 1-1.
- Moens, M., R. Perry, & J. Starr. 2009. *Meloidogyne* species a diverse group of novel and important plant parasites. In R. N. Perry, M. Moens, & J. L. Starr (Eds) *Root-knot Nematodes*. Wallingford, UK: CABI publ. p. 483.
- Moore, S. R. & K. S. Lawrence. 2013. The effect of soil texture and irrigation on *Rotylenchulus reniformis* and cotton. *Journal of Nematology*. 45: 99-105.
- Mutala'liah, M. L., S. Indarti, & A. Wibowo. 2019. The prevalence and species of root-knot nematode which infect on potato seed in Central Java, Indonesia. *Biodiversitas Journal of Biological Diversity*. 20(1): 11-16.

- Netscher, C., & E. Erlan. 1993. A root-knot nematode, *Meloidogyne cf. graminicola*, parasitic on rice in Indonesia.
- Nurjayadi, M. Y., A. Munif, & G. Suastika. 2015. Identifikasi nematoda puru akar, *Meloidogyne graminicola*, pada tanaman padi di Jawa Barat. *Jurnal Fitopatologi Indonesia*, 11(4): 113-113.
- Onkendi, E. M., & L. N. Moleleki. 2013. Distribution and genetic diversity of root-knot nematodes (*Meloidogyne* spp.) in potatoes from South Africa. *Plant pathology*. 62(5): 1184-1192.
- Pedram, M., E. Pourjam, M. R. Atighi, & Y. Panahandeh. 2015. Further studies on soil nematode fauna in north western Iran with the description of one new species. *Journal of Nematology*, 47(2): 148.
- Peraturan Menteri Pertanian Nomor 25 Tahun 2020 tentang Jenis Organisme Pengganggu Tumbuhan Karantina.
- Pianka, E. R. 1970. On r-and K-selection. *The american naturalist*, 104(940), 592-597.
- Picard, D., & Plantard, O. (2006). What constitutes a population for the plant parasitic nematode *Globodera pallida* in its native area (Peru)? *International Journal for Parasitology*, 36(1), 115-122.
- Pitrat, M., & J. M. Audergon. 2015. Evolution of diversity of fruits and vegetables crops. *Acta Hort*. 1099:567–576.
- Plena, S. N. G., S. Indarti, A. Widiastuti, & N. S. Putra. 2022. Identification of the root-knot nematode species associated with *Carica papaya*. *Biodiversitas Journal of Biological Diversity*, 23(12).
- Prabawa, I. D. G. P., & N. Nurmilatina. 2017. Analisis Kualitas Formula Pupuk Organik Pelet dari Eceng Gondok dan Tandan Kosong Kelapa Sawit (Quality Analysis of Organic Fertilizer Pellets Formula from Water Hyacinth and Oil Palm Empty Fruit Bunch). *Indonesian Journal of Industrial Research*. 9(1): 17-28.
- Pratiwi, N. W. K., R. Amrulloh, F. El Auly, & F. Kurniawati. 2020. Deteksi dan identifikasi nematoda puru akar (*Meloidogyne* spp.) pada tanaman bit menggunakan metode DNA barcoding. *Jurnal Fitopatologi Indonesia*, 16(1): 1-8.
- Pulavarty, A., A. Egan, A. Karpinska, K. Horgan, & T. Kakouli-Duarte. 2021. Plant Parasitic Nematodes: A Review on Their Behaviour, Host Interaction, Management Approaches and Their Occurrence in Two Sites in the Republic of Ireland. *Plants*.10: 2352.

- Radovich, T. J. K. 2011. Biology and Classification of Vegetables. *In* Sinha, N. K. (Eds). Handbook of Vegetables and Vegetable Processing. Wiley-Blackwell, Iowa, USA. pp: 3–22.
- Radovich, T. J. K. 2018. Biology and Classification of Vegetables. *In* M. Siddiq & M. A. Uebersax (Eds). Handbook of Vegetables and Vegetable Processing. 2<sup>nd</sup> Edition. Wiley Blackwell, Oxford, UK. pp: 1-24.
- Rafif, M. R. T., Setiadi, A., & Ekowati, T. (2024). Analisis Profitabilitas Usahatani Pembibitan Tanaman Durian Di CV. Alam Lestari Kecamatan Salaman Kabupaten Magelang. *AGROMEDIA: Berkala Ilmiah Ilmu-ilmu Pertanian*, 42(1), 94-107.
- Rashidifard, M., M. Marais, M. S. Daneel, C. M. Mienie, & H. Fourie. 2019. Molecular characterisation of *Meloidogyne enterolobii* and other *Meloidogyne* spp. from South Africa. *Tropical Plant Pathology*, 44: 213-224.
- Rauch, G., M. Kalbe, & T. B. H. Reusch. 2007. Partitioning average competition and extreme-genotype effects in genetically diverse infections. *Oikos*. 117: 399-405.
- Ravichandra, N. G. 2008. Plant nematology. I. K. International Pvt Ltd, New Delhi, India.
- Roeber, F., A. R. Jex, & R. B. Gasser. 2013. Next-generation molecular-diagnostic tools for gastrointestinal nematodes of livestock, with an emphasis on small ruminants: a turning point?. *Advances in Parasitology*. 83: 267-333.
- Rozas, J., A. Ferrer-Mata, J. C. Sanchez-DelBarrio, S. Guirao-Rico, P. Librado, S. E. Ramos-Onsins & A. Sanchez-Gracia. 2017. DnaSP v6: DNA sequence polymorphism analysis of large datasets. *Mol. Biol. Evol.* 34: 3299-3302.
- Rusique, L., M. J. Camacho, C. Serra, F. Nobrega, & M. L. Inacio. 2023. Root-knot nematode assessment: species identification, distribution, and new host records in Portugal. *Frontiers in Plant Science*. 14.
- Sáez-Plaza, P., M. J. Navas, S. Wybraniec, T. Michałowski, & A. G. Asuero. 2013. An overview of the Kjeldahl method of nitrogen determination. Part II. Sample preparation, working scale, instrumental finish, and quality control. *Critical Reviews in Analytical Chemistry*. 43(4): 224-272.
- Searle, B. P., & J. B. Reid. 2016. Photothermal models to predict onion (*Allium cepa* L.) bulbing. *Acta Hort.* 1118: 65–71.

- Seesao, Y., M. Gay, S. Merlin, E. Viscogliosi, C. M. Aliouat-Denis, & C. Audebert. 2017. A review of methods for nematode identification. *Journal of Microbiological Methods*. 138: 37-49.
- Seid, A., C. Fininsa, T. Mekete, W. Decraemer, & W. M. Wesemael. 2015. Tomato (*Solanum lycopersicum*) and root-knot nematodes (*Meloidogyne* spp.)—a century-old battle. *Nematology*. 17(9): 995-1009.
- Seo, Y., Y. S. Kim, Y. Park, & Y. H. Kim. 2015. Comparisons of pathological responses in carrot to root-knot nematodes. *Plant Pathol J*. 31: 441–445.
- Shao, H., P. Zhang, C. You, C. Li, Y. Feng, & Z. Xie. 2020. Genetic Diversity of the root-knot nematode *Meloidogyne enterolobii* in Mulberry Based on the Mitochondrial COI Gene. *Ecology and Evolution*. 10(12): 5391-5401.
- Siddique, S., & F. M. Grundler. 2018. Parasitic nematodes manipulate plant development to establish feeding sites. *Current opinion in microbiology*, 46: 102-108.
- Sikora, R. A. & E. Fernandez. 2005. Nematode Parasites of Vegetables. *In* Luc, M., R. A. Sikora, J. Brigde (Eds). Cabi Publishing, Wallingford, UK.
- Simon, A. C., H. D. Lopez-Nicora, L. E. Lindsey, T. L. Niblack, & P. A. Paul. 2018. Incidence, population density, and spatial heterogeneity of plant-parasitic nematodes in corn fields in Ohio. *Plant disease*. 102(12): 2453-2464.
- Simon, J. C., Delmotte, F., Rispe, C., & Crease, T. (2003). Phylogenetic relationships between parthenogens and their sexual relatives: the possible routes to parthenogenesis in animals. *Biological Journal of the Linnean Society*, 79(1), 151-163.
- Soares, M. P. & G. Weiss. 2015. The Iron Age of host-microbe interactions. *EMBO Rep* 16: 1482-1500.
- Suastika, G. 2012. Spesies nematoda puru akar (*Meloidogyne* spp.) Yang berasosiasi dengan penyakit umbi bercabang pada wortel: penyakit baru di indonesia. *Jurnal Ilmu Pertanian Indonesia*, 17(2): 108-112.
- Subbotin, S. A., A. Vierstraete, P. De Ley J. Rowe, L. Waeyenberge, M. Moens M, & J. R. Vanfleteren. 2001. Phylogenetic relationships within the cyst-forming nematodes (Nematoda, Heteroderidae) based on analysis of sequences from the ITS regions of ribosomal DNA. *Mol Phylogenet Evol*. 21: 1–16.
- Sun, J., S. P. Cornelius, J. Janssen, K. A. Gray, & A. E. Motter. 2015. Regularity underlies erratic population abundances in marine ecosystems. *J. R. Soc. Interface*, 12(107): 20150235.

- Syahid, A., I. G. Swibawa, S. Solikhin, & Y. Fitriana. 2021. Identifikasi Berbasis Morfologi Nematoda Puru Akar (*Meloidogyne* Spp.) Pada Pertanaman Jambu Biji Kristal Di Provinsi Lampung. *Jurnal Agrotek Tropika*, 9(1): 35-44.
- Tajima, F. 1989. Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics*. 123: 585–95.
- Talavera-Rubia, M., A. Pérez de Luque, M. López-Gómez, & S. Verdejo-Lucas. 2018. Differential feeding site development and reproductive fitness of *Meloidogyne incognita* and *M. javanica* on zucchini, a source of resistance to *M. incognita*. *Nematology*. 20: 187–199.
- Tamilselvi, N. A., L. Pugalendhi, & M. Sivakumar. 2017. Response of cucurbitaceous rootstocks and bitter gourd scions to root knot nematode *Meloidogyne incognita* Kofoid and white. *International Journal of Horticulture and Floriculture*. 5: 247–251.
- Tamura, K. 1992. Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G + C-content biases. *Molecular Biology and Evolution* 9: 678-687.
- Tamura, K., G. Stecher & S. Kumar. 2021. MEGA 11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*. 8(7): 3022-3027.
- Tapia-Vázquez, I., A. C. Montoya-Martínez, S. De los Santos-Villalobos, M. J. Ek-Ramos, R. Montesinos-Matías, & C. Martínez-Anaya. 2022. Root-knot nematodes (*Meloidogyne* spp.) a threat to agriculture in Mexico: Biology, current control strategies, and perspectives. *World Journal of Microbiology and Biotechnology*, 38(2): 26.
- Trudgill, D. L., & V. C. Blok. 2001. Apomictic, polyphagous root-knot nematodes: exceptionally successful and damaging biotrophic root pathogens. *Annual review of phytopathology*, 39(1): 53-77.
- Tsutsui, N. D., A. V. Suarez, & R. K. Grosberg. 2003. Genetic diversity, asymmetrical aggression, and recognition in a widespread invasive species. *Proc. Natl Acad. Sci. U.S.A.* 100: 1078– 1083.
- Tzortzakakis, E.A., D. L. Trudgill, & M. S. Phillips. 1998. Evidence for a dosage effect of the Mi gene on partially virulent isolates of *Meloidogyne javanica*. *Journal of Nematology*. 30: 76-80.

- Utami, B. S., S. Supramana, & G. Giyanto. 2017. Deteksi dan identifikasi spesies *Meloidogyne* penyebab umbi berbintil pada kentang asal Sulawesi Utara. *Jurnal Fitopatologi Indonesia*, 13(3): 98-98.
- Verdejo-Lucas, S., & M. Talavera. 2019. Pathogenic potential, parasitic success and host efficiency of *Meloidogyne incognita* and *M. javanica* on cucurbitaceous plant genotypes. *Eur J Plant Pathol*. 153: 1287–1297.
- Wagner, G. J., E. Wang, & R. Shepherd. 2004. New approaches for studying and exploiting an old protuberance, the plant trichome. *Annals of botany*. 93(1): 3.
- Walker, G. E. 2004. Effects of *Meloidogyne javanica* and organic amendments, inorganic fertilisers and nematicides on carrot growth and nematode abundance. *Nematologia Mediterranea*. 32: 181-188.
- Wares, J. P., S. Crickenberger, A. F. Govindarajan, J. L. Hamrick, K. M. Skoczen, D. W. Trapnell, & D. S. Wethey. 2018. The cryptic population biology of *Chthamalus fragilis* Darwin, 1854 (Cirripedia, Thoracica) on the Atlantic coast of North America. *Journal of Crustacean Biology*, 38(6): 754-764.
- Whitehead, A. G. & J. R. Hemming. 1965. A comparison of some quantitative methods of extracting small vermiform nematodes from soil. *Annals of Applied Biology*. 55: 25-38.
- Williamson, V.M. & A. Kumar. 2006. Nematode resistance in plants: the battle underground. *Trends in Genetics*. 22: 396-403.
- Wendimu, G. Y. 2021. Biology, Taxonomy, and Management of the Root-Knot Nematode (*Meloidogyne incognita*) in Sweet Potato. *Advances in Agriculture*, (1): 8820211.
- Zijlstra, C., D. T. Donkers-Venne, & M. Fargette. 2000. Identification of *Meloidogyne incognita*, *M. javanica* and *M. arenaria* using sequence characterised amplified region (SCAR) based PCR assays. *Nematology*, 2(8): 847-853.