



DAFTAR PUSTAKA

- Abbas, A., Tabish, T.A., Bull, S.J., Lim, T.M., and Phan, A.N., 2020, High yield synthesis of graphene quantum dots from biomass waste as a highly selective probe for Fe³⁺ sensing, *Sci. Rep.*, 10, 1–16.
- Acharya, R., Naik, B., and Parida, K., 2018, Cr(VI) remediation from aqueous environment through modified-TiO₂-mediated photocatalytic reduction, *Beilstein J. Nanotechnol.*, 9, 1448–1470.
- Adina, C., Florinela, F., Abdelmoumen, T., and Carmen, S., 2010, Application of FTIR spectroscopy for a rapid determination of some hydrolytic enzymes activity on sea buckthorn substrate, *Rom. Biotechnol. Lett.*, 15, 5738–5744.
- Albuquerque, H.M.T., Pinto, D.C.G.A., and Silva, A.M.S., 2021, Microwave irradiation: Alternative heating process for the synthesis of biologically applicable chromones, quinolones, and their precursors, *Molecules*, 26, 6293, 1-15.
- Al Farsi, B., Sofin, R.G.S., Al Shidhani, H., El-Shafey, E.S.I., Al-Hosni, A.S., Al Marzouqi, F., Issac, A., Al Nabhani, A., and Abou-Zied, O.K., 2022, The effect of microwave power level and post-synthesis annealing treatment on oxygen-based functional groups present on carbon quantum dots, *J. Lumin.*, 252, 119326.
- Amjadi, M., Manzoori, J.L., Hallaj, T., and Azizi, N., 2017, Sulfur and nitrogen co-doped carbon quantum dots as the chemiluminescence probe for detection of Cu²⁺ ions, *J. Lumin.*, 182, 246–251.
- Armbruster, D.A. and Pry, T., 2008, *Limit of Blank* , Limit of Detection and Limit of Quantitation, 29, 49–52.
- Atchudan, R., Edison, T.N.J.I., Perumal, S., Clament Sagaya Selvam, N., and Lee, Y.R., 2019, Green synthesized multiple fluorescent nitrogen-doped carbon quantum dots as an efficient label-free optical nanoprobe for in vivo live-cell imaging, *J. Photochem. Photobiol. A Chem.*, 372, 99–107.
- Balakrishnan, T., Ang, W.L., Mahmoudi, E., Mohammad, A.W., and Sambudi, N.S., 2022, Formation mechanism and application potential of carbon dots synthesized from palm kernel shell via microwave assisted method, *Carbon Resour. Convers.*, 5, 150–166.
- Bhatt, M., Bhatt, S., Vyas, G., Raval, I.H., Haldar, S., and Paul, P., 2020, Water-Dispersible Fluorescent Carbon Dots as Bioimaging Agents and Probes for Hg²⁺ and Cu²⁺ Ions, *ACS Appl. Nano Mater.*, 3, 7096–7104.



- Boonta, W., Talodthaisong, C., Sattayaporn, S., Chaicham, C., Chaicham, A., Sahasithiwat, S., Kangkew, L., and Luchat, S., 2020, The synthesis of nitrogen and sulfur co-doped graphene quantum dots for fluorescence detection of cobalt ions in water, *Mater. Chem. Front.*, 4, 507–516.
- Buduru, P., Reddy, B.C.S.R., and Naidu, N.V.S., 2017, Functionalization of silver nanoparticles with glutamine and histidine for simple and selective detection of Hg^{2+} ion in water samples, *Sensors Actuators, B Chem.*, 244, 972–982.
- Cakir, O., 2006, Copper etching with cupric chloride and regeneration of waste etchant, *J. Mater. Process. Technol.*, 175, 63–68.
- Cao, F.J., Hou, X., Wang, K.F., Jin, T.Z., and Feng, H., 2023, Facile synthesis of phosphorus and nitrogen co-doped carbon dots with excellent fluorescence emission towards cellular imaging, *RSC Adv.*, 13, 21088–21095.
- Casadevall, C., Lage, A., Mu, M., Greer, H.F., Antón-García, D., Butt, J.N., Jeuken, L.J.C., Watson, G.W., Garcia-Melchor, M., and Reisner, E., 2023, Size-dependent activity of carbon dots for photocatalytic H_2 generation in combination with a molecular Ni cocatalyst, *Nanoscale*, 15, 15775–15784.
- Cayuela, A., Soriano, M.L., Carrillo-Carrión, C., and Valcárcel, M., 2016, Semiconductor and carbon-based fluorescent nanodots: The need for consistency, *Chem. Commun.*, 52, 1311–1326.
- Chandra, A. and Singh, N., 2017, Cell Microenvironment pH Sensing in 3D Microgels Using Fluorescent Carbon Dots, *ACS Biomater. Sci. Eng.*, 3, 3620–3627.
- Chatzimitakos, T.G. and Stalikas, C.D., 2019, *Carbon nanodots from natural (re)sources: A new perspective on analytical chemistry*, Elsevier Inc.
- Chaudhary, N., Gupta, P.K., Eremin, S., and Solanki, P.R., 2020, One-step green approach to synthesize highly fluorescent carbon quantum dots from banana juice for selective detection of copper ions, *J. Environ. Chem. Eng.*, 8, 103720.
- Choi, S.H., 2017, Unique properties of graphene quantum dots and their applications in photonic/electronic devices, *J. Phys. D. Appl. Phys.*, 50, .
- Choi, Yuri, Choi, Yeongkyu, Kwon, O.H., and Kim, B.S., 2018, Carbon Dots: Bottom-up Synthesis, Properties, and Light-Harvesting Applications, *Chem. - An Asian J.*, 13, 586–598.
- Chopra, T., Sasan, S., Devi, L., Parkesh, R., and Kapoor, K.K., 2022, A comprehensive review on recent advances in copper sensors, *Coord. Chem. Rev.*, 470, 214704.
- Chua, C.K., Sofer, Z., Šimek, P., Jankovský, O., Klímová, K., Bakardjieva, S., Ku



- ckova', S.H., and Pumera, M., 2015, Synthesis of strongly fluorescent graphene quantum dots by cage-opening buckminsterfullerene, *ACS Nano*, 9, 2548–2555.
- Chukwuocha, E.O., Onyeaju, M.C., and Harry, T.S.T., 2012, Theoretical Studies on the Effect of Confinement on Quantum Dots Using the Brus Equation, *World J. Condens. Matter Phys.*, 02, 96–100.
- Chung, S. and Zhang, M., 2021, Microwave-Assisted Synthesis of Carbon Dot – Iron Oxide Nanoparticles for Fluorescence Imaging and Therapy, *Front. Bioeng. Biotechnol.*, 9, 1–12.
- Cui, L., Ren, X., Sun, M., Liu, H., and Xia, L., 2021, Carbon Dots: Synthesis, Properties and Applications, *Nanomaterials*, 11, 3419.
- Dai, Y. and Liu, C.C., 2019, Recent Advances on Electrochemical Biosensing Strategies toward Universal Point-of-Care Systems, *Angew. Chemie - Int. Ed.*, 58, 12355–12368.
- Dallavalle, F. and Tegoni, M., 2001, Speciation and structure of copper (II) complexes with (S)-phenylalanine and (S)-tryptophanhydroxamic acids in methanol/water solution : a combined potentiometric, spectrophotometric, CD and ESI-MS study, *Polyhedron*, 20, 2697–2704.
- Dam, B. Van, Nie, H., Ju, B., Marino, E., Paulusse, J.M.J., and Schall, P., 2017, Single-Carbon Dots, *Small*, 1702098, 1–5.
- Das, S., Ngashangva, L., and Goswami, P., 2021, Carbon dots: An emerging smart material for analytical applications.,
- De, B. and Karak, N., 2017, Recent progress in carbon dot-metal based nanohybrids for photochemical and electrochemical applications, *J. Mater. Chem. A*, 5, 1826–1859.
- Dekaliuk, M.O., Viagin, O., Malyukin, Y. V., and Demchenko, A.P., 2014, Fluorescent carbon nanomaterials: “quantum dots” or nanoclusters?, *Phys. Chem. Chem. Phys.*, 16, 16075–16084.
- Deng, X., Feng, Y., Li, H., Du, Z., Teng, Q., and Wang, H., 2018, N-doped carbon quantum dots as fluorescent probes for highly selective and sensitive detection of Fe³⁺ ions, *Particuology*, 41, 94–100.
- Dermentzis, K., Davidis, A., Papadopoulou, D., Christoforidis, A., and Ouzounis, K., 2009, Copper removal from industrial wastewaters by means of electrostatic shielding driven electrodeionization, *J. Eng. Sci. Technol. Rev.*, 2, 131–136.
- Dhenadhayalan, N., Lin, K.C., Suresh, R., and Ramamurthy, P., 2016, Unravelling



the Multiple Emissive States in Citric-Acid-Derived Carbon Dots, *J. Phys. Chem. C*, 120, 1252–1261.

Diana, F.R.M., Suratman, A., Wahyuni, E.T., Mudasir, M., and Suherman, S., 2022, Development of N,S-CDs fluorescent probe method for early detection of Cr(VI) in the environment, *Chem. Pap.*, 76, 7793–7809.

Ding, C., Zhu, A., and Tian, Y., 2014, Functional Surface Engineering of C-Dots, *Acc. Chem. Res.*, 47, 20–30.

Ding, H., Yu, S.B., Wei, J.S., and Xiong, H.M., 2016, Full-color light-emitting carbon dots with a surface-state-controlled luminescence mechanism, *ACS Nano*, 10, 484–491.

Do, S., Kwon, W., and Rhee, S.W., 2014, Soft-template synthesis of nitrogen-doped carbon nanodots: Tunable visible-light photoluminescence and phosphor-based light-emitting diodes, *J. Mater. Chem. C*, 2, 4221–4226.

Dolai, S., Bhunia, S.K., Rajendran, S., UshaVipinachandran, V., Ray, S.C., and Kluson, P., 2021, Tunable fluorescent carbon dots: synthesis progress, fluorescence origin, selective and sensitive volatile organic compounds detection, *Crit. Rev. Solid State Mater. Sci.*, 46, 349–370.

Dong, Y., Wang, R., Li, G., Chen, C., Chi, Y., and Chen, G., 2012, Polyamine-functionalized carbon quantum dots as fluorescent probes for selective and sensitive detection of copper ions, *Anal. Chem.*, 84, 6220–6224.

Du, J., Xu, N., Fan, J., Sun, W., and Peng, X., 2019, Carbon Dots for In Vivo Bioimaging and Theranostics, *Small*, 15, 1–16.

Elsayed, D.M., Abdelbasir, S.M., Abdel-Ghafar, H.M., Salah, B.A., and Sayed, S.A., 2020, Silver and copper nanostructured particles recovered from metalized plastic waste for antibacterial applications, *J. Environ. Chem. Eng.*, 8, 103826.

Fan, Y.Z., Zhang, Y., Li, N., Liu, S.G., Liu, T., Li, N.B., and Luo, H.Q., 2017, A facile synthesis of water-soluble carbon dots as a label-free fluorescent probe for rapid, selective and sensitive detection of picric acid, *Sensors Actuators, B Chem.*, 240, 949–955.

Fang, L., Wu, M., Huang, C., Liu, Z., Liang, J., and Zhang, H., 2020, Industrializable synthesis of narrow-dispersed carbon dots achieved by microwave-assisted selective carbonization of surfactants and their applications as fluorescent nano-additives, *J. Mater. Chem. A*, 8, 21317–21326.

Flieger, J., Tatarczak-Michalewska, M., Blicharska, E., Swieboda, R., and Banach, T., 2017, HPLC Identification of Copper (II)-Trans-Resveratrol Complexes in



Ethanolic Aqueous Solution, *J. Chromatogr. Sci.*, 55, 445–450.

Fuyuno, N., Kozawa, D., Miyauchi, Y., Mouri, S., Kitaura, R., Shinohara, H., Yasuda, T., Komatsu, N., and Matsuda, K., 2014, Drastic Change in Photoluminescence Properties of Graphene Quantum Dots by Chromatographic Separation, *Adv. Opt. Mater.*, 2, 983–989.

Gan, Z., Xu, H., and Hao, Y., 2016, Mechanism for excitation-dependent photoluminescence from graphene quantum dots and other graphene oxide derivates : consensus, debates, and challenge, *Nanoscale*, 8 ,7794–7807.

Ganguly, S., Das, P., Banerjee, S., and Das, N.C., 2019, Advancement in science and technology of carbon dot-polymer hybrid composites: A review, *Funct. Compos. Struct.*, 1, 1–67.

Gao, D., Zhang, Y., Liu, A., Zhu, Y., Chen, S., Wei, D., Sun, J., Guo, Z., and Fan, H., 2020, Photoluminescence-tunable carbon dots from synergy effect of sulfur doping and water engineering, *Chem. Eng. J.*, 388, 124199.

Gong, X., Yao, J., Yang, B., Yin, W., Wang, Y., and Fu, Y., 2023, Selective adsorption of the activator diammonium hydrogen phosphate in the reverse flotation separation of brucite and dolomite, *Powder Technol.*, 429, .

González, A.P.S., Firmino, M.A., Nomura, C.S., Rocha, F.R.P., Oliveira, P. V., and Gaubeur, I., 2009, Peat as a natural solid-phase for copper preconcentration and determination in a multicommutted flow system coupled to flame atomic absorption spectrometry, *Anal. Chim. Acta*, 636, 198–204.

Grewal, A.S., Kumar, K., Redhu, S., and Bhardwaj, S., 2013, Microwave assisted synthesis: A green chemistry approach, *Int. Res. J. Pharm. Appl. Sci.*, 3, 278–285.

Guo, Y., Yuan, G., Hu, X., Zhang, J., and Fang, G., 2022, A High-Luminescence Biomimetic Nanosensor Based on N, S-GQDs-Embedded Zinc-Based Metal–Organic Framework@Molecularly Imprinted Polymer for Sensitive Detection of Octopamine in Fermented Foods, *Foods*, 11, 1348.

Hegde, S.M., Babu, R.L., Vijayalakshmi, E., Patil, R.H., Naveen Kumar, M., Kiran Kumar, K.M., Nagesh, R., Kavya, K., and Sharma, S.C., 2016, Biosorption of hexavalent chromium from aqueous solution using chemically modified Spirulina platensis algal biomass: an ecofriendly approach, *Desalin. Water Treat.*, 57, 8504–8513.

Hill, S. and Galan, M.C., 2017, Fluorescent carbon dots from mono- and polysaccharides: Synthesis, properties and applications, *Beilstein J. Org. Chem.*, 13, 675–693.

Honorato, F.A., Honorato, R.S., Pimentel, M.F., and Araujo, M.C.U., 2002,



Analytical curve or standard addition method: How to elect and design - A strategy applied to copper determination in sugarcane spirits using AAS, *Analyst*, 127, 1520–1525.

Hu, J., Sun, Y., Aryee, A.A., Qu, L., Zhang, K., and Li, Z., 2022, Mechanisms for carbon dots-based chemosensing, biosensing, and bioimaging: A review, *Anal. Chim. Acta*, 1209, 338885.

Hu, S., Trinchi, A., Atkin, P., and Cole, I., 2015, Tunable photoluminescence across the entire visible spectrum from carbon dots excited by white light, *Angew. Chemie - Int. Ed.*, 54, 2970–2974.

Issa, M.A., Abidin, Z.Z., Sobri, S., Rashid, S.A., Mahdi, M.A., and Ibrahim, N.A., 2020, Fluorescent recognition of Fe^{3+} in acidic environment by enhanced-quantum yield N-doped carbon dots: optimization of variables using central composite design, *Sci. Rep.*, 10, 1–18.

Jiang, K., Wang, Y., Li, Z., and Lin, H., 2020, Afterglow of carbon dots: Mechanism, strategy and applications, *Mater. Chem. Front.*, 4, 386–399.

Jing, R.Z., Yin, J.M., Zeng, X.R., Zhao, S.R., Xue, Y.N., Liu, J.K., Zhang, X.M., Yang, X.H., 2019, Assembly and copper ions detection of highly sensible and stable carbon dots/hydroxyapatite fluorescence probe, *Mater. Technol.*, 34, 674–682.

Joffrion, J.B., Clower, W., and Wilson, C.G., 2019, Tunable excitation-independent emissions from graphene quantum dots through microplasma-assisted electrochemical synthesis, *Nano-Structures and Nano-Objects*, 19, 100341.

Jorns, M. and Pappas, D., 2021, and Chemical Characteristics, and Applications, *Nanomaterials*, 11, 1448, 1-18.

Joshi, P.N., Kundu, S., Sanghi, S.K., and Sarkar, D., 2016, *Graphene Quantum Dots - From Emergence to Nanotheranostic Applications in Smart Drug Delivery System*, Intech.

Kairdolf, B.A., Smith, A.M., Stokes, T.H., Wang, M.D., Young, A.N., and Nie, S., 2013, Semiconductor quantum dots for bioimaging and biodiagnostic applications, *Annu. Rev. Anal. Chem.*, 6, 143–162.

Kalaiyarasan, G., Joseph, J., and Kumar, P., 2020, Phosphorus-Doped Carbon Quantum Dots as Fluorometric Probes for Iron Detection, *ACS Omega*, 5, 22278–22288.

Kaur, H., Kaur, N., and Singh, N., 2020, Nitrogen and sulfur co-doped fluorescent carbon dots for the trapping of Hg(II) ions from water, *Mater. Adv.*, 1, 3009–3021.



- Khavlyuk, P.D., Arefina, I.A., Bondarenko, D.P., Bogdanov, K. V., Stepanidenko, E.A., Baranov, A.V., Fedorov, A.F., Ushakova, E. V., Dubavik, A., and Rogach, A.L., 2019, Synthesis and energy structure of optical transitions of the nitrogen and sulfur co-doped carbon dots, *J. Phys. Conf. Ser.*, 1410, .
- Kitazaki, T., Morimoto, Y., Yamashita, S., Anabuki, D., Tahara, S., Nishiyama, A., Wada, K., and Ishimaru, I., 2022, Glucose emission spectra through mid-infrared passive spectroscopic imaging of the wrist for non-invasive glucose sensing, *Sci. Rep.*, 12, 1–9.
- Kou, X., Jiang, S., Park, S.J., and Meng, L.Y., 2020, A review: recent advances in preparations and applications of heteroatom-doped carbon quantum dots, *Dalton transaction*, 49, 21, 6915–6938.
- Kreno, L.E., Leong, K., Farha, O.K., Allendorf, M., Van Duyne, R.P., and Hupp, J.T., 2012, Metal-organic framework materials as chemical sensors, *Chem. Rev.*, 112, 1105–1125.
- Kumari, A., Kumar, A., Sahu, S.K., and Kumar, S., 2018, Synthesis of green fluorescent carbon quantum dots using waste polyolefins residue for Cu²⁺ ion sensing and live cell imaging, *Sensors Actuators, B Chem.*, 254, 197–205.
- Kundu, A., Maity, B., and Basu, S., 2022, Rice Husk-Derived Carbon Quantum Dots-Based Dual-Mode Nanoprobe for Selective and Sensitive Detection of Fe³⁺and Fluoroquinolones, *ACS Biomater. Sci. Eng.*, 8, 4764–4776.
- Kurniawan, D. and Chiang, W.H., 2020, Microplasma-enabled colloidal nitrogen-doped graphene quantum dots for broad-range fluorescent pH sensors, *Carbon N. Y.*, 167, 675–684.
- Kwon, W., Kim, Y.H., Kim, J.H., Lee, T., Do, S., Park, Y., Jeong, M.S., Lee, T.W., and Rhee, S.W., 2016, High color-purity green, orange, and red light-emitting diodes based on chemically functionalized graphene quantum dots, *Sci. Rep.*, 6, 1–10.
- Lai, I.P.J., Harroun, S.G., Chen, S.Y., Unnikrishnan, B., Li, Y.J., and Huang, C.C., 2016, Solid-state synthesis of self-functional carbon quantum dots for detection of bacteria and tumor cells, *Sensors Actuators, B Chem.*, 228, 465–470.
- Lai, S., Jin, Y., Shi, L., Zhou, R., and Li, Y., 2023, Fluorescence Sensing Mechanisms of Versatile Graphene Quantum Dots toward Commonly Encountered Heavy Metal Ions, *ACS Sensors*, 8, 3812–3823.
- Langer, M., Paloncýová, M., Medved', M., Pykal, M., Nachtigallová, D., Shi, B., Aquino, A.J.A., Lischka, H., and Otyepka, M., 2021, Progress and challenges in understanding of photoluminescence properties of carbon dots based on



theoretical computations, *Appl. Mater. Today*, 22, .

Lecroy, G.E., Sonkar, S.K., Yang, F., Veca, L.M., Wang, P., Tackett, K.N., Il, Uy, J.J., Vasile, E., Qian, H., Liy, Y., Luo, P., and Sun, Y. P., 2014, Toward structurally defined carbon dots as ultracompact fluorescent probes, *ACS Nano*, 8, 4522–4529.

Li, D., Ushakova, E. V., Rogach, A.L., and Qu, S., 2021, Optical Properties of Carbon Dots in the Deep-Red to Near-Infrared Region Are Attractive for Biomedical Applications, *Small*, 17, 1–23.

Li, H., Xie, Y., Liu, Y., Xiao, Y., Hu, H., Liang, Y., and Zheng, M., 2021, Surface chemical functionality of carbon dots: influence on the structure and energy storage performance of the layered double hydroxide, *RSC Adv.*, 11, 10785–10793.

Li, L.S. and Yan, X., 2010, Colloidal graphene quantum dots, *J. Phys. Chem. Lett.*, 1, 2572–2576.

Li, X., Zhang, S., Kulinich, S.A., Liu, Y., and Zeng, H., 2014, Engineering surface states of carbon dots to achieve controllable luminescence for solid-luminescent composites and sensitive Be²⁺ detection, *Scientific Reports*, 4, 4976, 1–8.

Li, X., Zhao, S., Li, B., Yang, K., Lan, M., and Zeng, L., 2021, Advances and perspectives in carbon dot-based fluorescent probes: Mechanism, and application, *Coord. Chem. Rev.*, 431, 213686.

Li, Y., Lin, H., Luo, C., Wang, Y., Jiang, C., Qi, R., Huang, R., Travas-sedjic, J., and Peng, H., 2017, Aggregation induced red shift emission of phosphorus doped carbon dots, *RSC Adv.*, 7, 32225–32228.

Liang, S., Wang, M., Gao, W., and Zhao, X., 2022a, Effects of elemental doping, acid treatment, and passivation on the fluorescence intensity and emission behavior of yellow fluorescence carbon dots, *Opt. Mater. (Amst.)*, 128, 112471.

Liang, Y., Yang, H., Zhou, B., Chen, Y., Yang, M., Wei, K., Yan, X.F., and Kang, C., 2022b, Analytica Chimica Acta Waste tobacco leaves derived carbon dots for tetracycline detection : Improving quantitative accuracy with the aid of chemometric model, *Anal. Chim. Acta*, 1191, 339269.

Liao, F., Yang, S., Li, X., Yang, L., Xie, Z., Hu, C., Yan, S., Ren, T., and Liu, Z., 2014, Preparation of heteroatom doped poly(o-phenylenediamine) fluorescent nanospheres: Tunable fluorescent spectrum and sensing performance, *Synth. Met.*, 189, 126–134.

Liu, M., 2020, Optical Properties of Carbon Dots: A Review, *Nanoarchitectonics*,



1, 1–12.

Liu, M., Xu, Y., Niu, F., Gooding, J.J., and Liu, J., 2016, Carbon quantum dots directly generated from electrochemical oxidation of graphite electrodes in alkaline alcohols and the applications for specific ferric ion detection and cell imaging, *Analyst*, 141, 2657–2664.

Liu, M.L., Chen, B. Bin, Li, C.M., and Huang, C.Z., 2019, Carbon dots: Synthesis, formation mechanism, fluorescence origin and sensing applications, *Green Chem.*, 21, 449–471.

Liu, S., Tian, J., Wang, L., Zhang, Y., Qin, X., Luo, Y., Asiri, A.M., Al-Youbi, A.O., and Sun, X., 2012, Hydrothermal treatment of grass: A low-cost, green route to nitrogen-doped, carbon-rich, photoluminescent polymer nanodots as an effective fluorescent sensing platform for label-free detection of Cu(II) ions, *Adv. Mater.*, 24, 2037–2041.

Liu, Y., Xiao, N., Gong, N., Wang, H., Shi, X., Gu, W., and Ye, L., 2014, One-step microwave-assisted polyol synthesis of green luminescent carbon dots as optical nanoprobes, *Carbon N. Y.*, 68, 258–264.

Liu, Y., Zhong, D., Yu, L., Shi, Y., and Xu, Y., 2023, Primary Amine Functionalized Carbon Dots for Dead and Alive Bacterial Imaging, *Nanomaterials*, 13, 1–18.

Lu, F., Zhou, Y.H., Wu, L.H., Qian, J., Cao, S., Deng, Y.F., and Chen, Y., 2019, Highly Fluorescent Nitrogen-Doped Graphene Quantum Dots' Synthesis and Their Applications as Fe(III) Ions Sensor, *Int. J. Opt.*, 2019, .

Lu, S., Sui, L., Liu, J., Zhu, S., Chen, A., Jin, M., and Yang, B., 2017, Near-Infrared Photoluminescent Polymer–Carbon Nanodots with Two-Photon Fluorescence, *Adv. Mater.*, 29, 1–6.

de Luna, M.D.G., Capito, J.A., Vilando, A.C., and Lu, M.C., 2020, Effect of EDTA and CH₂O on copper recovery from simulated electroless copper plating spent rinse water by unseeded fluidized-bed granulation process, *Sep. Purif. Technol.*, 253, 117460.

Luo, X., Zhang, W., Han, Y., Chen, X., Zhu, L., Tang, W., Wang, J., Ya, T., and Li, Z., 2018, N,S co-doped carbon dots based fluorescent “on-off-on” sensor for determination of ascorbic acid in common fruits, *Food Chem.*, 258, 214–221.

Ma, X., Dong, Y., Sun, H., and Chen, N., 2017, Highly fluorescent carbon dots from peanut shells as potential probes for copper ion: The optimization and analysis of the synthetic process, *Mater. Today Chem.*, 5, 1–10.

Maity, D., Kumar, A., Gunupuru, R., and Paul, P., 2014, Colorimetric detection of



mercury(II) in aqueous media with high selectivity using calixarene functionalized gold nanoparticles, *Colloids Surfaces A Physicochem. Eng. Asp.*, 455, 122–128.

Man, Y., Zou, W.S., Kong, W.L., Li, W., Dong, W., Zhao, D., Qu, U., and Wang, Y., 2021, Brightly blue triazine-doped carbon dots for selective determination of Cu(II) in environment and imaging in cell, *J. Photochem. Photobiol. A Chem.*, 416, .

Martiniano, L.C., Abrantes, V.R., Neto, S.Y., Marques, E.P., Fonseca, T.C.O., Paim, L.L., Souza, A.G., Stradiotto, N.R., Aucelio, R.Q., Calvancante, G.H.R., and Marques, A.L.B., 2013, Direct simultaneous determination of Pb(II) and Cu(II) in biodiesel by anodic stripping voltammetry at a mercury-film electrode using microemulsions, *Fuel*, 103, 1164–1167.

De Medeiros, T. V., Manioudakis, J., Noun, F., Macairan, J.R., Victoria, F., and Naccache, R., 2019, Microwave-assisted synthesis of carbon dots and their applications, *J. Mater. Chem. C*, 7, 7175–7195.

Messina, M.M., Barrionuevo, S.D., Coustet, M.E., Kreuzer, M.P., Saccone, F.D., dos Santos Claro, P.C., and Ibañez, F.J., 2021, Graphene and Carbon Dots for Photoanodes with Enhanced Performance, *ACS Appl. Nano Mater.*, 4, 7309–7318.

Miao, S., Liang, K., Zhu, J., Yang, B., Zhao, D., and Kong, B., 2020, Hetero-atom-doped carbon dots: Doping strategies, properties and applications, *Nano Today*, 33, 100879.

Miao, X., Qu, D., Yang, D., Nie, B., Zhao, Y., Fan, H., and Sun, Z., 2018, Synthesis of Carbon Dots with Multiple Color Emission by Controlled Graphitization and Surface Functionalization, *Adv. Mater.*, 30, 1–8.

Mohamed, M.E.B., Frag, E.Y., and El Bawy, M.H., 2021, Rapid potentiometric sensor for determination of Cu(II) ions in food samples, *Microchem. J.*, 164, 106065.

Molaei, M.J., 2020, Principles, mechanisms, and application of carbon quantum dots in sensors: A review, *Anal. Methods*, 12, 1266–1287.

Motasemi, F. and Ani, F.N., 2012, A review on microwave-assisted production of biodiesel, *Renew. Sustain. Energy Rev.*, 16, 4719–4733.

Naik, K., Chaudhary, S., Ye, L., and Parmar, A.S., 2022, A Strategic Review on Carbon Quantum Dots for Cancer-Diagnostics and Treatment, *Front. Bioeng. Biotechnol.*, 10, 1–21.

Nazar, M., Hasan, M., Wirjosentono, B., Gani, B.A., and Nada, C.E., 2024, Microwave Synthesis of Carbon Quantum Dots from Arabica Coffee Ground



for Fluorescence Detection of Fe^{3+} , Pb^{2+} , and Cr^{3+} , *ACS Omega*, 9, 20571–20581.

Nekoueian, K., Amiri, M., Sillanpää, M., Marken, F., Boukherroub, R., and Szunerits, S., 2019, Carbon-based quantum particles: An electroanalytical and biomedical perspective, *Chem. Soc. Rev.*, 48, 4281–4316.

Norfolk, L., Kapusta, K., Cooke, D., and Staniland, S., 2021, Ethylenediamine series as additives to control the morphology of magnetite nanoparticles, *Green Chem.*, 23, 5724–5735.

Papaioannou, N., Titirici, M.M., and Sapelkin, A., 2019, Investigating the Effect of Reaction Time on Carbon Dot Formation, Structure, and Optical Properties, *ACS Omega*, 4, 21658–21665.

Parvin, N. and Mandal, T.K., 2017, Dually emissive P,N-co-doped carbon dots for fluorescent and photoacoustic tissue imaging in living mice, *Microchim. Acta*, 184, 1117–1125.

Pauzi, N., Zain, N.M., and Yusof, N.A.A., 2019, Microwave-assisted Synthesis of ZnO Nanoparticles Stabilized with Gum Arabic: Effect of microwave irradiation time on ZnO nanoparticles size and morphology, *Bull. Chem. React. Eng. Catal.*, 14, 182–188.

Preethi, M., Viswanathan, C., and Ponpandian, N., 2022, Fluorescence quenching mechanism of P-doped carbon quantum dots as fluorescent sensor for Cu^{2+} ions, *Colloids Surfaces A Physicochem. Eng. Asp.*, 653, 129942.

Qu, dan, Zheng, M., Du, P., Zhou, Y., Zhang, L., Li, D., Tan, H., Zhao, Z., Xie, Z., and Sun, Z., 2013, Highly luminescent S, N co-doped graphene quantum dots with broad visible absorption bands for visible light photocatalysts, *Nanoscale*, 5, 12272.

Qu, D., Sun, Z., Zheng, M., Li, J., Zhang, Y., Zhang, G., Zhao, H., Liu, X., and Xie, Z., 2015, Three Colors Emission from S,N Co-doped Graphene Quantum Dots for Visible Light H_2 Production and Bioimaging, *Adv. Opt. Mater.*, 3, 360–367.

Rathi, A.K., Gawande, M.B., Zboril, R., and Varma, R.S., 2015, Microwave-assisted synthesis - Catalytic applications in aqueous media, *Coord. Chem. Rev.*, 291, 68–94.

Redondo-Fernandez, G., Cigales Canga, J., Soldado, A., Ruiz Encinar, J., and Costa-Fernandez, J.M., 2023, Functionalized heteroatom-doped carbon dots for biomedical applications: A review, *Anal. Chim. Acta*, 1284, 341874.

Rong, M.C., Zhang, K.X., Wang, Y.R., and Chen, X., 2017, The synthesis of B, N-carbon dots by a combustion method and the application of fluorescence



- detection for Cu^{2+} , *Chinese Chem. Lett.*, 28, 1119–1124.
- Ru, Y., Waterhouse, G.I.N., and Lu, S., 2022, Aggregation in carbon dots: Special Issue: Emerging Investigators, *Aggregate*, 3, 1–14.
- Ryssy, J., Prioste-Amaral, E., Assuncao, D.F.N., Rogers, N., Kirby, G.T.S., Smith, L.E., and Michelmore, A., 2016, Chemical and physical processes in the retention of functional groups in plasma polymers studied by plasma phase mass spectroscopy, *Phys. Chem. Chem. Phys.*, 18, 4496–4504.
- Sciortino, A., Cannizzo, A., and Messina, F., 2018, Carbon Nanodots: A Review—From the Current Understanding of the Fundamental Photophysics to the Full Control of the Optical Response, *C*, 4, 67, 1–35.
- Sciortino, A., Cayuela, A., Soriano, M.L., Gelardi, F.M., Cannas, M., Valcárcel, M., and Messina, F., 2017, Different natures of surface electronic transitions of carbon nanoparticles, *Phys. Chem. Chem. Phys.*, 19, 22670–22677.
- Sekar, R., Basavegowda, N., Jena, S., Jayakodi, S., Elumalai, P., Chaitanyakumar, A., Sonu, P., and Baik, K.H., 2022, Recent Developments in Heteroatom/Metal-Doped Carbon Dot-Based Image-Guided Photodynamic Therapy for Cancer, *Pharmaceutics*, 14, .
- Semeniuk, M., Yi, Z., Pourerkhabibi, V., Tjong, J., Jaffer, S., Lu, Z.H., and Sain, M., 2019, Future Perspectives and Review on Organic Carbon Dots in Electronic Applications, *ACS Nano*, 13, 6224–6255.
- Şenol, A.M., Kassa, S.B., and Onganer, Y., 2023, A simple fluorescent “Turn off-on” sensor based on P, N-doped graphene quantum dots for Hg^{2+} and Cysteine determination, *Sensors Actuators A Phys.*, 356, 114362.
- Shabbir, H., Csapó, E., and Wojnicki, M., 2023, Carbon Quantum Dots: The Role of Surface Functional Groups and Proposed Mechanisms for Metal Ion Sensing, *Inorganics*, 11, 262, 1–30.
- Sherif, E.S.M., 2012, Electrochemical and gravimetric study on the corrosion and corrosion inhibition of pure copper in sodium chloride solutions by two azole derivatives, *Int. J. Electrochem. Sci.*, 7, 1482–1495.
- Shi, W., Fan, H., Ai, S., and Zhu, L., 2015, Preparation of fluorescent graphene quantum dots from humic acid for bioimaging application, *New J. Chem.*, 39, 7054–7059.
- Shitu, I.G., Liew, J.Y.C., Talib, Z.A., Baqiah, H., Awang Kechik, M.M., Ahmad Kamarudin, M., Osam, N.H., Low, Y.J., and Lakin, I.I., 2021, Influence of Irradiation Time on the Structural and Optical Characteristics of CuSe Nanoparticles Synthesized via Microwave-Assisted Technique, *ACS Omega*, 6, 10698–10708.



- Singh, R.K., Kumar, R., Singh, D.P., Savu, R., and Moshkalev, S.A., 2019, Progress in microwave-assisted synthesis of quantum dots (graphene/carbon/semiconducting) for bioapplications: a review, *Mater. Today Chem.*, 12, 282–314.
- Sivasankarapillai, V.S., Vishnu Kirthi, A., Akksadha, M., Indu, S., Dhivya Dharshini, U., Pushpamalar, J., and Karthik, L., 2020, Recent advancements in the applications of carbon nanodots: Exploring the rising star of nanotechnology, *Nanoscale Adv.*, 2, 1760–1773.
- Sk, M.A., Ananthanarayanan, A., Huang, L., Lim, K.H., and Chen, P., 2014, Revealing the tunable photoluminescence properties of graphene quantum dots, *J. Mater. Chem. C*, 2, 6954–6960.
- Sohal, N., Maity, B., and Basu, S., 2021, Morphology-Dependent Performance of MnO₂Nanostructure-Carbon Dot-Based Biosensors for the Detection of Glutathione, *ACS Appl. Bio Mater.*, 4, 5158–5168.
- Suherman, S., Yoel, A.N., Suratman, A., and Mudasir, M., 2024, Carbon Dots Modified Multi Dopants Nitrogen and Boron for an Early Detection of Lead in the Environment, *Bull. Environ. Contam. Toxicol.*, 112, 1–8.
- Sun, X. and Lei, Y., 2017, Fluorescent carbon dots and their sensing applications, *TrAC - Trends Anal. Chem.*, 89, 163–180.
- Sun, Y.P., Zhou, B., Lin, Y., Wang, W., Fernando, K.A.S., Pathak, P., Meziani, M.J., Harruff, B.A., Wang, X., Wang, H., Lou, P.G., Yang, H., Kose, M.E., Chen, B., Veca, L.M., and Xie, S.Y., 2006, Quantum-sized carbon dots for bright and colorful photoluminescence, *J. Am. Chem. Soc.*, 128, 7756–7757.
- Tajik, S., Dourandish, Z., Zhang, K., Beitollahi, H., Le, Q. Van, Jang, H.W., and Shokouhimehr, M., 2020, Carbon and graphene quantum dots: A review on syntheses, characterization, biological and sensing applications for neurotransmitter determination, *RSC Adv.*, 10, 15406–15429.
- Tang, L., Ji, R., Cao, X., Lin, J., Jiang, H., Li, X., Tang, K.S., Luk, C.M., Zeng, S., Hao, J., and Lua, S.P., 2012, Deep ultraviolet photoluminescence of water-soluble self-passivated graphene quantum dots, *ACS Nano*, 6, 5102–5110.
- Tang, X.-D., Yu, H.-M., Nguyen, W., Amador, E., Cui, S.-P., Ma, K., Chen, M.L., Wang, S.Y., Hu, Z.Z., and Chen, W., 2023, New Observations on Concentration-Regulated Carbon Dots, *Adv. Photonics Res.*, 4, .
- Taylor, A.A., Tsuji, J.S., Garry, M.R., McArdle, M.E., Goodfellow, W.L., Adams, W.J., and Menzie, C.A., 2020, Critical Review of Exposure and Effects: Implications for Setting Regulatory Health Criteria for Ingested Copper, *Environ. Manage.*, 65, 131–159.



- Trakal, L., Šigut, R., Šillerová, H., Faturíková, D., and Komárek, M., 2014, Copper removal from aqueous solution using biochar: Effect of chemical activation, *Arab. J. Chem.*, 7, 43–52.
- Triggiani, L., Brunetti, A., Aloisio, A., Comparelli, R., Curri, M.L., Agostiano, A., Striccoli, M., and Tommasi, R., 2014, Excitation-dependent ultrafast carrier dynamics of colloidal TiO₂ nanorods in organic solvent, *J. Phys. Chem. C*, 118, 25215–25222.
- Varisco, M., Zufferey, D., Ruggi, A., Zhang, Y., Erni, R., and Mamula, O., 2017, Synthesis of hydrophilic and hydrophobic carbon quantum dots from waste of wine fermentation, *R. Soc. Open Sci.*, 4, 12.
- Walke, S., Mandake, M.B., Naniwadekar, M., Tapre, R.W., Ghosh, T., and Qureshi, Y., 2023, A review on copper chemical vapour deposition, *Mater. Today Proc.*,
- Wang, B., Zhuo, S., Chen, L., and Zhang, Y., 2014, Fluorescent graphene quantum dot nanoprobes for the sensitive and selective detection of mercury ions, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 131, 384–387.
- Wang, C.C., Du, X.D., Li, J., Guo, X.X., Wang, P., and Zhang, J., 2016, Photocatalytic Cr(VI) reduction in metal-organic frameworks: A mini-review, *Appl. Catal. B Environ.*, 193, 198–216.
- Wang, D., Mei, X., Wang, S., Li, J., and Dong, C., 2021, A one-pot synthesis of fluorescent N,P-codoped carbon dots for vitamin B12 determination and bioimaging application, *New J. Chem.*, 45, 3508–3514.
- Wang, H., Sun, P., Cong, S., Wu, J., Gao, L., Wang, Y., Dai, X., Yo, Q., and Zou, G., 2016, Nitrogen-Doped Carbon Dots for “green” Quantum Dot Solar Cells, *Nanoscale Res. Lett.*, 11, 27.
- Wang, H., Zhang, T., Zhu, J., Zhai, Y., Wang, He, Bai, X., Dong, B., Wang, H., and Song, H., 2017, A novel mechanism for red emission carbon dots: Hydrogen bond dominated molecular states emission, *Nanoscale*, 9, 13042–13051.
- Wang, J., Sheng Li, R., Zhi Zhang, H., Wang, N., Zhang, Z., and Huang, C.Z., 2017, Highly fluorescent carbon dots as selective and visual probes for sensing copper ions in living cells via an electron transfer process, *Biosens. Bioelectron.*, 97, 157–163.
- Wang, J., Yang, Y., and Liu, X., 2020, Solid-state fluorescent carbon dots: Quenching resistance strategies, high quantum efficiency control, multicolor tuning, and applications, *Mater. Adv.*, 1, 3122–3142.
- Wang, N., Wang, Y., Guo, T., Yang, T., Chen, M., and Wang, J., 2016, Green



preparation of carbon dots with papaya as carbon source for effective fluorescent sensing of Iron (III) and Escherichia coli, *Biosens. Bioelectron.*, 85, 68–75.

Wang, Y. and Hu, A., 2014, Carbon quantum dots: Synthesis, properties and applications, *J. Mater. Chem. C*, 2, 6921–6939.

Wang, Y., Zhu, Y., Yu, S., and Jiang, C., 2017, Fluorescent carbon dots: rational synthesis, tunable optical properties and analytical applications, *RSC Adv.*, 7, 40973–40989.

Wu, C.C., Shiao, C.Y., Ayele, D.W., Su, W.N., Cheng, M.Y., Chiu, C.Y., and Hwang, B.J., 2010, Rapid microwave-enhanced solvothermal process for synthesis of CuInSe₂ particles and its morphologic manipulation, *Chem. Mater.*, 22, 4185–4190.

Wu, F., Su, H., Wang, K., Wong, W.K., and Zhu, X., 2017, Facile synthesis of N-rich carbon quantum dots from porphyrins as efficient probes for bioimaging and biosensing in living cells, *Int. J. Nanomedicine*, 12, 7375–7391.

Wu, P., Li, W., Wu, Q., Liu, Y., and Liu, S., 2017, Hydrothermal synthesis of nitrogen-doped carbon quantum dots from microcrystalline cellulose for the detection of Fe³⁺ ions in an acidic environment, *RSC Adv.*, 7, 44144–44153.

Wu, P., Zhao, T., Wang, S., and Hou, X., 2014, Semiconductor quantum dots-based metal ion probes, *Nanoscale*, 6, 43–64.

Xia, C., Zhu, S., Feng, T., Yang, M., and Yang, B., 2019, Evolution and Synthesis of Carbon Dots: From Carbon Dots to Carbonized Polymer Dots, *Adv. Sci.*, 6, 1-23.

Xing, Y., Yang, M., and Chen, X., 2023, Fabrication of P and N Co-Doped Carbon Dots for Fe³⁺ Detection in Serum and Lysosomal Tracking in Living Cells, *Biosensors*, 13, 1–14.

Xu, J., Wang, C., Li, H., and Zhao, W., 2020, Synthesis of green-emitting carbon quantum dots with double carbon sources and their application as a fluorescent probe for selective detection of Cu²⁺ ions, *RSC Adv.*, 10, 2536–2544.

Xu, X., Ray, R., Gu, Y., Ploehn, H.J., Gearheart, L., Raker, K., and Scrivens, W.A., 2004, Electrophoretic analysis and purification of fluorescent single-walled carbon nanotube fragments, *J. Am. Chem. Soc.*, 126, 12736–12737.

Yan, F., Sun, Z., Zhang, H., Sun, X., Jiang, Y., and Bai, Z., 2019, The fluorescence mechanism of carbon dots, and methods for tuning their emission color: a review, *Microchim. Acta*, 186, .

Yang, S.T., Wang, X., Wang, H., Lu, F., Luo, P.G., Cao, L., Meziani, M.J., Liu,



- J.H., Liu, Y., Chen, M., Huang, Y., and Sun, Y.P., 2009, Carbon dots as nontoxic and high-performance fluorescence imaging agents, *J. Phys. Chem. C*, 113, 18110–18114.
- Yang, W., Wang, C., and Arrighi, V., 2018, An organic silver complex conductive ink using both decomposition and self-reduction mechanisms in film formation, *J. Mater. Sci. Mater. Electron.*, 29, 2771–2783.
- Yang, Y., Gu, B., Liu, Z., Chen, D., Zhao, Y., Guo, Q., and Wang, G., 2021, Hydrothermal synthesis of N, P co-doped graphene quantum dots for high-performance Fe³⁺ detection and bioimaging, *J. Nanoparticle Res.*, 23, 40.
- Yao, M., Huang, J., Deng, Z., Jin, W., Yuan, Y., Nie, J., Wang, H., Dua, F., and Zhang, Y., 2020, Transforming glucose into fluorescent graphene quantum dots: Via microwave radiation for sensitive detection of Al³⁺ ions based on aggregation-induced enhanced emission, *Analyst*, 145, 6981–6986.
- Yao, Q., Wu, H., Jin, Y., Wang, C., Zhang, R., and Hu, Y., 2022, Construction of NaYF₄: Yb, Ho/B, N-GQDs nanocomposites for double anti-counterfeiting fluorescence ink, *J. Lumin.*, 251, 119186.
- Yilmaz, V., Arslan, Z., Hazer, O., and Yilmaz, H., 2014, Selective solid phase extraction of copper using a new Cu(II)-imprinted polymer and determination by inductively coupled plasma optical emission spectroscopy (ICP-OES), *Microchem. J.*, 114, 65–72.
- Yu, F., She, M., Cai, X., Li, X., Huang, Y., Lei, H., and Tan, Z., 2023, Nitrogen and Phosphorus Co-Doped Carbon Dots for the Growth Promotion of Water Spinach, *Symmetry (Basel)*, 15, .
- Yuan, F., Wang, Z., Li, X., Li, Y., Tan, Z., Fan, L., and Yang, S., 2017, Bright Multicolor Bandgap Fluorescent Carbon Quantum Dots for Electroluminescent Light-Emitting Diodes, *Adv. Mater.*, 29, .
- Yuan, F., Yuan, T., Sui, L., Wang, Z., Xi, Z., Li, Y., Li, X., Fan, L., Tan, Z., Chen, A., Jin, M., and Yang, S., 2018, Engineering triangular carbon quantum dots with unprecedented narrow bandwidth emission for multicolored LEDs, *Nat. Commun.*, 9, 1–11.
- Zdrazil, L., Zahradnicek, R., Mohan, R., Sedlacek, P., Nejdl, L., Schmiedova, V., Pospisil, J., Horak, MM., Weiter, M., Zmeskal, O., and Hubalek, J., 2018, Preparation of graphene quantum dots through liquid phase exfoliation method, *J. Lumin.*, 204, 203–208.
- Zhang, F., Wang, Y., Miao, Y., He, Y., Yang, Y., and Liu, X., 2016, Optimal nitrogen and phosphorus codoping carbon dots towards white light-emitting device, *Appl. Phys. Lett.*, 109, .



- Zhang, J., Zhao, X., Liu, X., and Dong, C., 2020, Enhanced chemical sensing for Cu²⁺ based on composites of ZIF-8 with small molecules, *RSC Adv.*, 10, 13998–14006.
- Zhang, J., Zhou, R., Tang, D., Hou, X., and Wu, P., 2019, Optically-active nanocrystals for inner filter effect-based fluorescence sensing: Achieving better spectral overlap, *TrAC Trends Anal. Chem.*, 110, 183–190.
- Zhang, P., Zheng, Y., Ren, L., Li, S., Feng, M., Zhang, Q., Qi, R., Qin, Z., Zhang, J., and Jiang, L., 2024, The Enhanced Photoluminescence Properties of Carbon Dots Derived from Glucose: The Effect of Natural Oxidation, *Nanomaterials*, 14, 11, 970.
- Zhang, R., Liu, S., Jin, H., Luo, Y., Zheng, Z., Gao, F., and Zheng, Y., 2019, Noninvasive electromagnetic wave sensing of glucose, *Sensors (Switzerland)*, 19, 5, 1151.
- Zhang, S., Wang, Q., Tian, G., and Ge, H., 2014, A fluorescent turn-off/on method for detection of Cu²⁺ and oxalate using carbon dots as fluorescent probes in aqueous solution, *Mater. Lett.*, 115, 233–236.
- Zhang, Y., Li, K., Ren, S., Dang, Y., Liu, G., Zhang, R., Zhang, K., Long, X., and Jia, K., 2019, Coal-Derived Graphene Quantum Dots Produced by Ultrasonic Physical Tailoring and Their Capacity for Cu(II) Detection, *ACS Sustain. Chem. Eng.*, 7, 9793–9799.
- Zhang, Y., Rhee, K.Y., Hui, D., and Park, S.J., 2018, A critical review of nanodiamond based nanocomposites: Synthesis, properties and applications, *Compos. Part B Eng.*, 143, 19–27.
- Zhao, P. and Zhu, L., 2018, Dispersibility of carbon dots in aqueous and/or organic solvents, *Chem. Commun.*, 54, 5401–5406.
- Zhao, Y., Zuo, S., and Miao, M., 2017, The effect of oxygen on the microwave-assisted synthesis of carbon quantum dots from polyethylene glycol, *RSC Adv.*, 7, 16637–16643.
- Zheng, X., Liu, W., Gai, Q., Tian, Z., and Ren, S., 2019, A Carbon-Dot-Based Fluorescent Probe for the Sensitive and Selective Detection of Copper(II) Ions, *ChemistrySelect*, 4, 2392–2397.
- Zheng, X.T., Ananthanarayanan, A., Luo, K.Q., and Chen, P., 2015, Glowing graphene quantum dots and carbon dots: Properties, synthesis, and biological applications, *Small*, 11, 1620–1636.
- Zhou, J., Shan, X., Ma, J., Gu, Y., Qian, Z., Chen, J., and Feng, H., 2014, Facile synthesis of P-doped carbon quantum dots with highly efficient photoluminescence, *RSC Adv.*, 4, 5465.



Zhou, J., Zhou, H., Tang, J., Deng, S., Yan, F., Li, W., and Qu, M., 2017, Carbon dots doped with heteroatoms for fluorescent bioimaging: a review, *Microchim. Acta*, 184, 343–368.

Zhu, J., Bai, X., Chen, X., Shao, H., Zhai, Y., Pan, G., Zhang, H., Ushakova, E.V., Zhang, Y., Song, H., and Rogach, A.L., 2019, Spectrally Tunable Solid State Fluorescence and Room-Temperature Phosphorescence of Carbon Dots Synthesized via Seeded Growth Method, *Adv. Opt. Mater.*, 7, 1–7.

Zhu, S., Song, Y., Zhao, X., Shao, J., Zhang, J., and Yang, B., 2015, The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots): current state and future perspective, *Nano Res.*, 8, 355–381.

Zhu, Y., Inagaki, K., and Chiba, K., 2009, Determination of Fe, Cu, Ni, and Zn in seawater by ID-ICP-MS after preconcentration using a syringe-driven chelating column, *J. Anal. At. Spectrom.*, 24, 1179–1183.

Zou, Y., Wang, Xiangxue, Khan, A., Wang, P., Liu, Y., Alsaedi, A., Hayat, T., and Wang, X., 2016, Environmental Remediation and Application of Nanoscale Zero-Valent Iron and Its Composites for the Removal of Heavy Metal Ions: A Review, *Environ. Sci. Technol.*, 50, 7290–7304.

Zu, F., Yan, F., Bai, Z., Xu, J., Wang, Y., Huang, Y., and Zhou, X., 2017, The quenching of the fluorescence of carbon dots: A review on mechanisms and applications, *Microchim. Acta*, 184, 1899–1914.