

## DAFTAR PUSTAKA

- (OKBM), A. O. M. E. (2013). *KLT-40S*.
- A.R, E. P., Giarno, G., P, A. E., K, G. B. H., A.A, A. S., and Juarsa, M. (2022). Karakteristik Perubahan Temperatur Bagian Pendingin Selama Sirkulasi Alam untuk Kondisi Tunak pada Untai Uji FASSIP-02. *JMPM (Jurnal Material Dan Proses Manufaktur)*, 5(2), 114–122. <https://doi.org/10.18196/jmpm.v5i2.14064>
- Abdillah, H., Saputra, G., Novitrian, and Permana, S. (2017). Study of Natural Convection Passive Cooling System for Nuclear Reactors. *Journal of Physics: Conference Series*, 877(1). <https://doi.org/10.1088/1742-6596/877/1/012047>
- Ahmed, N. M., Gao, P., and Bello, S. (2020). Natural circulation systems in nuclear reactors: Advantages and challenges. *IOP Conference Series: Earth and Environmental Science*, 467(1). <https://doi.org/10.1088/1755-1315/467/1/012077>
- Al amin, A. S., Giarno, Engggar, A., Haryanto, D., Rosidi, A., Heru K, G. B., Tasri, A., and Juarsa, M. (2021). Karakteristik Temperatur Tangki Pemanas dan Bilangan Reynolds Selama Aliran Sirkulasi Alam pada Untai Uji FASSIP-02. *Prosiding Seminar Nasional Energi, Telekomunikasi Dan Otomasi SNETO*, 27–35.
- Amano, Y. (2015). *The Fukushima Daiichi Accident*.
- Ambrosini, W., and Ferreri, J. C. (2000). *Stability analysis of single-phase thermosyphon loops by finite-difference numerical methods*. 201, 11–23.
- Antariksawan, A. R., Surip, W., Juarsa, M., Haryanto, D., Mukhsinun, H. K., and Putra, N. (2018). SIMULATION OF OPERATIONAL CONDITIONS OF FASSIP-02 NATURAL CIRCULATION COOLING SYSTEM EXPERIMENTAL LOOP. *Jurnal Sains Dan Teknologi Nuklir Indonesia Indonesian Journal of Nuclear Science and Technology Vol. 19, No.1, Februari 2018 : 41-54 ISSN 1411 – 3481 EISSN 2503 - 1287* 1, 2(January), 6. <http://ieeauthorcenter.ieee.org/wp-content/uploads/IEEE-Reference-Guide.pdf%0Ahttp://wwwlib.murdoch.edu.au/find/citation/ieee.html%0Ahttps://doi.org/10.1016/j.cie.2019.07.022%0Ahttps://github.com/ethereum/wiki/wiki/White-Paper%0Ahttps://tore.tuhh.de/hand>
- Bell, S. (1999). *Good Practice Guide A Beginner 's Guide to Uncertainty of* (Issue 11).
- Bello, S., Gao, P., and Lin, Y. (2021). *Closed-loop experimental investigation of*

*single-phase natural circulation flow phenomena based on temperature and heating power variations. 151.*

Cammarata, L., Fichera, A., and Pagano, A. (2003). Stability maps for rectangular circulation loops. *Applied Thermal Engineering*, 23(8), 965–977. [https://doi.org/10.1016/S1359-4311\(03\)00027-9](https://doi.org/10.1016/S1359-4311(03)00027-9)

Çengel, Y. A. (2015). *HEAT AND MASS TRANSFER*. McGraw-Hill.

Chen, W., Fang, X., Xu, Y., and Su, X. (2015). An assessment of correlations of forced convection heat transfer to water at supercritical pressure. *Annals of Nuclear Energy*, 76, 451–460. <https://doi.org/10.1016/j.anucene.2014.10.027>

Chen, W. L., Wang, S. B., Twu, S. S., Chung, C. R., and Pan, C. (2001). Hysteresis effect in a double channel natural circulation loop. *International Journal of Multiphase Flow*, 27(1), 171–187. [https://doi.org/10.1016/S0301-9322\(00\)00018-5](https://doi.org/10.1016/S0301-9322(00)00018-5)

Cheng, H., Lei, H., and Dai, C. (2017). Heat Transfer of a Single-Phase Natural Circulation Loop with Heating and Cooling Fluids. *Energy Procedia*, 142, 3926–3931. <https://doi.org/10.1016/j.egypro.2017.12.298>

Cheng, H., Lei, H., Zeng, L., and Dai, C. (2019). Theoretical and experimental studies of heat transfer characteristics of a single-phase natural circulation mini-loop with end heat exchangers. *International Journal of Heat and Mass Transfer*, 128, 208–216. <https://doi.org/10.1016/j.ijheatmasstransfer.2018.08.136>

Chung, Y. J., Jun, I. S., Kim, S. H., Yang, S. H., Kim, H. R., and Lee, W. J. (2012). Development and assessment of system analysis code, TASS/SMR for integral reactor, SMART. *Nuclear Engineering and Design*, 244, 52–60. <https://doi.org/10.1016/j.nucengdes.2011.12.013>

Datta, A. K., Yanase, S., Kouchi, T., and Shatat, M. M. E. (2017). Laminar forced convective heat transfer in *helical pipe* flow. *International Journal of Thermal Sciences*, 120, 41–49. <https://doi.org/10.1016/j.ijthermalsci.2017.05.026>

Dean, W. R. (1928). The stream-line motion of fluid in a curved *pipe*. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 5(30), 673–695. <https://doi.org/10.1080/14786440408564513>

Dostál, M., Petera, K., and Solnař, S. (2022). Gnielinski’s correlation and a modern temperature-oscillation method for measuring heat transfer coefficients. *EPJ Web of Conferences*, 269, 01009. <https://doi.org/10.1051/epjconf/202226901009>

Frank P. Incopera, D. P. D. (2015). Fundamentals of Heat and Mass Transfer. In *Fluid Mechanics and its Applications* (Vol. 112). [https://doi.org/10.1007/978-3-319-15793-1\\_19](https://doi.org/10.1007/978-3-319-15793-1_19)

Garibaldi, P., and Misale, M. (2008). Experiments in single-phase natural

- circulation miniloops with different working fluids and geometries. *Journal of Heat Transfer*, 130(10). <https://doi.org/10.1115/1.2948393>
- Giarno, Mulya, Juarsa, J. P. W. (2015). *Perancangan sistem heat-sink untai fassip-01 menggunakan software cycle tempo*. 489–495.
- Haag, M., Selvam, P. K., and Leyer, S. (2020). Effect of condenser *pipe* inclination on the flow dynamics and instabilities in a passive containment cooling system (PCCS) for nuclear safety. *Nuclear Engineering and Design*, 367(July). <https://doi.org/10.1016/j.nucengdes.2020.110780>
- Han, F., Kuang, Y., Ye, C., and Wang, W. (2022). *Investigation on thermal-hydraulic characteristics of the spent fuel pool with a complete passive cooling system*. 177.
- Harmen, Adriansyah, W., Abdurrachim, and Pasek, A. D. (2018). Theoretical investigation of heat transfer correlations for supercritical organic fluids. *AIP Conference Proceedings*, 1984. <https://doi.org/10.1063/1.5046595>
- Haryanto, D., Rosidi, A., K, G. B. H., and Juarsa, M. (2022). *KESETIMBANGAN TERMAL PADA FASILITAS UNTAI FASSIP- 03 NT BERDASARKAN PERBEDAAN TEMPERATUR PADA HEATING TANK SECTION DAN COOLING TANK SECTION*.
- Haryanto Dedy, Enggar, P. A., Rosidi, A., Bambang, G., Kusnugroho, H., and Juarsa, M. (2022). *Analisis Kekuatan Mekanik pada Struktur Cooling Tank Section Untai FASSIP- 03 NT Berbasis Simulasi Software*. 25(1), 24–32.
- Ho, C. J., Chiou, S. P., and Hu, C. S. (1997). Heat transfer characteristics of a rectangular natural circulation loop containing water near its density extreme. *International Journal of Heat and Mass Transfer*, 40(15), 3553–3558. [https://doi.org/10.1016/S0017-9310\(97\)00007-0](https://doi.org/10.1016/S0017-9310(97)00007-0)
- International Atomic Energy Agency. (2009). Passive safety systems and natural circulation in water cooled nuclear power plants. *International Atomic Energy Agency*, 159. [http://www-pub.iaea.org/MTCD/publications/PDF/te\\_1624\\_web.pdf](http://www-pub.iaea.org/MTCD/publications/PDF/te_1624_web.pdf)
- International Atomic Energy Agency. (2013). *Passive Safety Systems in Advanced Water Cooled Reactors (AWCRs)*.
- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Haryanto, D., and Putra, N. (2018). Estimation of natural circulation flow based on temperature in the FASSIP-02 large-scale test loop facility. *IOP Conference Series: Earth and Environmental Science*, 105(1), 0–7. <https://doi.org/10.1088/1755-1315/105/1/012091>
- Juarsa, M., Antariksawan, A. R., Widodo, S., Kusuma, M. H., Rohman, A. N., Giarno, and Subki, M. H. (2018). Backward phenomenon on natural circulation flow based on power differences in FASSIP-01 loop. *AIP Conference Proceedings*, 2001(August). <https://doi.org/10.1063/1.5049996>

- Juarsa, M., Haryanto, D., and Prasetyo, J. (2016). *PASSIVE SYSTEM SIMULATION FACILITY ( FASSIP ) LOOP FOR NATURAL CIRCULATION STUDY*. 4–5.
- Juarsa, M., Purba, J. H., Kusuma, H. M., Setiadipura, T., and Widodo, S. (2014). Preliminary study on mass flow rate in passive cooling experimental simulation during transient using NC-queen apparatus. *Atom Indonesia*, 40(3), 141–147. <https://doi.org/10.17146/aij.2014.333>
- Juarsa, M., Witoko, J. P., Giarno, Haryanto, D., and Purba, J. H. (2018). An experimental analysis on Nusselt number of natural circulation flow in transient condition based on the height differences between heater and cooler. *Atom Indonesia*, 44(3), 123–130. <https://doi.org/10.17146/aij.2018.876>
- Kang, K. H., and Chang, S. H. (2009). Experimental study on the heat transfer characteristics during the pressure transients under supercritical pressures. *International Journal of Heat and Mass Transfer*, 52(21–22), 4946–4955. <https://doi.org/10.1016/j.ijheatmasstransfer.2009.06.005>
- Kazemi-esfe, H., Shekari, Y., and Omidvar, P. (2024). *Comparison of heat transfer characteristics of a heat exchanger with straight helical pipe and a heat exchanger with coiled flow reverser*. 253(March).
- Kim, J., Park, C., Lee, S., and Hwang, D. H. (2022). Development of Evaluation Methodology to Enhance Cavity Flooding Strategy on Operating Pwr Power Plant. *SSRN Electronic Journal*, 187. <https://doi.org/10.2139/ssrn.4211148>
- Kim, Y. S., Bae, S. W., Cho, S., Kang, K. H., and Park, H. S. (2016). Application of direct passive residual heat removal system to the SMART reactor. *Annals of Nuclear Energy*, 89, 56–62. <https://doi.org/10.1016/j.anucene.2015.11.025>
- Krepper, E., and Beyer, M. (2010). Experimental and numerical investigations of natural circulation phenomena in passive safety systems for decay heat removal in large pools. *Nuclear Engineering and Design*, 240(10), 3170–3177. <https://doi.org/10.1016/j.nucengdes.2010.05.050>
- Kumar, S., Kumar, P., and Panwar, V. (2021). *Numerical investigation of steady state characteristics and stability of supercritical water natural circulation loop of a heater and cooler arrangements*. 53.
- Kumar, V., Faizee, B., Mridha, M., and Nigam, K. D. P. (2008). Numerical studies of a pipe-in-pipe helically coiled heat exchanger. *Chemical Engineering and Processing: Process Intensification*, 47(12), 2287–2295. <https://doi.org/10.1016/j.cep.2008.01.001>
- Kusuma, M. H., Sundari, T., Antariksawan, A. R., and et.al. (2019). Numerical investigation of temperature distribution in a water cooling tank under natural convection. *AIP Conference Proceedings*, 2062(January), 1–9. <https://doi.org/10.1063/1.5086557>
- Lee, K., and Kim, M. H. (2008). *Modeling of condensation heat transfer for a PRHRS heat exchanger in a SMART-P plant*. 238, 3253–3262.

<https://doi.org/10.1016/j.nucengdes.2008.07.005>

Lioce, D., Asztalos, M., Alemberti, A., Barucca, L., Frogheri, M., and Saiu, G. (2012). AP1000 passive core cooling system pre-operational tests procedure definition and simulation by means of Relap5 Mod. 3.3 computer code. *Nuclear Engineering and Design*, 250, 538–547. <https://doi.org/10.1016/j.nucengdes.2012.05.028>

M.HURST, W. R. D. dan J. (1959). NOTE ON THE MOTION OF FLUID IN A CURVED PIPE. *Cambridge University Press*, 6, 77–85. <https://doi.org/https://doi.org/10.1112/S0025579300001947>

Mao, S., Zhou, T., Wei, D., Liu, W., and Zhang, Y. (2021). Modeling of heat transfer of supercritical water in helical finned double pipe. *International Journal of Heat and Mass Transfer*, 180. <https://doi.org/10.1016/j.ijheatmasstransfer.2021.121754>

Misale, M., Garibaldi, P., Passos, J. C., and de Bitencourt, G. G. (2007). Experiments in a single-phase natural circulation mini-loop. *Experimental Thermal and Fluid Science*, 31(8), 1111–1120. <https://doi.org/10.1016/j.expthermflusci.2006.11.004>

Muhammad, S., and Woo, C. (2020). Validation of the Gnielinski correlation for evaluation of heat transfer coefficient of enhanced pipes by non-linear regression model : An experimental study of absorption refrigeration system. *International Communications in Heat and Mass Transfer*, 118(September), 104819. <https://doi.org/10.1016/j.icheatmasstransfer.2020.104819>

Mulya Juarsa, Anhar R. Antariksawan, Mukhsinun Hadi Kusuma, N., and Putra, P. P. M. (2019). Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02 Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02. *SENTEN 2018 - Symposium of Emerging Nuclear Technology and Engineering Novelty*, 0–7. <https://doi.org/10.1088/1742-6596/1198/2/022073>

Nayak, A. K., Vijayan, P. K., Saha, D., and Venkat Raj, V. (1995). Mathematical modelling of the stability characteristics of a natural circulation loop. *Mathematical and Computer Modelling*, 22(9), 77–87. [https://doi.org/10.1016/0895-7177\(95\)00169-3](https://doi.org/10.1016/0895-7177(95)00169-3)

Ningsih, L. F., Sofyan, A. R., Giarno, G., Haryanto, D., Witoko, J. P., and Juarsa, M. (2018). Estimasi Perhitungan Kalor Dan Laju Aliran Kalor Pada Untai Fassip-02. *SIGMA EPSILON - Buletin Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 22(1), 26–34. <https://doi.org/10.17146/sigma.2018.22.1.4321>

Noufal, M., Giarno, G., Prasetyo, J., Haryanto, D., and Juarsa, M. (2016). Analisis Unjuk Kerja Pemanas Dan Pendingin Di Untai Fasilitas Simulasi Sistem Pasif. *SIGMA EPSILON-Jurnal Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 19(2), 92–101.



- Petukhov, B. S. (1970). Heat Transfer and Friction in Turbulent *Pipe* Flow with Variable Physical Properties. *Advances in Heat Transfer*, 6(C), 503–564. [https://doi.org/10.1016/S0065-2717\(08\)70153-9](https://doi.org/10.1016/S0065-2717(08)70153-9)
- Pilkhwal, D. S., Ambrosini, W., Forgiione, N., Vijayan, P. K., Saha, D., and Ferreri, J. C. (2007). Analysis of the unstable behaviour of a single-phase natural circulation loop with one-dimensional and computational fluid-dynamic models. *Annals of Nuclear Energy*, 34(5), 339–355. <https://doi.org/10.1016/j.anucene.2007.01.012>
- Qiao, K., Tao, H., Li, Y., Zhao, B., Song, C., Li, W., and Cheng, J. (2022). *Numerical study on long-term passive heat removal of EPRHR cooling water tank ( CWT ) using heat pipe heat exchanger*. 175.
- R.B.Duffey, J. P. S. (1987). NATURAL CIRCULATION PHENOMENA RELEVANT TO SMALL BREAKS AND TRANSIENTS. *Nuclear Engineering and Design*, 102, 115–128.
- Rinaldi, A., Gabriella N, L., Giarno, G., Prasetyo, J., and Juarsa, M. (2019). Estimasi Laju Aliran Sirkulasi Alam Berdasarkan Beda Temperatur pada Untai FASSIP-01. *SIGMA EPSILON - Buletin Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 23(2), 58. <https://doi.org/10.17146/sigma.2019.23.2.5669>
- Sahu, M., Sarkar, J., and Chandra, L. (2023). Experimental thermal-hydraulic characteristics of single-phase natural circulation loop using water-based hybrid nanofluids. *International Journal of Thermal Sciences*, 187(October 2022), 108198. <https://doi.org/10.1016/j.ijthermalsci.2023.108198>
- Shirgire, N. D. (2013). Review on Comparative Study between Helical Coil and *Straight Pipe* Heat Exchanger. *IOSR Journal of Mechanical and Civil Engineering*, 8(2), 55–59. <https://doi.org/10.9790/1684-0825559>
- Sun, Z., Meng, K., Liu, H., Xu, C., Zhou, Q., Wang, Q., Yan, L., and Peng, H. (2024). Experimental and numerical investigation on heat transfer performance of a single-pipe six-fin pipe evaporator. *International Journal of Refrigeration*, 162(February), 39–52. <https://doi.org/10.1016/j.ijrefrig.2024.02.014>
- Tao, J., Gu, H., Xiong, Z., Jiang, X., and Xie, Y. (2018). Parametric analysis of heat transfer rate of passive residual heat removal heat exchanger submerged in water tank. *Experimental Thermal and Fluid Science*, 98(May), 317–327. <https://doi.org/10.1016/j.expthermflusci.2018.05.027>
- Taylor, J. R. (1981). *An Introduction to Error Analysis*. (Second Edi).
- Theodore L. Bergman, Adrienne S. Lavine, Frank P. Incropera, D. P. D. (2011). *HEAT and MASS TRANSFER* (wiley (ed.); 7th ed.). Wiley.
- Vijayan, P. K., Austregesilo, H. (1994). *Scaling laws for single-phase natural circulation loops*. 152, 331–347.

- Vijayan, P. K., and Date, A. W. (1992). The limits of conditional stability for single-phase natural circulation with throughflow in a figure-of-eight loop. *Nuclear Engineering and Design*, 136(3), 361–380. [https://doi.org/10.1016/0029-5493\(92\)90034-S](https://doi.org/10.1016/0029-5493(92)90034-S)
- Williams, W. C. (2011). *If the Dittus and Boelter equation is really the McAdams equation , then should not the McAdams equation really be the Koo equation ?* 54, 1682–1683. <https://doi.org/10.1016/j.ijheatmasstransfer.2010.11.047>
- Wu, Q., Schubring, D. W. L., and Sienicki, J. J. (2007). Feasibility analysis of two-phase MHD energy conversion for liquid metal cooled reactors. *Nuclear Engineering and Design*, 237(20–21), 2114–2119. <https://doi.org/10.1016/j.nucengdes.2007.02.009>
- Young, R. M., and Pfender, E. (1986). Nusselt Number Correlations for Heat Transfer to Small Spheres in Thermal Plasma Flows. *Plasma Chemistry and Plasma Processing*, 7(2), 211–229.
- Zhang, Y., Lu, D., Du, Z., Fu, X., and Wu, G. (2015). Numerical and experimental investigation on the transient heat transfer characteristics of C-shape rod bundles used in Passive Residual Heat Removal Heat Exchangers. *Annals of Nuclear Energy*, 83, 147–160. <https://doi.org/10.1016/j.anucene.2015.04.022>
- Zhang, Y., Xiao, H., Zou, C., Falcoz, Q., and Neveu, P. (2020). Combined optics and heat transfer numerical model of a solar conical receiver with built-in helical pipe. *Energy*, 193. <https://doi.org/10.1016/j.energy.2019.116775>
- Zikrillah I Rahman, Putu, I. G., Suryawan, A., Wirawan, I. K. G., Widodo, S., Juarsa, M., Mesin, T., Teknik, F., and Udayana, U. (2021). *Analisis Simulasi Efek Perbedaan Fluida Kerja terhadap Aliran Sirkulasi Alam di Untai FASSIP-01 Mod . 02.*