

DAFTAR PUSTAKA

- Abebe, B., Murthy, H.C.A., and Amare, E., 2018, Summary on Adsorption and Photocatalysis for Pollutant Remediation: Mini Review, *J. Encapsulation. Adsorpt. Sci.*, 08, 225–255.
- Alver, E. and Metin, A. ü, 2012, Anionic dye removal from aqueous solutions using modified zeolite: Adsorption kinetics and isotherm studies, *Chem. Eng. J.*, 200–202, 59–67.
- Anouar, H., Anouar, E., Hourch, A. El, and Kacemi, K. El, 2014, Density functional theory study of Reactive Violet 5R azo dye, *Int J Innov Appl Stud*, 9, 1362–1367.
- Anthonyamy, S.I., Ahmad, M.A., and Yahya, N.K.E.M., 2023, Insight the mechanism of MgAl/layered double hydroxide supported on rubber seed shell biochar for Remazol Brilliant Violet 5R removal, *Arab. J. Chem.*, 16, 1–27.
- Arivithamani, N. and Dev, V.R.G., 2018, Characterization and comparison of salt-free reactive dyed cationized cotton hosiery fabrics with that of conventional dyed cotton fabrics, *J. Clean. Prod.*, 183, 579–589.
- Arivithamani, N. and Dev, V.R.G., 2017, Industrial scale salt-free reactive dyeing of cationized cotton fabric with different reactive dye chemistry, *Carbohydr. Polym.*, 174, 137–145.
- Bello, O.S. and Ahmad, M.A., 2011, Removal of Remazol Brilliant Violet-5R dye using periwinkle shells, *Chem. Ecol.*, 27, 481–492.
- Bello, O.S., Siang, T.T., and Ahmad, M.A., 2011, Adsorption of Remazol Brilliant Violet-5R reactive dye from aqueous solution by cocoa pod husk-based activated carbon: Kinetic, equilibrium and thermodynamic studies, *Asia-Pac. J. Chem. Eng.*, 7, 378–388.
- Benjelloun, M., Miyah, Y., Akdemir Evrendilek, G., Zerrouq, F., and Lairini, S., 2021, Recent Advances in Adsorption Kinetic Models: Their Application to Dye Types, *Arab. J. Chem.*, 14, 103031.
- Chen, Q., Zhao, T., Wang, M., and Wang, J., 2013a, Studies of the fibre structure and dyeing properties of *Calotropis gigantea*, kapok and cotton fibres, *Color Technol.*, 129, 448–453.
- Chen, W.F., Zhang, W.M., and Meng, J., 2013b, Advances and Prospects in Research of Biochar Utilization in Agriculture, *Sci. Agric. Sin.*, 46, 3324–3333.
- Correia, J., Oliveira, F.R., Valle, R. de C.S.C., and Valle, J.A.B., 2021, Preparation of cationic cotton through reaction with different polyelectrolytes, *Cellulose*, 28, 11679–11700.

- Correia, J., Rainert, K.T., Oliveira, F.R., de Cássia Siqueira Curto Valle, R., and Valle, J.A.B., 2020, Cationization of cotton fiber: an integrated view of cationic agents, processes variables, properties, market and future prospects, *Cellulose*, 27, 8527–8550.
- Darni, Y., Sitorus, T.M., and Hanif, M., 2014, Produksi Bioplastik dari Sorgum dan Selulosa Secara Termoplastik, *Jurnal Rekayasa Kimia & Lingkungan*, 10, 55–62.
- Duan, C., Zhao, N., Yu, X., Zhang, X., and Xu, J., 2013, Chemically modified kapok fiber for fast adsorption of Pb^{2+} , Cd^{2+} , Cu^{2+} from aqueous solution, *Cellulose*, 20, 849–860.
- Farrell, M.J. and Hauser, P.J., 2013, Cationic Cotton, Reservations to Reality, *AATCC Rev*, 13, 56–62.
- Fuadah, S.R. and Rahmayanti, M., 2019, Adsorpsi-Desorpsi Zat Warna Naftol Blue Black menggunakan Adsorben Humin Hasil Isolasi Tanah Gambut Riau, Sumatera, *Anal. Environ. Chem.*, 4, 59–67.
- Futalan, C.M., Choi, A.E.S., Soriano, H.G.O., Cabacungan, M.K.B., and Millare, J.C., 2022, Modification Strategies of Kapok Fiber Composites and Its Application in the Adsorption of Heavy Metal Ions and Dyes from Aqueous Solutions: A Systematic Review, *Int. J. Environ. Res. Public Health*, 19, 2703.
- Gapusan, R.B. and Balela, M.D.L., 2020, Adsorption of anionic methyl orange dye and lead(II) heavy metal ion by polyaniline-kapok fiber nanocomposite, *Mater. Chem. Phys.*, 243, 122682.
- Gregory, K.P., Elliott, G.R., Robertson, H., Kumar, A., Wanless, E.J., Webber, G.B., Craig, V.S.J., Andersson, G.G., and Page, A.J., 2022, Understanding specific ion effects and the Hofmeister series, *Phys. Chem. Chem. Phys.*, 24, 12682.
- Gupta, A., Ladino, C.R., and Mekonnen, T.H., 2023, Cationic modification of cellulose as a sustainable and recyclable adsorbent for anionic dyes, *Int J Biol Macromol*, 234, 123523.
- Hanafi, M.F. and Sapawe, N., 2020, Effect of initial concentration on the photocatalytic degradation of remazol brilliant blue dye using nickel catalyst, In, *Materials Today: Proceedings*.
- Heinze, T., 2015, Cellulose: Structure and properties, In, Rojas, O.J. (ed), *Cellulose Chemistry and Properties: Fibers, Nanocelluloses and Advanced Materials*. Springer International Publishing, Cham, pp. 1–52.
- Hokkanen, S., Bhatnagar, A., and Sillanpää, M., 2016, A review on modification methods to cellulose-based adsorbents to improve adsorption capacity, *Water Res.*, 91, 156–173.

- Huang, L., Ye, Z., and Berry, R., 2016, Modification of Cellulose Nanocrystals with Quaternary Ammonium-Containing Hyperbranched Polyethylene Ionomers by Ionic Assembly, *ACS Sustain. Chem. Eng.*, 4, 4937–4950.
- Inyinbor, A.A., Adekola, F.A., and Olatunji, G.A., 2016, Kinetics, isotherms and thermodynamic modeling of liquid phase adsorption of Rhodamine B dye onto *Raphia hookeri* fruit epicarp, *Water Resour Ind*, 15, 14.
- Jain, K., Shah, V., Chapla, D., and Madamwar, D., 2012, Decolorization and degradation of azo dye - Reactive Violet 5R by an acclimatized indigenous bacterial mixed cultures-SB4 isolated from anthropogenic dye contaminated soil, *J Hazard Mater*, 213–214, 378–86.
- Keplinger, T., Wittel, F.K., Rüggeberg, M., and Burgert, I., 2021, Wood Derived Cellulose Scaffolds—Processing and Mechanics, *Adv. Mater.*, 33, 2001375.
- Khasri, A., Jamir, M.R.M., Ahmad, A.A., and Ahmad, M.A., 2021, Adsorption of remazol brilliant violet 5r dye from aqueous solution onto melunak and rubberwood sawdust based activated carbon: Interaction mechanism, isotherm, kinetic and thermodynamic properties, *Desalin. Water Treat.*, 216, 401–411.
- Lai, H.J., 2021, Adsorption of Remazol Brilliant Violet 5R (RBV-5R) and Remazol Brilliant Blue R (RBBR) from Aqueous Solution by Using Agriculture Waste, *Trop. Aquat. Soil Pollut.*, 1, 11–23.
- Li, C., Kong, D., Yao, X., Ma, X., Wei, C., and Wang, H., 2022, Resource Recycling Utilization of Distillers Grains for Preparing Cationic Quaternary Ammonium—Ammonium Material and Adsorption of Acid Yellow 11, *Sustainability*, 14, 2469.
- Li, X., Xie, X., Luo, H., Li, L., Li, Z., Xue, Z., and Li, W., 2017, Adsorption of reactive yellow X-RG and reactive brilliant red X-3B onto cucurbit[8]uril and cucurbit[6]uril: Effect factors, adsorption behavior and mechanism study, *J. Colloid. Interface Sci*, 498, 31–46.
- Liu, J., Yang, R., Wang, Y., Hua, F., and Tong, S., 2022, Cationic cellulose nanofibers with efficient anionic dye adsorption: adsorption mechanism and application in salt-free dyeing of paper, *Cellulose*, 29, 2047–2061.
- Liu, W., Zhang, Y., Li, P., Wu, Y., Li, X., and Zuo, Y., 2023, Exploring the effect of lignin on the chemical structure and microstructure of Chinese fir wood by segmental delignification, *Wood Sci Technol*, 57, 329–344.
- Liu, Y., Wang, J., Zheng, Y., and Wang, A., 2012, Adsorption of methylene blue by kapok fiber treated by sodium chlorite optimized with response surface methodology, *Chem. Eng. J.*, 184, 248–255.
- Lombardo, S. and Thielemans, W., 2019, Thermodynamics of adsorption on nanocellulose surfaces, *Cellulose*, 26, 249–279.

- Lugito, G., Kustiana, A., Martuani, R., and Wenten, I.G., 2020, Kapok fibre as potential oil-absorbing material: Modification mechanism and performance evaluation,. In, *IOP Conf. Ser.: Mater. Sci. Eng.* IOP Publishing Ltd, Kupang, Indoneesia.
- Mourabet, M., El Boujaady, H., El Rhilassi, A., Ramdane, H., Bennani-Ziatni, M., El Hamri, R., and Taitai, A., 2011, Defluoridation of water using Brushite: Equilibrium, kinetic and thermodynamic studies, *Desalination*, 278, 1–9.
- Patel, H., 2021, Review on solvent desorption study from exhausted adsorbent, *J. Saudi Chem. Soc.*, 25, 101302.
- Pedrosa, J.F.S., Rasteiro, M.G., Neto, C.P., and Ferreira, P.J.T., 2022, Effect of cationization predelignifikasi on the properties of cationic Eucalyptus micro/nanofibrillated cellulose, *Int J Biol Macromol*, 201, 468–479.
- Prado, H.J. and Matulewicz, M.C., 2014, Cationization of polysaccharides: A path to greener derivatives with many industrial applications, *Eur Polym J*, 52, .
- Pruś, S., Kulpiński, P., Matyjas-Zgondek, E., and Wojciechowski, K., 2022, Eco-friendly dyeing of cationised cotton with reactive dyes: mechanism of bonding reactive dyes with CHPTAC cationised cellulose, *Cellulose*, 29, 4167–4182.
- Purnawati, R., Febrianto, F., Wistara, I.N.J., Nikmatin, S., Hidayat, W., Lee, S.H., and Kim, N.H., 2018, Physical and Chemical Properties of Kapok (Ceiba pentandra) and Balsa (ochroma pyramidale) Fibers, *J. Korean Wood Sci. Technol.*, 46, 393–401.
- Quek, C.S., Ngadi, N., and Ahmad Zaini, M.A., 2020, The oil-absorbing properties of kapok fibre—a commentary, *J Taibah Univ Sci*, 14, 507–512.
- Rápó, E., Aradi, L.E., Szabó, Á., Posta, K., Szép, R., and Tonk, S., 2020, Adsorption of Remazol Brilliant Violet-5R Textile Dye from Aqueous Solutions by Using Eggshell Waste Biosorbent, *Sci. Rep.*, 10, 8385.
- Rápó, E. and Tonk, S., 2021, Factors affecting synthetic dye adsorption; desorption studies: A review of results from the last five years (2017–2021), *Molecules*, 26, 5419.
- Rehman, A., Abid, H.A., Hassan, D., and Siyal, M.I., 2023, Modification of Viscose Rayon Fabric with 3-Chloro-2-Hydroxypropyl Trimethyl Ammonium Chloride (CHPTAC) to Enable its Sustainable Dyeing with Acid Dyes, *Fibers Polym.*, 24, 2315–2323.
- Saleh and Tawfik, A., 2022, Isotherm models of adsorption processes on adsorbents and nanoadsorbents,. In, Saleh (ed), *Interface Sci.* Elsevier, pp. 99–126.
- Sangalang, R.H., 2021, Kapok Fiber- Structure, Characteristics and Applications: A Review, *Orieent. J. Chem.*, 37, 513–523.

- Sanjaya, A.S. and Agustine, R.P., 2015, Studi Kinetika Adsorpsi Pb menggunakan Arang Aktif dari Kulit Pisang, *Konversi*, 4, 17–24.
- Sarıoğlu, E., Mehenktaş, C., and Arar, Ö., 2024, Removal of chromate from water samples by cationic cellulose, *Biomass Convers. Biorefin.*, 14, 21419–21429.
- Sartika, D., Syamsu, K., Warsiki, E., and Fahma, F., 2020, Isolation of microfiber cellulose from kapok fiber (*Ceiba pentandra*) by using chemical-hydrothermal delignifikasi, *Eco. Env. & Cons.*, 26, 654–662.
- Sims, R.A., Harmer, S.L., and Quinton, J.S., 2019, The Role of Physisorption and Chemisorption in the Oscillatory Adsorption of Organosilanes on Aluminium Oxide, *Polymers (Basel)*, 11, 410.
- Sun, X.F., Sun, R.C., and Sun, J.X., 2003, A convenient acetylation of sugarcane bagasse using NBS as a catalyst for the preparation of oil sorption-active materials, *J. Mater. Sci.*, 38, 3915–3923.
- Susi, S., Ainuri, M., Wagiman, W., and Falah, M.A.F., 2023, High-Yield Alpha-Cellulose from Oil Palm Empty Fruit Bunches by Optimizing Thermochemical Delignification Processes for Use as Microcrystalline Cellulose, *Int J Biomater*, 2023, 1–15.
- Tarvo, V., Lehtimaa, T., Kuitunen, S., Alopaeus, V., Vuorinen, T., and Aittamaa, J., 2010, A model for chlorine dioxide delignification of chemical pulp, *J. Wood Chem. Technol.*, 30, 230–268.
- Thitame, P. V. and Shukla, S.R., 2016, Adsorptive removal of reactive dyes from aqueous solution using activated carbon synthesized from waste biomass materials, *Int. J. Environ. Sci. Technol.*, 13, 561–570.
- Tulashie, S.K., Iddrisu, M., Mensah, S., Kotoka, F., and Adu, K., 2023, Adsorptive removal of reactive violet 5 azodye (V5R) with biochar: An ecofriendly technology, *SCENV*, 2, 100017.
- Ullah, T., Gul, H., Khitab, F., Khattak, R., Ali, Y., Rasool, S., Khan, M.S., and Zekker, I., 2022, Adsorption of Remazol Brilliant Violet-5R from Aqueous Solution Using Sugarcane Bagasse as Biosorbent: Kinetic and Thermodynamic Studies, *Water (Basel)*, 14, 3014.
- Wakelyn, P.J., Bertoniere, N.R., French, A.D., Thibodeaux, D.P., Triplett, B.A., Rousselle, M.-A., Goynes Jr., W.R., Edwards, J.V., Hunter, L., McAlister, D.D., and Gamble, G.R., 2006, *Cotton Fiber Chemistry and Technology*, CRC Press, Boca Raton.
- Wang, H., Wang, B., Sun, D., Shi, Q., Zheng, L., Wang, S., Liu, S., Xia, R., and Sun, R., 2019, Unraveling the Fate of Lignin from Eucalyptus and Poplar during Integrated Delignification and Bleaching, *ChemSusChem*, 12, 11.
- Wang, J., Geng, G., Liu, X., Han, F., and Xu, J., 2016, Magnetically superhydrophobic kapok fiber for selective sorption and continuous separation of oil from water, *Chem. Eng. Res. Des.*, 115, 122–130.

- Wang, J., Zheng, Y., and Wang, A., 2012, Effect of kapok fiber treated with various solvents on oil absorbency, *Ind. Crops. Prod.*, 40, 178–184.
- Wolok, E., Lahay, I.H., Machmoed, B.R., and Pakaya, F., 2019, Modification and Characterization of Ceiba Pentandra (L.) Gaertn. (Kapok) Fiber: Physical Properties, *Int. J. Res. Granthaalayah*, 7, 381–390.
- Xing, T., Kai, H., and Chen, G., 2012, Study of adsorption and desorption performance of acid dyes on anion exchange membrane, *Color Technol.*, 128, 295–299.
- Yagub, M.T., Sen, T.K., Afroze, S., and Ang, H.M., 2014, Dye and its removal from aqueous solution by adsorption: A review, *Adv. Colloid Interface Sci.*, 209, 172–184.
- Yanti, D.R. and Oktavia, B., 2022, Desorpsi Nitrat (NO_3^-) dari Silika Gel Termodifikasi Dimetilamina (DMA) menggunakan Eluen Asam, *CHEDS*, 6, 82–89.
- Yue, X., Huang, J., Jiang, F., Lin, H., and Chen, Y., 2019, Synthesis and characterization of cellulose-based adsorbent for removal of anionic and cationic dyes, *J. Eng. Fiber. Fabr.*, 14, 1–10.
- Zhai, S., Li, Y., Dong, W., Zhao, H., Ma, K., Zhang, H., Wang, H., Zhao, Y., Li, X., and Cai, Z., 2022, Cationic cotton modified by 3-chloro-2-hydroxypropyl trimethyl ammonium chloride for salt-free dyeing with high levelling performance, *Cellulose*, 29, 633–646.
- Zheng, Y., Liu, Y., and Wang, A., 2012, Kapok Fiber Oriented Polyaniline for Removal of Sulfonated Dyes, *Ind. Eng. Chem. Res.*, 51, 10079–10087.
- Zian, Ulfin, I., and Harmami, 2016, Pengaruh Waktu Kontak pada Adsorpsi Remazol Violet 5R Menggunakan Adsorben Nata de Coco, *Jurnal Sains Dan Seni Its*, 5, 2337–3520.