



DAFTAR PUSTAKA

- Abdullah, A., Nurhayati, T., & Nugroho, F. A. (2022). Antioxidant activity of trypsin and pepsin-hydrolyzed fish collagen. *IOP Conference Series: Earth and Environmental Science*, 1033(1), 012066. <https://doi.org/10.1088/1755-1315/1033/1/012066>
- Aberoumand, A. (2012). Comparative study between different methods of collagen extraction from fish and its properties. *World Applied Sciences Journal*, 16(3), 316–319.
- Agustia, F. C. (2023). *Potensi tepung kecambah koro pedang putih (Canavalia ensiformis (L.) DC) sebagai sumber peptida bioaktif inhibitor dipeptidyl peptidase-IV (DPP-IV) dan bioavailabilitasnya secara in vitro* [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.
- Agustia, F. C., Supriyadi, Murdiati, A., & Indrati, R. (2023). Formation of dipeptidyl peptidase-IV (DPP-IV) inhibitory peptides from Jack Bean (*Canavalia ensiformis* (L.) DC.) sprout in simulated digestion. *Food Science and Biotechnology*, 1, 1–11. <https://doi.org/10.1007/S10068-023-01343-9/FIGURES/2>
- Ahmad, M., & Benjakul, S. (2010). Extraction and characterisation of pepsin-solubilised collagen from the skin of unicorn leatherjacket (*Aluterus monoceros*). *Food Chemistry*, 120(3), 817–824. <https://doi.org/10.1016/J.FOODCHEM.2009.11.019>
- Ahmadi, M., Bekeschus, S., Weltmann, K. D., von Woedtke, T., & Wende, K. (2022). Non-steroidal anti-inflammatory drugs: recent advances in the use of synthetic COX-2 inhibitors. *RSC Medicinal Chemistry*, 13(5), 471. <https://doi.org/10.1039/D1MD00280E>
- Ahmaditaba, M. A., Hassan, M., Tehrani, H., Zarghi, A., Shahosseini, S., & Daraei, B. (2018). Design, synthesis and biological evaluation of novel peptide-like analogues as selective COX-2 inhibitors. *Iranian Journal of Pharmaceutical Research*, 17(1), 87-92.
- Ahmed, R., Haq, M., & Chun, B. S. (2019). Characterization of marine derived collagen extracted from the by-products of bigeye tuna (*Thunnus obesus*). *International Journal of Biological Macromolecules*, 135, 668–676. <https://doi.org/10.1016/J.IJBIOMAC.2019.05.213>
- Ahn, C. B., Cho, Y. S., & Je, J. Y. (2015). Purification and anti-inflammatory action of tripeptide from salmon pectoral fin byproduct protein hydrolysate. *Food Chemistry*, 168, 151–156. <https://doi.org/10.1016/J.FOODCHEM.2014.05.112>



- Ahn, C. B., Je, J. Y., & Cho, Y. S. (2012). Antioxidant and anti-inflammatory peptide fraction from salmon byproduct protein hydrolysates by peptic hydrolysis. *Food Research International*, 49(1), 92–98. <https://doi.org/10.1016/J.FOODRES.2012.08.002>
- Aihara, K., Ishii, H., & Yoshida, M. (2009). Casein-derived tripeptide, Val-Pro-Pro (VPP), modulates monocyte adhesion to vascular endothelium. *Journal of Atherosclerosis and Thrombosis*, 16(5), 594–603. <https://doi.org/10.5551/JAT.729>
- Akbar, M., Karimuna, L., & Herdhiansyah, D. (2019). Analisis nilai tambah agroindustri cacing kacang (*Sipuncula* sp.) di Desa Lemoea Kabupaten Buton Utara. *Jurnal Sains dan Teknologi Pangan*, 4(4), 2310–2322. <https://doi.org/10.33772/JSTP.V4I4.9014>
- Allard, B., Begri, R., Potier, J., & Coupel, S. (2013). Dialyzers biocompatibility and efficiency determinants of sterilization method choice. *Le Pharmacien Hospitalier et Clinicien*, 48(4), e15–e21. <https://doi.org/10.1016/J.PHCLIN.2013.10.071>
- Afifah, A., Suparno, O., Haditjaroko, L., Tarman, K., Setiyono, A., & Nugraha, A. W. (2023). Isolation and characterization of collagen from salmon (*Salmo salar*) skin using acid method. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 139–147. <https://doi.org/10.15578/squalen.756>
- Andri, J., Padila, Sartika, A., Putri, S. E. N., & Harsismanto, J. (2020). Tingkat pengetahuan terhadap penanganan penyakit rheumatoid arthritis pada lansia. *Jurnal Kesmas Asclepius*, 2(1), 12–21.
- Andriamihaja, M., Guillot, A., Svendsen, A., Hagedorn, J., Rakotondratohanina, S., Tomé, D., & Blachier, F. (2013). Comparative efficiency of microbial enzyme preparations versus pancreatin for *in vitro* alimentary protein digestion. *Amino Acids*, 44(2), 563–572. <https://doi.org/10.1007/S00726-012-1373-0>
- Aninda, G. R. (2016). *Aktivitas ekstrak cacing laut Siphonosoma australe sebagai antihiperlikemik pada tikus galur sprague dawley yang diinduksi streptozotocin*. [Undergraduate thesis]. IPB University, Bogor.
- AOAC. (2005). *Official methods of analysis*. Maryland: AOAC International. Diakses dari https://www.researchgate.net/publication/292783651_AOAC_2005
- Araiza-Calahorra, A., Boesch, C., Orfila, C., Goycoolea, F. M., Mondor, M., & Hernández-Álvarez, A. J. (2022). Proteins, peptides, and protein hydrolysates as immunomodulatory and antioxidant agents for the formulation of functional foods. *Current Advances for Development of Functional Foods Modulating Inflammation and Oxidative Stress*, 137–164. <https://doi.org/10.1016/B978-0-12-823482-2.00016-9>



- Ariyanti, A., Dewi, M., Hapsari, A. P., & Mashadi, S. (2019). Perbandingan kadar kolagen cangkang kerang darah (*Anadara granosa*) dengan cangkang kerang hijau (*Mytilus viridis*) di Bandengan, Kendal, Jawa Tengah. *Jurnal Pharmascience*, 5(2), 134–142. <https://doi.org/10.20527/JPS.V5I2.5795>
- Arumugam, G. K. S., Sharma, D., Balakrishnan, R. M., Babu, J., & Ettiyappan, P. (2018). Extraction, optimization and characterization of collagen from sole fish skin. *Sustainable Chemistry and Pharmacy*, 9, 19-26. <https://doi.org/10.1016/j.scp.2018.04.003>
- Astiana, I., Nurjanah, N., & Nurhayati, T. (2016). Characterization of acid soluble collagen from redbelly yellowtail fusilier fish skin (*Caesio cuning*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(1), 79–93. <https://doi.org/10.17844/JPHPI.V19I1.11699>
- Aursuwanna, T., Noitang, S., Sangtanoo, P., Srimongkol, P., Saisavoey, T., Puthong, S., Reamtong, O., & Karnchanatat, A. (2022). Investigating the cellular antioxidant and anti-inflammatory effects of the novel peptides in lingzhi mushrooms. *Heliyon*, 8(10), e11067. <https://doi.org/10.1016/J.HELIYON.2022.E11067>
- Bae, I., Osatomi, K., Yoshida, A., Osako, K., Yamaguchi, A., & Hara, K. (2008). Biochemical properties of acid-soluble collagens extracted from the skins of underutilised fishes. *Food Chemistry*, 108(1), 49–54. <https://doi.org/10.1016/J.FOODCHEM.2007.10.039>
- Baihaqi, M. R. (2019). *Pengaruh perbedaan rasio berat kulit ikan bader (*Barbonymus gonionotus*) dengan asam asetat dan lama waktu ekstraksi terhadap rendemen serta karakteristik kolagen*. [Undergraduate thesis]. Universitas Brawijaya, Malang.
- Balitbangkes. (2018). *Laporan nasional riskesdas 2018 Kementerian Kesehatan RI*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan. Diakses dari http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Beg, S., Swain, S., Hasan, H., Barkat, M. A., & Hussain, M. S. (2011). Systematic review of herbals as potential anti-inflammatory agents: Recent advances, current clinical status and future perspectives. *Pharmacognosy Reviews*, 5(10), 120. <https://doi.org/10.4103/0973-7847.91102>
- Benjakul, S., Nalinanon, S., & Shahidi, F. (2012). Fish collagen. *Food Biochemistry and Food Processing: Second Edition*, 365–387. <https://doi.org/10.1002/9781118308035.CH20>
- Bergmeyer, H. U. (1983). *Methods of enzymic analysis (Vol. 2)*. Weinheim: Verlag chemie.
- Bhat, Z. F., Kumar, S., & Bhat, H. F. (2017). Antihypertensive peptides of animal origin: A review. *Critical Reviews in Food Science and Nutrition*, 57(3), 566–578. <https://doi.org/10.1080/10408398.2014.898241>



- Bhattacharjee, A., & Bansal, M. (2005). Collagen structure: The madras triple helix and the current scenario. *IUBMB Life*, 57(3), 161–172. <https://doi.org/10.1080/15216540500090710>
- BIOPEP-UWM. (2024). *BIOPEP-UWM – Katedra Biochemii Żywności*. Olsztyn: Warmia and Mazury University. Diakses dari <https://biochemia.uwm.edu.pl/biopep-uwm/>
- Brenda. (2022). *The comprehensive enzyme information system - Information on EC 3.4.23.1 - pepsin A - BRENDA enzyme database*. Diakses dari <https://www.brenda-enzymes.org/enzyme.php?ecno=3.4.23.1#prosegment>.
- BSN. (2014). *Kolagen kasar dari sisik ikan – Syarat mutu dan pengolahan*. Jakarta: Badan Standardisasi Nasional. Diakses dari <https://lib.kemenperin.go.id/neo/detail.php?id=225634>
- Cao, S., Cai, J., Wang, X., Zhou, K., Liu, L., He, L., Qi, X., & Yang, H. (2023). Cryoprotective effect of collagen hydrolysates from squid skin on frozen shrimp and characterizations of its antifreeze peptides. *LWT - Food Science and Technology*, 174, 114443. <https://doi.org/10.1016/J.LWT.2023.114443>
- Casals, C., García-Fojeda, B., & Minutti, C. (2019). Soluble defense collagens: Sweeping up immune threats. *Molecular immunology*, 112, 291-304 . <https://doi.org/10.1016/j.molimm.2019.06.007>.
- Caughey, G. E., Cleland, L. G., Penglis, P. S., Gamble, J. R., & James, M. J. (2001). Roles of cyclooxygenase (COX)-1 and COX-2 in prostanoid production by human endothelial cells: Selective up-regulation of prostacyclin synthesis by COX-2. *Journal of Immunology*, 167(5), 2831–2838. <https://doi.org/10.4049/JIMMUNOL.167.5.2831>
- Chakrabarti, S., & Wu, J. (2015). Milk-derived tripeptides IPP (Ile-Pro-Pro) and VPP (Val-Pro-Pro) promote adipocyte differentiation and inhibit inflammation in 3T3-F442A cells. *PloS One*, 10(2). <https://doi.org/10.1371/JOURNAL.PONE.0117492>
- Chalamaiah, M., Ulug, S. K., Hong, H., & Wu, J. (2019). Regulatory requirements of bioactive peptides (protein hydrolysates) from food proteins. *Journal of Functional Foods*, 58, 123–129. <https://doi.org/10.1016/J.JFF.2019.04.050>
- Chan-Zapata, I., Arana-Argáez, V. E., Torres-Romero, J. C., & Segura-Campos, M. R. (2019). Anti-inflammatory effects of the protein hydrolysate and peptide fractions isolated from *Salvia hispanica* L. seeds. *Food and Agricultural Immunology*, 30(1), 786–803. <https://doi.org/10.1080/09540105.2019.1632804>
- Chatterton, D. E. W., Nguyen, D. N., Bering, S. B., & Sangild, P. T. (2013). Anti-inflammatory mechanisms of bioactive milk proteins in the intestine of newborns. *The International Journal of Biochemistry & Cell Biology*, 45(8), 1730–1747. <https://doi.org/10.1016/J.BIOCEL.2013.04.028>



- Chen, J., Bai, W., Cai, D., Yu, Z., & Xu, B. (2021a). Characterization and identification of novel anti-inflammatory peptides from baijiao sea bass (*Lateolabrax maculatus*). *LWT - Food Science and Technology*, 147, 111521. <https://doi.org/10.1016/J.LWT.2021.111521>
- Chen, X., Guo, Z., Zhang, J., Li, Y., & Duan, R. (2021b). A new method for determining the denaturation temperature of collagen. *Food Chemistry*, 343, 128393. <https://doi.org/10.1016/J.FOODCHEM.2020.128393>
- Chen, J., Li, L., Yi, R., Xu, N., Gao, R., & Hong, B. (2016). Extraction and characterization of acid-soluble collagen from scales and skin of tilapia (*Oreochromis niloticus*). *LWT - Food Science and Technology*, 66, 453–459. <https://doi.org/10.1016/J.LWT.2015.10.070>
- Chen, X., Sun, L., Li, D., Lai, X., Wen, S., Chen, R., Zhang, Z., Li, Q., & Sun, S. (2022). Green tea peptides ameliorate diabetic nephropathy by inhibiting the TGF- β /Smad signaling pathway in mice. *Food & Function*, 13(6), 3258–3270. <https://doi.org/10.1039/D1FO03615G>
- Cheng, M. L., Wang, H. C., Hsu, K. C., & Hwang, J. S. (2015). Anti-inflammatory peptides from enzymatic hydrolysates of tuna cooking juice. *Food and Agricultural Immunology*, 26(6), 770–781. <https://doi.org/10.1080/09540105.2015.1036352>
- Chi, C. F., Cao, Z. H., Wang, B., Hu, F. Y., Li, Z. R., & Zhang, B. (2014). Antioxidant and functional properties of collagen hydrolysates from Spanish mackerel skin as influenced by average molecular weight. *Molecules* 19(8), 11211–11230. <https://doi.org/10.3390/MOLECULES190811211>
- Cho, S. M., Gu, Y. S., & Kim, S. B. (2005). Extracting optimization and physical properties of yellowfin tuna (*Thunnus albacares*) skin gelatin compared to mammalian gelatins. *Food Hydrocolloids*, 19(2), 221–229. <https://doi.org/10.1016/J.FOODHYD.2004.05.005>
- Chu, C. C., Hou, Y. C., Pai, M. H., Chao, C. J., & Yeh, S. L. (2012). Pretreatment with alanyl-glutamine suppresses T-helper-cell-associated cytokine expression and reduces inflammatory responses in mice with acute DSS-induced colitis. *The Journal of Nutritional Biochemistry*, 23(9), 1092–1099. <https://doi.org/10.1016/J.JNUTBIO.2011.06.002>
- Chuaychan, S., Benjakul, S., & Kishimura, H. (2015). Characteristics of acid- and pepsin-soluble collagens from scale of seabass (*Lates calcarifer*). *LWT - Food Science and Technology*, 63(1), 71–76. <https://doi.org/10.1016/J.LWT.2015.03.002>
- Church, F. C., Swaisgood, H. E., Porter, D. H., & Catignani, G. L. (1983). Spectrophotometric assay using o-phthaldialdehyde for determination of proteolysis in milk and isolated milk proteins. *Journal of Dairy Science*, 66(6), 1219–1227. [https://doi.org/10.3168/JDS.S0022-0302\(83\)81926-2](https://doi.org/10.3168/JDS.S0022-0302(83)81926-2)



- Coates, J. (2000). Interpretation of infrared spectra, a practical approach. In Meyers, R.A., (Ed.), *Encyclopedia of analytical chemistry*. New Jersey: John Wiley & Sons Ltd.
- Coutinho, A. E., & Chapman, K. E. (2011). The anti-inflammatory and immunosuppressive effects of glucocorticoids, recent developments and mechanistic insights. *Molecular and Cellular Endocrinology*, 335(1), 2. <https://doi.org/10.1016/J.MCE.2010.04.005>
- Cui, X. F., Xue, H. C., Li, J. Z., Zhang, Q. Y., Dong, P., Fu, Y. X., & Gao, X. (2007). Characterization and subunit composition of collagen from the body wall of sea cucumber *Stichopus japonicus*. *Food Chemistry*, 100(3), 1120–1125. <https://doi.org/10.1016/J.FOODCHEM.2005.11.019>
- Cutler, E. B. (1994). *The Sipuncula: Their systematics, biology, and evolution*. Sacramento: Comstock Publishing Associates a Division of Cornell University Press.
- Dadar, M., Shahali, Y., Chakraborty, S., Prasad, M., Tahoori, F., Tiwari, R., & Dhama, K. (2019). Antiinflammatory peptides: Current knowledge and promising prospects. *Journal of the European Histamine Research Society*, 68(2), 125–145. <https://doi.org/10.1007/S00011-018-1208-X>
- Dannhardt, G., & Laufer, S. (2000). Structural approaches to explain the selectivity of COX-2 inhibitors: is there a common pharmacophore?. *Current Medicinal Chemistry*, 7(11), 1101–1112. <https://doi.org/10.2174/0929867003374237>
- Dara, A. I., & Tjitaesmi, A. (2016). Aktivitas antiinflamasi dari berbagai tanaman : Sebuah review. *Farmaka*, 14(3), 77–86. <https://doi.org/10.24198/JF.V14I3.10947>
- Das, D., Sarkar, S., Wann, S. B., Kalita, J., & Manna, P. (2022). Current perspectives on the anti-inflammatory potential of fermented soy foods. *Food Research International*, 152, 110922. <https://doi.org/10.1016/J.FOODRES.2021.110922>
- de Man, J. M. (1999). *Principles of food chemistry: Third edition*. Maryland: Aspen Publishers, Inc.
- Dia, V. P., Bringe, N. A., & De Mejia, E. G. (2014). Peptides in pepsin-pancreatin hydrolysates from commercially available soy products that inhibit lipopolysaccharide-induced inflammation in macrophages. *Food Chemistry*, 152, 423–431. <https://doi.org/10.1016/J.FOODCHEM.2013.11.155>
- D’Mello, P., Gadhwal, M., Joshi, U., & Shetgiri, P. (2011). Modeling of COX-2 inhibitory activity of flavonoids. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3, 33–40.



- Dorlan, W. A. N. (2002). *Kamus kedokteran Dorland*. In EGC (29th ed.). Jakarta: EGC. Diakses dari <https://onsearch.id/Record/IOS14006.INLIS000000000018983>
- Doytchinova, I. A., Walshe, V. A., Jones, N. A., Gloster, S. E., Borrow, P., & Flower, D. R. (2004). Coupling in silico and in vitro analysis of peptide-MHC binding: a bioinformatic approach enabling prediction of superbinding peptides and anchorless epitopes. *Journal of Immunology*, 172(12), 7495–7502. <https://doi.org/10.4049/JIMMUNOL.172.12.7495>
- Du, L., Fang, M., Wu, H., Xie, J., Wu, Y., Li, P., Zhang, D., Huang, Z., Xia, Y., Zhou, L., & Wei, D. (2013). A novel angiotensin I-converting enzyme inhibitory peptide from *Phascolosoma esculenta* water-soluble protein hydrolysate. *Journal of Functional Foods*, 5(1), 475–483. <https://doi.org/10.1016/J.JFF.2012.12.003>
- Duan, R., Zhang, J., Du, X., Yao, X., & Konno, K. (2009). Properties of collagen from skin, scale and bone of carp (*Cyprinus carpio*). *Food Chemistry*, 112(3), 702–706. <https://doi.org/10.1016/J.FOODCHEM.2008.06.020>
- Edmonds, S. J., Fauchald, K., Glasby, C. J., Grygier, M. J., Hutchings, P. A., Paxton, H., Rouse, G. W., Southward, E. C., Russel, C. W., & Wilson, R. S. (2000). *Fauna of Australia - Volume 4A Polychaetes & Allies*. Canberra: Australian Biological Resources Study/CSIRO Publishing. Diakses dari <https://www.dcceew.gov.au/science-research/abrs/publications/fauna-of-australia/fauna-4a>
- Ekins, S., Mestres, J., & Testa, B. (2007). In silico pharmacology for drug discovery: methods for virtual ligand screening and profiling. *British Journal of Pharmacology*, 152(1), 9–20. <https://doi.org/10.1038/SJ.BJP.0707305>
- Emmanuel, I., Amoke, M., & Kenni. (2008). The relationship in the amino acid of the whole body, flesh and exoskeleton of common West African fresh water male Crab *Sudanaanautes africanus-africanus*. *Pakistan Journal of Nutrition*, 7(6), 748–752. <https://doi.org/10.3923/PJN.2008.748.752>
- Erliani, E. W. (2021). *Biologi dan potensi biomassa sebagai dasar pengelolaan Sipuncula di daerah intertidal perairan Banda Naira*. [Master thesis]. IPB University, Bogor.
- Fakhrurrozi, Y. (2012). *Studi etnobiologi, etnoteknologi dan pemanfaatan kekuak (Xenosiphon sp.) oleh masyarakat di kepulauan Bangka-Belitung*. [Doctoral dissertation]. IPB University, Bogor.
- Fakih, T. M., & Dewi, M. L. (2020). Pemodelan molekuler peptida bioaktif laut sebagai antikoagulan alami terhadap enzim sitokrom P450 (CYP) 2C9. *Jurnal Farmasi Galenika*, 6(2), 2442–7284. <https://doi.org/10.22487/J24428744.2020.V6.I2.15041>



- Fawzya, Y. N., Chasanah, E., Poernomo, A., & Khirzin M. H. (2016). Isolasi dan karakterisasi parsial kolagen dari teripang gamma (*Stichopus variegatus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 11(1), 91–100. <https://doi.org/10.15578/JPBKP.V11I1.284>
- FDA. (2024). COX-2 Selective (includes bextra, celebrex, and vioxx) and non-selective non steroidal anti-inflammatory drugs (NSAIDs) / FDA. Food and Drug Administration. Diakses dari <https://www.fda.gov/drugs/postmarket-drug-safety-information-patients-and-providers/cox-2-selective-includes-bextra-celebrex-and-vioxx-and-non-selective-non-steroidal-anti-inflammatory>.
- Feng, M., Wang, X., Xiong, H., Qiu, T., Zhang, H., Guo, F., Jiang, L., & Sun, Y. (2021). Anti-inflammatory effects of three selenium-enriched brown rice protein hydrolysates in LPS-induced RAW264.7 macrophages via NF- κ B/MAPKs signaling pathways. *Journal of Functional Foods*, 76, 104320. <https://doi.org/10.1016/J.JFF.2020.104320>
- Fitriani, A. (2023). *Angiotensin Converting Enzyme (ACE) Inhibitor tepung kecambah lamtoro gung (*Leucaena leucocephala* ssp. *Glabrata* (Rose) S. zarate) dan bioavailabilitasnya secara in vitro*. [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.
- Friess, W. (1998). Collagen–biomaterial for drug delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, 45(2), 113–136. [https://doi.org/10.1016/S0939-6411\(98\)00017-4](https://doi.org/10.1016/S0939-6411(98)00017-4)
- Fu, Z., Akula, S., Thorpe, M., & Hellman, L. (2021). Marked difference in efficiency of the digestive enzymes pepsin, trypsin, chymotrypsin, and pancreatic elastase to cleave tightly folded proteins. *Biological Chemistry*, 402(7), 861–867. <https://doi.org/10.1515/HSZ-2020-0386/MACHINEREADABLECITATION/RIS>
- Fujita, H., Yokoyama, K., & Yoshikawa, M. (2000). Classification and antihypertensive activity of angiotensin I-converting enzyme inhibitory peptides derived from food proteins. *Journal of Food Science*, 65(4), 564–569. <https://doi.org/10.1111/J.1365-2621.2000.TB16049.X>
- Gaikwad, S., & Kim, M. J. (2024). Fish by-product collagen extraction using different methods and their application. *Marine Drugs*, 22(2), 60. <https://doi.org/10.3390/md22020060>
- Gao, R., Shu, W., Shen, Y., Sun, Q., Jin, W., Li, D., Li, Y., & Yuan, L. (2021). Peptide fraction from sturgeon muscle by pepsin hydrolysis exerts anti-inflammatory effects in LPS-stimulated RAW264.7 macrophages via MAPK and NF- κ B pathways. *Food Science and Human Wellness*, 10(1), 103–111. <https://doi.org/10.1016/J.FSHW.2020.04.014>
- Gelse, K., Pöschl, E., & Aigner, T. (2003). Collagens - Structure, function, and biosynthesis. *Advanced Drug Delivery Reviews*, 55(12), 1531–1546. <https://doi.org/10.1016/j.addr.2003.08.002>



- Ghasemian, M., Owlia, S., & Owlia, M. B. (2016). Review of anti-inflammatory herbal medicines. *Advances in Pharmacological Sciences*. <https://doi.org/10.1155/2016/9130979>
- GMIA. (2012). *GMIA Gelatin Manufacturers Institute of America Gelatin Handbook*. GMIA, 563(888), 363–2789. Diakses dari <http://www.gelita.com><http://www.nitta-gelatin.com><http://www.gelatin.com><http://www.rousselet.com><http://www.weishardt.com>.
- Gomez-Guillen, M. C., Gimenez, B., Lopez-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, 25(8), 1813–1827. <https://doi.org/10.1016/J.FOODHYD.2011.02.007>
- Gong, X., Hui, X., Wu, G., Morton, J. D., Brennan, M. A., & Brennan, C. S. (2022). *In vitro* digestion characteristics of cereal protein concentrates as assessed using a pepsin-pancreatin digestion model. *Food Research International*, 152, 110715. <https://doi.org/10.1016/J.FOODRES.2021.110715>
- Grancieri, M., Martino, H. S. D., & de Mejia, E. G. (2019). Digested total protein and protein fractions from chia seed (*Salvia hispanica* L.) had high scavenging capacity and inhibited 5-LOX, COX-1-2, and iNOS enzymes. *Food Chemistry*, 289, 204–214. <https://doi.org/10.1016/J.FOODCHEM.2019.03.036>
- Gu, L., Zhu, Q., Zou, X., & Song, R. (2023). Antibacterial effect of shrimp by-products hydrolysate on specific spoilage organisms of squid. *Molecules*, 28(10), 4105. <https://doi.org/10.3390/MOLECULES28104105/S1>
- Gu, Y., Majumder, K., & Wu, J. (2011). QSAR-aided in silico approach in evaluation of food proteins as precursors of ACE inhibitory peptides. *Food Research International*, 44(8), 2465–2474. <https://doi.org/10.1016/J.FOODRES.2011.01.051>
- Guha, S., & Majumder, K. (2019). Structural-features of food-derived bioactive peptides with anti-inflammatory activity: A brief review. *Journal of Food Biochemistry*, 43(1), e12531. <https://doi.org/10.1111/JFBC.12531>
- Gunawan & Sulistia, G. (2009). *Farmakologi dan terapi, Edisi ke-5*. Depok: Fakultas Kedokteran Universitas Indonesia.
- Guo, M., Chen, X., Wu, Y., Zhang, L., Huang, W., Yuan, Y., Fang, M., Xie, J., & Wei, D. (2017). Angiotensin I-converting enzyme inhibitory peptides from Sipuncula (*Phascolosoma esculenta*): Purification, identification, molecular docking and antihypertensive effects on spontaneously hypertensive rats. *Process Biochemistry*, 63, 84–95. <https://doi.org/10.1016/J.PROCBIO.2017.08.009>



- Halim, A. (2018). *Buku ajar ilmu kesehatan kulit dan kelamin imunologi inflamasi*. Jakarta: Universitas Kristen Indonesia.
- Hamiduzzaman, M., & Azam, A. T. M. Z. (2012). Antimicrobial, antioxidant and cytotoxic activities of *Gomphrena globosa* (L.). *Bangladesh Pharmaceutical Journal*, 15(2), 183–185. <https://doi.org/10.3329/BPJ.V15I2.12590>
- Haney, P., Herting, K., & Smith, S. (2013). *Separation characteristics of dialysis membranes*. Thermo Fisher Scientific. Diakses dari <https://www.thermofisher.com/id/en/home/life-science/protein-biology/protein-biology-learning-center/protein-biology-resource-library/protein-biology-application-notes/separation-characteristics-dialysis-membranes.html>.
- Hang, M., & Zhao, X. H. (2012). Fermentation time and ethanol/water-based solvent system impacted in vitro ACE-inhibitory activity of the extract of Mao-tofu fermented by *Mucor* spp. *Journal of Food*, 10(2), 137–143. <https://doi.org/10.1080/19476337.2011.601428>
- Hardiyanti, R. (2017). *Optimasi ekstraksi dan karakterisasi kolagen kulit dari ikan kakap putih (*Lates calcarifer*)*. [Undergraduate thesis]. IPB University, Bogor.
- He, R., Ju, X., Yuan, J., Wang, L., Girgih, A. T., & Aluko, R. E. (2012). Antioxidant activities of rapeseed peptides produced by solid state fermentation. *Food Research International*, 49(1), 432–438. <https://doi.org/10.1016/J.FOODRES.2012.08.023>
- He, R., Liu, M., Zou, Z., Wang, M., Wang, Z., Ju, X., & Hao, G. (2022). Anti-inflammatory activity of peptides derived from millet bran *in vitro* and *in vivo*. *Food & Function*, 13(4), 1881–1889. <https://doi.org/10.1039/D1FO03711K>
- Heda, R., Toro, F., & Tombazzi, C. R. (2023). *Physiology, Pepsin*. StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK537005/>
- Hema, G. S., Joshy, C. G., Shyni, K., Chatterjee, N. S., Ninan, G., & Mathew, S. (2017). Optimization of process parameters for the production of collagen peptides from fish skin (*Epinephelus malabaricus*) using response surface methodology and its characterization. *Journal of Food Science and Technology*, 54(2), 488–496. <https://doi.org/10.1007/S13197-017-2490-2>
- Herawati, E., Akhsanitaqwm, Y., Agnesia, P., Listyawati, S., Pangastuti, A., & Ratriyanto, A. (2022). *In Vitro* antioxidant and antiaging activities of collagen and its hydrolysate from mackerel scad skin (*Decapterus macarellus*). *Marine drugs*, 20(8), 516. <https://doi.org/10.3390/md20080516>



- Hermanson, D. J., Gamble-George, J. C., Marnett, L. J., & Patel, S. (2014). Substrate-selective COX-2 inhibition as a novel strategy for therapeutic endocannabinoid augmentation. *Trends in Pharmacological Sciences*, 35(7), 358. <https://doi.org/10.1016/J.TIPS.2014.04.006>
- Herold, K., & Mrowka, R. (2019). Inflammation—Dysregulated inflammatory response and strategies for treatment. *Acta Physiologica*, 226. <https://doi.org/10.1111/apha.13284>.
- Hong, S. H., Avis, I., Vos, M. D., Martínez, A., Treston, A. M., & Mulshine, J. L. (1999). Relationship of arachidonic acid metabolizing enzyme expression in epithelial cancer cell lines to the growth effect of selective biochemical inhibitors. *Cancer Research*, 59(9), 2223–2228.
- Hong, Z., Xie, J., Tao, L., Dai, J.-J., Li, T., Zhang, L., Bai, Y., Hu, X., Chen, J., Sheng, J., & Tian, Y. (2024). Exploration of cyclooxygenase-2 inhibitory peptides from walnut dreg proteins based on *in silico* and *in vitro* analysis. *Food Science and Human Wellness*, 13(3), 1636–1644. <https://doi.org/10.26599/FSHW.2022.9250143>
- Hou, Y. C., Chu, C. C., Ko, T. L., Yeh, C. L., & Yeh, S. L. (2013a). Effects of alanyl-glutamine dipeptide on the expression of colon-inflammatory mediators during the recovery phase of colitis induced by dextran sulfate sodium. *European Journal of Nutrition*, 52(3), 1089–1098. <https://doi.org/10.1007/S00394-012-0416-3>
- Hou, Y. C., Liu, J. J., Pai, M. H., Tsou, S. S., & Yeh, S. L. (2013b). Alanyl-glutamine administration suppresses Th17 and reduces inflammatory reaction in dextran sulfate sodium-induced acute colitis. *International Immunopharmacology*, 17(1), 1–8. <https://doi.org/10.1016/J.INTIMP.2013.05.004>
- Hu, Z., Yang, P., Zhou, C., Li, S., & Hong, P. (2017). Marine collagen peptides from the skin of Nile tilapia (*Oreochromis niloticus*): Characterization and wound healing evaluation. *Marine Drugs*, 15(4). <https://doi.org/10.3390/MD15040102>
- Huang, W. Y., Majumder, K., & Wu, J. (2010). Oxygen radical absorbance capacity of peptides from egg white protein ovotransferrin and their interaction with phytochemicals. *Food Chemistry*, 123(3), 635–641. <https://doi.org/10.1016/J.FOODCHEM.2010.04.083>
- Huang, Y. R., Shiau, C. Y., Chen, H. H., & Huang, B. C. (2011). Isolation and characterization of acid and pepsin-solubilized collagens from the skin of balloon fish (*Diodon holocanthus*). *Food Hydrocolloids*, 25(6), 1507–1513. <https://doi.org/10.1016/J.FOODHYD.2011.02.011>



- Hwang J. W., Lee S. J., Kim Y. S., Kim, E. K., Ahn, C. B., Jeon, Y. J., Moon, S. H., Jeon, B. T., & Park, P. J. (2012). Purification and characterization of a novel peptide with inhibitory effects on colitis induced mice by dextran sulfate sodium from enzymatic hydrolysates of *Crassostrea gigas*. *Fish & Shellfish Immunology*, 33(4):993–999. <https://doi.org/10.1016/j.fsi.2012.08.017>
- Ikawati, Z., Nugroho, A. E., & Werdhinindah, W. (2006). Efek ekstrak etanol daun *Erythrina fusca* Lou (cangkring) terhadap penekanan ekspresi enzim siklooksigenase-2 pada kultur sel Raji. *Majalah Farmasi Indonesia*, 17(2), 85–90.
- Indrati, R. (2022). *Bioactive peptides from legumes and their bioavailability*. IntechOpen. doi: 10.5772/intechopen.99979
- Jacob, A. M., Suptijah, P., & Kristantina, W. A. (2015). Komposisi asam lemak, kolesterol, dan deskripsi jaringan fillet ikan kakap merah segar dan goreng. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(1), 98-107. <https://doi.org/10.17844/jphpi.2015.18.1.98>
- Jakubczyk, A., Szymanowska, U., Karaś, M., Złotek, U., & Kowalczyk, D. (2019). Potential anti-inflammatory and lipase inhibitory peptides generated by in vitro gastrointestinal hydrolysis of heat treated millet grains. *CyTA - Journal of Food*, 17(1), 324–333. <https://doi.org/10.1080/19476337.2019.1580317>
- Jang, H. L., Liceaga, A. M., & Yoon, K. Y. (2017). Isolation and characteristics of anti-inflammatory peptides from enzymatic hydrolysates of sandfish (*Arctoscopus japonicus*) Protein. *Journal of Aquatic Food Product Technology*, 26(2), 234–244. <https://doi.org/10.1080/10498850.2016.1221015>
- Jaswir, I., Monsur, H. A., & Salleh, H. M. (2011). Nano-structural analysis of fish collagen extracts for new process development. *African Journal of Biotechnology*, 10(81), 18847–18854. <https://doi.org/10.5897/AJB11.2764>
- Jiang, F., Ding, Y., Tian, Y., Yang, R., Quan, M., Tong, Z., Zhang, X., Luo, D., Chi, Z., & Liu, C. (2022). Hydrolyzed low-molecular-weight polysaccharide from *Enteromorpha prolifera* exhibits high anti-inflammatory activity and promotes wound healing. *Biomaterials Advances*, 133, 112637. <https://doi.org/10.1016/J.MSEC.2021.112637>
- Johnston, N., Dettmar, P. W., Bishwokarma, B., Lively, M. O., & Koufman, J. A. (2007). Activity/stability of human pepsin: implications for reflux attributed laryngeal disease. *The Laryngoscope*, 117(6), 1036–1039. <https://doi.org/10.1097/MLG.0B013E31804154C3>
- Jongjareonrak, A., Benjakul, S., Visessanguan, W., Nagai, T., & Tanaka, M. (2005). Isolation and characterisation of acid and pepsin-solubilised collagens from the skin of Brownstripe red snapper (*Lutjanus vitta*). *Food Chemistry*, 93(3), 475–484. <https://doi.org/10.1016/J.FOODCHEM.2004.10.026>



- Ju, Z., Li, M., Xu, J., Howell, D. C., Li, Z., & Chen, F. E. (2022). Recent development on COX-2 inhibitors as promising anti-inflammatory agents: The past 10 years. *Acta Pharmaceutica Sinica B*, 12(6), 2790–2807. <https://doi.org/10.1016/J.APSB.2022.01.002>
- Kadel, S., Pellerin, G., Thibodeau, J., Perreault, V., Lainé, C., & Bazinet, L. (2019). How molecular weight cut-offs and physicochemical properties of polyether sulfone membranes affect peptide migration and selectivity during electro dialysis with filtration membranes. *Membranes*, 9(11), 153. <https://doi.org/10.3390/MEMBRANES9110153>
- Kadler, K. E., Baldock, C., Bella, J., & Boot-Handford, R. P. (2007). Collagens at a glance. *Journal of Cell Science*, 120(12), 1955–1958. <https://doi.org/10.1242/JCS.03453>
- Katzung, E. B. G., Masters, S. B., & Trevor, A. J. (2012). *Basic and Clinical Pharmacology - 12th edition*. New York: McGraw-Hill.
- Katzung, E. B. G. (2007). *Basic and Clinical Pharmacology, 10th edition*. New York: McGraw-Hill.
- Kavaliauskas, P., Opazo, F. S., Acevedo, W., Petraitiene, R., Grybaitė, B., Anusevičius, K., Mickevičius, V., Belyakov, S., & Petraitis, V. (2022). Synthesis, biological activity, and molecular modelling studies of naphthoquinone derivatives as promising anticancer candidates targeting COX-2. *Pharmaceuticals*, 15(5), 541. <https://doi.org/10.3390/PH15050541/S1>
- Khan, A. A., Iadarola, M., Yang, H. Y. T., & Dionne, R. A. (2007). Expression of COX –1 and –2 in a clinical model of acute inflammation. *Journal of Pain*, 8(4), 349. <https://doi.org/10.1016/J.JPAIN.2006.10.004>
- Khirzin, M. H., Yuliana, N. D., Fawzya, Y. N., & Ekowati, C. (2015). Aktivitas inhibitor enzim pengubah angiotensin (ACE) dan antioksidan peptida kolagen dari teripang gama (*Stichopus variegatus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 10(1), 27–35. <https://doi.org/10.15578/JPBKP.V10I1.242>
- Khushairay, E. S. I., Ayub, M. K., & Babji, A. S. (2014). Effect of enzymatic hydrolysis of pancreatin and alcalase enzyme on some properties of edible bird's nest hydrolysate. *AIP Conference Proceedings*, 1614(1), 427–432. <https://doi.org/10.1063/1.4895235>
- Kim, S. R., & Byun, H. G. (2012). The novel angiotensin I converting enzyme inhibitory peptide from rainbow trout muscle hydrolysate. *Fisheries and Aquatic Sciences*, 15(3), 183–190. <https://doi.org/10.5657/FAS.2012.0183>
- Kindt, T. J., Osborne, B. A., & Goldsby, R. A. (2006). *Kuby immunology, 6th edition*. New York: W.H. Freeman and company.



- Kittiphattanabawon, P., Benjakul, S., Visessanguan, W., Nagai, T., & Tanaka, M. (2005). Characterisation of acid-soluble collagen from skin and bone of bigeye snapper (*Priacanthus tayenus*). *Food Chemistry*, 89(3), 363–372. <https://doi.org/10.1016/J.FOODCHEM.2004.02.042>
- Kittiphattanabawon, P., Benjakul, S., Visessanguan, W., & Shahidi, F. (2010). Isolation and characterization of collagen from the cartilages of brownbanded bamboo shark (*Chiloscyllium punctatum*) and blacktip shark (*Carcharhinus limbatus*). *LWT - Food Science and Technology*, 43(5), 792–800. <https://doi.org/10.1016/J.LWT.2010.01.006>
- Kittiphattanabawon, P., Benjakul, S., Visessanguan, W., & Shahidi, F. (2012). Effect of extraction temperature on functional properties and antioxidative activities of gelatin from shark skin. *Food and Bioprocess Technology*, 5(7), 2646–2654. <https://doi.org/10.1007/S11947-010-0427-0>
- Kong, J., & Yu, S. (2007). Fourier transform infrared spectroscopic analysis of protein secondary structures. *Acta Biochimica et Biophysica Sinica*, 39(8), 549–559. <https://doi.org/10.1111/J.1745-7270.2007.00320.X>
- Kovacs-Nolan, J., Zhang, H., Ibuki, M., Nakamori, T., Yoshiura, K., Turner, P. V., Matsui, T., & Mine, Y. (2012). The pepT1-transportable soy tripeptide VPY reduces intestinal inflammation. *Biochimica et Biophysica Acta*, 1820(11), 1753–1763. <https://doi.org/10.1016/J.BBAGEN.2012.07.007>
- Krane S. M. (2008). The importance of proline residues in the structure, stability and susceptibility to proteolytic degradation of collagens. *Amino acids*, 35(4), 703–710. <https://doi.org/10.1007/s00726-008-0073-2>
- Kumar, N. S. S., Nazeer, R. A., & Jaiganesh, R. (2012). Wound healing properties of collagen from the bone of two marine fishes. *International Journal of Peptide Research and Therapeutics*, 18(3), 185–192. <https://doi.org/10.1007/S10989-012-9291-2/FIGURES/5>
- Kwak, S. J., Kim, C. S., Choi, M. S., Park, T., Sung, M. K., Yun, J. W., Yoo, H., Mine, Y., & Yu, R. (2016). The soy peptide Phe-Leu-Val reduces TNF α -induced inflammatory response and insulin resistance in adipocytes. *Journal of Medicinal Food*, 19(7), 678–685. <https://doi.org/10.1089/JMF.2016.3685>
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227(5259), 680–685. <https://doi.org/10.1038/227680A0>
- Larsen, G. L., & Henson, P. M. (1983). Mediators of inflammation. *Annual Review of Immunology*, 1, 335–359. <https://doi.org/10.1146/ANNUREV.IY.01.040183.002003>
- Latha, B., Likhitha, R., & Chethan, K. (2021). Copper chelating protein hydrolysate from *Salvia hispanica* L. by pepsin-pancreatin treatment. *Current Research in Food Science*, 4, 829–839. <https://doi.org/10.1016/J.CRFS.2021.11.007>



- Leahy, K. M., Koki, A. T., & Masferrer, J. L. (2000). Role of cyclooxygenases in angiogenesis. *Current Medicinal Chemistry*, 7(11), 1163–1170. <https://doi.org/10.2174/0929867003374336>
- Lee, D., Bamdad, F., Khey, K., & Sunwoo, H. H. (2017). Antioxidant and anti-inflammatory properties of chicken egg vitelline membrane hydrolysates. *Poultry Science*, 96(9), 3510–3516. <https://doi.org/10.3382/PS/PEX125>
- Lee, S., Kang, J., Lee, D., Jeong, J., Kim, J., Moon, S., & Hur, S. (2023). Methods for improving meat protein digestibility in older adults. *Journal of Animal Science and Technology*, 65, 32–56. <https://doi.org/10.5187/jast.2023.e6>
- Lehninger, A. L. (1991). *Dasar-dasar biokimia, jilid 1*, dalam Tenawidjaya, M. (Eds.) *Principles of biochemistry*. Jakarta: Erlangga.
- León-López, A., Morales-Peñaloza, A., Martínez-Juárez, V. M., Vargas-Torres, A., Zeugolis, D. I., & Aguirre-Álvarez, G. (2019). Hydrolyzed collagen—sources and applications. *Molecules*, 24(22). <https://doi.org/10.3390/MOLECULES24224031>
- Levita, J., Rositama, M. R., Alias, N., Khalida, N., Saptarini, N. M., & Megantara, S. (2017). Discovering COX-2 inhibitors from flavonoids and diterpenoids. *Journal of Applied Pharmaceutical Science*, 7,(7), 103–110. <https://doi.org/10.7324/JAPS.2017.70716>
- Li, J., Xie, X., Zhu, C., Guo, Y., & Chen, S. (2017). Edible peanut worm (*Sipunculus nudus*) in the Beibu Gulf: Resource, aquaculture, ecological impact and counterplan. *Journal of Ocean University of China*, 16(5), 823–830. <https://doi.org/10.1007/S11802-017-3310-Z>
- Li, Z. R., Wang, B., Chi, C. F., Zhang, Q. H., Gong, Y. D., Tang, J. J., Luo, H. Y., & Ding, G. F. (2013). Isolation and characterization of acid soluble collagens and pepsin soluble collagens from the skin and bone of Spanish mackerel (*Scomberomorus niphonius*). *Food Hydrocolloids*, 31(1), 103–113. <https://doi.org/10.1016/J.FOODHYD.2012.10.001>
- Lin, H. C., Alashi, A. M., Aluko, R. E., Pan, B. S., & Chang, Y. W. (2017). Antihypertensive properties of tilapia (*Oreochromis spp.*) frame and skin enzymatic protein hydrolysates. *Food & Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1391666>
- Lin, H., Zheng, Z., Yuan, J., Zhang, C., Cao, W., & Qin, X. (2021). Collagen peptides derived from *Sipunculus nudus* accelerate wound healing. *Molecules*, 26(5). <https://doi.org/10.3390/MOLECULES26051385>
- Liu, D., Zhang, X., Li, T., Yang, H., Zhang, H., Regenstein, J. M., & Zhou, P. (2015a). Extraction and characterization of acid- and pepsin-soluble collagens from the scales, skins and swim-bladders of grass carp (*Ctenopharyngodon idella*). *Food Bioscience*, 9, 68–74. <https://doi.org/10.1016/J.FBIO.2014.12.004>



- Liu, D., Nikoo, M., Boran, G., Zhou, P., Regenstein, J. M. (2015b). Collagen and gelatin. *Annual Review of Food Science and Technology*, 6, 527–557. <https://doi.org/10.1146/annurev-food-031414-111800>
- Liu, L., Cao, J., Chen, J., Zhang, X., Wu, Z., & Xiang, H. (2016). Effects of peptides from *Phascolosoma esculenta* on spatial learning and memory via anti-oxidative character in mice. *Neuroscience Letters*, 631, 30–35. <https://doi.org/10.1016/J.NEULET.2016.08.012>
- Liu, W., Chen, X., Li, H., Zhang, J., An, J., Liu, X., Liu, W., Chen, X., Li, H., Zhang, J., An, J., & Liu, X. (2022). Anti-Inflammatory function of plant-derived bioactive peptides: A review. *Foods*, 11(15), 2361. <https://doi.org/10.3390/FOODS11152361>
- Liu, Y., Zhang, L., Guo, M., Wu, H., Xie, J., & Wei, D. (2014). Virtual screening for angiotensin I-converting enzyme inhibitory peptides from *Phascolosoma esculenta*. *Bioresources and Bioprocessing*, 1(1), 1–9. <https://doi.org/10.1186/S40643-014-0017-5/FIGURES/4>
- Lueangsakulthai, J., Phosri, S., Theansungnoen, T., Jangpromma, N., Temsiripong, T., Mckendrick, J. E., Khunkitti, W., & Klaynongsruang, S. (2018). Novel antioxidant and anti-inflammatory peptides from the Siamese crocodile (*Crocodylus siamensis*) hemoglobin hydrolysate. *Biotechnology and Applied Biochemistry*, 65(3), 455–466. <https://doi.org/10.1002/BAB.1628>
- Majumder, K., Chakrabarti, S., Morton, J. S., Panahi, S., Kaufman, S., Davidge, S. T., & Wu, J. (2013). Egg-derived tri-peptide IRW exerts antihypertensive effects in spontaneously hypertensive rats. *PloS One*, 8(11). <https://doi.org/10.1371/JOURNAL.PONE.0082829>
- Majumder, K., Mine, Y., & Wu, J. (2016). The potential of food protein-derived anti-inflammatory peptides against various chronic inflammatory diseases. *Journal of the Science of Food and Agriculture*, 96(7), 2303–2311. <https://doi.org/10.1002/JSFA.7600>
- Malau, N. D., & Sianturi, M. (2017). Analisa jembatan garam untuk meningkatkan kestabilan termal enzim xilanase *Aspergillus niger*. *Jurnal Pendidikan, Matematika dan Sains*, 1(2), 191–201. <https://doi.org/10.33541/EDUMATSAINS.V1I2.243>
- Mariod, A. A., & Adam, H. F. (2013). Review: gelatin, source, extraction and industrial applications. *Acta Scientiarum Polonorum Technologia Alimentaria*, 12(2), 135–147.
- Matinong, A. M. E., Chisti, Y., Pickering, K. L., & Haverkamp, R. G. (2022). Collagen extraction from animal skin. *Biology*, 11, 905. <https://doi.org/10.3390/biology11060905>



- Matmaroh, K., Benjakul, S., Prodpran, T., Encarnacion, A. B., & Kishimura, H. (2011). Characteristics of acid soluble collagen and pepsin soluble collagen from scale of spotted golden goatfish (*Parupeneus heptacanthus*). *Food Chemistry*, 129(3), 1179–1186. <https://doi.org/10.1016/J.FOODCHEM.2011.05.099>
- Mberato, S. P., Rumengan, I. F. M., Warouw, V., Wullur, S., Rumampuk, N. D. T., Undap, S. L., Suptijah, P., & Luntungan, A. H. (2020). Penentuan struktur molekul kolagen sisik ikan kakatua (*Scarus* sp.) berdasarkan serapan molekul terhadap gelombang FTIR (Fourier-Transform Infrared Spectroscopy Analysis). *Jurnal Pesisir dan Laut Tropis*, 8(1), 7–14. <https://doi.org/10.35800/JPLT.8.1.2020.27285>
- McFadden, D. W., Riggs, D. R., Jackson, B. J., & Cunningham, C. (2006). Additive effects of COX-1 and COX-2 inhibition on breast cancer *in vitro*. *International Journal of Oncology*, 29(4), 1019–1023.
- Meng, X., Zhang, H., Mezei, M., & Cui, M. (2011). Molecular Docking: A powerful approach for structure-based drug discovery. *Current Computer-Aided Drug Design*, 7(2), 146. <https://doi.org/10.2174/157340911795677602>
- Michaux, C., & Charlier, C. (2004). Structural approach for COX-2 inhibition. *Medicinal Chemistry*, 4(6), 603–615. <https://doi.org/10.2174/1389557043403756>
- Mittal, M., Siddiqui, M. R., Tran, K., Reddy, S. P., & Malik, A. B. (2014). Reactive oxygen species in inflammation and tissue injury. *Antioxidants & Redox Signaling*, 20(7), 1126. <https://doi.org/10.1089/ARS.2012.5149>
- Mohale, D. S., Tripathi, A. S., Wahane, J. B., & Chandewar, A. V. (2014). A pharmacological review on cyclooxygenase enzyme. *Indian Journal of Pharmacy and Pharmacology*, 1(1), 46–58.
- Mohsin, N. U. A., Aslam, S., Ahmad, M., Irfan, M., Al-Hussain, S. A., & Zaki, M. E. A. (2022). Cyclooxygenase-2 (COX-2) as a target of anticancer agents: A review of novel synthesized scaffolds having anticancer and COX-2 inhibitory potentialities. *Pharmaceuticals*, 15(12), 1471. <https://doi.org/10.3390/PH15121471>
- Montoya-Rodríguez, A., de Mejía, E. G., Dia, V. P., Reyes-Moreno, C., & Milán-Carrillo, J. (2014). Extrusion improved the anti-inflammatory effect of amaranth (*Amaranthus hypochondriacus*) hydrolysates in LPS-induced human THP-1 macrophage-like and mouse RAW 264.7 macrophages by preventing activation of NF- κ B signaling. *Molecular Nutrition & Food Research*, 58(5), 1028–1041. <https://doi.org/10.1002/MNFR.201300764>



- Montoya-Rodríguez, A., Milán-Carrillo, J., Reyes-Moreno, C., & de Mejía, E. G. (2015). Characterization of peptides found in unprocessed and extruded amaranth (*Amaranthus hypochondriacus*) pepsin/pancreatin hydrolysates. *International Journal of Molecular Sciences*, 16(4), 8536–8554. <https://doi.org/10.3390/IJMS16048536>
- Montserrat-De La Paz, S., Lemus-Conejo, A., Toscano, R., Pedroche, J., Millan, F., & Millan-Linares, M. C. (2019). GPETAFLR, an octapeptide isolated from *Lupinus angustifolius* L. protein hydrolysate, promotes the skewing to the M2 phenotype in human primary monocytes. *Food & Function*, 10(6), 3303–3311. <https://doi.org/10.1039/C9FO00115H>
- Mulyani, S., Hintono, A., Adefatma, N. R., & Pahlawan, I. F. (2021). Ekstraksi kolagen dari kulit kerbau menggunakan asam asetat. *Jurnal Riset Industri*, 37(2), 51–58. <https://doi.org/10.20543/MKKP.V37I2.7025>
- Munasinghe, K. A., Schwarz, J. G., & Nyame, A. K. (2014). Chicken collagen from law market value by-products as an alternate source. *Journal of Food Processing*, 1, 1-6. <https://doi.org/10.1155/2014/298295>.
- Munasinghe, K. A., & Schwarz, J. G. (2017). Rooster collagen extracts from rooster by-products. *Journal of Nutritional Health & Food Engineering*, 7, 296-299. <https://doi.org/10.15406/jnhfe.2017.07.00239>
- Muthukrishnan, S., Manickam, A., Prakasam, R., & Kannaiyah, S. (2024). *In silico* studies of *Byttneria herbacea* roxb. Bioactive compounds against anti-inflammatory (COX-1) protein. *Journal of Microbiology, Biotechnology and Food Sciences*, 13(5), e10249–e10249. <https://doi.org/10.55251/JMBFS.10249>
- Mutschler, E. (1991). *Dinamika obat: Buku ajar farmakologi dan toksikologi* (Widianto & Ranti, (Eds.)). Bandung: ITB Press.
- Muttaqin, F. Z., Pratama, M. F., & Kurniawan, F. (2019). Molecular docking and molecular dynamic studies of stilbene derivative compounds as sirtuin-3 (SIRT3) histone deacetylase inhibitor on melanoma skin cancer and their toxicities prediction. *Journal of Pharmacopolium*, 2(2), 112–121.
- Muyonga, J. H., Cole, C. G. B., & Duodu, K. G. (2004). Fourier transform infrared (FTIR) spectroscopic study of acid soluble collagen and gelatin from skins and bones of young and adult Nile perch (*Lates niloticus*). *Food Chemistry*, 86(3), 325–332. <https://doi.org/10.1016/J.FOODCHEM.2003.09.038>
- Nabilla, N., Shofiyah, I., Sugiharto., Alvitarsari, D., Sumarsih, S., Khaleyila, F., Wirawati, I., & Winarni, D. (2024). Organization, density, and content of collagen in the body wall of sea cucumbers *Acaudina rosettis* and *Phyllophorus* sp. *Aquaculture and Fisheries*, In Press. <https://doi.org/10.1016/j.aaf.2024.09.003>
- Nadjamuddin, M., Ida, N., Kasim, S., Subehan. (2014). Pengaruh variasi jenis pelarut asam pada ekstraksi kolagen dari tulang rawan ikan pari (*Himantura gerrardi*). *Jurnal FARBAL*, 2(1), 4-8.



- Nan, Y., Park, K., Jeon, Y., Park, Y., Park, I.-S., Hahm, K.-S., & Shin, S. (2007). Antimicrobial and anti-inflammatory activities of a Leu/Lys-rich antimicrobial peptide with Phe-peptoid residues. *Protein and Peptide Letters*, 14(10), 1003–1007. <https://doi.org/10.2174/092986607782541042>
- Naomi, R., Ridzuan, P. M., & Bahari, H. (2021). Current insights into collagen type I. *Polymers*, 13, 2642. <https://doi.org/10.3390/polym13162642>
- Nawaz, K. A. A., David, S. M., Muruges, E., Thandeeswaran, M., Kiran, K. G., Mahendran, R., Palaniswamy, M., & Angayarkanni, J. (2017). Identification and *in silico* characterization of a novel peptide inhibitor of angiotensin converting enzyme from pigeon pea (*Cajanus cajan*). *Phytomedicine: International Journal of Phytotherapy and Phytopharmacology*, 36, 1–7. <https://doi.org/10.1016/J.PHYMED.2017.09.013>
- NCBI. (2024). 3LN1: Structure of celecoxib bound at the COX-2 active site. Diakses dari <https://www.ncbi.nlm.nih.gov/Structure/pdb/3LN1>.
- Nelson, D., & Cox, M. (2008). Principles of Biochemistry 5th edition. In Lehninger (Ed.), *Principles of Biochemistry* (5th ed.). San Francisco: W.H. Freeman.
- Nikoo, M., Xu, X., Benjakul, S., Xu, G., Ramírez-Suárez, J. C., Ehsani, A., Kasankala, L. M., Duan, X., & Abbas, S. (2011). Characterization of gelatin from the skin of farmed Amur sturgeon *Acipenser schrenckii*. *International of Aquatic Research*, 3, 135-145.
- Nilsuwan, K., Fusang, K., Pripatnanont, P., & Benjakul, S. (2022). Properties and characteristics of acid-soluble collagen from salmon skin defatted with the aid of ultrasonication. *Fishes*, 7(1), 51. <https://doi.org/10.3390/FISHES7010051>
- Noitup, P., Garnjanagoonchorn, W., & Morrissey, M. T. (2008). Fish skin type I collagen. *Journal of Aquatic Food Product Technology*, 14(1), 17–28. https://doi.org/10.1300/J030V14N01_03
- Noorzai, S., & J.R. Verbeek, C. (2021). Collagen: From Waste to Gold. IntechOpen. doi: 10.5772/intechopen.94266
- Nur'aenah, N. (2013). *Extraction and characteristic of collagen and nanoparticle collagen from the skin of stingray fish (*Pastinachus solocirostris*) as ingredient of cosmetics*. [Master thesis]. IPB University, Bogor.
- Nurhayati, N., Tazwir, T., & Murniyati, M. (2013). Ekstraksi dan karakterisasi kolagen larut asam dari kulit ikan nila (*Oreochromis niloticus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(1), 84–92. <https://doi.org/10.15578/JPBKP.V8I1.56>
- Nurhikma. (2017). *Karakterisasi dan penapisan senyawa bioaktif cacing laut (*siphonosoma australe-australe*) dari perairan sulawesi tenggara*. [Master thesis]. IPB University, Bogor.



- Nurhikma, N., Nurhayati, T., & Purwaningsih, S. (2017). Amino acid, fatty acid, and mineral content of marine worm from South East Sulawesi. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(1), 36–44. <https://doi.org/10.17844/JPHPI.V20I1.16396>
- Nurjanah, Baharuddin, T. I., & Nurhayati, T. (2021). Ekstraksi kolagen kulit ikan tuna sirip kuning (*Thunnus albacares*) menggunakan enzim pepsin dan papain. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 24(2), 174–187. <https://doi.org/10.17844/JPHPI.V24I2.35410>
- Offengenden, M., Chakrabarti, S., & Wu, J. (2018). Chicken collagen hydrolysates differentially mediate anti-inflammatory activity and type I collagen synthesis on human dermal fibroblasts. *Food Science and Human Wellness*, 7(2), 138–147. <https://doi.org/10.1016/J.FSHW.2018.02.002>
- Orlando, B. J., & Malkowski, M. G. (2016). Substrate-selective inhibition of cyclooxygenase-2 by fenamic acid derivatives is dependent on peroxide tone. *Journal of Biological Chemistry*, 291(29), 15069–15081. <https://doi.org/10.1074/JBC.M116.725713>
- Oseguera-Toledo, M. E., Mejia, E. G. De, Dia, V. P., & Amaya-Llano, S. L. (2011). Common bean (*Phaseolus vulgaris* L.) hydrolysates inhibit inflammation in LPS-induced macrophages through suppression of NF- κ B pathways. *Food Chemistry*, 127(3), 1175–1185. <https://doi.org/10.1016/J.FOODCHEM.2011.01.121>
- Oslan, S. N. H., Shapawi, R., Mokhtar, R. A. M., Noordin, W. N. M., & Huda, N. (2022). Characterization of acid- and pepsin-soluble collagen extracted from the skin of purple-spotted bigeye snapper. *Gels*, 8(10), 665. <https://doi.org/10.3390/gels8100665>
- Padilla-Camberos, E., Sanchez-Hernandez, I. M., Torres-Gonzalez, O. R., del Rosario Gallegos-Ortiz, M., Méndez-Mona, A. L., Baez-Moratilla, P., & Flores-Fernandez, J. M. (2022). Natural essential oil mix of sweet orange peel, cumin, and allspice elicits anti-inflammatory activity and pharmacological safety similar to non-steroidal anti-inflammatory drugs. *Saudi Journal of Biological Sciences*, 29(5), 3830–3837. <https://doi.org/10.1016/J.SJBS.2022.03.002>
- Pal, G. K., & Suresh, P. V. (2016). Sustainable valorisation of seafood by-products: Recovery of collagen and development of collagen-based novel functional food ingredients. *Innovative Food Science and Emerging Technologies*, 37, 201–215. <https://doi.org/10.1016/j.ifset.2016.03.015>
- Pamungkas, B. F. (2019). *Hidrolisat kolagen sisik ikan haruan (*Channa striatus*) dan potensinya sebagai inhibitor angiotensin I-converting enzyme (ACE)*. [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.



- Pamungkas, B. F., . S., Murdiati, A., & Indrati, R. (2019). Characterization of the acid- and pepsin-soluble collagens from haruan (*Channa striatus*) scales. *Pakistan Journal of Nutrition*, 18(4), 324–332. <https://doi.org/10.3923/PJN.2019.324.332>
- Patadiya, N., Panchal, N., & Vaghela, V. (2021). A review on enzyme inhibitors. *International Research Journal of Pharmacy*, 12(6), 60–66. <https://doi.org/10.7897/2230-8407.1206145>
- Pati, F., Adhikari, B., & Dhara, S. (2010). Isolation and characterization of fish scale collagen of higher thermal stability. *Bioresource Technology*, 101(10), 3737–3742. <https://doi.org/10.1016/J.BIORTECH.2009.12.133>
- Peng, Y., Glattauer, V., Werkmeister, J. A., & Ramshaw, J. A. M. (2004). Evaluation for collagen products for cosmetic application. *International Journal of Cosmetic Science*, 55(4), 327–341. https://doi.org/10.1111/J.1467-2494.2004.00245_2.X
- Pertiwi, M., G., P., Marsono, Y., & Indrati, R. (2020). In vitro gastrointestinal simulation of tempe prepared from koro kratok (*Phaseolus lunatus* L.) as an angiotensin-converting enzyme inhibitor. *Journal of Food Science and Technology*, 57(5), 1847–1855. <https://doi.org/10.1007/s13197-019-04219-1>
- Piez, K. A. (1985). *Collagen*. In J. I. Kroschwitz (Ed.), *Encyclopedia of Polymer Science and Engineering*. New Jersey: John Wiley and Sons Inc.
- Plepis, A. M. D. G., Goissis, G., & Das Gupta, D. K. (1996). Dielectric and pyroelectric characterization of anionic and native collagen. *Polymer Engineering and Science*, 36(24), 2932–2938.
- Potti, R., & Fahad, M. (2017) Extraction and characterization of collagen from broiler chicken feet (*Gallus gallus domesticus*) - biomolecules from poultry waste. *Journal of Pure and Applied Microbiology*, 11, 315–322. <https://doi.org/10.22207/JPAM.11.1.39>.
- Prasetya, R. C. (2015). Ekspresi dan peran siklooksigenase-2 dalam berbagai penyakit di rongga mulut. *Stomatognathic - Jurnal Kedokteran Gigi*, 12(1), 16–19. <https://jurnal.unej.ac.id/index.php/STOMA/article/view/2744>
- Prastika, H. H., Ratnayani, K., Puspawati, N. M., & Laksmiwati, A. M. (2019). Penggunaan enzim pepsin untuk produksi hidrolisat protein kacang gude (*Cajanus cajan* (L.) Millsp.) yang aktif antioksidan. *Indonesian E-Journal of Applied Chemistry*, 7(2), 180–188.
- Pringgoutomo, S., Himawan, S., & Achmad, T. (2006). *Buku ajar patologi I (umum) edisi ke-1*. Jakarta: Sagung Seto.
- Priyanto. (2009). *Farmakoterapi dan terminologi medis*. Jakarta: Leskonfi.



- Promega. (2023). *Amino Acid Structure | Amino Acid Abbreviations | Molecular Weight*. Diakses dari <https://worldwide.promega.com/resources/tools/amino-acid-chart-amino-acid-structure/>
- Prusakiewicz, J. J., Duggan, K. C., Rouzer, C. A., & Marnett, L. J. (2009). Differential sensitivity and mechanism of inhibition of COX-2 oxygenation of arachidonic acid and 2-arachidonoylglycerol by ibuprofen and mefenamic acid. *Biochemistry*, 48(31), 7353–7355. <https://doi.org/10.1021/BI900999Z>
- Puspitasari, D. A. P., Bintoro, V. P., & Setiani, B. E. (2013). The soaking effect on different hydrochloride acid level and soaking time on pH, swelling percentage and collagen yield of chicken shank bone. *Journal of the Indonesian Tropical Animal Agriculture*, 38(2), 98–102. <https://doi.org/10.14710/JITAA.38.2.98-102>
- Puspitojati, E. (2019). *Studi peptida bioaktif dari fermentasi tempe koro pedang putih (Canavalia ensiformis (L.) D.C.) sebagai inhibitor angiotensin I-converting enzyme (ACE)*. [Doctoral dissertation]. Universitas Gadjah Mada, Yogyakarta.
- Putra, A. B. N., Sahubawa, L., & Ekantari, N. (2013). Ekstraksi dan karakterisasi kolagen dari kulit ikan nila hitam (*Oreochromis niloticus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(2), 171–180. <https://doi.org/10.15578/JPBKP.V8I2.61>
- Qiu, H., Wang, P., Li, Z., Ma, J., Wang, X., Yang, Y., & Zhu, H. (2016). Synthesis of dihydropyrazole sulphonamide derivatives that act as anti-cancer agents through COX-2 inhibition. *Pharmacological Research*, 104, 86-96. <https://dx.doi.org/10.1016/j.phrs.2015.12.025>
- Qu, W., Ma, H., Jia, J., He, R., Luo, L., & Pan, Z. (2012). Enzymolysis kinetics and activities of ACE inhibitory peptides from wheat germ protein prepared with SFP ultrasound-assisted processing. *Ultrasonics Sonochemistry*, 19(5), 1021–1026. <https://doi.org/10.1016/J.ULTSONCH.2012.02.006>
- Ragini, B., Shree R. M., Shaukat, A. S. R., & Siva, S. (2020). Preparation, characterization and in vitro wound healing activity of collagen-chitosan film. *International Journal of Research in Pharmaceutical Sciences*, 11(4), 5489–5495.
- Rahayu, R. (2018). *Analisis kandungan gizi cacing honingka (*Siphonosoma australe-australe*) yang berpotensi sebagai sumber pangan masyarakat pesisir Sombu Kepulauan Wakatobi*. [Undergraduate Thesis]. Universitas Muhammadiyah Malang, Malang.



- Rai, A. K., Sanjukta, S., & Jeyaram, K. (2017). Production of angiotensin I converting enzyme *inhibitory* (ACE-I) peptides during milk fermentation and their role in reducing hypertension. *Critical Reviews in Food Science and Nutrition*, 57(13), 2789–2800. <https://doi.org/10.1080/10408398.2015.1068736>
- Ramasamy, P., & Shanmugam, A. (2015). Characterization and wound healing property of collagen-chitosan film from *Sepia kobeensis* (Hoyle, 1885). *International Journal of Biological Macromolecules*, 74, 93–102. <https://doi.org/10.1016/J.IJBIOMAC.2014.11.034>
- Ran, X. G., & Wang, L. Y. (2014). Use of ultrasonic and pepsin treatment in tandem for collagen extraction from meat industry by-products. *Journal of the Science of Food and Agriculture*, 94, 585–590. <https://doi.org/10.1002/jsfa.6299>
- Rauf, M. A., Zubair, S., & Azhar, A. (2015). Ligand docking and binding site analysis with pymol and autodock/vina. *International Journal of Basic and Applied Sciences*, 4(2), 168–177. <https://doi.org/10.14419/IJBAS.V4I2.4123>
- Rawendra, R. D. S., Aisha, Chang, C. I., Aulanni'am, Chen, H. H., Huang, T. C., & Hsu, J. L. (2013). A novel angiotensin converting enzyme *inhibitory* peptide derived from proteolytic digest of Chinese soft-shelled turtle egg white proteins. *Journal of Proteomics*, 94, 359–369. <https://doi.org/10.1016/J.JPROT.2013.10.006>
- Reddy, C. T., Aparoy, P., Kishore Babu, N., Anil Kumar, K., Kumar Kalangi, S., & Reddanna, P. (2010). Kinetics and docking studies of a COX-2 *inhibitor* isolated from Terminalia bellerica fruits. *Protein and Peptide Letters*, 17(10), 1251–1257. <https://doi.org/10.2174/092986610792231537>
- Redjeki, S. (2011). *Proses desalinasi dengan membran*. Jakarta: DP2M Direktorat Jenderal Pendidikan Tinggi Departemen Pendidikan Nasional.
- Riaz, T., Zeeshan, R., Zarif, F., Ilyas, K., Muhammad, N., Safi, S. Z., Rahim, A., Rizvi, S. A. A., & Rehman, I. U. (2018). FTIR analysis of natural and synthetic collagen. *Applied Spectroscopy Reviews*, 53(9), 703–746. <https://doi.org/10.1080/05704928.2018.1426595>
- Rinayanti, A., Dewanti, E., & Adelina, M. H. (2016). Uji efek antiinflamasi fraksi air daun mahkota dewa (*Phaleria macrocarpa* (Shecfl.) Boerl.) terhadap tikus putih (*Rattus norvegicus* L.). *Pharmaceutical Sciences and Research (PSR)*, 1(2), 78–85. <https://doi.org/10.7454/PSR.V1I2.3324>
- Rizkaprilisa, W., Marsono, Y., & Indrati, R. (2020). Bioactive peptide tempe made from *Mucuna pruriens* (L.) D.C. as an inhibitor of angiotensin-I-converting enzyme (ACE) in a digestion simulation. *Preventive Nutrition and Food Science*, 25(1), 93. <https://doi.org/10.3746/PNF.2020.25.1.93>



- Rivera-Jiménez, J., Berraquero-García, C., Pérez-Gálvez, R., García-Moreno, P. J., Espejo-Carpio, F. J., Guadix, A., & Guadix, E. M. (2022). Peptides and protein hydrolysates exhibiting antiinflammatory activity: Sources, structural features and modulation mechanisms. *Food & Function*, 13, 12510-12540. <https://doi.org/10.1039/D2FO02223K>
- Robinson, P. K. (2015). Enzymes: principles and biotechnological applications. *Essays in Biochemistry*, 59, 1. <https://doi.org/10.1042/BSE0590001>
- Romadhon, R., Darmanto, Y. S., & Kurniasih, R. A. (2019). The difference characteristics of collagen from tilapia (*Oreochromis niloticus*) bone, skin, and scales. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(2), 403–410. <https://doi.org/10.17844/JPHPI.V22I2.28832>
- Roreger, M. (1995). Collagen preparation for the controlled release of active substances. Europe Patent No. EP0804245B1. *Europe Patent Office*. Diakses dari <https://patents.google.com/patent/EP0804245B1/en>.
- Rullah, K., Aluwi, M. F. F., Yamin, B. M., Baharuddin, M. S., Ismail, N. H., Teruna, H. Y., Bukhari, S. N. A., Jantan, I., Jalil, J., Husain, K., & Wai, L. K. (2015). Molecular characterization, biological activity, and in silico study of 2-(3,4-dimethoxyphenyl)-3-(4-fluorophenyl)-6-methoxy-4H-chromen-4-one as a novel selective COX-2 inhibitor. *Journal of Molecular Structure*, 1081, 51–61. <https://doi.org/10.1016/J.MOLSTRUC.2014.10.004>
- Russell-Hunter, W. D. (1979). *A life of invertebrates*. London: Macmillan.
- Saadi, S., Saari, N., Anwar, F., Hamid, A. A., & Ghazali, H. M. (2015). Recent advances in food biopeptides: production, biological functionalities and therapeutic applications. *Biotechnology Advances*, 33(1), 80–116. <https://doi.org/10.1016/J.BIOTECHADV.2014.12.003>
- Saenmuang, S., Phothiset, S., & Chumnanka, C. (2019). Extraction and characterization of gelatin from black-bone chicken by-products. *Food Science and Biotechnology*, 29, 469–478. <https://doi.org/10.1007/s10068-019-00696-4>.
- Safithri, M., Tarman, K., Suptijah, P., & Sagita, S. N. (2020). Karakteristik kolagen larut asam teripang gama (*Stichopus variegatus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(1), 166–177. <https://doi.org/10.17844/JPHPI.V23I1.31063>
- Safithri, M., Tarman, K., Suptijah, P., & Widowati, N. (2019). Karakteristik fisikokimia kolagen larut asam dari kulit ikan parang-parang (*Chirocentrus dorab*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3), 441–452. <https://doi.org/10.17844/JPHPI.V22I3.28924>



- Saisavoey, T., Sangtanoo, P., Chanchao, C., Reamtong, O., & Karnchanatat, A. (2021). Identification of novel anti-inflammatory peptides from bee pollen (*Apis mellifera*) hydrolysate in lipopolysaccharide-stimulated RAW264.7 macrophages. *Journal of Apicultural Research*, 60(2), 280–289. <https://doi.org/10.1080/00218839.2020.1745434>
- Saito, M., Takenouchi, Y., Kunisaki, N., & Kimura, S. (2001). Complete primary structure of rainbow trout type I collagen consisting of alpha1(I)alpha2(I)alpha3(I) heterotrimers. *European Journal of Biochemistry*, 268(10), 2817–2827. <https://doi.org/10.1046/J.1432-1327.2001.02160.X>
- Samaranayaka, A. G. P., & Li-Chan, E. C. Y. (2011). Food-derived peptidic antioxidants: A review of their production, assessment, and potential applications. *Journal of Functional Foods*, 3(4), 229–254. <https://doi.org/10.1016/J.JFF.2011.05.006>
- Sánchez, A., & Vázquez, A. (2017). Bioactive peptides: A review. *Food Quality and Safety*, 1(1), 29–46. <https://doi.org/10.1093/FQSAFE/FYX006>
- Sangtanoo, P., Srimongkol, P., Saisavoey, T., Reamtong, O., & Karnchanatat, A. (2020). Anti-inflammatory action of two novel peptides derived from peanut worms (*Sipunculus nudus*) in lipopolysaccharide-induced RAW264.7 macrophages. *Food & Function*, 11(1), 552–560. <https://doi.org/10.1039/C9FO02178G>
- Sawada, Y., Sakamoto, Y., Toh, M., Ohara, N., Hatanaka, Y., Naka, A., Kishimoto, Y., Kondo, K., & Iida, K. (2015). Milk-derived peptide Val-Pro-Pro (VPP) inhibits obesity-induced adipose inflammation via an angiotensin-converting enzyme (ACE) dependent cascade. *Molecular Nutrition & Food Research*, 59(12), 2502–2510. <https://doi.org/10.1002/MNFR.201500324>
- Schmidt, M. M., Fontoura, A. M. D., Vidal, A. R., Dornelles, R. C. P., Kubota, E. H., Mello, R. D. O., Cansian, R.L., Demiate, I. M., & Oliveira, C. S. D. (2020). Characterization of hydrolysates of collagen from mechanically separated chicken meat residue. *Food Science and Technology*, 40, 355–362. <https://doi.org/10.1590/fst.14819>.
- Schwarz, D., Lipoldová, M., Reinecke, H., & Sohrabi, Y. (2022). Targeting inflammation with collagen. *Clinical and Translational Medicine*, 12(5), e831. <https://doi.org/10.1002/ctm2.831>
- Seeliger, D., & De Groot, B. L. (2010). Ligand docking and binding site analysis with PyMOL and Autodock/Vina. *Journal of Computer-Aided Molecular Design*, 24(5), 417–422. <https://doi.org/10.1007/S10822-010-9352-6>
- Senadheera, T. R. L., Dave, D., & Shahidi, F. (2020). Sea cucumber derived type I collagen: A comprehensive review. *Marine Drugs*, 18, 471.



- Shaik, M. I., Nor, Md. I. N., & Sarbon, N. M. (2023). Effect of extraction time on the extractability and physicochemical properties of pepsin-soluble collagen (PSC) from the skin of silver catfish (*Pangasius* sp.). *Gels*, 9(4), 300. <https://doi.org/10.3390/gels9040300>
- Shoulders, M. D., & Raines, R. T. (2009). Collagen structure and stability. *Annual review of biochemistry*, 78, 929–958. <https://doi.org/10.1146/annurev.biochem.77.032207.120833>
- Shubina, V. S., Kobyakova, M. I., Penkov, N. V., Mitenko, G. V., Udaltsov, S. N., & Shatalin, Y. V. (2024). Two novel membranes based on collagen and polyphenols for enhanced wound healing. *International Journal Of Molecular Sciences*, 25(22), 12353. <https://doi.org/10.3390/ijms252212353>
- Silaban, B., & Nanlohy, M. (2011). Profil nutrisi sipuncula (cacing kacang); biota laut yang kontrovertif di pulau Nusalaut, Maluku Tengah, Ambon. *Triton*, 7(2), 32-41.
- Silaban, B., & Silaban, R. (2019). *Cacing kacang (Sipuncula): Kajian biologi, ekologi, penangkapan dan pemanfaatan*. Yogyakarta: Deepublish.
- Silaban, R. (2019). Studi etnoteknologi dan pemanfaatan sia-sia (*Sipunculus nudus*) oleh masyarakat di pulau Nusalaut, Kabupaten Maluku Tengah. *Indonesian Journal of Marine Science and Technology*, 12(1), 78–88. <https://doi.org/10.21107/jk.v12i1.5082>
- Silahooy, F. (2008). *Analisa kandungan asam amino dan asam lemak cacing laut*. [Undergraduate thesis]. Universitas Pattimura, Ambon.
- Silva, S. D., Devlin, S., & Panaccione, R. (2010). Optimizing the safety of biologic therapy for IBD. *Gastroenterology & Hepatology*, 7(2), 93–101. <https://doi.org/10.1038/NRGASTRO.2009.221>
- Singh, P., Kaur, S., Kaur, J., Singh, G., & Bhatti, R. (2016). Rational design of small peptides for optimal inhibition of cyclooxygenase-2: Development of a highly effective anti-inflammatory agent. *Journal of Medicinal Chemistry*, 59(8), 3920–3934. <https://doi.org/10.1021/acs.jmedchem.6b00134>
- Singh, P., Prasher, P., Dhillon, P., & Bhatti, R. (2015). Indole based peptidomimetics as anti-inflammatory and anti-hyperalgesic agents: Dual inhibition of 5-LOX and COX-2 enzymes. *European Journal of Medicinal Chemistry*, 97, 104–123. <https://doi.org/10.1016/J.EJMECH.2015.04.044>
- Sinthusamran, S., Benjakul, S., & Kishimura, H. (2013). Comparative study on molecular characteristics of acid soluble collagens from skin and swim bladder of seabass (*Lates calcarifer*). *Food Chemistry*, 138(4), 2435-2441.
- Smith, W. L., Urade, Y., & Jakobsson, P. J. (2011). Enzymes of the cyclooxygenase pathways of prostanoid biosynthesis. *Chemical Reviews*, 111(10), 5821–5865. https://doi.org/10.1021/CR2002992/ASSET/CR2002992.FP.PNG_V03



- Soleha, M., Isnawati, A., Fitri, N., Adelina, R., Soblia, H. T., & Winarsih. (2018). Profil penggunaan obat antiinflamasi nonstreoid di Indonesia. *Jurnal Kefarmasian Indonesia*, 109–117. <https://doi.org/10.22435/jki.v8i2.316>
- Soleha, T. U., & Yudistira, M. A. (2016). Blueberry (*Vaccinium corymbosum*) dalam menghambat proses inflamasi. *Majority*, 5(1), 63–67.
- Somvanshi, R. K., Kumar, A., Kant, S., Gupta, D., Singh, S. B., Das, U., Srinivasan, A., Singh, T. P., & Dey, S. (2007). Surface plasmon resonance studies and biochemical evaluation of a potent peptide inhibitor against Cyclooxygenase-2 as an anti-inflammatory agent. *Biochemical and Biophysical Research Communications*, 361(1), 37–42. <https://doi.org/10.1016/J.BBRC.2007.06.122>
- Song, Z., Liu, H., Chen, L., Chen, L., Zhou, C., Hong, P., & Deng, C. (2021). Characterization and comparison of collagen extracted from the skin of the Nile tilapia by fermentation and chemical pretreatment. *Food Chemistry*, 340, 128139. <https://doi.org/10.1016/J.FOODCHEM.2020.128139>
- Sotelo, C. G., Comesaña, M. B., Ariza, P. R., & Pérez-Martín, R. I. (2016). Characterization of collagen from different discarded fish species of the west coast of the Iberian peninsula. *Journal of Aquatic Food Product Technology*, 25(3), 388–399. <https://doi.org/10.1080/10498850.2013.865283>
- Su, X. R., Sun, B., Li, Y. Y., & Hu, Q. H. (2009a). Biological characterization of collagen of Sipunculid. *Natural Product Research & Development*, 21(1), 48–52.
- Su, X. R., Sun, B., Li, Y. Y., & Hu, Q. H. (2009b). Characterization of acid-soluble collagen from the coelomic wall of Sipunculida. *Food Hydrocolloids*, 23(8), 2190–2194. <https://doi.org/10.1016/J.FOODHYD.2009.05.013>
- Sucher, N. J. (2014). Searching for synergy *in silico*, *in vitro* and *in vivo*. *Synergy*, 1(1), 30–43. <https://doi.org/10.1016/J.SYNRES.2014.07.004>
- Sun, X., Wang, M., Liu, B., & Sun, Z. (2017). Purification and characterization of angiotensin I converting enzyme inhibition peptides from sandworm *Sipunculus nudus*. *Journal of Ocean University of China*, 16(5), 911–915. <https://doi.org/10.1007/S11802-017-3293-9/METRICS>
- Suo-Lian, W., Huai-Bin, K., & Dong-Jiao, L. (2017). Technology for Extracting Effective Components from fish scale. *Journal of Food Science and Engineering*, 7, 351–358. <https://doi.org/10.17265/2159-5828/2017.07.003>
- Suptijah, P., Supriyono, D., & Wardoyo, E. (2018). Isolasi dan karakterisasi kolagen dari kulit ikan patin (*Pangasius* sp.). *Jurnal Sains Natural*, 8(1), 8–23. <https://doi.org/10.31938/JSN.V8I1.106>
- Sutherland, M. (2002). *Role of phospholipid hydroperoxide glutathione peroxidase in Hepoxilin A3 biosynthesis in human platelets and biological actions of Hepoxilin A3 on human neutrophils*. Berlin: Deutsche Digitale Bibliothek.



- Suttisuwan, R., Phunpruch, S., Saisavoey, T., Sangtanoo, P., Thongchul, N., & Karnchanatat, A. (2019). Isolation and characterization of anti-inflammatory peptides derived from trypsin hydrolysis of microalgae protein (*Synechococcus* sp. VDW). *Food Biotechnology*, 33(4), 303–324. <https://doi.org/10.1080/08905436.2019.1673171>
- Suwarjowirayatno, Hidayat, C., Wahyuningsih, T. D., & Indrati, R. (2024). Characterization of acid-soluble collagen from peanut worm (*Siphonosoma australe*) and its inhibitory activity of cyclooxygenase-2. *Journal of Applied Biology and Biotechnology*, 12(6), 123-129. <http://doi.org/10.7324/JABB.2024.192617>
- Tagliacruzchi, D., Martini, S., Bellesia, A., & Conte, A. (2015). Identification of ACE-inhibitory peptides from *Phaseolus vulgaris* after *in vitro* gastrointestinal digestion. *International Journal of Food Sciences and Nutrition*, 66(7), 774–82. <https://doi.org/10.3109/09637486.2015.1088940>
- Tamilmozhi, S., Veeruraj, A., & Arumugam, M. (2013). Isolation and characterization of acid and pepsin-solubilized collagen from the skin of sailfish (*Istiophorus platypterus*). *Food Research International*, 54(2), 1499–1505. <https://doi.org/10.1016/J.FOODRES.2013.10.002>
- Tang, J. (2004). Pepsin-A. In Alan J. Barrett, Neil D. Rawlings, J. Fred Woessner (Eds.), *Handbook of Proteolytic Enzymes (Second Edition)*. Academic Press, 19-28. <https://doi.org/10.1016/B978-0-12-079611-3.50011-2>.
- Tangkaa, R., Mentang, F., Agustin, A., Onibala, H., Kaseger, B., Makapedua, D., & Sanger, G. (2020). Pengaruh perbedaan konsentrasi asam asetat dan lama ekstraksi kolagen dari kulit ikan situhuk hitam (*Makaira indica*). *Media Teknologi Hasil Perikanan*, 8(2), 44-49. <https://doi.org/10.35800/mthp.8.2.2020.27326>.
- Tenner, A. (1999). Membrane receptors for soluble defense collagens. *Current opinion in immunology*, 11(1), 34-41. [https://doi.org/10.1016/S0952-7915\(99\)80007-7](https://doi.org/10.1016/S0952-7915(99)80007-7).
- Thuy, L. T. M., Okazaki, E., & Osako, K. (2014). Isolation and characterization of acid-soluble collagen from the scales of marine fishes from Japan and Vietnam. *Food Chemistry*, 149, 264–270. <https://doi.org/10.1016/J.FOODCHEM.2013.10.094>
- Tjay, T. H., & Rahardja, K. (2002). *Obat-obat penting: Khasiat, penggunaan dan efek-efek sampingnya*. Jakarta: Gramedia.
- Trelstad, R. L. (1982). Immunology of collagens. In H. Furthmater (Ed.), *Immunochemistry of the extracellular matrixs (Vol. 1)*. Cleveland: CRC Press.



- Uddin, M. J., Xu, S., Crews, B. C., Aleem, A. M., Ghebreselasie, K., Banerjee, S., & Marnett, L. J. (2020). Harmaline analogs as substrate-selective cyclooxygenase-2 *Inhibitors*. *ACS Medicinal Chemistry Letters*, 11(10), 1881–1885.
https://doi.org/10.1021/ACSMEDCHEMLETT.9B00555/SUPPL_FILE/M L9B00555_SI_001.PDF
- Udechukwu, M. C., Tsopmo, A., Mawhinney, H., He, R., Kienesberger, P. C., & Udenigwe, C. C. (2017). Inhibition of ADAM17/TACE activity by zinc-chelating rye secalin-derived tripeptides and analogues. *RSC Advances*, 7(42), 26361–26369. <https://doi.org/10.1039/C6RA26678A>
- Utami, E. T., Kuncuro, R. A., Hutami, I. R., Sari, F. T., & Handajani, J. (2011). Efek antiinflamasi ekstrak daun sembukan (*Paederia scandens*) pada tikus Wistar. *Majalah Obat Tradisional*, 16(2), 95–100.
- Veeruraj, A., Arumugam, M., Ajithkumar, T., & Balasubramanian, T. (2015). Isolation and characterization of collagen from the outer skin of squid (*Doryteuthis singhalensis*). *Food Hydrocolloids*, 43, 708–716. <https://doi.org/10.1016/J.FOODHYD.2014.07.025>
- Vercruyssen, L., van Camp, J., & Smaghe, G. (2005). ACE inhibitory peptides derived from enzymatic hydrolysates of animal muscle protein: A review. *Journal of Agricultural and Food Chemistry*, 53(21), 8106–8115. <https://doi.org/10.1021/JF0508908>
- Vernieri, E., Gomez-Monterrey, I., Milite, C., Grieco, P., Musella, S., Bertamino, A., Scognamiglio, I., Alcaro, S., Artese, A., Ortuso, F., Novellino, E., Sala, M., & Campiglia, P. (2013). Design, synthesis, and evaluation of new tripeptides as COX-2 inhibitors. *Journal of Amino Acids*, 2013, 1–7. <https://doi.org/10.1155/2013/606282>
- Vidal, A. R., Cechin, C. da F., Cansian, R. L., Mello, R. de O., Schmidt, M. M., Demiate, I. M., Kempka, A. P., & Dornelles, R. C. P. (2018). Enzymatic hydrolysis (pepsin) assisted by ultrasound in the functional Properties of hydrolyzates from different collagens. *Ciência Rural*, 48(3), e20170649. <https://doi.org/10.1590/0103-8478CR20170649>
- Vo, T. S., Ryu, B. M., & Kim, S. K. (2013). Purification of novel anti-inflammatory peptides from enzymatic hydrolysate of the edible microalga *Spirulina maxima*. *Journal of Functional Foods*, 5(3), 1336–1346. <https://doi.org/10.1016/J.JFF.2013.05.001>
- Vogel, H. J., Schibli, D. J., Jing, W., Lohmeier-Vogel, E. M., Epand, R. F., & Epand, R. M. (2002). Towards a structure-function analysis of bovine lactoferricin and related tryptophan- and arginine-containing peptides. *Biochemistry and Cell Biology*, 80(1), 49–63. <https://doi.org/10.1139/O01-213>
- Wahjuningsih, S. B., Fitriani, A., Azkia, M. N., & Rahmadhia, S. N. (2023). *Senyawa bioaktif dalam bahan pangan*. Semarang: USM Press.



- Wahyuningsih, R., Rusman, Nurliyani, Rohman, A., & Erwanto, Y. (2021). Potency of pepsin soluble collagen from Indonesian local goat skin as an antioxidant. *American Journal of Animal and Veterinary Science*, 16(3), 144-151. <https://doi.org/10.3844/ajavsp.2021.144.151>
- Walker, M. C., Kurumbail, R. G., Kiefer, J. R., Moreland, K. T., Koboldt, C. M., Isakson, P. C., Seibert, K., & Gierse, J. K. (2001). A three-step kinetic mechanism for selective inhibition of Cyclo-oxygenase-2 by diarylheterocyclic inhibitors. *Biochemical Journal*, 357(3), 709. <https://doi.org/10.1042/0264-6021:3570709>
- Wang, B., Wang, Y. M., Chi, C. F., Luo, H. Y., Deng, S. G., & Ma, J. Y. (2013). Isolation and characterization of collagen and antioxidant collagen peptides from scales of croceine croaker (*Pseudosciaena crocea*). *Marine Drugs*, 11(11), 4641–4661. <https://doi.org/10.3390/MD11114641>
- Wang, B., Wu, L., Chen, J., Dong, L., Chen, C., Wen, Z., Hu, J., Fleming, I., & Wang, D. W. (2021). Metabolism pathways of arachidonic acids: Mechanisms and potential therapeutic targets. *Signal Transduction and Targeted Therapy*, 6, 94. <https://doi.org/10.1038/s41392-020-00443-w>
- Wang, J. L., Limburg, D., Graneto, M. J., Springer, J., Hamper, J. R. B., Liao, S., Pawlitz, J. L., Kurumbail, R. G., Maziasz, T., Talley, J. J., Kiefer, J. R., & Carter, J. (2010). The novel benzopyran class of selective cyclooxygenase-2 inhibitors. Part 2: The second clinical candidate having a shorter and favorable human half-life. *Bioorganic & Medicinal Chemistry Letters*, 20(23), 7159–7163. <https://doi.org/10.1016/J.BMCL.2010.07.054>
- Wang, L., An, X., Yang, F., Xin, Z., Zhao, L., & Hu, Q. (2008). Isolation and characterisation of collagens from the skin, scale and bone of deep-sea redfish (*Sebastes mentella*). *Food Chemistry*, 108(2), 616–623. <https://doi.org/10.1016/J.FOODCHEM.2007.11.017>
- Wang, L., Liang, Q., Chen, T., Wang, Z., Xu, J., & Ma, H. (2014). Characterization of collagen from the skin of amur sturgeon (*Acipenser schrenckii*). *Food Hydrocolloids*, 38, 104–109. <https://doi.org/10.1016/J.FOODHYD.2013.12.002>
- Widiyantoro, A., Lia, D., Indri, K., Supardi, Dedy, G., & Niwick. (2012). Aktivitas antiinflamasi senyawa bioaktif dari kulit batang pauh kijang (*Irvingia malayana* Oliv. Ex. A. Benn) terhadap tikus putih (*Rattus norvegicus*) yang diinduksi karagenan. *Kaunia*, 8(2), 118–126.
- Wills, E. D. (1985). *Digestion and absorption of foodstuffs, chapter 16*, in Wills, E. D. (Eds) *Biochemical Basis of Medicine*. Oxford: Butterworth-Heinemann.



- Winardi, D. O., Alliyah, S. A., Fadilah, S. N., Sirait, J., Putra, H. B., Puspitadewi, N., Neli, Muchtaridi, & Zuhrotun, A. (2023). Studi *in silico* dan *in vitro* senyawa aktif pada rimpang kunyit (*Curcuma domestica*) sebagai antiinflamasi pada cyclooxygenase-2 (COX-2). *Indonesian Journal of Pharmaceutical Science and Technology*, 5(1), 100–111. <https://doi.org/https://doi.org/10.24198/ijpst.v0i0.47171>
- Windarsih, A., Suratno, Warmiko, H. D., Indrianingsih, A. W., Rohman, A., & Ulumuddin, Y. I. (2022). Untargeted metabolomics and proteomics approach using liquid chromatography-orbitrap high resolution mass spectrometry to detect pork adulteration in *Pangasius hypophthalmus* meat. *Food Chemistry*, 386, 1-9. <https://doi.org/10.1016/j.foodchem.2022.132856>
- Winarno, F. G. (1986). Enzim pangan. Jakarta: Gramedia.
- Wong, D. W. S. (2018). *Mechanism and theory in food chemistry, 2nd Edition*. California: Springer.
- Worthington. (2025). *Pepsin-manual*. Worthington Biochemical Corporation. Diakses dari <https://www.worthington-biochem.com/products/pepsin/manual>
- Worthington, C. C., Worthington, V., & Worthington, A. (2022). *Introduction to Enzymes*. New Jersey: Worthington Biochemical Corporation.
- Wu, H., Liu, Y., Guo, M., Xie, J., & Jiang, X. (2014a). A virtual screening method for inhibitory peptides of angiotensin I-converting enzyme. *Journal of Food Science*, 79(9), C1635–C1642. <https://doi.org/10.1111/1750-3841.12559>
- Wu, Y., Fang, M., Du, L., Wu, H., Liu, Y., Guo, M., Xie, J., & Wei, D. (2014b). The nutritional composition and anti-hypertensive activity on spontaneously hypertensive rats of sipuncula *Phascolosoma esculenta*. *Food & Function*, 5(9), 2317–2323. <https://doi.org/10.1039/C4FO00416G>
- Wu, J., Xie, D., Chen, X., Tang, Y. J., Wang, L., Xie, J., & Wei, D. (2019). Inhibitory mechanism of a substrate-type angiotensin I-converting enzyme inhibitory peptide. *Process Biochemistry*, 79, 97–104. <https://doi.org/10.1016/J.PROCBIO.2018.12.018>
- Wu, S. L., Kang, H. B., & Li, D. J. (2017). Technology for extracting effective components from fish scale. *Journal of Food Science and Engineering*, 7, 351–358.
- Wu, W., Zhang, M., Sun, C., Brennan, M., Li, H., Wang, G., Lai, F., & Wu, H. (2016). Enzymatic preparation of immunomodulatory hydrolysates from defatted wheat germ (*Triticum vulgare*) globulin. *International Journal of Food Science & Technology*, 51(12), 2556–2566. <https://doi.org/10.1111/IJFS.13238>



- Wulandani, B. R. D., Rahayu, S., Marsono, Y., & Utami, T. (2017). Aktivitas antioksidan dan angiotensin-I converting enzyme inhibitor oleh yogurt dengan ekstrak daun *Ficus glomerata* Roxb. *Agritech*, 37(3), 246–255. <https://doi.org/10.22146/AGRITECH.10846>
- Wulandari, & Suptijah, P. (2015). Effectiveness of alkaline pretreatment and acetic acid hydrolysis on the characteristics of collagen from fish skin of snakehead. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(3). <https://doi.org/10.17844/JPHPI.V18I3.11309>
- Xiang, H., Liu, L., Lu, X., Shi, Y., & Chen, J. (2014). Optimization of the preparation of collagen antioxidant peptide of *Phascolosoma esculenta* by response surface method. *Science and Technology of Food Industry*, 13, 253–257. <https://doi.org/10.13386/J.ISSN1002-0306.2014.13.046>
- Xu, S., Gu, M., Wu, K., & Li, G. (2019). Unraveling the role of hydroxyproline in maintaining the thermal stability of the collagen triple helix structure using simulation. *Journal of Physical Chemistry B*, 123(36), 7754–7763. <https://pubs.acs.org/doi/10.1021/acs.jpcc.9b05006>
- Yang, H., & Shu, Z. (2014). The extraction of collagen protein from pigskin. *Journal of Chemical and Pharmaceutical Research*, 2, 683–687.
- Yang, H., Li, Q., Liu, S., & Li, G. (2018). Acetic acid/1-ethyl-3-methylimidazolium acetate as a biphasic solvent system for altering the aggregation behavior of collagen molecules. *Journal of Molecular Liquids*, 262, 78–85. <https://doi.org/10.1016/J.MOLLIQ.2018.04.076>
- Yang, Z., Pan, Y., Chen, J., Zhang, H., Wei, H., Wu, Z., Liu, L. (2019). Anti-inflammatory, anti-oxidative stress effect of *Phascolosoma esculenta* oligosaccharides on *Escherichia coli*-induced sepsis mice. *Food Science Biotechnology*. 28(6), 1871–1879. <https://doi.org/10.1007/s10068-019-00620-w>
- Yoshimura, K., Terashima, M., Hozan, D., & Shirai, K. (2000). Preparation and dynamic viscoelasticity characterization of alkali-solubilized collagen from shark skin. *Journal of Agricultural and Food Chemistry*, 48(3), 685–690. <https://doi.org/10.1021/JF990389D>
- Yu, F., Zong, C., Jin, S., Zheng, J., Chen, N., Huang, J., Chen, Y., Huang, F., Yang, Z., Tang, Y., & Ding, G. (2018). Optimization of Extraction Conditions and Characterization of Pepsin-Solubilised Collagen from Skin of Giant Croaker (*Nibea japonica*). *Marine Drugs*, 16(1), 29. <https://doi.org/10.3390/md16010029>
- Yu, D., Chi, C. F., Wang, B., Ding, G. F., & Li, Z. R. (2014). Characterization of acid-and pepsin-soluble collagens from spines and skulls of skipjack tuna (*Katsuwonus pelamis*). *Chinese Journal of Natural Medicines*, 12(9), 712–720. [https://doi.org/10.1016/S1875-5364\(14\)60110-2](https://doi.org/10.1016/S1875-5364(14)60110-2)



- Yuan, L., Chu, Q., Wu, X., Yang, B., Zhang, W., Jin, W., & Gao, R. (2021). Anti-inflammatory and antioxidant activity of peptides from ethanol-soluble hydrolysates of sturgeon (*Acipenser schrenckii*) cartilage. *Frontiers in Nutrition*, 8, 689648. <https://doi.org/10.3389/FNUT.2021.689648>
- Zarghi, A., Ghodsi, R., Azizi, E., Daraie, B., Hedayati, M., & Dadrass, O. G. (2009). Synthesis and biological evaluation of new 4-carboxyl quinoline derivatives as cyclooxygenase-2 inhibitors. *Bioorganic & Medicinal Chemistry*, 17(14), 5312–5317. <https://doi.org/10.1016/J.BMC.2009.05.084>
- Zeng, S., Zhang, C., Lin, H., Yang, P., Hong, P., & Jiang, Z. (2009). Isolation and characterisation of acid-solubilised collagen from the skin of nile tilapia (*Oreochromis niloticus*). *Food Chemistry*, 116(4), 879–883. <https://doi.org/10.1016/J.FOODCHEM.2009.03.038>
- Zeugolis, D. I., Khew, S. T., Yew, E. S. Y., Ekaputra, A. K., Tong, Y. W., Yung, L. Y. L., Hutmacher, D. W., Sheppard, C., & Raghunath, M. (2008). Electro-spinning of pure collagen nano-fibres – Just an expensive way to make gelatin?. *Biomaterials*, 29(15), 2293–2305. <https://doi.org/10.1016/J.BIOMATERIALS.2008.02.009>
- Zhang, C. X., Dai, Z. R., & Cai, Q. X. (2011). Anti-inflammatory and anti-nociceptive activities of *Sipunculus nudus* L. extract. *Journal of Ethnopharmacology*, 137(3), 1177–1182. <https://doi.org/10.1016/J.JEP.2011.07.039>
- Zhang, J., Duan, R., Ye, C., & Konno, K. (2010). Isolation and characterization of collagens from scale of silver carp (*Hypophthalmichthys molitrix*). *Journal of Food Biochemistry*, 34(6), 1343–1354. <https://doi.org/10.1111/J.1745-4514.2010.00439.X>
- Zhang, Q., Wang, Q., Lv, S., Lu, J., Jiang, S., Regenstein, J. M., & Lin, L. (2016). Comparison of collagen and gelatin extracted from the skins of nile tilapia (*Oreochromis niloticus*) and channel catfish (*Ictalurus punctatus*). *Food Bioscience*, 13, 41–48. <https://doi.org/10.1016/J.FBIO.2015.12.005>
- Zhang, M., Zhao, Y., Yao, Y., Xu, M., Du, H., Wu, N., & Tu, Y. (2019). Isolation and identification of peptides from simulated gastrointestinal digestion of preserved egg white and their anti-inflammatory activity in TNF- α -induced Caco-2 cells. *The Journal of Nutritional Biochemistry*, 63, 44–53. <https://doi.org/10.1016/J.JNUTBIO.2018.09.019>
- Zhang, Y., Chen, Z., Liu, X., Shi, J., Chen, H., & Gong, Y. (2021). SEM, FTIR and DSC investigation of collagen hydrolysate treated degraded leather. *Journal of Cultural Heritage*, 48, 205–210. <https://doi.org/10.1016/J.CULHER.2020.11.007>



- Zhao, L., Wang, X., Zhang, X. L., & Xie, Q. F. (2016). Purification and identification of anti-inflammatory peptides derived from simulated gastrointestinal digests of velvet antler protein (*Cervus elaphus* Linnaeus). *Journal of Food and Drug Analysis*, 24(2), 376–384. <https://doi.org/10.1016/J.JFDA.2015.10.003>
- Zhou, P., & Regenstein, J. M. (2005). Effects of alkaline and acid pretreatments on alaska pollock skin gelatin extraction. *Journal of Food Science*, 70(6), c392–c396. <https://doi.org/10.1111/J.1365-2621.2005.TB11435.X>
- Zhou, Y., Zhang, P., Deng, G., Liu, X., & Lu, D. (2012). Improvements of immune status, intestinal integrity and gain performance in the early-weaned calves parenterally supplemented with L-alanyl-L-glutamine dipeptide. *Veterinary Immunology and Immunopathology*, 145(1–2), 134–142. <https://doi.org/10.1016/J.VETIMM.2011.10.020>
- Zhu, W., Ren, L., Zhang, L., Qiao, Q., Farooq, M. Z., & Xu, Q. (2020). The potential of food protein-derived bioactive peptides against chronic intestinal inflammation. *Mediators of Inflammation*, 2020. <https://doi.org/10.1155/2020/6817156>
- Zhu, Y. L., Li, S. D., Liao, Y., & Li, J. M. (2013). Made polypeptide from sipunculus nudus by papain enzymolysis and its effects on hydroxy radical cleaning. *Advanced Materials Research*, 699, 360–366. <https://doi.org/10.4028/WWW.SCIENTIFIC.NET/AMR.699.360>
- Złotek, U., Jakubczyk, A., Rybczynska-Tkaczyk, K., Ćwiek, P., Baraniak, B., & Lewicki, S. (2020). Characteristics of new peptides GQLGEHGGAGMG, GEHGGAGMGGGQFQPV, EQGFLPGPEESGR, RLARAGLAQ, YGNPVGGVGH, and GNPVGGVGHGTTGT as inhibitors of enzymes involved in metabolic syndrome and antimicrobial potential. *Molecules*, 25(11). <https://doi.org/10.3390/MOLECULES25112492>