

BIBLIOGRAPHY

- Bakr Shori, A., & Salihin Baba, A. (2015). Fermented milk derives bioactive peptides with antihypertensive effects. *Integrative Food, Nutrition and Metabolism*, 2(3). <https://doi.org/10.15761/IFNM.1000126>
- Bedir, T. B., & Kuleaşan, H. (2019). Determination of Microbial Properties of Freeze Dried Traditional Cheese. *Turkish Journal of Agriculture - Food Science and Technology*, 7(4), Article 4.
<https://doi.org/10.24925/turjaf.v7i4.688-692.2126>
- Berin, M. C. (2014). Bugs versus Bugs: Probiotics, Microbiome and Allergy. *International Archives of Allergy and Immunology*, 163(3), 165–167.
<https://doi.org/10.1159/000357946>
- Bertrand-Harb, C., Ivanova, I. V., Dalgalarondo, M., & Haertllé, T. (2003). Evolution of β -lactoglobulin and α -lactalbumin content during yoghurt fermentation. *International Dairy Journal*, 13(1), 39–45.
[https://doi.org/10.1016/S0958-6946\(02\)00140-1](https://doi.org/10.1016/S0958-6946(02)00140-1)
- Bianchi-Salvadori, B., Camaschella, P., & Cislighi, S. (1995). Rapid enzymatic method for biotyping and control of lactic acid bacteria used in the production of yogurt and some cheeses. *International Journal of Food Microbiology*, 27(2), 253–261. [https://doi.org/10.1016/0168-1605\(95\)00029-J](https://doi.org/10.1016/0168-1605(95)00029-J)
- Chaplin, D. D. (2010). Overview of the Immune Response. *The Journal of Allergy and Clinical Immunology*, 125(2 Suppl 2), S3-23.
<https://doi.org/10.1016/j.jaci.2009.12.980>

- Cohen, R., Holowka, D. A., & Baird, B. A. (2015). Real-time Imaging of Ca²⁺ Mobilization and Degranulation in Mast Cells. *Methods in Molecular Biology (Clifton, N.J.)*, 1220, 347–363. https://doi.org/10.1007/978-1-4939-1568-2_22
- Daddaoua, A., Puerta, V., Requena, P., Martínez-Férez, A., Guadix, E., Sánchez de Medina, F., Zarzuelo, A., Suárez, M. D., Boza, J. J., & Martínez-Augustin, O. (2006). Goat Milk Oligosaccharides Are Anti-Inflammatory in Rats with Hapten-Induced Colitis. *The Journal of Nutrition*, 136(3), 672–676. <https://doi.org/10.1093/jn/136.3.672>
- De Castro, R. O. (2011). Regulation and Function of Syk Tyrosine Kinase in Mast Cell Signaling and Beyond. *Journal of Signal Transduction*, 2011, 1–9. <https://doi.org/10.1155/2011/507291>
- Foligné, B., Parayre, S., Cheddani, R., Famelart, M.-H., Madec, M.-N., Plé, C., Breton, J., Dewulf, J., Jan, G., & Deutsch, S.-M. (2016). Immunomodulation properties of multi-species fermented milks. *Food Microbiology*, 53, 60–69. <https://doi.org/10.1016/j.fm.2015.04.002>
- Food and Agriculture Organization of the United Nations, & World Health Organization (Eds.). (2006). *Probiotics in food: Health and nutritional properties and guidelines for evaluation*. Food and Agriculture Organization of the United Nations : World Health Organization.
- Fuc, E., Złotkowska, D., & Wróblewska, B. (2019). Milk and Meat Allergens from *Bos taurus* β -Lactoglobulin, α -Casein, and Bovine Serum Albumin:

An In-Vivo Study of the Immune Response in Mice. *Nutrients*, 11(9),

2095. <https://doi.org/10.3390/nu11092095>

Gilfillan, A. M., & Rivera, J. (2009). The tyrosine kinase network regulating mast cell activation. *Immunological Reviews*, 228(1), 149–169.

<https://doi.org/10.1111/j.1600-065X.2008.00742.x>

Güney, O. (2019). Consumer Attitudes Towards Goat Milk and Goat Milk Products: A Pilot Survey in South East of Turkey. *Turkish Journal of Agriculture - Food Science and Technology*, 7, 314.

<https://doi.org/10.24925/turjaf.v7i2.314-319.2292>

Halima, E. H., Jrad, Z., Salhi, I., Aguiabi, A., Nadri, A., & Khorchani, T. (2015). Comparison of composition and whey protein fractions of human, camel, donkey, goat and cow milk. *Mljekarstvo*, 65.

<https://doi.org/10.15567/mljekarstvo.2015.0302>

He, Y., Sun, M. M., Zhang, G. G., Yang, J., Chen, K. S., Xu, W. W., & Li, B. (2021). Targeting PI3K/Akt signal transduction for cancer therapy. *Signal Transduction and Targeted Therapy*, 6(1), 1–17.

<https://doi.org/10.1038/s41392-021-00828-5>

Hickey, L., Jacobs, S. E., Garland, S. M., & Group, on behalf of the P. S. (2012). Probiotics in neonatology. *Journal of Paediatrics and Child Health*, 48(9), 777–783. <https://doi.org/10.1111/j.1440-1754.2012.02508.x>

Inhibitory Effect of γ -Aminobutyric Acid (GABA) on Histamine Release from Rat Basophilic Leukemia RBL-2H3 Cells and Rat Peritoneal Exudate Cells.

(n.d.). Retrieved January 10, 2025, from

[https://www.researchgate.net/publication/285691724_Inhibitory_Effect_of](https://www.researchgate.net/publication/285691724_Inhibitory_Effect_of_g-)
[_g-](#)

[Aminobutyric_Acid_GABA_on_Histamine_Release_from_Rat_Basophili](#)
[c_Leukemia_RBL-2H3_Cells_and_Rat_Peritoneal_Exudate_Cells](#)

Iorizzo, M., Paventi, G., & Di Martino, C. (2024). Biosynthesis of Gamma-

Aminobutyric Acid (GABA) by *Lactiplantibacillus plantarum* in

Fermented Food Production. *Current Issues in Molecular Biology*, 46(1),

Article 1. <https://doi.org/10.3390/cimb46010015>

Ishida, M., Nishi, K., Watanabe, H., & Sugahara, T. (2013). Inhibitory effect of

aqueous spinach extract on degranulation of RBL-2H3 cells. *Food*

Chemistry, 136(2), 322–327.

<https://doi.org/10.1016/j.foodchem.2012.08.079>

Jung, J.-Y., Shin, J.-S., Lee, S.-G., Rhee, Y. K., Cho, C.-W., Hong, H.-D., & Lee,

K.-T. (2015). *Lactobacillus sakei* K040706 evokes immunostimulatory

effects on macrophages through TLR 2-mediated activation. *International*

Immunopharmacology, 28(1), 88–96.

<https://doi.org/10.1016/j.intimp.2015.05.037>

Kanagy, W. K., Cleyrat, C., Fazel, M., Lucero, S. R., Bruchez, M. P., Lidke, K. A.,

Wilson, B. S., & Lidke, D. S. (2022). Docking of Syk to FcεRI is

enhanced by Lyn but limited in duration by SHIP1. *Molecular Biology of*

the Cell, 33(10), ar89. <https://doi.org/10.1091/mbc.E21-12-0603>

Kim, J.-Y., Kim, J. Y., Kim, H., Moon, E. C., Heo, K., Shim, J.-J., & Lee, J.-L.

(2022). Immunostimulatory effects of dairy probiotic strains

Bifidobacterium animalis ssp. *Lactis* HY8002 and *Lactobacillus plantarum*

HY7717. *Journal of Animal Science and Technology*, 64(6), 1117–1131.

<https://doi.org/10.5187/jast.2022.e84>

Kitamura, Y., Nishi, K., Ishida, M., Nishimoto, S., & Sugahara, T. (2022). Anti-Allergic Effect of Aqueous Extract of Coriander (*Coriandrum sativum* L.) Leaf in RBL-2H3 Cells and Cedar Pollinosis Model Mice. *Nutraceuticals*, 2(3), Article 3. <https://doi.org/10.3390/nutraceuticals2030013>

Kraft, S., & Novak, N. (2006). Fc receptors as determinants of allergic reactions. *Trends in Immunology*, 27(2), 88–95.
<https://doi.org/10.1016/j.it.2005.11.008>

Kusuma, T. W. (n.d.). *PRODUKSI ASAM GAMMA-AMINO BUTIRAT (GABA) DARI ISOLAT LOKAL BAKTERI ASAM LAKTAT*.

Lendvai-Emmert, D., Emmert, V., Makai, A., Fusz, K., Prémusz, V., Eklics, K., Sarlós, P., Tóth, P., Amrein, K., & Tóth, G. (2022). Fecal calprotectin levels in pediatric cow's milk protein allergy. *Frontiers in Pediatrics*, 10, 945212. <https://doi.org/10.3389/fped.2022.945212>

Mackowiak, P. (2013). Recycling Metchnikoff: Probiotics, the Intestinal Microbiome and the Quest for Long Life. *Frontiers in Public Health*, 1. <https://www.frontiersin.org/articles/10.3389/fpubh.2013.00052>

Minervini, F., Bilancia, M. T., Siragusa, S., Gobbetti, M., & Caponio, F. (2009). Fermented goats' milk produced with selected multiple starters as a potentially functional food. *Food Microbiology*, 26(6), 559–564.
<https://doi.org/10.1016/j.fm.2009.03.008>

- Nakatani, K., Atsumi, M., Arakawa, T., Oosawa, K., Shimura, S., Nakahata, N., & Ohizumi, Y. (2002). Inhibitions of Histamine Release and Prostaglandin E2 Synthesis by Mangosteen, a Thai Medicinal Plant. *Biological and Pharmaceutical Bulletin*, 25(9), 1137–1141.
<https://doi.org/10.1248/bpb.25.1137>
- Nishida, K., Yamasaki, S., Ito, Y., Kabu, K., Hattori, K., Tezuka, T., Nishizumi, H., Kitamura, D., Goitsuka, R., Geha, R. S., Yamamoto, T., Yagi, T., & Hirano, T. (2005). FcεRI-mediated mast cell degranulation requires calcium-independent microtubule-dependent translocation of granules to the plasma membrane. *Journal of Cell Biology*, 170(1), 115–126.
<https://doi.org/10.1083/jcb.200501111>
- Nurliyani, N., Julia, M., Harmayani, E., Ikawati, M., & Baliarti, E. (2015). Potency of *Lactobacillus plantarum* Dad-13 and Sweet Potato (*Ipomoea batatas*) Fiber as Immunomodulator in Rats Infected With *Salmonella* Typhimurium. *Journal of Food Research*, 4.
<https://doi.org/10.5539/jfr.v4n3p1>
- O'Shea, M., Bassaganya-Riera, J., & Mohede, I. C. (2004). Immunomodulatory properties of conjugated linoleic acid¹²³. *The American Journal of Clinical Nutrition*, 79(6), 1199S-1206S.
<https://doi.org/10.1093/ajcn/79.6.1199S>
- Park, Y. (2010). *Goat Milk: Composition, Characteristics*. *Encyclopedia of Animal Science*.

- Passante, E., & Frankish, N. (2009). The RBL-2H3 cell line: Its provenance and suitability as a model for the mast cell. *Inflammation Research*, 58(11), 737–745. <https://doi.org/10.1007/s00011-009-0074-y>
- Rahayu, E. S., Cahyanto, M. N., Sarwoko, M.-A., & Windiarti, L. (2021). *Effects of consumption of fermented milk containing indigenous probiotic lactobacillus plantarum dad-13 on the fecal microbiota of healthy indonesian volunteers.*
- Rahayu, E. S., Yogeswara, A., Windiarti, L., Utami, T., & Watanabe, K. (2015). *MOLECULAR CHARACTERISTICS OF INDIGENOUS PROBIOTIC STRAINS FROM INDONESIA.*
- Ren, C., Zhang, Q., de Haan, B. J., Zhang, H., Faas, M. M., & de Vos, P. (2016). Identification of TLR2/TLR6 signalling lactic acid bacteria for supporting immune regulation. *Scientific Reports*, 6, 34561. <https://doi.org/10.1038/srep34561>
- Saito, S., Okuno, A., Peng, Z., Cao, D.-Y., & Tsuji, N. M. (2024). Probiotic lactic acid bacteria promote anti-tumor immunity through enhanced major histocompatibility complex class I-restricted antigen presentation machinery in dendritic cells. *Frontiers in Immunology*, 15. <https://doi.org/10.3389/fimmu.2024.1335975>
- Sebastián-Nicolas, J. L., Contreras-López, E., Ramírez-Godínez, J., Cruz-Guerrero, A. E., Rodríguez-Serrano, G. M., Añorve-Morga, J., Jaimez-Ordaz, J., Castañeda-Ovando, A., Pérez-Escalante, E., Ayala-Niño, A., & González-Olivares, L. G. (2021). Milk Fermentation by *Lactocaseibacillus*

rhamnosus GG and *Streptococcus thermophilus* SY-102: Proteolytic

Profile and ACE-Inhibitory Activity. *Fermentation*, 7(4), 215.

<https://doi.org/10.3390/fermentation7040215>

Senaka Ranadheera, C., Evans, C. A., Adams, M. C., & Baines, S. K. (2012).

Probiotic viability and physico-chemical and sensory properties of plain and stirred fruit yogurts made from goat's milk. *Food Chemistry*, 135(3), 1411–1418. <https://doi.org/10.1016/j.foodchem.2012.06.025>

Sha, J., Song, J., Huang, Y., Zhang, Y., Wang, H., Zhang, Y., & Suo, H. (2021).

Inhibitory Effect and Potential Mechanism of *Lactobacillus plantarum* YE4 against Dipeptidyl Peptidase-4. *Foods*, 11(1), 80.

<https://doi.org/10.3390/foods11010080>

Shi, J., Luo, Y., Xiao, Y., Li, Z., Xu, Q., & Yao, M. (2014). Effects of fermentation by *Lactobacillus casei* on the antigenicity and allergenicity of four bovine milk proteins. *International Dairy Journal*, 35(1), 75–80.

<https://doi.org/10.1016/j.idairyj.2013.10.010>

Sim, K. H., Lee, E., Shrestha, P., Choi, B.-H., Hong, J., & Lee, Y. J. (2025).

Isobavachin attenuates FcεRI-mediated inflammatory allergic responses by regulating SHP-1-dependent Fyn/Lyn/Syk/Lck signaling. *Biochemical Pharmacology*, 232, 116698. <https://doi.org/10.1016/j.bcp.2024.116698>

Son, S.-H., Yang, S.-J., Jeon, H.-L., Yu, H.-S., Lee, N.-K., Park, Y.-S., & Paik, H.-D. (2018). Antioxidant and immunostimulatory effect of potential probiotic *Lactobacillus paraplantarum* SC61 isolated from Korean

traditional fermented food, jangajji. *Microbial Pathogenesis*, 125, 486–

492. <https://doi.org/10.1016/j.micpath.2018.10.018>

Turkmen, N. (2017). Chapter 35—The Nutritional Value and Health Benefits of Goat Milk Components. In R. R. Watson, R. J. Collier, & V. R. Preedy (Eds.), *Nutrients in Dairy and their Implications on Health and Disease* (pp. 441–449). Academic Press. <https://doi.org/10.1016/B978-0-12-809762-5.00035-8>

Utami, T., Cindarbhum, A., Khuangga, M. C., Rahayu, E. S., Cahyanto, M. N., Nurfiyanti, S., & Zulaichah, E. (2020). Preparation of Indigenous Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented Milk. *Digital Press Life Sciences*, 2, 00010. <https://doi.org/10.29037/digitalpress.22327>

Vasiljevic, T., & Shah, N. P. (2008). Probiotics—From Metchnikoff to bioactives. *International Dairy Journal*, 18(7), 714–728. <https://doi.org/10.1016/j.idairyj.2008.03.004>

Vedamuthu, E. (2007). Starter Cultures for Yogurt and Fermented Milks. In *Manufacturing Yogurt and Fermented Milks, Second Edition* (pp. 89–116). <https://doi.org/10.1002/9780470277812.ch6>

Wang, Y., Zhao, B., Ding, Y., Liu, N., Yang, C., & Sun, Y. (2024). Improved Anti-Oxidant and Anti-Bacterial Capacities of Skim Milk Fermented by *Lactobacillus plantarum*. *Molecules*, 29(16), 3800. <https://doi.org/10.3390/molecules29163800>

Wood, E. J. (2003). Immunology for medical students: Nairn, R., and Helbert, M.

Biochemistry and Molecular Biology Education, 31(2), 156–157.

<https://doi.org/10.1002/bmb.2003.494031020187>

Woraratphoka, J., Innok, S., Soisungnoen, P., Tanamool, V., & Soemphol, W.

(2021). γ -Aminobutyric acid production and antioxidant activities in fresh cheese by *Lactobacillus plantarum* L10-11. *Food Science and Technology*, 42, e03121. <https://doi.org/10.1590/fst.03121>

Xu, Y., Nan, D., Fan, J., Bogan, J. S., & Toomre, D. (2016). Optogenetic

activation reveals distinct roles of PIP3 and Akt in adipocyte insulin action. *Journal of Cell Science*, 129(10), 2085–2095.

<https://doi.org/10.1242/jcs.174805>

Yogeswara, I. B. A., Maneerat, S., & Haltrich, D. (2020). Glutamate

Decarboxylase from Lactic Acid Bacteria-A Key Enzyme in GABA Synthesis. *Microorganisms*, 8(12), 1923.

<https://doi.org/10.3390/microorganisms8121923>

Yoshioka, H., Ishida, M., Nishi, K., Oda, H., Toyohara, H., & Sugahara, T. (2014).

Studies on anti-allergic activity of *Sargassum horneri* extract. *Journal of Functional Foods*, 10, 154–160. <https://doi.org/10.1016/j.jff.2014.06.002>

Yu, L., Han, X., Cen, S., Duan, H., Feng, S., Xue, Y., Tian, F., Zhao, J., Zhang, H.,

Zhai, Q., & Chen, W. (2020). Beneficial effect of GABA-rich fermented milk on insomnia involving regulation of gut microbiota. *Microbiological Research*, 233, 126409. <https://doi.org/10.1016/j.micres.2020.126409>

Zhong, J., Tang, N., Asadzadeh, B., & Yan, W. (2017). Measurement and Correlation of Solubility of Theobromine, Theophylline, and Caffeine in Water and Organic Solvents at Various Temperatures. *Journal of Chemical and Engineering Data*, 62(9), 2570–2577.
<https://doi.org/10.1021/acs.jced.7b00065>