

BIBLIOGRAPHY

- A Yazici, M Buyuk Tiryaki, Simsek, G.K., H G Kanmaz Kutman and Canpolat, F.E. (2022). Factors associated with neurodevelopmental impairment in preterm infants with bronchopulmonary dysplasia. *DOAJ (DOAJ: Directory of Open Access Journals)*, 26(5), pp.1579–1585. doi:https://doi.org/10.26355/eurrev_202203_28224.
- Agarwal, R., Agrawal, R., Agarwal, R. and Agrawal, R. (2024). Exploring Risk Factors and Perinatal Outcomes of Preterm Birth in a Tertiary Care Hospital: A Comprehensive Analysis. *Cureus*, [online] 16(2). doi:<https://doi.org/10.7759/cureus.53673>.
- Alves, B. (2023). HYPOXIA-ISCHEMIA IN NEONATAL BRAIN: A TRANSLATIONAL APPROACH TO ITS CONSEQUENCES. *Repositorio-aberto.up.pt*. Doi:sigarra:634506.
- Ballabh, P. (2010). Intraventricular Hemorrhage in Premature Infants: Mechanism of Disease. *Pediatric Research*, [online] 67(1), pp.1–8. doi:<https://doi.org/10.1203/pdr.0b013e3181c1b176>.
- Behrman, R.E., Adrienne Stith Butler and Institute Of Medicine (U.S.). Committee On Understanding Premature Birth And Assuring Healthy Outcomes (2007). *Preterm birth : causes, consequences, and prevention*. Washington, D.C.: National Academies Press.
- Breeman, L.D., Jaekel, J., Baumann, N., Bartmann, P. and Wolke, D. (2017). Neonatal predictors of cognitive ability in adults born very preterm: a prospective cohort study. *Developmental Medicine & Child Neurology*, 59(5), pp.477–483. doi:<https://doi.org/10.1111/dmcn.13380>.
- Bruno, C.J., Beslow, L.A., Witmer, C.M., Vossough, A., Jordan, L.C., Zelonis, S., Licht, D.J., Ichord, R.N. and Smith, S.E. (2014). Haemorrhagic stroke in term and late preterm neonates. *Archives of Disease in Childhood - Fetal*

and Neonatal Edition, [online] 99(1), pp.F48–F53.
doi:<https://doi.org/10.1136/archdischild-2013-304068>.

Cortes, M. (2007). Morbidity and Mortality of Very Low Birth Weight Infant Graduates of a Level Three Neonatal Intensive Care Unit. *Morbidity and Mortality of Very Low Birth Weight Infant Graduates of a Level Three Neonatal Intensive Care Unit*. doi:<https://doi.org/10.31979/etd.kc28-xbtn>.

Cuestas E, Jose Bas J, Pautasso J. Sex differences in intraventricular hemorrhage rates among very low birth weight newborns. *Gender Medicine*, Volume 6, Issue 2, July 2009, Pages 376–382.
<https://doi.org/10.1016/j.genm.2009.06.001>.

Denicol MM, Leotti VB, Soares CRS, Hilgert JB. Early-onset neonatal sepsis as a predictive factor for peri-intraventricular hemorrhage in premature infants. *Rev Bras Epidemiol*. 2024 Mar 18;27:e240013. doi: 10.1590/1980-549720240013. PMID: 38511823; PMCID: PMC10946291.

El-Atawi K, Elhalik M, Kulkarni T, Abdelsamed A, Alexander L, Satyan AD. predictive factors, diagnosis, and current practices in the management of intraventricular hemorrhage in preterm infants: a review. *Acad J Ped Neonatol*. 2016;1(3):1–7. doi: 10.19080/AJPN.2016.01.555561.

El-Dib, M., Abend, N.S., Austin, T., Boylan, G.B., Chock, V.Y., Maria Roberta Cilio, Greisen, G., Hellström-Westas, L., Lemmers, P., Pellicer, A., Pressler, R., Sansevere, A.J., Enikő Szakmár, Tsuchida, T.N., Sampsa Vanhatalo, Wusthoff, C.J., Bonifacio, S.L., Wintermark, P., Aly, H. and Chang, T. (2022). Neuromonitoring in neonatal critical care part II: extremely premature infants and critically ill neonates. *Pediatric Research*, 94(1), pp.55–63. doi:<https://doi.org/10.1038/s41390-022-02392-2>.

Eui Kyung Choi, Hyo Jeong Kim, Bo Kyung Je, Byung Min Choi and Kim, S.-D. (2023). Morbidity and Mortality Trends in Preterm Infants of <32 Weeks

Gestational Age with Severe Intraventricular Hemorrhage : A 14-Year Single-Center Retrospective Study. [online] 66(3), pp.316–323. doi:<https://doi.org/10.3340/jkns.2022.0264>.

Gotardo JW, Volkmer NFV, Stangler GP, Dornelles AD, Bohrer BBA, Carvalho CG. Impact of peri-intraventricular haemorrhage and periventricular leukomalacia in the neurodevelopment of preterms: a systematic review and meta-analysis. PLoS One. 2019;14(10):e0223427. doi: 10.1371/journal.pone.0223427.

Hack M, Wilson-Costello D, Friedman H, Taylor GH, Schluchter M, Fanaroff AA. Neurodevelopment and predictors of outcomes of children with birth weights of less than 1000 g: 1992-1995. Arch Pediatr Adolesc Med. 2000 Jul;154(7):725-31. doi: 10.1001/archpedi.154.7.725. PMID: 10891026.

Han, R.H., McKinnon, A., CreveCoeur, T.S., Baksh, B.S., Mathur, A.M., Smyser, C.D., Strahle, J.M., Olsen, M.A. and Limbrick, D.D. (2018). Predictors of mortality for preterm infants with intraventricular hemorrhage: a population-based study. *Child's Nervous System*, 34(11), pp.2203–2213. doi:<https://doi.org/10.1007/s00381-018-3897-4>.

Jashni Motlagh, A., Elsagh, A., Sedighipoor, E. and Qorbani, M. (2021). Risk factors and short-term complications of high-grade intraventricular hemorrhages in preterm neonates in training hospitals of Alborz. *Iranian journal of child neurology*, [online] 15(1), pp.47–55. doi:<https://doi.org/10.22037/ijcn.v15i1.20346>.

Karila, K. (2022). *The outcome of necrotizing enterocolitis and spontaneous intestinal perforation*. [online] Helsinki.fi. Available at: <https://helda.helsinki.fi/items/240fb9cc-54d3-4b4b-b7a1-a3c2eefd954b> [Accessed 27 Oct. 2024].

- Kaur, A., Luu, T.M., Shah, P.S., Ayoub, A. and Auger, N. (2020). Neonatal Intraventricular Hemorrhage and Hospitalization in Childhood. *Pediatric Neurology*, 103, pp.35–42. doi:<https://doi.org/10.1016/j.pediatrneurol.2019.09.007>.
- Lee, J.Y., Kim, H.S., Jung, E., Kim, E.S., Shim, G.H., Lee, H.J., Lee, J.A., Choi, C.W., Kim, E.-K., Kim, B.I. and Choi, J.-H. (2010). Risk Factors for Periventricular-Intraventricular Hemorrhage in Premature Infants. *Journal of Korean Medical Science*, 25(3), p.418. doi:<https://doi.org/10.3346/jkms.2010.25.3.418>.
- Loiselle, S.-E. (2022). Born too small, too soon : how can we save them? : a novel interleukin-1 antagonist, Rytvela, successfully reverses the inflammatory cascade leading to intrauterine growth restriction and preterm birth. *Umontreal.ca*. [online] doi:<http://hdl.handle.net/1866/28301>.
- Ma, H., Tang, Z., Xiao, F., Li, L., Li, Y., Tang, W., Chen, L., Kang, W., Lu, Y., Dong, X., Cheng, G., Wang, L., Lu, W., Yang, L., Ni, Q., Peng, X., Wang, Y., Cao, Y., Wu, B. and Zhou, W. (2021). Neonatal Metabolic Acidosis in the Neonatal Intensive Care Unit: What Are the Genetic Causes? *Frontiers in Pediatrics*, 9. doi:<https://doi.org/10.3389/fped.2021.727301>.
- Maruyama, H., Shinozuka, M., Yo-Ichi Kondoh, Yo-Ichiro Akahori, Matsuda, M., Inoue, S., Sumida, Y. and Morishima, T. (2008). Thrombocytopenia in preterm infants with intrauterine growth restriction. *PubMed*, 62(5), pp.313–7. doi:<https://doi.org/10.18926/amo/30973>.
- Matijević V, Barbarić B, Kraljević M, Milas I, Kolak J. GENDER DIFFERENCES IN NEURODEVELOPMENTAL OUTCOMES AMONG FULL-TERM INFANTS WITH INTRAVENTRICULAR HEMORRHAGE. *Acta Clin Croat*. 2019 Mar;58(1):107–112. doi: 10.20471/acc.2019.58.01.14

Meledin, I., Tzur-Sebton, H., Noyman, I., Friger, M., Hazan, G. and Shany, E. (2019). Seizures in Premature Infants Born at Less than 28 Weeks' Gestation. *Neonatology*, pp.247–255. doi:<https://doi.org/10.1159/000494626>.

Nayeri UA, Buhimschi CS, Zhao G, Buhimschi IA, Bhandari V. Components of the antepartum, intrapartum, and postpartum exposome impact on distinct short-term adverse neonatal outcomes of premature infants: a prospective cohort study. *PLoS One*. 2018;13(12):e0207298. doi:10.1371/journal.pone.0207298.

Piccolo, B., Mariacristina Marchignoli and Pisani, F. (2022). Intraventricular hemorrhage in preterm newborn: Predictors of mortality. *PubMed*, [online] 93(2), pp.e2022041–e2022041. doi:<https://doi.org/10.23750/abm.v93i2.11187>.

Pisani, F., Facini, C., Pelosi, A., Mazzotta, S., Spagnoli, C. and Pavlidis, E. (2016). Neonatal seizures in preterm newborns: A predictive model for outcome. *European Journal of Paediatric Neurology*, 20(2), pp.243–251. doi:<https://doi.org/10.1016/j.ejpn.2015.12.007>.

Qi Zhou, Melissa Ong, Xiang Y. Ye, Joseph Y. Ting, Prakesh S. Shah, Anne Synnes, Thuy Mai Luu, Shoo Lee, Canadian Neonatal Network & Canadian Neonatal Follow-Up Network Investigators; Long-Term Neurodevelopmental Impairment among Very Preterm Infants with Sepsis, Meningitis, and Intraventricular Hemorrhage. *Neonatology* 1 February 2024; 121 (1): 65–73. <https://doi.org/10.1159/000534178>

Rahman, W., Heeramani Lohana, Sarwat Urooj, Ahmed, S., Moeed, A. and Humayun, K. (2020). Frequency of Hypocalcemic Fits in Children 2 Months to 2 Years of Age, Presenting with the First Episode of Afebrile Seizures at Hospital Settings in Urban Pakistan: A Cross-Sectional Study.

Open journal of pediatrics, 10(03), pp.411–422.
doi:<https://doi.org/10.4236/ojped.2020.103042>.

Sabry, A., Sayed, M.E., Seddik, A. and Aziz, N.A. (2022). Incidence & Risk Factors for The Development of Transfusion-Associated Necrotizing Enterocolitis in Preterm Infants After Packed red Blood Cells Transfusion. A Prospective-Observational Study. *Annals of Neonatology Journal*, 0(0). doi:<https://doi.org/10.21608/anj.2022.142664.1057>.

Seikku, L. (2020). Biomarkers of Intrauterine Hypoxia and Perinatal asphyxia, and Gestational Age as Predictors of Neonatal Outcome. *BIOMARKERS OF INTRAUTERINE HYPOXIA AND PERINATAL ASPHYXIA, AND GESTATIONAL AGE AS PREDICTORS OF NEONATAL OUTCOME*.

Sharafat, S., Khan, Z., Muhammad, A., Ali, H., Khan, A. and Noushad, A. (2024). Incidence and Risk Factors of Intraventricular Hemorrhage in Early Preterm Infants: A Cross-Sectional Study. *Cureus*. [online] doi:<https://doi.org/10.7759/cureus.68500>.

Sliusarieva, A.V., Kovalova, O.M. and Pokhylko, V.I. (2022). THE IMPACT OBESITY HAS ON EARLY PERINATAL OUTCOMES AND NEONATAL MORBIDITIES IN PREMATURE INFANTS. *World of Medicine and Biology*, 18(82), p.176. doi:<https://doi.org/10.26724/2079-8334-2022-4-82-176-181>.

Sunitha Kumari Byram, Chandini Penumaka, Vani Bai K, Harika Mandala, Patlolla Shanti. "A Prospective Study of Maternal predictive factors in Relation to Preterm Babies and Their Immediate Outcome in a Tertiary Care Hospital, Guntur". *International Journal of Academic Medicine and Pharmacy*, 2024, [https://academicmed.org/Uploads/Volume6Issue4/88.%20\[3597.%20JAMP_Jafar\]%20440-447.pdf](https://academicmed.org/Uploads/Volume6Issue4/88.%20[3597.%20JAMP_Jafar]%20440-447.pdf)

- Szpecht, D., Szymankiewicz, M., Nowak, I. and Gadzinowski, J. (2016). Intraventricular hemorrhage in neonates born before 32 weeks of gestation—retrospective analysis of risk factors. *Child's Nervous System*, 32(8), pp.1399–1404. doi:<https://doi.org/10.1007/s00381-016-3127-x>.
- Vesoulis, Z.A. and Mathur, A.M. (2017). Cerebral Autoregulation, Brain Injury, and the Transitioning Premature Infant. *Frontiers in Pediatrics*, 5. doi:<https://doi.org/10.3389/fped.2017.00064>.
- Wu, T., Wang, Y., Xiong, T., Huang, S., Tian, T., Tang, J. and Mu, D. (2020). Risk factors for the deterioration of periventricular–intraventricular hemorrhage in preterm infants. *Scientific Reports*, 10(1). doi:<https://doi.org/10.1038/s41598-020-70603-z>.
- Zhou Q, Ong M, Lan M, Ye XY, Ting JY, Shah PS, Lee SK; Canadian Neonatal Network (CNN) Investigators. Decreasing Trend in Incidence of Late Onset Culture Positive Bloodstream Infections but Not Late Onset Meningitis in Preterm Infants <33 Weeks Gestation in Canadian Neonatal Intensive Care Unit. *Neonatology*. 2022;119(1):60-67. doi: 10.1159/000520424. Epub 2021 Dec 7. PMID: 34875665.