

## DAFTAR PUSTAKA

- Abraham, A. G., D'Souza, G., Jing, Y., Gange, S. J., Sterling, T. R., Silverberg, M. J., Saag, M. S., Rourke, S. B., Rachlis, A., Napravnik, S., Moore, R. D., Klein, M. B., Kitahata, M. M., Kirk, G. D., Hogg, R. S., Hessel, N. A., Goedert, J. J., John Gill, M., Gebo, K. A., ... Strickler, H. D. (2013). Invasive Cervical Cancer Risk Among HIV-Infected Women. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, 62(4), 405–413. <https://doi.org/10.1097/QAI.0b013e31828177d7>
- Barillari G, Palladino C, Bacigalupo I, Leone P, Falchi M, Ensoli B. Entrance of the Tat protein of HIV-1 into human uterine cervical carcinoma cells causes upregulation of HPV-E6 expression and a decrease in p53 protein levels. *Oncol Lett.* 2016 Oct;12(4):2389-2394. doi: 10.3892/ol.2016.4921. Epub 2016 Jul 29. PMID: 27698804; PMCID: PMC5038842.
- Bernhard, M. C., Zwick, A., Mohr, T., Gasparoni, G., Khalmurzaev, O., Matveev, V. B., Loertzer, P., Pryalukhin, A., Hartmann, A., Geppert, C.-I., Loertzer, H., Wunderlich, H., Naumann, C. M., Kalthoff, H., Junker, K., Smola, S., & Lohse, S. (2021). The HPV and p63 Status in Penile Cancer Are Linked with the Infiltration and Therapeutic Availability of Neutrophils. *Molecular Cancer Therapeutics*, 20(2), 423–437. <https://doi.org/10.1158/1535-7163.MCT-20-0173>
- Bertisch B, Franceschi S, Lise M, Vernazza P, Keiser O, Schöni-Affolter F, Bouchardy C, Dehler S, Levi F, Jundt G, Ess S, Pawlita M, Kovari H, Wandeler G, Calmy A, Cavassini M, Stöckle M, Clifford G; Swiss HIV Cohort Study Investigators. Risk factors for anal cancer in persons infected with HIV: a nested case-control study in the Swiss HIV Cohort Study. *Am J Epidemiol.* 2013 Sep 15;178(6):877-84. doi: 10.1093/aje/kwt153. Epub 2013 Jul 30. PMID: 23900553.
- Bertolotti, A., Milpied, B., Fouéré, S., Dupin, N., Cabié, A., & Derancourt, C. (2019). Local Management of Anogenital Warts in Non-immunocompromised Adults: A Systematic Review and Meta-analyses of Randomized Controlled Trials. *Dermatology and Therapy*, 9(4), 761–774. <https://doi.org/10.1007/s13555-019-00328-z>
- Boda, D., Neagu, M., Constantin, C., Voinescu, R. N., Caruntu, C., Zurac, S., Spandidos, D. A., Drakoulis, N., Tsoukalas, D., & Tsatsakis, A. M. (2016). HPV strain distribution in patients with genital warts in a female population sample. *Oncology Letters*, 12(3), 1779–1782. <https://doi.org/10.3892/ol.2016.4903>
- Bogale, A. L., Belay, N. B., Medhin, G., & Ali, J. H. (2020). Molecular epidemiology of human papillomavirus among HIV infected women in developing countries: systematic review and meta-analysis. *Virology Journal*, 17(1), 179. <https://doi.org/10.1186/s12985-020-01448-1>
- Brennan, S., Baird, A. M., O'Regan, E., & Sheils, O. (2021). The Role of Human Papilloma Virus in Dictating Outcomes in Head and Neck Squamous Cell Carcinoma. In *Frontiers in Molecular Biosciences* (Vol. 8). Frontiers Media S.A. <https://doi.org/10.3389/fmolb.2021.677900>

- Bruni, L., Albero, G., Rowley, J., Alemany, L., Arbyn, M., Giuliano, A. R., Markowitz, L. E., Broutet, N., & Taylor, M. (2023). Global and regional estimates of genital human papillomavirus prevalence among men: a systematic review and meta-analysis. *The Lancet Global Health*, 11(9), e1345–e1362. [https://doi.org/10.1016/S2214-109X\(23\)00305-4](https://doi.org/10.1016/S2214-109X(23)00305-4)
- Burchell, A. N., Tellier, P. P., Hanley, J., Coutlée, F., & Franco, E. L. (2010). Human papillomavirus infections among couples in new sexual relationships. *Epidemiology*, 21(1), 31–37. <https://doi.org/10.1097/EDE.0b013e3181c1e70b>
- Buzzá, H. H., Stringasci, M. D., de Arruda, S. S., Crestana, R. H. S., de Castro, C. A., Bagnato, V. S., & Inada, N. M. (2021a). HPV-induced condylomata acuminata treated by Photodynamic Therapy in comparison with trichloroacetic acid: A randomized clinical trial. *Photodiagnosis and Photodynamic Therapy*, 35, 102465. <https://doi.org/10.1016/j.pdpdt.2021.102465>
- Camargo, M., Del Río-Ospina, L., Soto-De León, S.C., Sánchez, R., Pineda-Peña, A.C., Sussmann, O., Patarroyo, M.E., Patarroyo, M.A., 2018. Association of HIV status with infection by multiple HPV types. *Trop. Med. Int. Heal.* 23, 1259–1268. <https://doi.org/10.1111/tmi.13142>.
- Cestaro, G., Velotti, N., Schiavone, V., Musella, M., & Gentile, M. (2021). HIV screening in patients with anal condylomatosis. An overview about ethical and legal issues. *Annali Italiani Di Chirurgia*, 10.
- Chachage, M., Parikh, A. P., Mahenge, A., Bahemana, E., Mnkai, J., Mbuya, W., Mcharo, R., Maganga, L., Mwamwaja, J., Gervas, R., Kibuuka, H., Maswai, J., Singoei, V., Iroezindu, M., Fasina, A., Esber, A., Dear, N., Imbach, M., Crowell, T. A., ... Geldmacher, C. (2023). High-risk human papillomavirus genotype distribution among women living with and at risk for HIV in Africa. *AIDS*, 37(4), 625–635. <https://doi.org/10.1097/QAD.0000000000003437>
- Chikandiwa, A., Chimoyi, L., Pisa, P. T., Chersich, M. F., Muller, E. E., Michelow, P., Mayaud, P., & Delany-Moretlwe, S. (2017). Prevalence of anogenital HPV infection, related disease and risk factors among HIV-infected men in inner-city Johannesburg, South Africa: baseline findings from a cohort study. *BMC Public Health*, 17(S3), 425. <https://doi.org/10.1186/s12889-017-4354-0>
- Chin-Hong, P. v., & Palefsky, J. M. (2005). Human papillomavirus anogenital disease in HIV-infected individuals. *Dermatologic Therapy*, 18(1), 67–76. <https://doi.org/10.1111/j.1529-8019.2005.05009.x>
- Cosper, P. F., Bradley, S., Luo, L., & Kimple, R. J. (2021). Biology of HPV Mediated Carcinogenesis and Tumor Progression. In *Seminars in Radiation Oncology* (Vol. 31, Issue 4, pp. 265–273). W.B. Saunders. <https://doi.org/10.1016/j.semradonc.2021.02.006>
- Cox, A. J., Crowe, W. E., Yang, Q., Zhang, B., Oltvai, Z. N., & Liao, X. (2023). Clinicopathologic and Molecular Characterization of Anorectal Neuroendocrine Carcinomas Reveals Human Papillomavirus, p53, and c-

- Myc as Alternative Mechanisms of Carcinogenesis. *Modern Pathology*, 36(11), 100295. <https://doi.org/10.1016/j.modpat.2023.100295>
- Dareng, E. O., Adebamowo, S. N., Famooto, A., Olawande, O., Odutola, M. K., Olaniyan, Y., Offiong, R. A., Pharoah, P. P., & Adebamowo, C. A. (2019). Prevalence and incidence of genital warts and cervical Human Papillomavirus infections in Nigerian women. *BMC Infectious Diseases*, 19(1), 27. <https://doi.org/10.1186/s12879-018-3582-y>
- Das, S., Doss C, G. P., Fletcher, J., Kannangai, R., Abraham, P., & Ramanathan, G. (2023). The impact of human papilloma virus on human reproductive health and the effect on male infertility: An updated review. *Journal of Medical Virology*, 95(4). <https://doi.org/10.1002/jmv.28697>
- Debrah, O., Agyemang-Yeboah, F., Donkoh, E. T., & Asmah, R. H. (2021). Prevalence of vaccine and non-vaccine human papillomavirus types among women in Accra and Kumasi, Ghana: a cross-sectional study. *BMC Women's Health*, 21(1). <https://doi.org/10.1186/s12905-021-01511-1>
- Dietz CA, Nyberg CR. Genital, oral, and anal human papillomavirus infection in men who have sex with men. *J Am Osteopath Assoc*. 2011 Mar;111(3 Suppl 2):S19-25. PMID: 21415374.
- Dillner, J. (2015). Prevention of Human Papillomavirus–Associated Cancers. *Seminars in Oncology*, 42(2), 272–283. <https://doi.org/10.1053/j.seminoncol.2014.12.028>
- Dolei, A., Curreli, S., Marongiu, P., 1999. Human immunodeficiency virus infection in vitro activates naturally integrated human papillomavirus type 18 and induces synthesis of the L1 capsid protein. *J. Gen. Virol* 80, 2937–2944.
- Donovan, B., Franklin, N., Guy, R., Grulich, A. E., Regan, D. G., Ali, H., Wand, H., & Fairley, C. K. (2011). *Quadrivalent human papillomavirus vaccination and trends in genital warts in Australia: analysis of national sentinel surveillance data*. <https://doi.org/10.1016/S1473>
- Egawa, N., & Doorbar, J. (2017). The low-risk papillomaviruses. In *Virus Research* (Vol. 231, pp. 119–127). Elsevier B.V. <https://doi.org/10.1016/j.virusres.2016.12.017>
- Fakhry, C., Blackford, A. L., Neuner, G., Xiao, W., Jiang, B., Agrawal, A., & Gillison, M. L. (2019). Association of Oral Human Papillomavirus DNA Persistence With Cancer Progression After Primary Treatment for Oral Cavity and Oropharyngeal Squamous Cell Carcinoma. *JAMA Oncology*, 5(7), 985. <https://doi.org/10.1001/jamaoncol.2019.0439>
- Forman, D., de Martel, C., Lacey, C. J., Soerjomataram, I., Lortet-Tieulent, J., Bruni, L., Vignat, J., Ferlay, J., Bray, F., Plummer, M., & Franceschi, S. (2012). Global Burden of Human Papillomavirus and Related Diseases. *Vaccine*, 30, F12–F23. <https://doi.org/10.1016/j.vaccine.2012.07.055>
- Gamboa-Hoil, S. I. (2023a). Human papillomavirus in men. *Revista Internacional de Andrología*, 21(1), 100325. <https://doi.org/10.1016/j.androl.2021.09.001>
- Gheit, T. (2019). Mucosal and Cutaneous Human Papillomavirus Infections and Cancer Biology. *Frontiers in Oncology*, 9. <https://doi.org/10.3389/fonc.2019.00355>



- Ghosh, I., Ghosh, P., Bharti, A. C., Mandal, R., Biswas, J., & Basu, P. (2012). Prevalence of Human Papillomavirus and Co-Existent Sexually Transmitted Infections among Female Sex Workers, Men having Sex with Men and Injectable Drug abusers from Eastern India. *Asian Pacific Journal of Cancer Prevention*, 13(3), 799–802. <https://doi.org/10.7314/APJCP.2012.13.3.799>
- Gilson, R., Nugent, D., Werner, R. N., Ballesteros, J., & Ross, J. (2020). 2019 IUSTI-Europe guideline for the management of anogenital warts. *Journal of the European Academy of Dermatology and Venereology*, 34(8), 1644–1653. <https://doi.org/10.1111/jdv.16522>
- Gonçalves, M.A.G., Soares, E.G., Donadi, E.A., 2009. The influence of human papillomavirus type and HIV status on the lymphomononuclear cell profile in patients with cervical intraepithelial lesions of different severity. *Infect. Agent. Cancer* 4, 2–10. <https://doi.org/10.1186/1750-9378-4-11>
- Goral, J., Karavitis, J., & Kovacs, E. J. (2008). Exposure-dependent effects of ethanol on the innate immune system. *Alcohol (Fayetteville, N.Y.)*, 42(4), 237–247. <https://doi.org/10.1016/j.alcohol.2008.02.003>
- Halec, G., Alemany, L., Lloveras, B., Schmitt, M., Alejo, M., Bosch, F. X., Tous, S., Klaustermeier, J. E., Guimerà, N., Grabe, N., Lahrmann, B., Gissmann, L., Quint, W., Bosch, F. X., de Sanjose, S., & Pawlita, M. (2014). Pathogenic role of the eight probably/possibly carcinogenic <scp>HPV</scp> types 26, 53, 66, 67, 68, 70, 73 and 82 in cervical cancer. *The Journal of Pathology*, 234(4), 441–451. <https://doi.org/10.1002/path.4405>
- Halec, G., Schmitt, M., Dondog, B., Sharkhuu, E., Wentzensen, N., Gheit, T., Tommasino, M., Kommoss, F., Bosch, F. X., Franceschi, S., Clifford, G., Gissmann, L., & Pawlita, M. (2013). Biological activity of probable/possible high-risk human papillomavirus types in cervical cancer. *International Journal of Cancer*, 132(1), 63–71. <https://doi.org/10.1002/ijc.27605>
- Hashemnejad, M., Mirmajidi, R., Rahimzadeh, M., & Ataei, M. (2022). The prevalence of high-risk human papillomavirus genotypes and related risk factors among Iranian women. *Journal of Medicine and Life*, 15(11), 1340–1346. <https://doi.org/10.25122/jml-2022-0031>
- Hinten, F., Molijn, A., Eckhardt, L., Massuger, L. F. A. G., Quint, W., Bult, P., Bulten, J., Melchers, W. J. G., & de Hullu, J. A. (2018). Vulvar cancer: Two pathways with different localization and prognosis. *Gynecologic Oncology*, 149(2), 310–317. <https://doi.org/10.1016/j.ygyno.2018.03.003>
- Howett, M., & Kuhl, J. (2005). Microbicides for Prevention of Transmission of Sexually Transmitted Diseases. *Current Pharmaceutical Design*, 11(29), 3731–3746. <https://doi.org/10.2174/138161205774580633>
- Kines, R. C., Thompson, C. D., Lowy, D. R., Schiller, J. T., & Day, P. M. (2009). The initial steps leading to papillomavirus infection occur on the basement membrane prior to cell surface binding. *Proceedings of the National Academy of Sciences*, 106(48), 20458–20463. <https://doi.org/10.1073/pnas.0908502106>

- Konopnicki, D., Manigart, Y., Gilles, C., Barlow, P., de Marchin, J., Feoli, F., Larsimont, D., Delforge, M., de Wit, S., & Clumeck, N. (2013a). High-risk human papillomavirus infection in HIV-positive African women living in Europe. *Journal of the International AIDS Society*, 16(1). <https://doi.org/10.7448/IAS.16.1.18023>
- Konopnicki, D., Manigart, Y., Gilles, C., Barlow, P., de Marchin, J., Feoli, F., Larsimont, D., Delforge, M., de Wit, S., & Clumeck, N. (2013b). Sustained Viral Suppression and Higher CD4+ T-Cell Count Reduces the Risk of Persistent Cervical High-Risk Human Papillomavirus Infection in HIV-Positive Women. *Journal of Infectious Diseases*, 207(11), 1723–1729. <https://doi.org/10.1093/infdis/jit090>
- Kumar, B., & Gupta, S. (2001). The acetowhite test in genital human papillomavirus infection in men: what does it add? *Journal of the European Academy of Dermatology and Venereology*, 15(1), 27–29. <https://doi.org/10.1046/j.1468-3083.2001.00196.x>
- Kumar, R., Rai, A. K., Das, D., Das, R., Kumar, R. S., Sarma, A., Sharma, S., Kataki, A. C., & Ramteke, A. (2015). Alcohol and Tobacco Increases Risk of High Risk HPV Infection in Head and Neck Cancer Patients: Study from North-East Region of India. *PloS one*, 10(10), e0140700. <https://doi.org/10.1371/journal.pone.0140700>
- Lau JT, Wang Z, Lau M, Lai CH. Perceptions of HPV, genital warts, and penile/anal cancer and high-risk sexual behaviors among men who have sex with men in Hong Kong. *Arch Sex Behav*. 2014 May;43(4):789-800. doi: 10.1007/s10508-013-0172-3. Epub 2013 Aug 28. PMID: 23982568.
- Liu, J., Yang, R., Huang, J., Zhang, M., Zhao, X., Chu, W., & Wei, L. (2023). Prevalence and risk factors of anal human papillomavirus infection among men with anal condyloma acuminata by HIV status in ShenZhen, Southeast China: A retrospective cohort study. *Journal of Medical Virology*, 95(12). <https://doi.org/10.1002/jmv.29282>
- Liu, J., Yang, R., Zhao, X., Chu, W., Li, D., Wang, F., & Wei, L. (2023). Risk factors of oncogenic HPV infection in HIV-positive men with anal condyloma acuminata in Shenzhen, Southeast China: a retrospective cohort study. *Frontiers in Public Health*, 11. <https://doi.org/10.3389/fpubh.2023.943115>
- Llata, E., Stenger, M., Bernstein, K., Guerry, S., Kerani, R., Pugsley, R., Pathela, P., Tabidze, I., & Weinstock, H. (2014). Prevalence of genital warts among sexually transmitted disease clinic patients-sexually transmitted disease surveillance network, United States, january 2010 to december 2011. *Sexually Transmitted Diseases*, 41(2), 89–93. <https://doi.org/10.1097/OLQ.0000000000000077>
- Luo, Z. Y., Chen, Q., Yang, H., Lin, M., Chen, C. Y., Yang, C., & Yang, L. Y. (2015). The prevalence and genotype of human papillomavirus from patients with genital warts in Eastern Guangdong Province. *Asian Pacific Journal of Cancer Prevention*, 16(14), 5675–5679. <https://doi.org/10.7314/APJCP.2015.16.14.5675>

- Megersa, T., Dango, S., Kumsa, K., Lemma, K., & Lencha, B. (2023). Prevalence of high-risk human papillomavirus infections and associated factors among women living with HIV in Shashemene town public health facilities, Southern Ethiopia. *BMC Women's Health*, 23(1). <https://doi.org/10.1186/s12905-023-02279-2>
- Menon, S., Moch, H., Berney, D., Cree, I., Srigley, J., Tsuzuki, T., Compérat, E., Hartmann, A., Netto, G., Rubin, M., Gill, A., Turajlic, S., Tan, P., Raspollini, M., Tickoo, S., & Amin, M. B. (2023). WHO 2022 classification of penile and scrotal cancers: updates and evolution. *Histopathology*, 82(4), 508–520. <https://doi.org/10.1111/his.14824>
- Mohammadi, M., Abbaszadeh, H., Mohtasham, N., Salehiniya, H., & Shafaie, E. (2023). The association between high-risk human papillomavirus and oral lichen planus. *Clinical and Experimental Dental Research*, 9(1), 93–99. <https://doi.org/10.1002/cre2.707>
- Moodley, M., & Mould, S. (2005). Invasive cervical cancer and human immunodeficiency virus (HIV) infection in KwaZulu-Natal, South Africa. *Journal of Obstetrics and Gynaecology*, 25(7), 706–710. <https://doi.org/10.1080/01443610500294599>
- Mudrikova, T., Jaspers, C., Ellerbroek, P., & Hoepelman, A. (2008). HPV-related anogenital disease and HIV infection: not always “ordinary” condylomata acuminata. *The Netherlands Journal of Medicine*, 66(3), 98–102.
- Munk, C., Nielsen, A., Liaw, K. L., & Kjaer, S. K. (2012). Genital warts in men: A large population-based cross-sectional survey of Danish men. *Sexually Transmitted Infections*, 88(8), 640–644. <https://doi.org/10.1136/sextrans-2012-050512>
- Nareswari, A., Bhadra, P., Mardiana, Kusuma, H. P., & Ellistasari, E. Y. (2018). Gender Differences in Sociodemographic Characteristics and Risk Factors among Condyloma Acuminata Patients in Dr. Moewardi General Hospital Surakarta. *Proceedings of the 23rd Regional Conference of Dermatology*, 214–218. <https://doi.org/10.5220/0008154202140218>
- Ntanasis-Stathopoulos, I., Kyriazoglou, A., Lontos, M., A Dimopoulos, M., & Gavriatopoulou, M. (2020). Current trends in the management and prevention of human papillomavirus (HPV) infection. *Journal of B.U.ON. : Official Journal of the Balkan Union of Oncology*, 25(3), 1281–1285.
- Oh, H. Y., Seo, S. S., Kim, M. K., Lee, D. O., Chung, Y. K., Lim, M. C., Kim, J. Y., Lee, C. W., & Park, S. Y. (2014). Synergistic effect of viral load and alcohol consumption on the risk of persistent high-risk human papillomavirus infection. *PloS one*, 9(8), e104374. <https://doi.org/10.1371/journal.pone.0104374>
- Okesola, A. O., & Fawole, O. I. (2000). Prevalence of human papilloma virus genital infections in sexually transmitted diseases clinic attendees in Ibadan. *West African Journal of Medicine*, 19(3), 195–199.
- Ortiz, A. P., Tamayo, V., Scorsone, A., Soto-Salgado, M., Febo, I., Piovanetti, P., Venegas-Ríos, H. L., Yamamura, Y., & Zorrilla, C. (2017). Prevalence and correlates of cervical HPV infection in a clinic-based sample of HIV-



- positive Hispanic women. *Papillomavirus Research*, 4, 39–44. <https://doi.org/10.1016/j.pvr.2017.06.006>
- Palefsky, J.M., 2003. Cervical human papillomavirus infection and cervical intraepithelial neoplasia in women positive for human immunodeficiency virus in the era of highly active antiretroviral therapy. *Curr. Opin. Oncol.* 15, 382–388. <https://doi.org/10.1097/00001622-200309000-00007>
- Park, S. J., Seo, J., Ha, S.-H., & Jung, G.-W. (2014). Prevalence and Determinants of High-Risk Human Papillomavirus Infection in Male Genital Warts. *Korean Journal of Urology* © The Korean Urological Association, 55, 207–212. [https://doi.org/10.4111/kju.2014.55.3.207&domain=pdf&date\\_stamp=2014-03-17](https://doi.org/10.4111/kju.2014.55.3.207&domain=pdf&date_stamp=2014-03-17)
- Patel, H., Wagner, M., Singhal, P., & Kothari, S. (2013). Systematic review of the incidence and prevalence of genital warts. *BMC Infectious Diseases*, 13(1), 39. <https://doi.org/10.1186/1471-2334-13-39>
- Pöschl, G., & Seitz, H. K. (2004). Alcohol and cancer. *Alcohol and alcoholism (Oxford, Oxfordshire)*, 39(3), 155–165. <https://doi.org/10.1093/alcalc/agh057>
- Pudney, J., Wangu, Z., Panther, L., Fugelso, D., Marathe, J. G., Sagar, M., Politch, J. A., & Anderson, D. J. (2019). Condylomata Acuminata (Anogenital Warts) Contain Accumulations of HIV-1 Target Cells That May Provide Portals for HIV Transmission. *The Journal of Infectious Diseases*, 219(2), 275–283. <https://doi.org/10.1093/infdis/jiy505>
- Puspawati, N. M. D., Sissy, S., & Gotama, D. (2018). A retrospective study of condyloma acuminata profile in outpatient clinic of dermato-venereology Sanglah General Hospital Denpasar, Bali-Indonesia period 2015-2017. *Bali Dermatology and Venereology Journal*, 1(1). <https://doi.org/10.15562/bdv.v1i1.1>
- Remis, R. S., Liu, J., Loutfy, M., Tharao, W., Rebbapragada, A., Perusini, S. J., Chieza, L., Saunders, M., Green-Walker, L., & Kaul, R. (2013). The epidemiology of sexually transmitted co-infections in HIV-positive and HIV-negative African-Caribbean women in Toronto. *BMC Infectious Diseases*, 13(1), 550. <https://doi.org/10.1186/1471-2334-13-550>
- Reuschenbach, M., Doorbar, J., del Pino, M., Joura, E. A., Walker, C., Drury, R., Rauscher, A., & Saah, A. J. (2023). Prophylactic HPV vaccines in patients with HPV-associated diseases and cancer. *Vaccine*, 41(42), 6194–6205. <https://doi.org/10.1016/j.vaccine.2023.08.047>
- Rosário, A., Sousa, A., Marinho-Dias, J., Medeiros, R., Lobo, C., Leça, L., Coimbra, N., Tavares, F., Baldaque, I., Martins, G., Monteiro, P., Henrique, R., & Sousa, H. (2023). Impact of high-risk Human Papillomavirus genotyping in cervical disease in the Northern region of Portugal: Real-world data from regional cervical cancer screening program. *Journal of Medical Virology*, 95(1). <https://doi.org/10.1002/jmv.28414>
- Schiller, J. T., & Lowy, D. R. (2012). Understanding and learning from the success of prophylactic human papillomavirus vaccines. *Nature Reviews*

- Silverberg, M. J., Lau, B., Justice, A. C., Engels, E., Gill, M. J., Goedert, J. J., Kirk, G. D., D'Souza, G., Bosch, R. J., Brooks, J. T., Napravnik, S., Hessel, N. A., Jacobson, L. P., Kitahata, M. M., Klein, M. B., Moore, R. D., Rodriguez, B., Rourke, S. B., Saag, M. S., ... Dubrow, R. (2012). Risk of Anal Cancer in HIV-Infected and HIV-Uninfected Individuals in North America. *Clinical Infectious Diseases*, 54(7), 1026–1034. <https://doi.org/10.1093/cid/cir1012>
- Sindhuja, T., Bhari, N., & Gupta, S. (2022). Asian guidelines for condyloma acuminatum. *Journal of Infection and Chemotherapy*, 28(7), 845–852. <https://doi.org/10.1016/j.jiac.2022.03.004>
- Smelov, V., Eklund, C., Bzhalava, D., Novikov, A., & Dillner, J. (2013). Expressed Prostate Secretions in the Study of Human Papillomavirus Epidemiology in the Male. *PLoS ONE*, 8(6), e66630. <https://doi.org/10.1371/journal.pone.0066630>
- Sofiani, V. H., Veisi, P., Rukerd, M. R. Z., Ghazi, R., & Nakhaie, M. (2023). The complexity of human papilloma virus in cancers: a narrative review. In *Infectious Agents and Cancer* (Vol. 18, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13027-023-00488-w>
- Sonnenberg, P., Tanton, C., Mesher, D., King, E., Beddows, S., Field, N., Mercer, C. H., Soldan, K., & Johnson, A. M. (2019). Epidemiology of genital warts in the British population: implications for HPV vaccination programmes. *Sexually Transmitted Infections*, 95(5), 386–390. <https://doi.org/10.1136/sextrans-2018-053786>
- Sornpaisarn, B., Shield, K., Manthey, J., Limmade, Y., Low, W. Y., van Thang, V., & Rehm, J. (2020). Alcohol consumption and attributable harm in middle-income South-East Asian countries: Epidemiology and policy options. *International Journal of Drug Policy*, 83, 102856. <https://doi.org/10.1016/j.drugpo.2020.102856>
- Sotlar, K., Stubner, A., Diemer, D., Menton, S., Menton, M., Dietz, K., Wallwiener, D., Kandolf, R., & Bültmann, B. (2004). Detection of high-risk human papillomavirus E6 and E7 oncogene transcripts in cervical scrapes by nested RT-polymerase chain reaction. *Journal of Medical Virology*, 74(1), 107–116. <https://doi.org/10.1002/jmv.20153>
- Stein, A. P., Saha, S., Kraninger, J. L., Swick, A. D., Yu, M., Lambert, P. F., & Kimple, R. J. (2015). Prevalence of Human Papillomavirus in Oropharyngeal Cancer. *The Cancer Journal*, 21(3), 138–146. <https://doi.org/10.1097/PPO.000000000000115>
- Sterling, J.C., 2017. Human Papillomavirus Infections, in: Fitzpatrick's Dermatology 9th Ed. McGraw-Hill Education, New York City, pp. 3095–3106.
- Strickler, H.D., Burk, R.D., Fazzari, M., Anastos, K., Minkoff, H., Massad, L.S., Hall, C., Bacon, M., Levine, A.M., Watts, D.H., Silverberg, M.J., Xue, X., Schlecht, N.F., Melnick, S., Palefsky, J.M., 2005. Natural history and possible reactivation of human papillomavirus in human immunodeficiency virus-positive women. *J. Natl. Cancer Inst.* 97, 577–586. <https://doi.org/10.1093/jnci/dji073>
- Suresh, Alka, Parasmal Suresh, Raja



- Biswas, Anupama Rajanbabu, Sarala Sreedhar, and Lalitha Biswas. 2021. "Prevalence of High-risk HPV and Its Genotypes—Implications in the Choice of Prophylactic HPV Vaccine." *Journal of Medical Virology* 93 (8): 5188–92. <https://doi.org/10.1002/jmv.27015>.
- Suresh, A., Suresh, P., Biswas, R., Rajanbabu, A., Sreedhar, S., & Biswas, L. (2021). Prevalence of high-risk HPV and its genotypes—Implications in the choice of prophylactic HPV vaccine. *Journal of Medical Virology*, 93(8), 5188–5192. <https://doi.org/10.1002/jmv.27015>
- Swai, P., Rasch, V., Linde, D. S., Mchome, B., Manongi, R., Wu, C. sen, Waldstrom, M., Iftner, T., Mwaiselage, J., & Kjaer, S. K. (2022). Persistence and risk factors of high-risk human papillomavirus infection among HIV positive and HIV negative tanzanian women: a cohort study. In *Infectious Agents and Cancer* (Vol. 17, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13027-022-00442-2>
- Tagne Simo, R., Kiafon, F. B., Nangue, C., Goura, A. P., Ebune, J. L., Usani, M. C., Nwabo Kamdje, A. H., Seke Etet, P. F., & Telefo, P. B. (2021). Influence of HIV infection on the distribution of high-risk HPV types among women with cervical precancerous lesions in Yaounde, Cameroon. *International Journal of Infectious Diseases*, 110, 426–432. <https://doi.org/10.1016/j.ijid.2021.07.059>
- Tang, Y., Tong, Q., Dai, N., & Xu, C. (2023). Evaluation of the clinical efficacy of vaginal treatment options for persistent high-risk human papillomavirus infection after excisional treatment of cervical high-grade squamous intraepithelial lesions: a systematic review and Bayesian network meta-analysis. *Virology Journal*, 20(1), 47. <https://doi.org/10.1186/s12985-023-02001-6>
- Tang, Y., Zhu, X., Lu, W., Song, Y., Tao, X., & Cheng, H. (2023). Transcriptional analysis reveals distinct gene expression profiles of three bowenoid papulosis patients. *Experimental Dermatology*, 32(9), 1439–1450. <https://doi.org/10.1111/exd.14847>
- Tas, B., Turker, K., & Balci, E. (2016). Risk-Factors and Awareness of HPV in Turkish people with Anogenital Warts in Bagcilar district: a Cross-Sectional Study. *Archives of Iranian Medicine*, 19(10), 715–719.
- Torres, M., Silva-Klug, A., Ferrer, E., Saumoy, M., Trenti, L., Tous, S., Esteban, A., Baixeras, N., Catala, I., Vidal, A., G Bravo, I., Podzamecz, D., & de Sanjose, S. (2023). Detecting anal human papillomavirus infection in men who have sex with men living with HIV: Implications of assay variability. *Sexually Transmitted Infections*, 99(3), 187–190. <https://doi.org/10.1136/sextrans-2021-055303>
- Tsai, T.-F., Kothari-Talwar, S., Yee, K., Kulkarni, A., Lara, N., Roset, M., Giuliano, A. R., & Garland, S. M. (2017). Estimating the burden of genital warts in Taiwan. *Sexual Health*, 14(6), 485. <https://doi.org/10.1071/SH17013>
- Veldhuijzen, N. J., Reiss, P., H M van de Wijgert, J. H., Veldhuijzen, N. J., Snijders, P. J., Reiss, P., JLM Meijer, C., & HHM van de Wijgert, J. (2010). Factors

- affecting transmission of mucosal human papillomavirus. *The Lancet Infectious Diseases*, 10, 862–874. <https://doi.org/10.1016/S1473>
- Wang, J. W., & Roden, R. B. S. (2013). L2, the minor capsid protein of papillomavirus. *Virology*, 445(1–2), 175–186. <https://doi.org/10.1016/j.virol.2013.04.017>
- Wasita, B., Suyatmi, Pesik, R. N., Yudhani, R. D., Wiyono, N., Rahayu, R. F., & Yarso, K. Y. (2023). High-risk human papillomavirus prevalence among patients with cervical cancer at Moewardi General Hospital in Surakarta, Indonesia. *Bali Medical Journal*, 12(2), 1918–1921. <https://doi.org/10.15562/bmj.v12i2.3782>
- Wesselmann, P., Schwarze-Zander, C., Boesecke, C., Rockstroh, J., Stoffels, B., Vilz, T. O., Glowka, T. R., Kalff, J. C., & von Websky, M. W. (2020). HPV-associated anal lesions in HIV+ patients: long-term results regarding quality of life. *International Journal of Colorectal Disease*, 35(6), 1103–1110. <https://doi.org/10.1007/s00384-020-03567-1>
- Wieland, U., & Kreuter, A. (2017). Kondylome bei HIV-Infizierten. *Der Hautarzt*, 68(3), 192–198. <https://doi.org/10.1007/s00105-017-3938-z>
- Wieland, U., Kreuter, A., & Pfister, H. (2014). Human Papillomavirus and Immunosuppression (pp. 154–165). <https://doi.org/10.1159/000357907>
- Winer, R.L., Koutsky, L.A., 2008. Genital human papillomavirus infection, in: Holmes, K.K. (Ed.), *Sexually Transmitted Diseases*. Mc Graw-Hill, pp. 489–508.
- Yuan, J., Ni, G., Wang, T., Mounsey, K., Cavezza, S., Pan, X., & Liu, X. (2018). Genital warts treatment: Beyond imiquimod. In *Human Vaccines and Immunotherapeutics* (Vol. 14, Issue 7, pp. 1815–1819). Taylor and Francis Inc. <https://doi.org/10.1080/21645515.2018.1445947>
- Zare-Bidaki, M., Zardast, M., Nadjafi-Semnani, A., Nadjafi-Semnani, M., Javanmard, D., Ghafari, S., & Ghanbarzadeh, N. (2022). Investigation of frequency and typing of human papillomavirus among genital warts using a reverse dot blot hybridization approach. *BMC Infectious Diseases*, 22(1). <https://doi.org/10.1186/s12879-022-07276-8>
- Zheng, Z.-M., & Baker, C. C. (n.d.). PAPILLOMAVIRUS GENOME STRUCTURE, EXPRESSION, AND POST-TRANSCRIPTIONAL REGULATION.
- Zou, K., Huang, Y., & Li, Z. (2022). Prevention and treatment of human papillomavirus in men benefits both men and women. In *Frontiers in Cellular and Infection Microbiology* (Vol. 12). Frontiers Media S.A. <https://doi.org/10.3389/fcimb.2022.1077651>