

REFERENCES

- Agustina, D. S., & Oktavia, F. (2021). Rubber agroforestry system in Indonesia: Past, present, and future practices. In Y. Asih Purwestri, S. Subandiyah, P. Montoro, W. Dyah Sawitri, K. Restu Susilo, I. Yoga Prasada, G. Wirakusuma, & A. Dewi (Eds.), *E3S Web of Conferences* (Vol. 305, p. 02005). <https://doi.org/10.1051/e3sconf/202130502005>
- Aji, M., Montoro, P., Lopez, D., Ismawanto, S., & Oktavia, F. (2025). Early selection and genetic analysis of susceptibility to tapping panel dryness by applying an intense harvesting system to a segregating population in *Hevea brasiliensis*. *Industrial Crops and Products*, 225, 120443. <https://doi.org/10.1016/j.indcrop.2024.120443>
- Amoak, D., Luginaah, I., & McBean, G. (2022). Climate Change, Food Security, and Health: Harnessing Agroecology to Build Climate-Resilient Communities. *Sustainability*, 14(21), 13954. <https://doi.org/10.3390/su142113954>
- Amorim, E. P., Longui, E. L., Freitas, M. L. M., Yamaji, F. M., Gomes Da Silva, F., Silvestre, M. A. D. M., Cambuim, J., Teixeira De Moraes, M. L., & Gonçalves, P. D. S. (2023). Wood quality of ten clonal progenies of rubber tree as raw material for bioenergy. *Maderas. Ciencia y Tecnología*, 25. <https://doi.org/10.4067/S0718-221X2023000100428>
- Anten, N. P. R., & Schieving, F. (2010). The Role of Wood Mass Density and Mechanical Constraints in the Economy of Tree Architecture. *The American Naturalist*, 175(2), 250–260. <https://doi.org/10.1086/649581>
- Asante, W. A., Ahoma, G., Gyampoh, B. A., Kyereh, B., & Asare, R. (2021). Upper canopy tree crown architecture and its implications for shade in cocoa agroforestry systems in the Western Region of Ghana. *Trees, Forests and People*, 5, 100100. <https://doi.org/10.1016/j.tfp.2021.100100>
- Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1). <https://doi.org/10.18637/jss.v067.i01>
- Bell, A. D. (1991). *Plant Form: An Illustrated Guide of Flowering Plant Morphology*. OXFORD UNIVERSITY PRESS.
- Bellow, J. G., & Nair, P. K. R. (2003). Comparing common methods for assessing understory light availability in shaded-perennial agroforestry systems.

Agricultural and Forest Meteorology, 114(3–4), 197–211.
[https://doi.org/10.1016/S0168-1923\(02\)00173-9](https://doi.org/10.1016/S0168-1923(02)00173-9)

- Budiman, A., Penot, E., de Foresta, H., & Tomish, T. (1994, November). *INTEGRATED RUBBER AGROFORESTRY FOR THE FUTURE OF SMALLHOLDER RUBBER IN INDONESIA*. Rubber National Conference, IRRI, Medan, Indonesia. <https://agritrop.cirad.fr/388080/1/ID388080.pdf>
- Cahyo, A. N., Dong, Y., Taryono, Nugraha, Y., Junaidi, Sahuri, Penot, E., Hairmansis, A., Purwestri, Y. A., Akbar, A., Asywadi, H., Ardika, R., Prasetyo, N. E., Agustina, D. S., Alam, T., Oktavia, F., Subandiyah, S., & Montoro, P. (2024). Rubber-Based Agroforestry Systems Associated with Food Crops: A Solution for Sustainable Rubber and Food Production? *Agriculture*, 14(7), 1038. <https://doi.org/10.3390/agriculture14071038>
- Cahyo, A. N., Murti, R. H., Putra, E. T. S., Oktavia, F., Ismawanto, S., Mournet, P., Fabre, D., & Montoro, P. (2022). Screening and QTLs detection for drought factor index trait in rubber (*Hevea brasiliensis* Müll. Arg.). *Industrial Crops and Products*, 190, 115894. <https://doi.org/10.1016/j.indcrop.2022.115894>
- Chaendaekattu, N., & Mydin, K. K. (2018). Inheritance pattern and genetic correlations among growth and wood quality traits in Para rubber tree (*Hevea brasiliensis*) and implications for breeding. *Tree Genetics & Genomes*, 14(5), 63. <https://doi.org/10.1007/s11295-018-1278-5>
- Chandrashekar, T. R., Nazeer, M. A., Marattukalam, J. G., Prakash, G. P., Annamalainathan, K., & Thomas, J. (1998). AN ANALYSIS OF GROWTH AND DROUGHT TOLERANCE IN RUBBER DURING THE IMMATURE PHASE IN A DRY SUBHUMID CLIMATE. *Experimental Agriculture*, 34(3), 287–300. <https://doi.org/10.1017/S0014479798343045>
- Cheng, H., Liu, C., & Kang, L. (2020). Experimental study on the effect of plant spacing, number of rows and arrangement on the airflow field of forest belt in a wind tunnel. *Journal of Arid Environments*, 178, 104169. <https://doi.org/10.1016/j.jaridenv.2020.104169>
- Cheng, H., Tang, C., & Huang, H. (2020). The Reyan 7-33-97 Rubber Tree Genome: Insight into Its Structure, Composition and Application. In M. Matsui & K.-S. Chow (Eds.), *The Rubber Tree Genome*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-42258-5>
- Chima, U. D., Qi, D., Wu, Z., & Chen, B. (2021). An appraisal of studies on the impact of *Hevea brasiliensis* monocultures on biodiversity in top ten natural rubber

- producing countries. *Nature and Science* 2021; 19 (11), 11(19), 8–20.
<https://doi.org/10.7537/marsnsj191121.02>
- Cilas, C. (2004). Characterization of branching in two *Hevea brasiliensis* clones. *Journal of Experimental Botany*, 55(399), 1045–1051.
<https://doi.org/10.1093/jxb/erh114>
- Clement-Demange, A., Chapuset, T., Legnate, H., Costes, E., Doumbia, A., Obouayeba, S., & Nicolas, D. (1996). Wind damage: The possibilities of an integrated research for improving the prevention of risks and the resistance of clones in the rubber tree. *Symposium on Physiological and Molecular Aspects of the Breeding of Hevea Brasiliensis, Penang, Malaysia, 6-7 November, 1995.*, Clement-Demange, A.: CIRAD-CP, BP 5035, 34032 Montpellier Cedex 1, France, 182–199.
- Darojat, M. R., Ardhie, S. W., Oktavia, F., & Sudarsono, S. (2023). New leaf fall disease in rubber-pathogen characterization and rubber clone resistance evaluation using detached leaf assay. *Biodiversitas Journal of Biological Diversity*, 24(4), Article 4. <https://smujo.id/biodiv/article/view/13215>
- Darojat, M. R., Kusdiana, A. P. J., Montoro, P., Lopez, D., Oktavia, F., Ismawanto, S., & Sudarsono, S. (2024). Bioassays and field observations revealed complex and different genetic bases in Pestalotiopsis and circular leaf fall disease in *Hevea brasiliensis*. *Industrial Crops and Products*, 222, 119829. <https://doi.org/10.1016/j.indcrop.2024.119829>
- De Lima, D. R., Vieira, I. R. S., Dutra Da Rocha, E. B., Furtado De Sousa, A. M., Augusto Da Costa, A. C., & Furtado, C. R. G. (2023). Biodegradation of natural rubber latex films by highlighting the crosslinked bond. *Industrial Crops and Products*, 204, 117290. <https://doi.org/10.1016/j.indcrop.2023.117290>
- Ditjenbun. (2022). *Statistik Perkebunan Unggulan Nasional 2020-2022*. <https://repository.pertanian.go.id/bitstreams/03dec00b-e5cb-4e1b-b65f-75100837ac50/download>
- Edirisinghe, N. (2001). *Social aspects of fuel wood production in non-forest lands* (RWEDP Report No. 63; Workshop of Training of Trainers in Wood Energy Aspects in Sri Lanka.). Forest Department, Sri Lanka & Food and Agriculture Organization of the United Nations.
- Edzand, A. C. E., Niez, B., Heim, L., Fourcaud, T., Gril, J., Moulia, B., & Badel, E. (2022). Wind safety of rubber trees in plantations: Methodological analysis of

- bending experiments on inclined standing trees. *BOIS & FORETS DES TROPIQUES*, 354, 65–77. <https://doi.org/10.19182/bft2022.354.a36912>
- Eichhorn, M. P., Paris, P., Herzog, F., Incoll, L. D., Liagre, F., Mantzanas, K., Mayus, M., Moreno, G., Papanastasis, V. P., Pilbeam, D. J., Pisanelli, A., & Dupraz, C. (2006). Silvoarable Systems in Europe – Past, Present and Future Prospects. *Agroforestry Systems*, 67(1), 29–50. <https://doi.org/10.1007/s10457-005-1111-7>
- Elahi, E., Khalid, Z., Tauni, M. Z., Zhang, H., & Lirong, X. (2022). Extreme weather events risk to crop-production and the adaptation of innovative management strategies to mitigate the risk: A retrospective survey of rural Punjab, Pakistan. *Technovation*, 117, 102255. <https://doi.org/10.1016/j.technovation.2021.102255>
- FAO. (n.d.). *Agroforestry*. FAO. Retrieved September 26, 2024, from <https://www.fao.org/sustainable-forest-management/toolbox/modules/agroforestry/basic-knowledge/en/?type=111>
- Farooq, M. S., Uzair, M., Raza, A., Habib, M., Xu, Y., Yousuf, M., Yang, S. H., & Ramzan Khan, M. (2022). Uncovering the Research Gaps to Alleviate the Negative Impacts of Climate Change on Food Security: A Review. *Frontiers in Plant Science*, 13, 927535. <https://doi.org/10.3389/fpls.2022.927535>
- Febryano, I. G., Sari, Y. P., Herwanti, S., & Bintoro, A. (2024). Planting patterns in rubber agroforestry (*Hevea brasiliensis*) developed by the communities of Menggala Mas Village, Lampung Province, Indonesia. *Folia Forestalia Polonica*, 66(1), 33–45. <https://doi.org/10.2478/ffp-2024-0004>
- Forey, E. D. (1985). *BRANCHING, CROWN STRUCTURE AND THE CONTROL OF TIMBER PRODUCTION*. <https://core.ac.uk/download/pdf/380647.pdf#page=248>
- Fox, J., & Castella, J.-C. (2013). Expansion of rubber (*Hevea brasiliensis*) in Mainland Southeast Asia: What are the prospects for smallholders? In *Journal of Peasant Studies* (Vol. 40, pp. 155–170). <http://www.tandfonline.com/doi/abs/10.1080/03066150.2012.750605>
- Frank, E. F. (2010, December 10). *Crown Volume Estimates*. Eastern Native Tree Society. <http://nativetreesociety.org/measure/volume/Crown+Volume+Estimates.pdf>

- Gardiner, B. (2021). Wind damage to forests and trees: A review with an emphasis on planted and managed forests. *Journal of Forest Research*, 26(4), 248–266. <https://doi.org/10.1080/13416979.2021.1940665>
- Gireesh, T., & Mydin, K. K. (2011). *ATTEMPTS TO EVOLVE COMPACT CROWN CLONES OF HEVEA BRASILIENSIS*. IRRDB International Rubber Conference 15 - 16 December 2011 In Chiang Mai Thailand.
- Gireesh, T., & Mydin, K. K. (2014). Field evaluation of progenies of a canopy mutant of *Hevea brasiliensis*. *Rubber Science*, 27(1), 61–68.
- Gouvêa, L. R. L., Silva, G. A. P., Verardi, C. K., Oliveira, A. L. B., & Gonçalves, P. D. S. (2013). Simultaneous selection of rubber yield and girth growth in young rubber trees. *Industrial Crops and Products*, 50, 39–43. <https://doi.org/10.1016/j.indcrop.2013.06.040>
- Gouyon, A. (1993). Les plaines de Sumatra-Sud: De la forêt aux hévéas. *Tiers-Monde*, 34(135), 643–670. <https://doi.org/10.3406/tiers.1993.4784>
- Habibullah, M. S., Din, B. H., Tan, S.-H., & Zahid, H. (2022). Impact of climate change on biodiversity loss: Global evidence. *Environmental Science and Pollution Research*, 29(1), 1073–1086. <https://doi.org/10.1007/s11356-021-15702-8>
- Hallé, F., Oldeman, R. A. A., & Tomlinson, P. B. (1978). *Tropical Trees and Forests*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-81190-6>
- Handhayani, T., & Lewenusa, I. (2024). An Analysis of Meteorological Data in Sumatra and Nearby using Agglomerative Clustering. *Jurnal RESTI (Rekayasa Sistem Dan Teknologi Informasi)*, 8(2), 234–241. <https://doi.org/10.29207/resti.v8i2.5663>
- Huang, I. Y., James, K., Thamthanakoon, N., Pinitjitsamut, P., Rattanamanee, N., Pinitjitsamut, M., Yamklin, S., & Lowenberg-DeBoer, J. (2022). Economic outcomes of rubber-based agroforestry systems: A systematic review and narrative synthesis. *Agroforestry Systems*. <https://doi.org/10.1007/s10457-022-00734-x>
- Huang, I. Y., James, K., Thamthanakoon, N., Pinitjitsamut, P., Rattanamanee, N., Pinitjitsamut, M., Yamklin, S., & Lowenberg-DeBoer, J. (2023). Economic outcomes of rubber-based agroforestry systems: A systematic review and narrative synthesis. *Agroforestry Systems*, 97(3), 335–354. <https://doi.org/10.1007/s10457-022-00734-x>
- Huang, J., Pan, J., Zhou, L., Zheng, D., Yuan, S., Chen, J., Li, J., Gui, Q., & Lin, W. (2020). An improved double-row rubber (*Hevea brasiliensis*) plantation system

- increases land use efficiency by allowing intercropping with yam bean, common bean, soybean, peanut, and coffee: A 17-year case study on Hainan Island, China. *Journal of Cleaner Production*, 263, 121493. <https://doi.org/10.1016/j.jclepro.2020.121493>
- Huang, Z., Huang, X., Fan, J., Eichhorn, M., An, F., Chen, B., Cao, L., Zhu, Z., & Yun, T. (2020). Retrieval of Aerodynamic Parameters in Rubber Tree Forests Based on the Computer Simulation Technique and Terrestrial Laser Scanning Data. *Remote Sensing*, 12(8), 1318. <https://doi.org/10.3390/rs12081318>
- Hutapea, S., Siregar, T. H., & Astuti, R. (n.d.). *IKLIM DAN PERKEBUNAN KARET: SUATU TINJAUAN DALAM KAITANNYA PADA BUDIDAYA TUMPANG SARI*. Retrieved November 4, 2024, from <http://sumiharhutapea.blog.uma.ac.id/wp-content/uploads/sites/88/2017/10/MONOGRAF-TUMPANG-SARI-PADI-KARET.pdf>
- Hytönen, J., Kaakkurivaara, N., Kaakkurivaara, T., & Nurmi, J. (2018). BIOMASS EQUATIONS FOR RUBBER TREE (*HEVEA BRASILIENSIS*) COMPONENTS IN SOUTHERN THAILAND. *JOURNAL OF TROPICAL FOREST SCIENCE*, 30(4), 588–596. <https://doi.org/10.26525/jtfs2018.30.4.588596>
- Ismawanto, S., Aji, M., Lopez, D., Mournet, P., Gohet, E., Syafaah, A., Bonal, F., Oktavia, F., Taryono, Subandiyah, S., & Montoro, P. (2024). Genetic analysis of agronomic and physiological traits associated with latex yield revealed complex genetic bases in *Hevea brasiliensis*. *Heliyon*, 10(13), e33421. <https://doi.org/10.1016/j.heliyon.2024.e33421>
- Jackson, T., Shenkin, A., Kalyan, B., Zions, J., Calders, K., Origo, N., Disney, M., Burt, A., Raumonen, P., & Malhi, Y. (2019). A New Architectural Perspective on Wind Damage in a Natural Forest. *Frontiers in Forests and Global Change*, 1, 13. <https://doi.org/10.3389/ffgc.2018.00013>
- Jiang, X. J., Liu, W., Wu, J., Wang, P., Liu, C., & Yuan, Z. (2017). Land Degradation Controlled and Mitigated by Rubber-based Agroforestry Systems through Optimizing Soil Physical Conditions and Water Supply Mechanisms: A Case Study in Xishuangbanna, China. *Land Degradation & Development*, 28(7), 2277–2289. <https://doi.org/10.1002/ldr.2757>
- Junaidi, J. (2019). TANTANGAN BUDIDAYA KARET DALAM KONDISI PERUBAHAN IKLIM GLOBAL. *Warta Perkaretan*, 38(2), 91–108.

- Junaidi, Wibowo, S. A., & Wijaya, A. (2021). Wind damage and yield recovery in rubber (*Hevea brasiliensis*) plantation. *IOP Conference Series: Earth and Environmental Science*, 759(1), 012046. <https://doi.org/10.1088/1755-1315/759/1/012046>
- Kami, C., Lorrain, S., Hornitschek, P., & Fankhauser, C. (2010). Light-Regulated Plant Growth and Development. In *Current Topics in Developmental Biology* (Vol. 91, pp. 29–66). Elsevier. [https://doi.org/10.1016/S0070-2153\(10\)91002-8](https://doi.org/10.1016/S0070-2153(10)91002-8)
- Kay, S., Graves, A., Palma, J. H. N., Moreno, G., Roces-Díaz, J. V., Aviron, S., Chouvardas, D., Crous-Duran, J., Ferreira-Domínguez, N., García de Jalón, S., Măcicășan, V., Mosquera-Losada, M. R., Pantera, A., Santiago-Freijanes, J. J., Szerencsits, E., Torralba, M., Burgess, P. J., & Herzog, F. (2019). Agroforestry is paying off – Economic evaluation of ecosystem services in European landscapes with and without agroforestry systems. *Ecosystem Services*, 36, 100896. <https://doi.org/10.1016/j.ecoser.2019.100896>
- Korieocha, J. N., Nwabueze, O. N., & Anokwuru, S. N. (2023). Morphological Characterization and Evaluation of *Hevea brasiliensis* for Genetic Diversity and Latex Quality Attributes. In E. O. Nwaichi & F. O. Nduka (Eds.), *Proceedings of the 6th Biennial Conference of Organization for Women in Science for the Developing World Nigeria (OWSD Garden City 2023)* (Vol. 37, pp. 253–269). Atlantis Press International BV. https://doi.org/10.2991/978-94-6463-306-1_16
- Kumar, B. M., Kunhamu, T. K., Bhardwaj, A., & Santhoshkumar, A. V. (2024). Subcanopy light availability, crop yields, and managerial implications: A systematic review of the shaded cropping systems in the tropics. *Agroforestry Systems*. <https://doi.org/10.1007/s10457-024-00957-0>
- Laumann, F., Von Kügelgen, J., Kanashiro Uehara, T. H., & Barahona, M. (2022). Complex interlinkages, key objectives, and nexuses among the Sustainable Development Goals and climate change: A network analysis. *The Lancet Planetary Health*, 6(5), e422–e430. [https://doi.org/10.1016/S2542-5196\(22\)00070-5](https://doi.org/10.1016/S2542-5196(22)00070-5)
- Liaqat, W., Barutçular, C., Farooq, M. U., Ahmad, H., Jan, M. F., Ahmad, Z., Nawaz, H., & Li, M. (2022). Climate change in relation to agriculture: A review. *Spanish Journal of Agricultural Research*, 20(2), e03R01. <https://doi.org/10.5424/sjar/2022202-17742>

- Lim, S. C., Gan, K. S., & Choo, K. T. (2003). The characteristics, properties and uses of plantation timbers—Rubberwood and *Acacia mangium*. *Timber Technology Centre, FRIM*, 26.
<https://info.frim.gov.my/infocenter/booksonline/ttb/TTBno26.pdf>
- Lima, I. L. D., Moreira, I. V., Ranzini, M., Longui, E. L., Cambuim, J., Moraes, M. L. T. D., & Garcia, J. N. (2023). Physical and anatomical properties of *Hevea brasiliensis* clones. *Maderas. Ciencia y Tecnología*, 25.
<https://doi.org/10.4067/S0718-221X2023000100420>
- Liu, W., Zhu, C., Wu, J., & Chen, C. (2016). Are rubber-based agroforestry systems effective in controlling rain splash erosion? *Catena*, 147, 16–24.
<https://doi.org/10.1016/j.catena.2016.06.034>
- Locatelli, T., Gardiner, B., Tarantola, S., Nicoll, B., Bonnefond, J.-M., Garrigou, D., Kamimura, K., & Patenaude, G. (2016). Modelling wind risk to *Eucalyptus globulus* (Labill.) stands. *Forest Ecology and Management*, 365, 159–173.
<https://doi.org/10.1016/j.foreco.2015.12.035>
- Mäkinen, H. (1997). Possibilities of competition indices to describe competitive differences between Scots pine families. *Silva Fennica*, 31(1).
<https://doi.org/10.14214/sf.a8509>
- Malhi, G. S., Kaur, M., & Kaushik, P. (2021). Impact of Climate Change on Agriculture and Its Mitigation Strategies: A Review. *Sustainability*, 13(3), 1318.
<https://doi.org/10.3390/su13031318>
- Martius, C., Höfer, H., Garcia, M. V. B., Römbke, J., Förster, B., & Hanagarth, W. (2004). Microclimate in agroforestry systems in central Amazonia: Does canopy closure matter to soil organisms? *Agroforestry Systems*, 60(3), 291–304. <https://doi.org/10.1023/B:AGFO.0000024419.20709.6c>
- Mercykutty, V. C., Meenakumari, T., & Mydin, K. K. (2013). *Promising latex timber clones of Hevea brasiliensis evolved by ortet selection*.
- Merle, I., Villarreyna-Acuña, R., Ribeyre, F., Rounsard, O., Cilas, C., & Avelino, J. (2022). Microclimate estimation under different coffee-based agroforestry systems using full-sun weather data and shade tree characteristics. *European Journal of Agronomy*, 132, 126396. <https://doi.org/10.1016/j.eja.2021.126396>
- Monge, A. A. (2007). *Economics of Rubberwood for Smallholding owners in Traditional Rubber Production Areas in the South of Thailand*. University of Helsinki Dept. of Forest Economics.

- Nair, K. P. (2021). *Tree Crops: Harvesting Cash from the World's Important Cash Crops*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-62140-7>
- Nurjani, E., Rahayu, A., & Rachmawati, F. (2015). KAJIAN BENCANA ANGIN RIBUT DI INDONESIA PERIODE 1990-2011: UPAYA MITIGASI BENCANA. *Geomedia: Majalah Ilmiah dan Informasi Kegeografian*, 11(2). <https://doi.org/10.21831/gm.v11i2.3451>
- Oktavia, F., Sahuri, & Shinta Agustina, D. (2021). Progress of Rubber Breeding Program to Support Agroforestry System in Indonesia. In Y. Asih Purwestri, S. Subandiyah, P. Montoro, W. Dyah Sawitri, K. Restu Susilo, I. Yoga Prasada, G. Wirakusuma, & A. Dewi (Eds.), *E3S Web of Conferences* (Vol. 305, p. 03006). <https://doi.org/10.1051/e3sconf/202130503006>
- Oktora, S. I., & Firdani, A. M. (2019). Natural Rubber Economics between China and Southeast Asia: The Impact of China's Economic Slowdown. *The Journal of Asian Finance, Economics and Business*, 6(2), 55–62. <https://doi.org/10.13106/JAFEB.2019.VOL6.NO2.55>
- Omorusi, V. I., Ogbemor, N. O., & Evueh, G. A. (2010). Evaluation of *Hevea brasiliensis* clonal resistance to wind damage in Nigeria. *Journal of Animal & Plant Sciences*, 6(3), 724–728.
- Oyebade, B. A., & Onyeoguzoro, T. C. (2017). *Tree crown ratio model for Hevea brasiliensis (A. juss.) plantation in Rubber Research Institute of Nigeria (RRIN) Edo State, Nigeria*.
- Parham, W. E. (2000). The rubber/tea agroforestry system of South China: A short review. *China Tropical Land Research*. <https://walterparham.files.wordpress.com/2009/08/the-rubber-tea-agroforestry-system3.pdf>
- Penot, E. (1995). *Taking the "jungle" out of the rubber* (p. 6).
- Penot, E., & Budiman, A. (1998). Environmental aspects of smallholder rubber agroforestry in Indonesia: Reconcile production and environment. *International Rubber Conference 1998*, 22.
- Penot, E., Chambon, B., & Wibawa, G. (2017, October). *An history of Rubber Agroforestry Systems development in Indonesia and Thailand as alternatives for a sustainable agriculture and income stability*. IRRDB 2017 Conference, Bali, Indonesia. https://www.researchgate.net/profile/Eric-Penot/publication/320197089_An_history_of_Rubber_Agroforestry_Systems

_development_in_Indonesia_and_Thailand_as_alternatives_for_a_sustainable_agriculture_and_income_stability/links/59d4b044a6fdcc181adc4fd5/An-history-of-Rubber-Agroforestry-Systems-development-in-Indonesia-and-Thailand-as-alternatives-for-a-sustainable-agriculture-and-income-stability.pdf

- Penot, E., Ilahang, SNV, Ari, A., & Dinas Pertanian Sanggau. (2019). *Rubber Agroforestry systems in Kalimantan, Indonesia. What changes from 1994 to 2019?* CIRAD.
<https://agritrop.cirad.fr/597296/1/rapport%20Rubber%20Agroforestry%20systems%20in%20Indonesia%20SRAP%20%20CIFOR%202019.pdf>
- Pinizzotto, S., Aziz, A., Gitz, V., Sainte-Beuve, J., Nair, L., Gohet, E., Penot, E., & Meybeck, A. (2021). *Natural rubber systems and climate change: Proceedings and extended abstracts from the online workshop, 23–25 June 2020*. Center for International Forestry Research (CIFOR).
<https://doi.org/10.17528/cifor/008029>
- Priyadarshan, P. M., Hoa, T. T. T., Huasun, H., & De Gonçalves, P. S. (2005). Yielding Potential of Rubber (*Hevea brasiliensis*) in Sub-Optimal Environments. *Journal of Crop Improvement*, 14(1–2), 221–247.
https://doi.org/10.1300/J411v14n01_10
- Qi, D., Wu, Z., Yang, C., Xie, G., Li, Z., Yang, X., & Li, D. (2021). Can intercropping with native trees enhance structural stability in young rubber (*Hevea brasiliensis*) agroforestry system? *European Journal of Agronomy*, 130, 126353. <https://doi.org/10.1016/j.eja.2021.126353>
- Razar, R. M., Hamid, N. R. A., & Ghani, Z. Ab. (2023). Study on Rubber Clones' Performance and Stability across Locations for Selection of Latex Timber Clones. *Transactions of Persatuan Genetik Malaysia*, 12.
https://www.researchgate.net/profile/Rasyidah-Mohamad-Razar/publication/369762083_Study_on_Rubber_Clones'_Performance_and_Stability_across_Locations_for_Selection_of_Latex_Timber_Clones/links/642bb8374e83cd0e2f8c5e07/Study-on-Rubber-Clones-Performance-and-Stability-across-Locations-for-Selection-of-Latex-Timber-Clones.pdf
- Reinhardt, D., & Kuhlmeier, C. (2002). Plant architecture. *EMBO Reports*, 3(9), 846–851. <https://doi.org/10.1093/embo-reports/kvf177>
- Riyaphan, J., Phumichai, T., Neimsuwan, T., Witayakran, S., Sungsing, K., Kaveeta, R., & Phumichai, C. (2015). Variability in chemical and mechanical properties

- of Pará rubber (*Hevea brasiliensis*) trees. *ScienceAsia*, 41(4), 251.
<https://doi.org/10.2306/scienceasia1513-1874.2015.41.251>
- Rizwan, M., Rauf, A., Rahmawaty, ., & Akub, E. N. (2018). Physiology Response of Soybean Variety to Various Types of Shading in Agroforestry System: *Proceedings of the 7th International Conference on Multidisciplinary Research*, 225–230. <https://doi.org/10.5220/0008887802250230>
- Rodrigo, V. H. L., Silva, T. U. K., & Munasinghe, E. S. (2004). Improving the spatial arrangement of planting rubber (*Hevea brasiliensis* Muell. Arg.) for long-term intercropping. *Field Crops Research*, 89(2–3), 327–335.
<https://doi.org/10.1016/j.fcr.2004.02.013>
- Sahuri, S. (2019). Teknologi tumpangsari karet-tanaman pangan: Kendala dan peluang pengembangan berkelanjutan. In *Jurnal Penelitian dan Pengembangan Pertanian* (Vol. 38, p. 23).
<http://ejurnal.litbang.pertanian.go.id/index.php/jppp/article/view/7947>
- Sahuri, S., Cahyo, A. N., Ardika, R., Nugraha, I. S., Alamsyah, A., & Nurmansyah, N. (2019). Modification of Rubber (*Hevea brasiliensis* Muell. Arg.) Spacing for Long-term Intercropping. *Journal of Tropical Crop Science*, 6(01), 50–59.
<https://doi.org/10.29244/jtcs.6.01.50-59>
- Sankalpa, J. K. S., Wijesuriya, W., & Ishani, P. G. N. (2020). Do rubber-based agroforestry practices build resilience upon poverty incidence? A case study from Moneragala district in Sri Lanka. *Agroforestry Systems*, 94(5), 1795–1808. <https://doi.org/10.1007/s10457-020-00502-9>
- Sant’Anna, I. D. C., Gouvêa, L. R. L., Spitti, A. M. D. S., Martins, A. L. M., & Gonçalves, P. D. S. (2020). Relationships between yield and some anatomical and morphological traits in rubber tree progenies. *Industrial Crops and Products*, 147, 112221. <https://doi.org/10.1016/j.indcrop.2020.112221>
- Sari, Y. P., Febryano, I. G., & Bintoro, A. (2024). Processing rubber latex (*Hevea brasiliensis*) in agroforestry in Menggala Mas Village, Tulang Bawang Tengah District, Tulang Bawang Barat Regency. *Global Forest Journal*, 2(01), 61–72.
<https://doi.org/10.32734/gfj.v2i01.14998>
- Shivanna, K. R. (2022). Climate change and its impact on biodiversity and human welfare. *Proceedings of the Indian National Science Academy*, 88(2), 160–171. <https://doi.org/10.1007/s43538-022-00073-6>
- Silva, G. A. P., Gezan, S. A., De Carvalho, M. P., Gouvêa, L. R. L., Verardi, C. K., De Oliveira, A. L. B., & Gonçalves, P. D. S. (2014). Genetic parameters in a rubber

- tree population: Heritabilities, genotype-by-environment interactions and multi-trait correlations. *Tree Genetics & Genomes*, 10(6), 1511–1518. <https://doi.org/10.1007/s11295-014-0766-5>
- Singh, A. K., Liu, W., Zakari, S., Wu, J., Yang, B., Jiang, X. J., Zhu, X., Zou, X., Zhang, W., Chen, C., Singh, R., & Nath, A. J. (2021). A global review of rubber plantations: Impacts on ecosystem functions, mitigations, future directions, and policies for sustainable cultivation. *Science of The Total Environment*, 796, 148948. <https://doi.org/10.1016/j.scitotenv.2021.148948>
- Sitohang, R., Putra, E. T. S., & Wulandari, C. (2022). The improvement of microclimate and soil characteristics in cocoa-tree agroforestry patterns. *Ilmu Pertanian (Agricultural Science)*, 7(1), 25. <https://doi.org/10.22146/ipas.67292>
- Snoeck, D., Lacote, R., Kéli, J., Doumbia, A., Chapuset, T., Jagoret, P., & Gohet, É. (2013). Association of hevea with other tree crops can be more profitable than hevea monocrop during first 12 years. *Industrial Crops and Products*, 43, 578–586. <https://doi.org/10.1016/j.indcrop.2012.07.053>
- Souza, A. M. D., Gouvêa, L. R. L., Oliveira, A. L. B. D., Silva, G. A. P., & Gonçalves, P. D. S. (2017). Estimates of genetic parameters for the rubber yield and secondary traits in rubber tree. *Industrial Crops and Products*, 98, 19–24. <https://doi.org/10.1016/j.indcrop.2017.01.017>
- Stanek, E., Wolz, K., & Lovell, S. T. (2016). Preliminary modeling of light availability in a diverse agroforestry system using a spatially explicit forest simulator. *I-ACES*, 2(1).
- Suwanchana, S., Phumichai, C., Jenweerawat, S., Koonawootrittriron, S., Phumichai, T., & Teerawatnasuk, K. (2020). Estimation of genetic parameters for rubber yield and girth growth in a synthetic population. *Agriculture and Natural Resources*, 54, 603–608. <https://doi.org/10.34044/j.anres.2020.54.6.05>
- Thanh, T., Nhan, N. T., Truong, V. V., & Minh, T. D. (2022). Effects of Planting Density on Growth and Yield Attributes of Rubber Trees (*Hevea brasiliensis*). *Pertanika Journal of Tropical Agricultural Science*, 45(1), 245–256. <https://doi.org/10.47836/pjtas.45.1.14>
- Tiwari, T. P., Brook, R. M., Wagstaff, P., & Sinclair, F. L. (2012). Effects of light environment on maize in hillside agroforestry systems of Nepal. *Food Security*, 4(1), Article 1. <https://doi.org/10.1007/s12571-012-0165-4>
- Tol, R. S. J. (2024). A meta-analysis of the total economic impact of climate change. *Energy Policy*, 185, 113922. <https://doi.org/10.1016/j.enpol.2023.113922>

- Tsai, H., Chiang, J., McEwan, R. W., & Lin, T. (2018). Decadal effects of thinning on understory light environments and plant community structure in a subtropical forest. *Ecosphere*, 9(10), e02464. <https://doi.org/10.1002/ecs2.2464>
- Udawatta, R. P., Rankoth, L. M., & Jose, S. (2019). Agroforestry and Biodiversity. *Sustainability*, 11(10), 2879. <https://doi.org/10.3390/su11102879>
- Umrani, R., & Jain, C. K. (2010). *Agroforestry: Systems and practices*. Oxford Book Co.
- Verchot, L. V., Van Noordwijk, M., Kandji, S., Tomich, T., Ong, C., Albrecht, A., Mackensen, J., Bantilan, C., Anupama, K. V., & Palm, C. (2007). Climate change: Linking adaptation and mitigation through agroforestry. *Mitigation and Adaptation Strategies for Global Change*, 12(5), 901–918. <https://doi.org/10.1007/s11027-007-9105-6>
- Waldron, A., Garrity, D., Malhi, Y., Girardin, C., Miller, D. C., & Seddon, N. (2017). Agroforestry Can Enhance Food Security While Meeting Other Sustainable Development Goals. *Tropical Conservation Science*, 10, 194008291772066. <https://doi.org/10.1177/1940082917720667>
- Whba, R., Su'ait, M. S., Whba, F., Sahinbay, S., Altin, S., & Ahmad, A. (2024). Intrinsic challenges and strategic approaches for enhancing the potential of natural rubber and its derivatives: A review. *International Journal of Biological Macromolecules*, 276, 133796. <https://doi.org/10.1016/j.ijbiomac.2024.133796>
- Wibawa, G., Salak, J., Joshi, L., & Penot, E. (2006). Rubber based Agroforestry Systems(RAS) as Alternatives for Rubber Monoculture System. *Proceeding of the IRRDB Annual Meeting 2006*, halsQhs-00137596.
- Wu, J., Liu, W., & Chen, C. (2017). How do plants share water sources in a rubber-tea agroforestry system during the pronounced dry season? *Agriculture, Ecosystems & Environment*, 236, 69–77. <https://doi.org/10.1016/j.agee.2016.11.017>
- Yun, T., Jiang, K., Hou, H., An, F., Chen, B., Jiang, A., Li, W., & Xue, L. (2019). Rubber Tree Crown Segmentation and Property Retrieval Using Ground-Based Mobile LiDAR after Natural Disturbances. *Remote Sensing*, 11(8), 903. <https://doi.org/10.3390/rs11080903>
- Zaro, G. C., Caramori, P. H., Wrege, M. S., Caldana, N. F. da S., Virgens Filho, J. S. das, Moraes, H., Yada Junior, G. M., & Caramori, D. C. (2023). Coffee crops adaptation to climate change in agroforestry systems with rubber trees in

southern Brazil. *Scientia Agricola*, 80, e20210142.
<https://doi.org/10.1590/1678-992x-2021-0142>

Zaro, G. C., Caramori, P. H., Yada Junior, G. M., Sanquetta, C. R., Filho, A. A., Nunes, A. L. P., Prete, C. E. C., & Voroney, P. (2020). Carbon sequestration in an agroforestry system of coffee with rubber trees compared to open-grown coffee in southern Brazil. *Agroforestry Systems*, 94(3), 799–809.
<https://doi.org/10.1007/s10457-019-00450-z>

Zaw, Z. N. (2023). *Role of Rubber-based Intercropping in Ensuring Sustainable Natural Rubber Production of Smallholders*.

Zhang, B., Wang, X., Yuan, X., An, F., Zhang, H., Zhou, L., Shi, J., & Yun, T. (2022). Simulating Wind Disturbances over Rubber Trees with Phenotypic Trait Analysis Using Terrestrial Laser Scanning. *Forests*, 13(8), 1298.
<https://doi.org/10.3390/f13081298>

Zomer, R. J., Trabucco A, Coe, R., Place, F., Van Noordwijk, M., & Xu, J. C. (2014). *Trees on farms: An update and reanalysis of agroforestry's global extent and socio-ecological characteristics*. World Agroforestry Centre (ICRAF).
<https://doi.org/10.5716/WP14064.PDF>