

Daftar Pustaka

- A. Sulaiman, P. S. Chindo, N.O. Agbenin, I. O. and J. B. (2019). *EFFECT OF INOCULUM DENSITY OF *Meloidogyne incognita* ON THE GROWTH AND YIELD OF EGGPLANT (*Solanum* spp. L.) IN ZARIA, SUDAN SAVANNA OF NIGERIA*. 15(1), 1–23.
- Abad, P., Castagnone-Sereno, P., Rosso, M. N., de Almeida Engler, J., & Favery, B. (2009). Invasion, feeding and development. *Root-Knot Nematodes, April 2018*, 163–181. <https://doi.org/10.1079/9781845934927.0163>
- Amallia, R., Suryanti, & Joko, T. (2023). The Potential of Rhizophagus intraradices, *Bacillus thuringiensis* Bt BMKP and Silica for Anthracnose Disease Control in Shallot. *Caraka Tani: Journal of Sustainable Agriculture*, 38(2), 433–446. <https://doi.org/10.20961/carakatani.v38i2.76536>
- Anonim. (2024). *STATISTIK HORTIKULTURA 2023*. 5(1), 1–103. http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbe.co.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- Bíró-Stingli, T., & Tóth, F. (2011). The effect of Trifender (*Trichoderma asperellum*) and the nematode-trapping fungus (*Arthrobotrys oligospora fresenius*) on the number of the northern root-knot nematode (*Meloidogyne hapla* chitwood) in green pepper. *Journal of Plant Protection Research*, 51(4), 371–376. <https://doi.org/10.2478/v10045-011-0060-6>
- Burns, A. R., Baker, R. J., Kitner, M., Knox, J., Cooke, B., Volpatti, J. R., Vaidya, A. S., Puumala, E., Palmeira, B. M., Redman, E. M., Snider, J., Marwah, S., Chung, S. W., MacDonald, M. H., Tiefenbach, J., Hu, C., Xiao, Q., Finney, C. A. M., Krause, H. M., ... Roy, P. J. (2023). Selective control of parasitic nematodes using bioactivated nematicides. *Nature*, 618(7963), 102–109. <https://doi.org/10.1038/s41586-023-06105-5>
- Cao, H., Jiao, Y., Yin, N., Li, Y., Ling, J., Mao, Z., Yang, Y., & Xie, B. (2019). Analysis of the activity and biological control efficacy of the *Bacillus subtilis* strain Bs-1 against *Meloidogyne incognita*. *Crop Protection*, 122(April), 125–135. <https://doi.org/10.1016/j.cropro.2019.04.021>
- Castaneda-Alvarez, C., & Aballay, E. (2016). Rhizobacteria with nematicide aptitude: enzymes and compounds associated. *World Journal of Microbiology and Biotechnology*, 32(12), 1–7. <https://doi.org/10.1007/s11274-016-2165-6>
- Chen, W., Wang, J., Huang, D., Cheng, W., Shao, Z., Cai, M., Zheng, L., Yu, Z., & Zhang, J. (2022). Volatile organic compounds from *Bacillus aryabhattai* mccc 1k02966 with multiple modes against *Meloidogyne incognita*. *Molecules*, 27(1), 1–11. <https://doi.org/10.3390/molecules27010103>
- Chen, Z., Lu, Y., Cui, J., Feng, Y., Dong, H., Huang, X., Zhu, C., Xiong, X., Chen, H., Wang, Q., & Liu, G. (2024). Monitoring of *Bacillus* spore-forming dynamics through flow cytometry. *Frontiers in Microbiology*, 15(October), 1–9. <https://doi.org/10.3389/fmicb.2024.1450913>
- Choi, T. G., Maung, C. E. H., Lee, D. R., Henry, A. B., Lee, Y. S., & Kim, K. Y. (2020). Role of bacterial antagonists of fungal pathogens, *Bacillus thuringiensis* KYC and

- Bacillus velezensis* CE 100 in control of root-knot nematode, *Meloidogyne incognita* and subsequent growth promotion of tomato. *Biocontrol Science and Technology*, 30(7), 685–700. <https://doi.org/10.1080/09583157.2020.1765980>
- Coyne, D.L., Nicol, J.M. and Claudius-Cole, B. (2014). *Practical plant nematology: A field and laboratory guide, 2nd edition*. SP-IPM Secretariat, IITA, Cotonou, Benin (pp 82).
- Dai, M. M., Liu, R., Jiang, H., Zhang, X. P., Song, W. W., Zhang, J., Liang, C., Zhao, H. H., & Shi, Q. Q. (2023). Volatile Organic Compounds of *Bacillus pumilus* Strain S1-10 Exhibit Fumigant Activity Against *Meloidogyne incognita*. *Plant Disease*, 107(10), 3057–3063. <https://doi.org/10.1094/PDIS-10-22-2391-RE>
- Dewi, A., & Indarti, S. (2022). Screening Resistance of Several Accessions Eggplant (*Solanum melongena* L.) Against Root-Knot Nematodes (*Meloidogyne incognita*). *Proceedings of the 2nd International Conference on Smart and Innovative Agriculture (ICoSIA 2021)*, 19(ICoSIA 2021), 180–190. <https://doi.org/10.2991/absr.k.220305.027>
- Dita, A., Gau, T., & Qadri, N. (2023). Effectiveness of *Bacillus subtilis* Density on Increasing Onion Production. *Jurnal Pertanian Berkelanjutan*, 11(3), 439–447.
- E. SCHNEPF, N. CRICKMORE, J. VAN RIE, D. LERECLUS, J. BAUM, J. F., & D. R. ZEIGLER, A. D. H. D. (1998). *Bacillus thuringiensis* and Its Pesticidal Crystal Proteins. *MICROBIOLOGY AND MOLECULAR BIOLOGY REVIEWS*, 62(3), 775–806. <https://doi.org/10.1590/s1519-69842010000500018>
- El-Nagdi, W. M. A., & Abd-El-Khair, H. (2019). Application of *Bacillus* species for controlling root-knot nematode *Meloidogyne incognita* in eggplant. *Bulletin of the National Research Centre*, 43(1). <https://doi.org/10.1186/s42269-019-0187-6>
- Elkelany, U. S., El-Mougy, N. S., & Abdel-Kader, M. M. (2020). Management of root-knot nematode *Meloidogyne incognita* of eggplant using some growth-promoting rhizobacteria and chitosan under greenhouse conditions. *Egyptian Journal of Biological Pest Control*, 30(1). <https://doi.org/10.1186/s41938-020-00334-w>
- Engelbrecht, G., Claassens, S., Mienie, C. M. S., & Fourie, H. (2022). Filtrates of mixed *Bacillus* spp inhibit second-stage juvenile motility of root-knot nematodes. *Rhizosphere*, 22(April), 100528. <https://doi.org/10.1016/j.rhisph.2022.100528>
- Fitriyanti, D., & Aidawati, N. (2022). *Meloidogyne* spp. as The Causal Agent of Root Knot on Celery in Landasan Ulin Utara, Banjarbaru. *Jurnal Fitopatologi Indonesia*, 18(2), 85–90. <https://doi.org/10.14692/jfi.18.2.85-90>
- Gattoni, K. M., Park, S. W., & Lawrence, K. S. (2023). Evaluation of the mechanism of action of *Bacillus* spp. to manage *Meloidogyne incognita* with split root assay, RT-qPCR and qPCR. *Frontiers in Plant Science*, 13(January), 1–13. <https://doi.org/10.3389/fpls.2022.1079109>
- Geng, C., Liu, Y., Li, M., Tang, Z., Muhammad, S., & Zheng, J. (2017). Dissimilar Crystal Proteins Cry5Ca1 and *Meloidogyne incognita* and Delay. *Applied and Environmental Microbiology*, 83(18), 1–15.
- Gómez-González, G., Cruz-Lachica, I., Márquez-Zequera, I., Valdez-Torres, J. B., Tovar-Pedraza, J. M., Osuna-García, L. A., & García-Estrada, R. S. (2021). *Meloidogyne enterolobii* egg extraction in NaOCl versus infectivity of inoculum on cucumber. *Journal of Nematology*, 53. <https://doi.org/10.21307/JOFNEM->

2021-057

- Grahovac, J., Pajčin, I., & Vlajkov, V. (2023). *Bacillus* VOCs in the Context of Biological Control. *Antibiotics*, 12(3). <https://doi.org/10.3390/antibiotics12030581>
- Handiyanti, M., Subandiyah, S., & Joko, T. (2018). Molecular Detection of *Burkholderia glumae*, A Causal Agent of Bacterial Panicle Blight Disease. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 98. <https://doi.org/10.22146/jpti.30259>
- Harahap, R., Herdiyanto, D., Setiawati, R., Azizah, R., & Simarmata, T. (2022). Potential use of PGPR based biofertilizer for improving the nutrient availability in soil and agronomic efficiency of upland rice Potensi pemanfaatan pupuk hayati berbasis PGPR untuk meningkatkan ketersediaan unsur hara di tanah dan efisiensi agronomis pa. *Jurnal Kultivasi*, 21(3), 293–304.
- Hashem, A., Tabassum, B., & Fathi Abd_Allah, E. (2019). *Bacillus subtilis*: A plant-growth promoting rhizobacterium that also impacts biotic stress. *Saudi Journal of Biological Sciences*, 26(6), 1291–1297. <https://doi.org/10.1016/j.sjbs.2019.05.004>
- Hu, H., Gao, Y., Li, X., Chen, S., Yan, S., & Tian, X. (2020). Identification and nematocidal characterization of proteases secreted by endophytic bacteria *Bacillus cereus* BCM2. *Phytopathology*, 110(2), 336–344. <https://doi.org/10.1094/PHTO-05-19-0164-R>
- Hu, H. J., Chen, Y. L., Wang, Y. F., Tang, Y. Y., Chen, S. L., & Yan, S. Z. (2017). Endophytic *Bacillus cereus* effectively controls *Meloidogyne incognita* on tomato plants through rapid rhizosphere occupation and repellent action. *Plant Disease*, 101(3), 448–455. <https://doi.org/10.1094/PDIS-06-16-0871-RE>
- Hu, Y., You, J., Wang, Y., Long, Y., Wang, S., Pan, F., & Yu, Z. (2022). Biocontrol efficacy of *Bacillus velezensis* strain YS-AT-DS1 against the root-knot nematode *Meloidogyne incognita* in tomato plants. *Frontiers in Microbiology*, 13(November). <https://doi.org/10.3389/fmicb.2022.1035748>
- Hussain, T., Haris, M., Shakeel, A., Ahmad, G., Ahmad Khan, A., & Khan, M. A. (2020). Bio-nematicidal activities by culture filtrate of *Bacillus subtilis* HussainT-AMU: new promising biosurfactant bioagent for the management of Root Gallings caused by *Meloidogyne incognita*. *Vegetos*, 33(2), 229–238. <https://doi.org/10.1007/s42535-020-00099-5>
- Istiqomah, D., & Pradana, A. P. (2017). Review: teknik pengendalian nematoda puru akar (*Meloidogyne* spp.) ramah lingkungan. *J. HPT Tropika*, 2(1), 1–10. <https://doi.org/10.13140/RG.2.1.2693.8324>
- Jansen-Girgan, C., Claassens, S., & Fourie, H. (2016). In vitro evaluations to determine the effect of *Bacillus firmus* strains on the motility of *Meloidogyne incognita* second-stage juveniles. *Tropical Plant Pathology*, 41(5), 320–324. <https://doi.org/10.1007/s40858-016-0100-x>
- Jayanti, R. M., & Joko, T. (2020). Plant Growth Promoting and Antagonistic Potential of Endophytic Bacteria Isolated from Melon in Indonesia. *Plant Pathology Journal*, 19(3), 200–210. <https://doi.org/10.3923/ppj.2020.200.210>
- Ji, X., Liu, B., Fan, M., Zhang, S., Liu, Y., Zhang, S., Wang, Z., & Qiao, K. (2024). Biocontrol of *Meloidogyne incognita* by *Bacillus velezensis* TA-1 through

induction of host resistance in tomato. *Journal of Pest Science*, 97(4), 2227–2236. <https://doi.org/10.1007/s10340-024-01742-9>

- Jones, J. T., Haegeman, A., Danchin, E. G. J., Gaur, H. S., Helder, J., Jones, M. G. K., Kikuchi, T., Manzanilla-López, R., Palomares-Rius, J. E., Wesemael, W. M. L., & Perry, R. N. (2013). Top 10 plant-parasitic nematodes in molecular plant pathology. *Molecular Plant Pathology*, 14(9), 946–961. <https://doi.org/10.1111/mpp.12057>
- Kurniawati, F., Nursipa, N. T., & Munif, A. (2020). Pengendaliannya Menggunakan Bakteri Endofit Secara In Vitro. *Agrovigor: Jurnal Agroekoteknologi*, 13(1), 70–81.
- Lee, Y. S., & Kim, K. Y. (2016). Antagonistic Potential of *Bacillus pumilus* L1 Against Root-Knot Nematode, *Meloidogyne arenaria*. *Journal of Phytopathology*, 164(1), 29–39. <https://doi.org/10.1111/jph.12421>
- Liu, H., Fu, G., Li, Y., Zhang, S., Ji, X., & Qiao, K. (2023). Biocontrol Efficacy of *Bacillus methylotrophicus* TA-1 Against *Meloidogyne incognita* in Tomato. *Plant Disease*, 107(9), 2709–2715. <https://doi.org/10.1094/pdis-12-22-2801-re>
- Migunova, V. D., & Sasanelli, N. (2021). Bacteria as biocontrol tool against phytoparasitic nematodes. *Plants*, 10(2), 1–15. <https://doi.org/10.3390/plants10020389>
- NANDRIATI, P. A. F., SUDANA, I. M., & SUDARMA, I. M. (2020). Tingkat Perkembangan Biologi Nematoda Puru Akar (*Meloidogyne* spp.) pada Berbagai Jenis Tanaman Famili Solanaceae. *Agroekoteknologi Tropika*, 9(1), 52–61.
- Niu, Q., Huang, X., Zhang, L., Li, Y., Li, J., Yang, J., & Zhang, K. (2006). A neutral protease from *Bacillus nematocida*, another potential virulence factor in the infection against nematodes. *Archives of Microbiology*, 185(6), 439–448. <https://doi.org/10.1007/s00203-006-0112-x>
- Niu, Q., Huang, X., Zhang, L., Xu, J., Yang, D., Wei, K., Niu, X., An, Z., Bennett, J. W., Zou, C., Yang, J., & Zhang, K. Q. (2010). A Trojan horse mechanism of bacterial pathogenesis against nematodes. *Proceedings of the National Academy of Sciences of the United States of America*, 107(38), 16631–16636. <https://doi.org/10.1073/pnas.1007276107>
- Nour, S. A., Soliman, G. M., Salim, R. G., Sharaf, O. A., & Emam, M. T. H. (2024). Optimization and Molecular Docking insights of Alkaline Protease Production by *Bacillus safensis* Strain lab418 for Biocontrol of *Meloidogyne incognita*. *Egyptian Journal of Chemistry*, 67(12), 183–201. <https://doi.org/10.21608/EJCHEM.2024.319440.10382>
- Pedroche, N. B., Villaneuva, L. M., & De Waele, D. (2013). Plant-parasitic nematodes associated with semi-temperate vegetables in the highlands of Benguet Province, Philippines. *Archives of Phytopathology and Plant Protection*, 46(3), 278–294. <https://doi.org/10.1080/03235408.2012.739928>
- Pires, D., Vicente, C. S. L., Menéndez, E., Faria, J. M. S., Rusinque, L., Camacho, M. J., & Inácio, M. L. (2022). The Fight against Plant-Parasitic Nematodes: Current Status of Bacterial and Fungal Biocontrol Agents. *Pathogens*, 11(10), 1–22. <https://doi.org/10.3390/pathogens11101178>
- Pratama, D. Y., Irfan, M., Sativa, N., & Rismayanti, A. Y. (2023). Pengaruh Aplikasi

- dan Konsentrasi Larutan Plant Growth Promoting Rhizobacteria (PGPR) pada Pertumbuhan Bibit Rimpang Jahe Emprit (*Zingiber officinale* var. *amarum*). *Agroteknika*, 6(2), 226–235. <https://doi.org/10.55043/agroteknika.v6i2.226>
- Rahma, A. A., Suryanti, Somowiyarjo, S., & Joko, T. (2020). Induced disease resistance and promotion of shallot growth by *Bacillus velezensis* B-27. *Pakistan Journal of Biological Sciences*, 23(9), 1113–1121. <https://doi.org/10.3923/pjbs.2020.1113.1121>
- Ravichandra, N. G. (2014). Horticultural nematology. In *Horticultural Nematology*. <https://doi.org/10.1007/978-81-322-1841-8>
- Rich, J. R., Brito, J. a, Kaur, R., & Ferrell, J. a. (2009). Weed Species As Hosts of *Meloidogyne*: A Review. *Nematropica*, 39(2), 157–185.
- Riyanti, I., Susilowati., Ningsih, E., Dwi., M., Listanto, K., & Edy. (2019). GROWTH IMPROVEMENT OF TOMATO WITH THE APPLICATION OF BACTERIAL ISOLATES PRODUCING INDOLE ACETIC ACID (IAA) AND PHOSPHATE SOLUBILIZER Peningkatan Pertumbuhan Tomat dengan Aplikasi Isolat Bakteri Penghasil Asam Indol Asetat dan Pelarut Fosfat. *Indonesian Journal of Agricultural Science*, 20(1), 35–42.
- Sanders, E. R. (2012). Aseptic laboratory techniques: Plating methods. *Journal of Visualized Experiments*, 63, 1–18. <https://doi.org/10.3791/3064>
- Seo, H. J., Park, A. R., Kim, S., Yeon, J., Yu, N. H., Ha, S., Chang, J. Y., Park, H. W., & Kim, J. C. (2019). Biological control of root-knot nematodes by organic acid-producing *Lactobacillus brevis* wikim0069 isolated from kimchi. *Plant Pathology Journal*, 35(6), 662–673. <https://doi.org/10.5423/PPJ.OA.08.2019.0225>
- Sikandar, A., Zhang, M. Y., Wang, Y. Y., Zhu, X. F., Liu, X. Y., Fan, H. Y., Xuan, Y. H., Chen, L. J., & Duan, Y. X. (2020). Review article: *Meloidogyne incognita* (root-knot nematode) a risk to agriculture. *Applied Ecology and Environmental Research*, 18(1), 1679–1690. https://doi.org/10.15666/aeer/1801_16791690
- Song, L., Ping, X., Mao, Z., Zhao, J., Yang, Y., Li, Y., Xie, B., & Ling, J. (2023). Variation and stability of rhizosphere bacterial communities of Cucumis crops in association with root-knot nematodes infestation. *Frontiers in Plant Science*, 14(May), 1–14. <https://doi.org/10.3389/fpls.2023.1163271>
- Tian, X. L., Zhao, X. M., Zhao, S. Y., Zhao, J. L., & Mao, Z. C. (2022). The Biocontrol Functions of *Bacillus velezensis* Strain Bv-25 Against *Meloidogyne incognita*. *Frontiers in Microbiology*, 13(April), 1–11. <https://doi.org/10.3389/fmicb.2022.843041>
- Tsotetsi, T., Nephali, L., Malebe, M., & Tugizimana, F. (2022). *Bacillus* for Plant Growth Promotion and Stress Resilience: What Have We Learned? *Plants*, 11(19). <https://doi.org/10.3390/plants11192482>
- Utami, B. S., Supramana, S., & Giyanto, G. (2017). Deteksi dan Identifikasi Spesies *Meloidogyne* Penyebab Umbi Berbintil pada Kentang Asal Sulawesi Utara. *Jurnal Fitopatologi Indonesia*, 13(3), 98–104. <https://doi.org/10.14692/jfi.13.3.98>
- Van Bezooijen, J. (2006). *Methods and Techniques for Nematology*. 1–118.
- Wardhika, C. M., Suryanti, & Joko, T. (2014). Eksplorasi bakteri yang berpotensi sebagai agens pengendali hayati. *Jurnal Perlindungan Tanaman Indonesia*,

18(2), 89–94.

- Widianto, D., Pramita, A. D., Kurniasari, I., Arofatullah, N. A., Prijambada, I. D., Widada, J., & Indarti, S. (2021). *Bacillus* is one of the most potential genus as a biocontrol agent of golden cyst nematode (*Globodera rostochiensis*). *Archives of Phytopathology and Plant Protection*, 54(19–20), 2191–2205. <https://doi.org/10.1080/03235408.2021.1925501>
- Widyaningsih, S., Utami, S. N. H., Joko, T., & Subandiyah, S. (2017). Development of Disease and Growth on Six Scion/Rootstock Combinations of Citrus Seedlings under Huanglongbing Pressure. *Journal of Agricultural Science*, 9(6), 229. <https://doi.org/10.5539/jas.v9n6p229>
- Wisanggeni, G. A., Suryanti, S., & Joko, T. (2023). The Potential of *Bacillus subtilis* subsp. *subtilis* RJ09 as a Biological Control Agent Against Leaf Spot Diseases on Clove. *Jurnal Fitopatologi Indonesia*, 19(3), 118–126. <https://doi.org/10.14692/jfi.19.3.118-126>
- Wulan, E. I. R., Wibowo, A., Joko, T., & Widiastuti, A. (2022). Induced Resistance Mechanism of Twisted Disease Suppression of Shallot by *Bacillus* spp. *Jurnal Perlindungan Tanaman Indonesia*, 26(1), 40. <https://doi.org/10.22146/jpti.73198>
- Wulandari, N., Irfan, M., & Saragih, R. (2020). Isolasi Dan Karakterisasi Plant Growth Promoting Rhizobacteria Dari Rizosfer Kebun Karet Rakyat. *Dinamika Pertanian*, 35(3), 57–64. [https://doi.org/10.25299/dp.2019.vol35\(3\).4565](https://doi.org/10.25299/dp.2019.vol35(3).4565)
- Xiang, N., Lawrence, K. S., Kloepper, J. W., Donald, P. A., McInroy, J. A., & Lawrence, G. W. (2017). Biological control of *Meloidogyne incognita* by spore-forming plant growth-promoting rhizobacteria on cotton. *Plant Disease*, 101(5), 774–784. <https://doi.org/10.1094/PDIS-09-16-1369-RE>
- Yin, N., Liu, R., Zhao, J. L., Khan, R. A. A., Li, Y., Ling, J., Liu, W., Yang, Y. H., Xie, B. Y., & Mao, Z. C. (2021). Volatile organic compounds of *Bacillus cereus* strain bc-cm103 exhibit fumigation activity against *Meloidogyne incognita*. *Plant Disease*, 105(4), 904–911. <https://doi.org/10.1094/PDIS-04-20-0783-RE>
- Yin, N., Zhao, J. L., Liu, R., Li, Y., Ling, J., Yang, Y. H., Xie, B. Y., & Mao, Z. C. (2021). Biocontrol Efficacy of *Bacillus cereus* Strain Bc-cm103 against *Meloidogyne incognita*. *Plant Disease*, 105(8), 2061–2070. <https://doi.org/10.1094/PDIS-03-20-0648-RE>