

### DAFTAR PUSTAKA

- Anonim. 1986. Specification for identify and purity of certain food additives. *FAO nutrition paper*. No 34 : 17 -22.
- Anonim. 2008. Available at <http://globocan.iarc.fr/factsheets/cancers/colorectal.pdf> (diakses 8 Januari 2011).
- Anonim. 2009. *Profil Kesehatan Indonesia 2008*. Departemen Kesehatan RI, Jakarta.
- Ansel, H.C. (1989). *Pengantar Bentuk Sediaan Farmasi*. Edisi 4. UI Press. Jakarta.
- Anzano, M.A, Rieman, D., Prichett, W. 1989. Growth Factor Production by Human Colon Carcinoma Cell Lines. *Cancer Res* 1989; 49:2898-2904.
- Armando, R. (2009). *Memproduksi Minyak Atsiri Berkualitas*. Jakarta : Penebar Swadaya. Hal. 51
- Astuti, Y., Sundari, D., Winarno, M.W. 1996. Tanaman kencur (*Kaempferia galanga* L.); informasi tentang fitokimia dan efek farmakologi. *Warta Tumbuhan Obat Indonesia* 3(2): 26-27.
- Bezivin, C., Devehat, S., Boustie, J. 2003. Cytotoxic activities of some Lichen extracts on murine and human cancer cell lines. *Phytomedicine* 10: 499-503.
- Chairul, 1996. Analisa kandungan kimia ekstrak metanol rimpang kencur dengan GCMS. *Warta Tumbuhan Obat Indonesia* 3(2): 34-36.
- Chen, T.R., Drabkowski, D., Hay, R.J., Macy, M., and Peterson Jr, W. 1987. WiDR is a derivate of another colon adenocarcinoma cell line, HT-29. *Cancer Genet Cytogenet* 27: 125-34.
- Coffey, R.J., Shipley, G.D., and Moses, H.L. 1986. Production of transforming growth factors by

human colon cancer lines. *Cancer Res* 46: 1164-69.

Depkes, RI. 2001. Inventaris Tanaman obat indonesia (I). Jilid II. Jakarta: departemen Kesehatan dan kesejahteraan sosial. Pp 183-184.

Doyle, A., and Griffith, J.B. 2000. *Cell and tissue culture for medical research*. John Wiley & Sons Ltd, New York.

Flatmark, K., Maelandsmo, G.M., Martinsen, M., Rasmussen, H., and Fodstad, O. 2004. Twelve colorectal cancer cell lines exhibit highly variable growth and metastatic capacities in an orthotopic model in nude mice. *European Journal of Cancer*, 40: 1593-1598.

Freshney, I.R. 2000. *Culture of animal cells, a manual of basic technique*. John Wiley & Sons Inc. Publ, New York.

Hanahan, D., Weinberg, R.A., 2011. Hallmark of Cancer : the next generation. *Cell* 144. Elsevier.

Hutapea, J.R.. 1994. *Inventaris Tanaman Obat Indonesia III*. Badan Peneliti dan Pengembangan Kesehatan R.I., Jakarta. pp:297-8.

Imaningrum, N., Gunardi. 2010. Pengaruh Ekstrak Etanol Rimpang Kencur (*Kaempferia galanga*) Terhadap Jumlah Geliatan Mencit BALB/C Yang Diinduksi Asam Asetat, Skripsi S1. Fakultas Kedokteran Universitas Diponegoro, Semarang.

Jagadish, P.C., Raghu, C.H., Vinod, K.S., and Latha, K.P. 2010. Potent selective cytotoxic activity of *Kaempferia galanga* L. Rhizome against cancer cell cultures. *International Journal of Pharma and Bio Sciences* V1(2): 1-5.

Kiso, Y., Suzuki, Y., Watanabe, N., Oshima, Y., Ikino, H. 1983. Antihepatotoxic principles of curcuma longa Rhizomes. *Medica* 49:185-187.

- Mohamed, G.G., El-Hameed, A.K.A., El-Din, A.A.A.N., 2010. High performance liquid chromatography, thin layer chromatography and spectrophotometric studies on the removal of biogenic amines from some Egyptian foods using organic, inorganic and natural compounds. *The Journal of Toxicological Sciences* 35(2): 175-187
- Mossman, T. 1983. Rapid colometric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods* 65: 55-63.
- Murakami, A., Ali, A.M., Mat-Salleh, K., Koshimizu, K., Ohigashi, H. 1999. Screening for the in vitro anti-tumor promoting activites of edible plants from malaysia. *Bioscience Biotechnology Biochemistry* 64(1), 9-16.
- Nita, M.E., Nagawa, H., Tominaga, O., Tsuno, N., Fujii, S., Sasaki, S., Fu, C.G., Takenoue, T., Tsuro, T., Muto, T. 1998. 5-Fluorourasil induces apoptosis in human colon cancer cell lines with modulation of Bcl-2 family proteins. *British Journal of Cancer* 78(8): 986-992.
- Noguchi, P., Wallace, R., Johnson, J., Earley, E.M., O'Brien, S., Ferrone, S., Pallegirino, M.A., Milstien, J., Needy, C., Browne, W., et al. 1979. Characterization of WiDR: a human colon carcinoma cell line. *In Vitro* 15(6): 401-8.
- Revilla, G, Yanwirasti, Indrama, Erly. 2008. Efek imunomodulasi senyawa flavonoid kencur (*Kaempferia galanga* Linn) terhadap kemampuan mikrobisidal sel netrofil secara *in vitro*. *Majalah Kedokteran Andalas* 32(1).
- Robbins, S. L., Cotran, R. S., Kumar, V., 2003. *Robbins Basic Pathology* 7<sup>th</sup>ed. Saunders, Philadelphia.
- Rodrigues, N.R., Rowan, A., Smith, M.E.F., Kerr, I.B., Bodmer, W.F., Gannon, J.V., and Lane,

D.P. 1990. P53 mutations in colorectal cancer. *Proc Natl Acad Sci* 87:7555-59.

Saeki, T., Takashima, S., Tachibana, M., Koga, M., Hiyama, E., Solomon, D.S., Holland, J.F., and Ohnuma, T. 1999. Inhibitory effect of telomere-mimic phosphorothioate oligodeoxy nucleotides (S-ODNS) on human tumor cell lines. *Oncology* 57(suppl 2):27-36.

Schwartz, J.L., Tamura, Y., Jordan, R., Grierson, J.R., and Krohn, K.A. 2003. Monitoring tumor cell proliferation by targeting DNA synthetic processes with thymidine and thymidine analogs. *J Nucl Med* 44:2027-32.

Wahyuningsih, M.S.H., Mubarika, S., Bolhvis, R.L.H., Nooter, K., Wahyuono, S. 2004. Sitotoksitas oleandrin hasil isolasi dari daun *Nerium indicum* terhadap beberapa kultur sel kanker manusia. *Majalah Farmasi Indonesia* 15 (2): 96-103.

Watanabe, S., Kimira, M. dan Sobue, T. 1997. Diet and cancer : epidemiological approaches.

Siemonsma, J.S dan Piluek, K. 1994. *Plants Resources of South-East Asia*.

Woo, W.S., Lee, F.B., Shin, K.H. 1981. *Root and Tuber Crops*. IBPGR Secretariat, Rome, 5-7.