

DAFTAR PUSTAKA

- Al-Hilifi, S.A. *et al.* (2023) "Development of Chitosan/Whey Protein Hydrolysate Composite Films for Food Packaging Application," *Journal of Composites Science*, 7(3). Tersedia pada: <https://doi.org/10.3390/jcs7030094>.
- Albuquerque, B.R. *et al.* (2023) "Valorization of rambutan (*Nephelium lappaceum* L.) peel: Chemical composition, biological activity, and optimized recovery of anthocyanins," *Food Research International*, 165(July 2022). Tersedia pada: <https://doi.org/10.1016/j.foodres.2023.112574>.
- Alexandre, S. *et al.* (2021) "Use of alginate edible coating and basil (*Ocimum spp*) extracts on beef characteristics during storage," *Journal of Food Science and Technology*, 58(10), hal. 3835–3843. Tersedia pada: <https://doi.org/10.1007/s13197-020-04844-1>.
- Amaral, A.B., Solva, M.V. Da dan Lannes, S.C.D.S. (2018) "Lipid oxidation in meat: Mechanisms and protective factors - a review," *Food Science and Technology (Brazil)*, 38, hal. 1–15. Tersedia pada: <https://doi.org/10.1590/fst.32518>.
- Azizah, A. dan Soesetyaningsih, E. (2020) "Akurasi Perhitungan Bakteri pada Daging Sapi Menggunakan Metode Hitung Cawan," *Berkala Sainstek*, 8(3), hal. 75. Tersedia pada: <https://doi.org/10.19184/bst.v8i3.16828>.
- Benbettaieb, N., Debeaufort, F. dan Karbowiak, T. (2019) "Bioactive edible films for food applications: mechanisms of antimicrobial and antioxidant activity," *Critical Reviews in Food Science and Nutrition*, 59(21), hal. 3431–3455. Tersedia pada: <https://doi.org/10.1080/10408398.2018.1494132>.
- Bertuzzi, M.A. *et al.* (2007) "Water vapor permeability of edible starch based films," *Journal of Food Engineering*, 80(3), hal. 972–978. Tersedia pada: <https://doi.org/10.1016/j.jfoodeng.2006.07.016>.
- Bhandari, Rabindra *et al.* (2022) "Factors associated with meat hygiene-practices among meat-handlers in Metropolitan City of Kathmandu, Nepal," *PLOS Global Public Health*, 2(11), hal. 1–13. Tersedia pada: <https://doi.org/10.1371/journal.pgph.0001181>.
- Bharathy, P. dan Thanikachalam, P. V. (2025) "Pharmacological relevance of anthocyanin derivative: A review," *Pharmacological Research - Modern Chinese Medicine*, 14(November 2024), hal. 100565. Tersedia pada: <https://doi.org/10.1016/j.prmcm.2024.100565>.
- Bojorges, H. *et al.* (2020) "Effect of the application of an edible film with turmeric (*Curcuma longa* L.) on the oxidative stability of meat," *Food Science and Nutrition*, 8(8), hal. 4308–4319. Tersedia pada: <https://doi.org/10.1002/fsn3.1728>.

- Brink, I., Šipailienė, A. dan Leskauskaitė, D. (2019) “Antimicrobial properties of chitosan and whey protein films applied on fresh cut turkey pieces,” *International Journal of Biological Macromolecules*, 130, hal. 810–817. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2019.03.021>.
- Cazón, P. *et al.* (2022) “Measurement of the Water Vapor Permeability of Chitosan Films: A Laboratory Experiment on Food Packaging Materials,” *Journal of Chemical Education*, 99(6), hal. 2403–2408. Tersedia pada: <https://doi.org/10.1021/acs.jchemed.2c00449>.
- Chen, M.M. *et al.* (2024) “Development and application of packaging using chitosan-whey protein composite film functionalized with persimmon (*Diospyros kaki* L. f.) leaf extract,” *Journal of Food Measurement and Characterization*, 18(3), hal. 2040–2053. Tersedia pada: <https://doi.org/10.1007/s11694-023-02313-9>.
- Choe, E. dan Min, D.B. (2009) “Mechanisms of Antioxidants in the Oxidation of Foods,” *Comprehensive Reviews in Food Science and Food Safety*, 8(4), hal. 345–358. Tersedia pada: <https://doi.org/10.1111/j.1541-4337.2009.00085.x>.
- Chollakup, R. *et al.* (2020) “Antioxidant and antibacterial activities of cassava starch and whey protein blend films containing rambutan peel extract and cinnamon oil for active packaging,” *Lwt*, 130(May), hal. 109573. Tersedia pada: <https://doi.org/10.1016/j.lwt.2020.109573>.
- Croisier, F. dan Jérôme, C. (2013) “Chitosan-based biomaterials for tissue engineering,” *European Polymer Journal*, 49(4), hal. 780–792. Tersedia pada: <https://doi.org/10.1016/j.eurpolymj.2012.12.009>.
- Dai, Y. *et al.* (2014) “Changes in oxidation, color and texture deteriorations during refrigerated storage of ohmically and water bath-cooked pork meat,” *Innovative Food Science and Emerging Technologies*, 26, hal. 341–346. Tersedia pada: <https://doi.org/10.1016/j.ifset.2014.06.009>.
- Dehghani, S., Hosseini, S.V. dan Regenstein, J.M. (2018) “Edible films and coatings in seafood preservation: A review,” *Food Chemistry*, 240, hal. 505–513. Tersedia pada: <https://doi.org/10.1016/j.foodchem.2017.07.034>.
- Deng, H. *et al.* (2024) “Unveiling the antibacterial potential of anthocyanins—a comprehensive review on this natural plant extract,” *Critical Reviews in Food Science and Nutrition*, 0(0), hal. 1–14. Tersedia pada: <https://doi.org/10.1080/10408398.2024.2411411>.
- Domínguez, R. *et al.* (2019) “A comprehensive review on lipid oxidation in meat and meat products,” *Antioxidants*. MDPI. Tersedia pada: <https://doi.org/10.3390/antiox8100429>.
- Ekramian, S., Abbaspour, H., Roudi, B., Amjad, L. dan Mohammadi Nafchi, A. (2021) “An experimental study on characteristics of sago starch film treated

with methanol extract from *Artemisia sieberi* Besser,” *Journal of Food Measurement and Characterization*, 15(4), hal. 3298–3306. Tersedia pada: <https://doi.org/10.1007/s11694-021-00895-w>.

Ekramian, S., Abbaspour, H., Roudi, B., Amjad, L. dan Mohammadi, A. (2021) “An experimental study on characteristics of sago starch film treated with methanol extract from *Artemisia sieberi* Besser,” *Journal of Food Measurement and Characterization*, 15(4), hal. 3298–3306. Tersedia pada: <https://doi.org/10.1007/s11694-021-00895-w>.

El-Hadidy, E.M. dan Ramadan, K.M.A. (2015) “Color stability of anthocyanin-based extracts in non- traditional sources: Improvement of thermal stability by tannic acid,” *J. Biol. Chem. Environ. Sci.*, 10(3), hal. 1–19.

Enaru, B. *et al.* (2021) “Anthocyanins: Factors affecting their stability and degradation,” *Antioxidants*, 10(12). Tersedia pada: <https://doi.org/10.3390/antiox10121967>.

Erkmen, O. (2021) “iMedPub Journals General Characteristics of Edible Films Abstract,” (September).

Estévez, M. (2015) “Oxidative damage to poultry: From farm to fork,” *Poultry Science*, 94(6), hal. 1368–1378. Tersedia pada: <https://doi.org/10.3382/ps/pev094>.

Eze, F.N., Jayeoye, T.J. dan Singh, S. (2022) “Fabrication of intelligent pH-sensing films with antioxidant potential for monitoring shrimp freshness via the fortification of chitosan matrix with broken Riceberry phenolic extract,” *Food Chemistry*, 366(July 2021), hal. 130574. Tersedia pada: <https://doi.org/10.1016/j.foodchem.2021.130574>.

Fahrullah, F. *et al.* (2023) “Effect of whey protein on thickness, water vapour transmission rate, and water content of gelatin film,” *Jurnal Pijar Mipa*, 18(6), hal. 945–949. Tersedia pada: <https://doi.org/10.29303/jpm.v18i6.5680>.

Fahrullah, F. *et al.* (2024) “Optimization of the Thickness, Water Vapour Transmission Rate and Morphology of Protein-Based Films Incorporating Glycerol and Polyethylene Glycol Plasticizers,” *Jurnal Ilmu-Ilmu Peternakan*, 34(1), hal. 11–20. Tersedia pada: <https://doi.org/10.21776/ub.jiip.2024.034.01.02>.

Fax, T. (2017) “Karakteristik Edible Film Gelatin-Kitosan dengan Tambahan Ekstrak Genjer (*Limncharis flava*) dan Aplikasi pada Pempek,” 6(1), hal. 26–38.

Fitokimia, T. *et al.* (2006) “Ismawati: Telaah Fitokimia dan Aktivitas Antioksidan dari Daun Jati Merah (*Tectona grandis* Linn.) dan Daun Jati Putih (*Gmelina arborea* Roxb.).”

Gao, L. *et al.* (2024) “Edible film preparation by anthocyanin extract addition into

acetylated cassava starch/sodium carboxymethyl cellulose matrix for oxidation inhibition of pumpkin seeds,” *International Journal of Biological Macromolecules*, 267(P1), hal. 131439. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2024.131439>.

Genskowsky, E. *et al.* (2015) “Assessment of antibacterial and antioxidant properties of chitosan edible films incorporated with maqui berry (*Aristotelia chilensis*),” *Lwt*, 64(2), hal. 1057–1062. Tersedia pada: <https://doi.org/10.1016/j.lwt.2015.07.026>.

Go, E.J. dan Song, K. Bin (2020) “Development and characterization of Citrus Junos Pomace pectin films incorporated with Rambutan (*Nephelium Lappaceum*) peel extract,” *Coatings*, 10(8). Tersedia pada: <https://doi.org/10.3390/COATINGS10080714>.

Guo, H. *et al.* (2023) “Development of active and intelligent pH food packaging composite films incorporated with litchi shell extract as an indicator,” *International Journal of Biological Macromolecules*, 226(November 2022), hal. 77–89. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2022.11.325>.

Hafsa, J. *et al.* (2016) “Physical, antioxidant and antimicrobial properties of chitosan films containing Eucalyptus globulus essential oil,” *Lwt*, 68, hal. 356–364. Tersedia pada: <https://doi.org/10.1016/j.lwt.2015.12.050>.

Hassan, B. *et al.* (2018) “Recent advances on polysaccharides, lipids and protein based edible films and coatings: A review,” *International Journal of Biological Macromolecules*, 109, hal. 1095–1107. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2017.11.097>.

Hernández-Hernández, C. *et al.* (2019) “Rambutan(*Nephelium lappaceum* L.):Nutritional and functional properties,” *Trends in Food Science and Technology*, 85(January), hal. 201–210. Tersedia pada: <https://doi.org/10.1016/j.tifs.2019.01.018>.

Izzah, A.N. *et al.* (2024) “Effect of Beef Treatment at Different Temperatures on Myoglobin Changes : A Brief Review,” *Journal of Tropical Food and Agroindustrial Technology*, 5(01), hal. 1–8. Tersedia pada: <https://doi.org/10.21070/jtfat.v5i01.1620>.

Jamróz, E. dan Kopel, P. (2020) “Polysaccharide and protein films with antimicrobial/antioxidant activity in the food industry: A review,” *Polymers*, 12(6). Tersedia pada: <https://doi.org/10.3390/POLYM12061289>.

Jantapaso, H. dan Mittraparp-Arthorn, P. (2022) “Phytochemical Composition and Bioactivities of Aqueous Extract of Rambutan (*Nephelium lappaceum* L. cv. Rong Rian) Peel,” *Antioxidants*, 11(5), hal. 1–12. Tersedia pada: <https://doi.org/10.3390/antiox11050956>.

Javier, E. *et al.* (2021) “Preparation and Physicochemical Properties of Modified Corn Starch – Chitosan Biodegradable Films,” hal. 1–14.

- Jumina *et al.* (2019) "Development of C-Arylcalix[4]resorcinarenes and C-Arylcalix[4]pyrogallolarenes as Antioxidant and UV-B protector," *Indonesian Journal of Chemistry*, 19(2), hal. 273–284. Tersedia pada: <https://doi.org/10.22146/ijc.26868>.
- Kabiru Yunusa, A. *et al.* (2018) "Dpph radical scavenging activity and total phenolic content of rambutan (*nephelium lappaceum*) peel and seed," *Annals. Food Science and Technology*, 19(4), hal. 774–779. Tersedia pada: <https://www.researchgate.net/publication/331414361>.
- Kandasamy, S. *et al.* (2021) "Application of whey protein-based edible films and coatings in food industries: An updated overview," *Coatings*, 11(9). Tersedia pada: <https://doi.org/10.3390/coatings11091056>.
- Khodayari, M. *et al.* (2019) "Effect of poly(lactic acid) films incorporated with different concentrations of Tanacetum balsamita essential oil, propolis ethanolic extract and cellulose nanocrystals on shelf life extension of vacuum-packed cooked sausages," *Food Packaging and Shelf Life*, 19(November), hal. 200–209. Tersedia pada: <https://doi.org/10.1016/j.fpsl.2018.11.009>.
- Khoo, H.E. *et al.* (2017) "Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits," *Food and Nutrition Research*, 61(1). Tersedia pada: <https://doi.org/10.1080/16546628.2017.1361779>.
- Kocira, A. *et al.* (2021) *Polysaccharides as Edible Films and Coatings: Characteristics and Influence on Fruit and Vegetable Quality — A Review*.
- Kong, F. dan Singh, R.P. (2011) *Advances in instrumental methods to determine food quality deterioration, Food and Beverage Stability and Shelf Life*. Woodhead Publishing Limited. Tersedia pada: <https://doi.org/10.1533/9780857092540.2.381>.
- Kurek, M. *et al.* (2018) "Development and evaluation of a novel antioxidant and pH indicator film based on chitosan and food waste sources of antioxidants," *Food Hydrocolloids*, 84, hal. 238–246. Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2018.05.050>.
- Li, X. *et al.* (2024) "Interaction mechanisms of edible film ingredients and their effects on food quality," *Current Research in Food Science*, 8(December 2023), hal. 100696. Tersedia pada: <https://doi.org/10.1016/j.crfs.2024.100696>.
- Lim, T.K. (2013) "Edible medicinal and non-medicinal plants: Volume 6, fruits," *Edible Medicinal and Non-Medicinal Plants: Volume 6, Fruits*, 6, hal. 1–606. Tersedia pada: <https://doi.org/10.1007/978-94-007-5628-1>.
- Liu, J. *et al.* (2017) "Effect of protocatechuic acid incorporation on the physical, mechanical, structural and antioxidant properties of chitosan film," *Food*

- Hydrocolloids*, 73, hal. 90–100. Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2017.06.035>.
- Lourenço, S.C., Moldão-Martins, M. dan Alves, V.D. (2019) “Antioxidants of natural plant origins: From sources to food industry applications,” *Molecules*, 24(22), hal. 14–16. Tersedia pada: <https://doi.org/10.3390/molecules24224132>.
- Lu, Z. *et al.* (2024) “Plant anthocyanins: Classification, biosynthesis, regulation, bioactivity, and health benefits,” *Plant Physiology and Biochemistry*, 217(August), hal. 109268. Tersedia pada: <https://doi.org/10.1016/j.plaphy.2024.109268>.
- M. Rangaraj, V. *et al.* (2021) “Natural antioxidants-based edible active food packaging: An overview of current advancements,” *Food Bioscience*, 43(May), hal. 101251. Tersedia pada: <https://doi.org/10.1016/j.fbio.2021.101251>.
- Mahendra, N.A., Lestari, T. dan Aprillia, A.Y. (2020) “Utilization of Anthocyanin Extract from Rambutan Fruit Rind (*Nephelium lappaceum* L.) as an Indicator of the Quality on Freshness Meat,” 26, hal. 44–48. Tersedia pada: <https://doi.org/10.2991/ahsr.k.200523.013>.
- Manassis, G. *et al.* (2020) “Plant-derived natural antioxidants in meat and meat products,” *Antioxidants*, 9(12), hal. 1–30. Tersedia pada: <https://doi.org/10.3390/antiox9121215>.
- Mattioli, R. *et al.* (2020) “Anthocyanins: A Comprehensive Review of Their Chemical Properties and Health Effects on Cardiovascular and Neurodegenerative Diseases,” *Molecules*, 25(17). Tersedia pada: <https://doi.org/10.3390/molecules25173809>.
- Melro, E. *et al.* (2021) “Chitosan films in food applications. Tuning film properties by changing acidic dissolution conditions,” *Polymers*, 23(1), hal. 1–12. Tersedia pada: <https://doi.org/10.3390/polym13010001>.
- Mendes, J.F. *et al.* (2019) “Development and physical-chemical properties of pectin film reinforced with spent coffee grounds by continuous casting,” *Carbohydrate Polymers*, 210(January), hal. 92–99. Tersedia pada: <https://doi.org/10.1016/j.carbpol.2019.01.058>.
- Mendez-Flores, A. *et al.* (2018) “Ultrasound-assisted extraction of antioxidant polyphenolic compounds from *Nephelium lappaceum* L. (Mexican variety) husk,” *Asian Pacific Journal of Tropical Medicine*, 11(12), hal. 676–681. Tersedia pada: <https://doi.org/10.4103/1995-7645.248339>.
- Mistriyani, Riyanto, S. dan Rohman, A. (2018) “Antioxidant activities of rambutan (*Nephelium lappaceum* L) peel in vitro,” *Food Research*, 2(1), hal. 119–123. Tersedia pada: [https://doi.org/10.26656/fr.2017.2\(1\).150](https://doi.org/10.26656/fr.2017.2(1).150).
- Moghadam, M. *et al.* (2021) “Development and characterization of pH-sensitive

and antioxidant edible films based on mung bean protein enriched with Echium amoenum anthocyanins,” *Journal of Food Measurement and Characterization*, 15(4), hal. 2984–2994. Tersedia pada: <https://doi.org/10.1007/s11694-021-00872-3>.

Mohamed, S.A.A., El-Sakhawy, M. dan El-Sakhawy, M.A.M. (2020) “Polysaccharides, Protein and Lipid -Based Natural Edible Films in Food Packaging: A Review,” *Carbohydrate Polymers*. Elsevier Ltd. Tersedia pada: <https://doi.org/10.1016/j.carbpol.2020.116178>.

Mota, M.D. *et al.* (2020) “Sunscreen protection factor enhancement through supplementation with Rambutan (*Nephelium lappaceum* L) ethanolic extract,” *Journal of Photochemistry and Photobiology B: Biology*, 205(February), hal. 111837. Tersedia pada: <https://doi.org/10.1016/j.jphotobiol.2020.111837>.

Muñoz-Tebar, N. *et al.* (2023) “Chitosan Edible Films and Coatings with Added Bioactive Compounds: Antibacterial and Antioxidant Properties and Their Application to Food Products: A Review,” *Polymers*, 15(2). Tersedia pada: <https://doi.org/10.3390/polym15020396>.

Nandiyanto, A.B.D., Oktiani, R. dan Ragadhita, R. (2019) “How to read and interpret ftr spectroscopy of organic material,” *Indonesian Journal of Science and Technology*, 4(1), hal. 97–118. Tersedia pada: <https://doi.org/10.17509/ijost.v4i1.15806>.

Nashira, D.P., Wisanti, W. dan Putri, E.K. (2022) “Penanda Karakter Varitas Rambutan (*Nephelium lappaceum* L.) Berdasarkan Karakter Morfologi,” *LenteraBio : Berkala Ilmiah Biologi*, 11(2), hal. 247–254. Tersedia pada: <https://doi.org/10.26740/lenterabio.v11n2.p247-254>.

Ningrum, A. *et al.* (2021) “Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef Appearance,” *Journal of Food Processing and Preservation*, 45(9). Tersedia pada: <https://doi.org/10.1111/jfpp.15701>.

Nogueira, G.F., Fakhouri, F.M. dan de Oliveira, R.A. (2019) “Effect of incorporation of blackberry particles on the physicochemical properties of edible films of arrowroot starch,” *Drying Technology*, 37(4), hal. 448–457. Tersedia pada: <https://doi.org/10.1080/07373937.2018.1441153>.

Nouri, L. dan Mohammadi Nafchi, A. (2014) “Antibacterial, mechanical, and barrier properties of sago starch film incorporated with betel leaves extract,” *International Journal of Biological Macromolecules*, 66, hal. 254–259. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2014.02.044>.

Nunes, C. *et al.* (2013) “Chitosan-caffeic acid-genipin films presenting enhanced antioxidant activity and stability in acidic media,” *Carbohydrate Polymers*, 91(1), hal. 236–243. Tersedia pada: <https://doi.org/10.1016/j.carbpol.2012.08.033>.

- Oancea, S., Stoia, M. dan Coman, D. (2012) "Effects of extraction conditions on bioactive anthocyanin content of *Vaccinium corymbosum* in the perspective of food applications," *Procedia Engineering*, 42(December), hal. 489–495. Tersedia pada: <https://doi.org/10.1016/j.proeng.2012.07.440>.
- Pérez-Vergara, L.D. *et al.* (2020) "Development and characterization of edible films based on native cassava starch, beeswax, and propolis," *NFS Journal*, 21(July), hal. 39–49. Tersedia pada: <https://doi.org/10.1016/j.nfs.2020.09.002>.
- Pires, A.F. *et al.* (2024) "A Review of Recent Developments in Edible Films and Coatings-Focus on Whey-Based Materials," *Foods*, 13(16), hal. 1–24. Tersedia pada: <https://doi.org/10.3390/foods13162638>.
- Prakash Maran, J. *et al.* (2017) "Ultrasound assisted extraction of bioactive compounds from *Nephelium lappaceum* L. fruit peel using central composite face centered response surface design," *Arabian Journal of Chemistry*, 10, hal. S1145–S1157. Tersedia pada: <https://doi.org/10.1016/j.arabjc.2013.02.007>.
- Prodpran, T., Benjakul, S. dan Phatcharat, S. (2012) "Effect of phenolic compounds on protein cross-linking and properties of film from fish myofibrillar protein," *International Journal of Biological Macromolecules*, 51(5), hal. 774–782. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2012.07.010>.
- Purwaniati, Arif, R.A. dan Anne, B.Y. (2020) "Purwaniati, Ahmad Rijalul Arif, Anne Yuliantini," *Jurnal Farmagazine*, VII(1), hal. 18–23.
- Radev, R.S.. D.G.A. (2017) "Water vapor permeability of edible films with different composition," *Scientific Works of University of Food Technologies*, 64(1), hal. 96–101.
- Rahman, M.H. *et al.* (2015) "Evaluation of physicochemical deterioration and lipid oxidation of beef muscle affected by freeze-thaw cycles," *Korean Journal for Food Science of Animal Resources*, 35(6), hal. 772–782. Tersedia pada: <https://doi.org/10.5851/kosfa.2015.35.6.772>.
- Ramos, Ó.L. *et al.* (2012) "Edible Films and Coatings from Whey Proteins: A Review on Formulation, and on Mechanical and Bioactive Properties," *Critical Reviews in Food Science and Nutrition*, 52(6), hal. 533–552. Tersedia pada: <https://doi.org/10.1080/10408398.2010.500528>.
- Ren, S., Jiménez-Flores, R. dan Giusti, M.M. (2021) "The interactions between anthocyanin and whey protein: A review," *Comprehensive Reviews in Food Science and Food Safety*, 20(6), hal. 5992–6011. Tersedia pada: <https://doi.org/10.1111/1541-4337.12854>.
- Rivero-Cruz, J.F. *et al.* (2020) "Phytochemical constituents, antioxidant, cytotoxic, and antimicrobial activities of the ethanolic extract of mexican brown propolis," *Antioxidants*, 9(1), hal. 1–11. Tersedia pada:

<https://doi.org/10.3390/antiox9010070>.

- da Rocha, M. *et al.* (2018) “Effects of agar films incorporated with fish protein hydrolysate or clove essential oil on flounder (*Paralichthys orbignyanus*) fillets shelf-life,” *Food Hydrocolloids*, 81, hal. 351–363. Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2018.03.017>.
- Rostinawati, T., Tjitraresmi, A. dan Wisnuputri, M.V. (2018) “In vitro activity of Rambutan Binjai (*Nephelium lappaceum*) peel extract from Indonesia to methicillin-resistant staphylococcus aureus (MRSA),” *Dhaka University Journal of Pharmaceutical Sciences*, 17(2), hal. 197–203. Tersedia pada: <https://doi.org/10.3329/dujps.v17i2.39176>.
- Seyfzadeh, M. *et al.* (2013) “Chemical, microbiological and sensory evaluation of gutted tilapia coated with whey protein based edible film incorporated with sodium alginate during frozen storage,” *Iranian Journal of Fisheries Sciences*, 12(1), hal. 140–153.
- Singh, C.K. *et al.* (2016) “Combination chemoprevention with grape antioxidants,” *Molecular nutrition & food research*, 60(6), hal. 1406–1415. Tersedia pada: <https://doi.org/10.1002/mnfr.201500945>.
- Singh, T.P., Chatli, M.K. dan Sahoo, J. (2015) “Development of chitosan based edible films: process optimization using response surface methodology,” *Journal of Food Science and Technology*, 52(5), hal. 2530–2543. Tersedia pada: <https://doi.org/10.1007/s13197-014-1318-6>.
- Soares, J.M.A. *et al.* (2022) “Active Biodegradable Film Based on Chitosan and *Cenostigma Nordestinum* Extracts for Use in the Food Industry,” *Journal of Polymers and the Environment*, 30(1), hal. 217–231. Tersedia pada: <https://doi.org/10.1007/s10924-021-02192-5>.
- Song, D. *et al.* (2021) “Edible Films on Meat and Meat Products.”
- Sukmandari, N.S. *et al.* (2017) “A review on *Nephelium lappaceum* L,” *Research Journal of Pharmacy and Technology*, 10(8), hal. 2819–2827. Tersedia pada: <https://doi.org/10.5958/0974-360X.2017.00498.X>.
- Tarakçi, Z. dan Yildirim, M. (2021) “Effects of ghee and olive oil usage on cocoa hazelnut spreads during storage,” *Journal of Food Processing and Preservation*, 45(3), hal. 1–10. Tersedia pada: <https://doi.org/10.1111/jfpp.15246>.
- Tavares, L. *et al.* (2021) “Physicochemical and microstructural properties of composite edible film obtained by complex coacervation between chitosan and whey protein isolate,” *Food Hydrocolloids*, 113(June 2020). Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2020.106471>.
- Tingting, Z. *et al.* (2022) “A review: extraction, phytochemicals, and biological activities of rambutan (*Nephelium lappaceum* L) peel extract,” *Heliyon*, 8(11), hal. e11314. Tersedia pada:

<https://doi.org/10.1016/j.heliyon.2022.e11314>.

- Torgbo, S. *et al.* (2022) “Biological Characterization and Quantification of Rambutan (*Nephelium lappaceum* L.) Peel Extract as a Potential Source of Valuable Minerals and Ellagitannins for Industrial Applications,” *ACS Omega*, 7(38), hal. 34647–34656. Tersedia pada: <https://doi.org/10.1021/acsomega.2c04646>.
- Umaraw, P. *et al.* (2020) “Edible films/coating with tailored properties for active packaging of meat, fish and derived products,” *Trends in Food Science and Technology*, 98(August 2019), hal. 10–24. Tersedia pada: <https://doi.org/10.1016/j.tifs.2020.01.032>.
- V, A.K. *et al.* (2022) “Trends in Edible Packaging Films and its Prospective Future in Food: A Review,” *Applied Food Research*, 2(1), hal. 100118. Tersedia pada: <https://doi.org/10.1016/j.afres.2022.100118>.
- Venkatachalam, K. dan Lekjing, S. (2020) “A chitosan-based edible film with clove essential oil and nisin for improving the quality and shelf life of pork patties in cold storage,” *RSC Advances*, 10(30), hal. 17777–17786. Tersedia pada: <https://doi.org/10.1039/d0ra02986f>.
- Wallace, T.C. dan Giusti, M.M. (2019) “Anthocyanins—nature’s bold, beautiful, and health-promoting colors,” *Foods*, 8(11), hal. 10–13. Tersedia pada: <https://doi.org/10.3390/foods8110550>.
- Wan, N.H., Nafchi, A. dan Huda, N. (2018) “Tensile Strength, Elongation at Breaking Point and Surface Color of a Biodegradable Film Based on a Duck Feet Gelatin and Polyvinyl Alcohol Blend,” *Asia Pacific Journal of Sustainable Agriculture Food and Energy*, 6(2), hal. 16–21. Tersedia pada: <http://journal.bakrie.ac.id/index.php/APJSAFE>.
- Wang, H., Qian, J. dan Ding, F. (2018) “Emerging Chitosan-Based Films for Food Packaging Applications,” *Journal of Agricultural and Food Chemistry*, 66(2), hal. 395–413. Tersedia pada: <https://doi.org/10.1021/acs.jafc.7b04528>.
- Wang, L. *et al.* (2017) “Physicochemical Properties of Chitosan Films Incorporated with Honeysuckle Flower Extract for Active Food Packaging,” *Journal of Food Process Engineering*, 40(1), hal. 1–8. Tersedia pada: <https://doi.org/10.1111/jfpe.12305>.
- Wang, Shuo *et al.* (2019) “Packaging films formulated with gelatin and anthocyanins nanocomplexes: Physical properties, antioxidant activity and its application for olive oil protection,” *Food Hydrocolloids*, 96(May), hal. 617–624. Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2019.06.004>.
- Wang, Ying *et al.* (2022) “Preparation and characterization of chitosan/whey isolate protein active film containing TiO₂ and white pepper essential oil,” *Frontiers in Nutrition*, 9(November), hal. 1–14. Tersedia pada:

<https://doi.org/10.3389/fnut.2022.1047988>.

- Warkoyo, W., Haris, M.A. dan Wahyudi, V.A. (2022) “The Physical , Mechanical , Barrier Characteristics , and Application of Edible Film from Yellow Sweet Potato and Aloe Vera Gel,” 42(4), hal. 390–399.
- Wen, Y. *et al.* (2021) “Development of intelligent/active food packaging film based on TEMPO-oxidized bacterial cellulose containing thymol and anthocyanin-rich purple potato extract for shelf life extension of shrimp,” *Food Packaging and Shelf Life*, 29(June), hal. 100709. Tersedia pada: <https://doi.org/10.1016/j.fpsl.2021.100709>.
- Wu, Y. dan Li, C. (2023) “A double-layer smart film based on gellan gum/modified anthocyanin and sodium carboxymethyl cellulose/starch/Nisin for application in chicken breast,” *International Journal of Biological Macromolecules*, 232(January), hal. 123464. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2023.123464>.
- Xie, Q. *et al.* (2022) “Active edible films with plant extracts: a updated review of their types, preparations, reinforcing properties, and applications in muscle foods packaging and preservation,” *Critical Reviews in Food Science and Nutrition*, 63(32), hal. 11425–11447. Tersedia pada: <https://doi.org/10.1080/10408398.2022.2092058>.
- Xu, L. *et al.* (2018) “Gas stunning with CO₂ affected meat color, lipid peroxidation, oxidative stress, and gene expression of mitogen-activated protein kinases, glutathione S-transferases, and Cu/Zn-superoxide dismutase in the skeletal muscles of broilers,” *Journal of Animal Science and Biotechnology*, 9(1), hal. 1–12. Tersedia pada: <https://doi.org/10.1186/s40104-018-0252-2>.
- Xu, M. *et al.* (2024) “Recent advances in anthocyanin-based films and its application in sustainable intelligent food packaging: A review,” *Food Control*, 162(March), hal. 110431. Tersedia pada: <https://doi.org/10.1016/j.foodcont.2024.110431>.
- Xu, X. *et al.* (2021) “Synthetic phenolic antioxidants: Metabolism, hazards and mechanism of action,” *Food Chemistry*, 353(September 2020). Tersedia pada: <https://doi.org/10.1016/j.foodchem.2021.129488>.
- Xue Mei, L. *et al.* (2020) “Characterization of pH sensitive sago starch films enriched with anthocyanin-rich torch ginger extract,” *International Journal of Biological Macromolecules*, 164, hal. 4603–4612. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2020.09.082>.
- Yekta, R. *et al.* (2024) “Effect of using biodegradable film constituting red grape anthocyanins as a novel packaging on the qualitative attributes of emergency food bars during storage,” *Food Science and Nutrition*, 12(4), hal. 2702–2723. Tersedia pada: <https://doi.org/10.1002/fsn3.3951>.
- Yong, H. *et al.* (2019) “Effects of anthocyanin-rich purple and black eggplant

extracts on the physical, antioxidant and pH-sensitive properties of chitosan film,” *Food Hydrocolloids*, 94(January), hal. 93–104. Tersedia pada: <https://doi.org/10.1016/j.foodhyd.2019.03.012>.

- Yong, H. dan Liu, J. (2020) “Recent advances in the preparation, physical and functional properties, and applications of anthocyanins-based active and intelligent packaging films,” *Food Packaging and Shelf Life*, 26(July), hal. 100550. Tersedia pada: <https://doi.org/10.1016/j.fpsl.2020.100550>.
- Yun, D. *et al.* (2021) “Development of chitosan films incorporated with rambutan (*Nephelium lappaceum* L.) peel extract and their application in pork preservation,” *International Journal of Biological Macromolecules*, 189(April), hal. 900–909. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2021.08.171>.
- Zang, Z. *et al.* (2021) “Effect of whey protein isolate on the stability and antioxidant capacity of blueberry anthocyanins: A mechanistic and in vitro simulation study,” *Food Chemistry*, 336(July 2020), hal. 127700. Tersedia pada: <https://doi.org/10.1016/j.foodchem.2020.127700>.
- Zhang, K. *et al.* (2020) “Novel pH-sensitive films based on starch/polyvinyl alcohol and food anthocyanins as a visual indicator of shrimp deterioration,” *International Journal of Biological Macromolecules*, 145, hal. 768–776. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2019.12.159>.
- Zhang, N. *et al.* (2020) “Structure and functional properties of active packaging films prepared by incorporating different flavonols into chitosan based matrix,” *International Journal of Biological Macromolecules*, 165, hal. 625–634. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2020.09.209>.
- Zhang, X. *et al.* (2020) “Development of antioxidant and antimicrobial packaging films based on chitosan and mangosteen (*Garcinia mangostana* L.) rind powder,” *International Journal of Biological Macromolecules*, 145, hal. 1129–1139. Tersedia pada: <https://doi.org/10.1016/j.ijbiomac.2019.10.038>.
- Zhao, Y. *et al.* (2017) “Effects of crosslinking modes on the film forming properties of kelp mulching films,” *Algal Research*, 26(June), hal. 74–83. Tersedia pada: <https://doi.org/10.1016/j.algal.2017.07.006>.
- Zhu, Y. (2021) “Fabrication and characterization of the enhanced tensile strength xanthan/curdlan/gelatin blend films for food-packaging applications,” *IOP Conference Series: Earth and Environmental Science*, 657(1), hal. 4–10. Tersedia pada: <https://doi.org/10.1088/1755-1315/657/1/012078>.
- Zhuang, Y. *et al.* (2019) “Physical properties of composite films from tilapia skin collagen with Pachyrhizus starch and rambutan peel phenolics,” *Marine Drugs*, 17(12). Tersedia pada: <https://doi.org/10.3390/md17120662>.