

DAFTAR PUSTAKA

- Afzaal, M., Saeed, F., Saeed, M., Azam, M., Hussain, S., Mohamed, A. A., Alamri, M. S., & Anjum, F. M. (2020). Survival and stability of free and encapsulated probiotic bacteria under simulated gastrointestinal and thermal conditions. *International Journal of Food Properties*, 23(1), 1899–1912. <https://doi.org/10.1080/10942912.2020.1826513>
- Ananta, E., Volkert, M., & Knorr, D. (2005). Cellular injuries and storage stability of spray-dried *Lactobacillus rhamnosus* GG. *International Dairy Journal*, 15(4), 399–409. <https://doi.org/10.1016/j.idairyj.2004.08.004>
- Arepally, D., & Goswami, T. K. (2019). Effect of inlet air temperature and gum Arabic concentration on encapsulation of probiotics by spray drying. *LWT*, 99, 583–593. <https://doi.org/10.1016/j.lwt.2018.10.022>
- Azam, M., Saeed, M., Ahmad, T., Yamin, I., Khan, W. A., Iqbal, M. W., Mahmood, S., Rizwan, M., & Riaz, T. (2022). Characterization of biopolymeric encapsulation system for improved survival of *Lactobacillus brevis*. *Journal of Food Measurement and Characterization*, 16(3), 2292–2299. <https://doi.org/10.1007/s11694-022-01334-0>
- Azcarate-Peril, M. A., Altermann, E., Hoover-Fitzula, R. L., Cano, R. J., & Klaenhammer, T. R. (2004). Identification and inactivation of genetic loci involved with *Lactobacillus acidophilus* acid tolerance. *Applied and Environmental Microbiology*, 70(9), 5315–5322. <https://doi.org/10.1128/AEM.70.9.5315-5322.2004>
- Barroso, A. G., L Garcia, R. H., & Del Mastro, N. L. (2019). BRAZILIAN JOURNAL OF RADIATION SCIENCES X-ray diffraction pattern and relative crystallinity of irradiated arrowroot starch. In *J. Rad. Sci.* •.
- Behboudi-Jobbehdar, S., Soukoulis, C., Yonekura, L., & Fisk, I. (2013). Optimization of Spray-Drying Process Conditions for the Production of Maximally Viable Microencapsulated *L. acidophilus* NCIMB 701748. *Drying Technology*, 31(11), 1274–1283. <https://doi.org/10.1080/07373937.2013.788509>
- Benavent-Gil, Y., & Rosell, C. M. (2017). Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers*, 157, 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047>
- Çabuk, B., & Tellioglu Harsa, Ş. (2015). Protection of *Lactobacillus acidophilus* NRRL-B 4495 under in vitro gastrointestinal conditions with whey protein/pullulan microcapsules. *Journal of Bioscience and Bioengineering*, 120(6), 650–656. <https://doi.org/10.1016/j.jbiosc.2015.04.014>
- Champagne, C. P., Gomes da Cruz, A., & Daga, M. (2018). Strategies to improve the functionality of probiotics in supplements and foods. In *Current Opinion in Food Science* (Vol. 22, pp. 160–166). Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2018.04.008>
- Dayang, D. N., Samsudin, H., Utra, U., & Alias, A. K. (2020). Modification methods toward the production of porous starch: a review. In *Critical Reviews in Food Science and Nutrition* (pp. 1–22). Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2020.1789064>



Dias, R. S., Kremer, F. S., & da Costa de Avila, L. F. (2023). In silico prospection of *Lactobacillus acidophilus* strains with potential probiotic activity. *Brazilian Journal of Microbiology*, 54(4), 2733–2743. <https://doi.org/10.1007/s42770-023-01139-3>

Díaz-Montes, E. (2023a). Wall Materials for Encapsulating Bioactive Compounds via Spray-Drying: A Review. In *Polymers* (Vol. 15, Issue 12). MDPI. <https://doi.org/10.3390/polym15122659>

Díaz-Montes, E. (2023b). Wall Materials for Encapsulating Bioactive Compounds via Spray-Drying: A Review. In *Polymers* (Vol. 15, Issue 12). MDPI. <https://doi.org/10.3390/polym15122659>

Etchepare, M. de A., Raddatz, G. C., Cichoski, A. J., Flores, É. M. M., Barin, J. S., Queiroz Zepka, L., Jacob-Lopes, E., Grosso, C. R. F., & de Menezes, C. R. (2016). Effect of resistant starch (Hi-maize) on the survival of *Lactobacillus acidophilus* microencapsulated with sodium alginate. *Journal of Functional Foods*, 21, 321–329. <https://doi.org/10.1016/j.jff.2015.12.025>

Fang, B., Watanabe, H., Isobe, K., Handa, A., & Nakagawa, K. (2021). The manufacturing of lactobacillus microcapsules by freezing with egg yolk: The analysis of microstructure and the preservation effect against freezing and acid treatments. *Journal of Agriculture and Food Research*, 6. <https://doi.org/10.1016/j.jafr.2021.100221>

Gao, H., Li, X., Chen, X., Hai, D., Wei, C., Zhang, L., & Li, P. (2022). The Functional Roles of *Lactobacillus acidophilus* in Different Physiological and Pathological Processes. In *Journal of Microbiology and Biotechnology* (Vol. 32, Issue 10, pp. 1226–1233). Korean Society for Microbiolog and Biotechnology. <https://doi.org/10.4014/jmb.2205.05041>

Gueimonde, M., & Sánchez, B. (2012). Enhancing probiotic stability in industrial processes. *Microbial Ecology in Health & Disease*, 23(0). <https://doi.org/10.3402/mehd.v23i0.18562>

Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B. (2021). Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174, 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>

Guo, Y., Qiao, D., Zhao, S., Zhang, B., & Xie, F. (2021a). Starch-based materials encapsulating food ingredients: Recent advances in fabrication methods and applications. In *Carbohydrate Polymers* (Vol. 270). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118358>

Guo, Y., Qiao, D., Zhao, S., Zhang, B., & Xie, F. (2021b). Starch-based materials encapsulating food ingredients: Recent advances in fabrication methods and applications. In *Carbohydrate Polymers* (Vol. 270). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118358>

Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J. (2021). Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids*, 116. <https://doi.org/10.1016/j.foodhyd.2021.106661>

He, B. L., Cui, R., Hu, T. G., & Wu, H. (2025). Improved viability of probiotics by co-encapsulation of wheat germ oil under storage and gastrointestinal conditions: Effects of drying methods and wall composition. *Food Hydrocolloids*, 158. <https://doi.org/10.1016/j.foodhyd.2024.110592>



- Ho, T. M., Yousefvand, A., Suhonen, H., Saris, P. E. J., & Mikkonen, K. S. (2024). Protective role of wood hemicelluloses: Enhancing yeast probiotics survival in spray drying and storage. *Future Foods*, 10. <https://doi.org/10.1016/j.fufo.2024.100437>
- Jiménez, M., Flores-Andrade, E., Pascual-Pineda, L. A., & Beristain, C. I. (2015). Effect of water activity on the stability of *Lactobacillus paracasei* capsules. *LWT*, 60(1), 346–351. <https://doi.org/10.1016/j.lwt.2014.09.050>
- Li, H., Thuy Ho, V. T., Turner, M. S., & Dhital, S. (2016). Encapsulation of *Lactobacillus plantarum* in porous maize starch. *LWT*, 74, 542–549. <https://doi.org/10.1016/j.lwt.2016.08.019>
- Liao, L. K., Wei, X. Y., Gong, X., Li, J. H., Huang, T., & Xiong, T. (2017). Microencapsulation of *Lactobacillus casei* LK-1 by spray drying related to its stability and in vitro digestion. *LWT*, 82, 82–89. <https://doi.org/10.1016/j.lwt.2017.03.065>
- Liserre, A. M., Ré, M. I., & Franco, B. D. G. M. (2007). Microencapsulation of *Bifidobacterium animalis* subsp. *lactis* in modified alginate-chitosan beads and evaluation of survival in simulated gastrointestinal conditions. *Food Biotechnology*, 21(1), 1–16. <https://doi.org/10.1080/08905430701191064>
- Mandal, S., Puniya, A. K., & Singh, K. (2006). Effect of alginate concentrations on survival of microencapsulated *Lactobacillus casei* NCDC-298. *International Dairy Journal*, 16(10), 1190–1195. <https://doi.org/10.1016/j.idairyj.2005.10.005>
- Miskiyah, M., Juniawati, J., & Widaningrum, W. (2020). Optimasi Pati-Alginat sebagai Bahan Pengkapsul Bakteri Probiotik terhadap Karakteristik Beads. *Jurnal Aplikasi Teknologi Pangan*, 9(1), 24. <https://doi.org/10.17728/jatp.4569>
- Mudgil, P., Aldhaheri, F., Hamdi, M., Punia, S., & Maqsood, S. (2022). Fortification of Chami (traditional soft cheese) with probiotic-loaded protein and starch microparticles: Characterization, bioactive properties, and storage stability. *LWT*, 158. <https://doi.org/10.1016/j.lwt.2021.113036>
- Murikipudi, V., Gupta, P., & Sihorkar, V. (2013). Efficient throughput method for hygroscopicity classification of active and inactive pharmaceutical ingredients by water vapor sorption analysis. *Pharmaceutical Development and Technology*, 18(2), 348–358. <https://doi.org/10.3109/10837450.2011.618947>
- Nunes, G. L., Etchepare, M. de A., Cichoski, A. J., Zepka, L. Q., Jacob Lopes, E., Barin, J. S., Flores, É. M. de M., da Silva, C. de B., & de Menezes, C. R. (2018). Inulin, hi-maize, and trehalose as thermal protectants for increasing viability of *Lactobacillus acidophilus* encapsulated by spray drying. *LWT*, 89, 128–133. <https://doi.org/10.1016/j.lwt.2017.10.032>
- Ohja, A., B.G., S., Pushpadass, H. A., Franklin, M. E. E., Grover, C. R., Kumar, S., & Dhali, A. (2024). Encapsulation of *Lactiplantibacillus plantarum* CRD7 in sub-micron pullulan fibres by spray drying: Maximizing viability with prebiotic and thermal protectants. *International Journal of Biological Macromolecules*, 269. <https://doi.org/10.1016/j.ijbiomac.2024.132068>
- Okuro, P. K., Thomazini, M., Balieiro, J. C. C., Liberal, R. D. C. O., & Fávaro-Trindade, C. S. (2013). Co- encapsulation of *Lactobacillus acidophilus* with inulin or polydextrose in solid lipid microparticles provides protection and improves stability. *Food Research International*, 53(1), 96–103. <https://doi.org/10.1016/j.foodres.2013.03.042>



Onyido, I., Sha Ato, R., & Nnamonu, L. A. (2012). Environmentally Friendly Formulations of Trifluralin Based on Alginate Modified Starch. *Journal of Environmental Protection*, 03(09), 1085–1093. <https://doi.org/10.4236/jep.2012.39127>

Özkan, G., & Ersus Bilek, S. (2014). Microencapsulation of Natural Food Colourants. *International Journal of Nutrition and Food Sciences*, 3(3), 145. <https://doi.org/10.11648/j.ijnfs.20140303.13>

Peredo, A. G., Beristain, C. I., Pascual, L. A., Azuara, E., & Jimenez, M. (2016). The effect of prebiotics on the viability of encapsulated probiotic bacteria. *LWT*, 73, 191–196. <https://doi.org/10.1016/j.lwt.2016.06.021>

Poletto, G., Raddatz, G. C., Cichoski, A. J., Zepka, L. Q., Lopes, E. J., Barin, J. S., Wagner, R., & de Menezes, C. R. (2019). Study of viability and storage stability of *Lactobacillus acidophilus* when encapsulated with the prebiotics rice bran, inulin and Hi-maize. *Food Hydrocolloids*, 95, 238–244. <https://doi.org/10.1016/j.foodhyd.2019.04.049>

Purwitasari, L., Wulanjati, M. P., Pranoto, Y., & Witasari, L. D. (2023). Characterization of porous starch from edible canna (*Canna edulis* Kerr.) produced by enzymatic hydrolysis using thermostable α -amylase. *Food Chemistry Advances*, 2. <https://doi.org/10.1016/j.focha.2022.100152>

Puttarat, N., Thangrongthong, S., Kasemwong, K., Kerdsup, P., & Taweechotipatr, M. (2021). Spray-drying microencapsulation using whey protein isolate and nano-crystalline starch for enhancing the survivability and stability of *Lactobacillus reuteri* TF-7. *Food Science and Biotechnology*, 30(2), 245–256. <https://doi.org/10.1007/s10068-020-00870-z>

Rajam, R., & Subramanian, P. (2022). Encapsulation of probiotics: past, present and future. In *Beni-Suef University Journal of Basic and Applied Sciences* (Vol. 11, Issue 1). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1186/s43088-022-00228-w>

Ramadhinar Subando Universitas Gadjah Mada Yudi Pranoto, T., Dhiantika Witasari, L., & Gadjah Mada, U. (2023). *Optimization and Characterization of Arrowroot Porous Starch Using Thermostable α -amylase by Response Surface Methodology*. <https://doi.org/10.21203/rs.3.rs-2440776/v1>

Rodklongtan, A., & Chitprasert, P. (2017). Combined effects of holy basil essential oil and inlet temperature on lipid peroxidation and survival of *Lactobacillus reuteri* KUB-AC5 during spray drying. *Food Research International*, 100, 276–283. <https://doi.org/10.1016/j.foodres.2017.07.016>

Rostamabadi, H., Falsafi, S. R., & Jafari, S. M. (2019). Nanostructures of starch for encapsulation of food ingredients. In *Biopolymer Nanostructures for Food Encapsulation Purposes* (pp. 419–462). Elsevier. <https://doi.org/10.1016/B978-0-12-815663-6.00015-X>

Samedi, L., & Charles, A. L. (2019). Viability of 4 probiotic bacteria microencapsulated with arrowroot starch in the simulated gastrointestinal tract (GIT) and yoghurt. *Foods*, 8(5). <https://doi.org/10.3390/foods8050175>

Santivarangkna, C., Kulozik, U., & Foerst, P. (2008). Inactivation mechanisms of lactic acid starter cultures preserved by drying processes. In *Journal of Applied Microbiology* (Vol. 105, Issue 1, pp. 1–13). Blackwell Publishing Ltd. <https://doi.org/10.1111/j.1365-2672.2008.03744.x>



Setiarto, R. H. B., Kusumaningrum, H. D., Jenie, B. S. L., Khusniati, T., & Sulistiani, S. (2020). Modified taro starch as alternative encapsulant for microencapsulation of *Lactobacillus plantarum* SU-LS 36. *Czech Journal of Food Sciences*, 38(5), 293–300. <https://doi.org/10.17221/2/2020-CJFS>

Sharma, P., Nickerson, M. T., & Korber, D. R. (2024). Valorization of berry pomace for extraction of polyphenol compounds and its co-encapsulation with probiotic bacteria. *Food Bioscience*, 62. <https://doi.org/10.1016/j.fbio.2024.105124>

Vaziri, A. S., Alemzadeh, I., Vossoughi, M., & Khorasani, A. C. (2018). Co-microencapsulation of *Lactobacillus plantarum* and DHA fatty acid in alginate-pectin-gelatin biocomposites. *Carbohydrate Polymers*, 199, 266–275. <https://doi.org/10.1016/j.carbpol.2018.07.002>

Verruck, S., Santana, F., de Olivera Müller, C., & Prudencio, E. S. (2018). Thermal and water sorption properties of *Bifidobacterium* BB-12 microcapsules obtained from goat's milk and prebiotics. *LWT*, 98, 314–321. <https://doi.org/10.1016/j.lwt.2018.08.060>

Witasari, L. D., Heryadi, A. A., Yani, A. I. T., Nisrina, S., Purwitasari, L., & Pranoto, Y. (2024). Characterization of porous starch produced from edible canna (*Canna edulis* Kerr.) via enzymatic hydrolysis using thermostable α -amylase and glucoamylase. *Biocatalysis and Agricultural Biotechnology*, 55. <https://doi.org/10.1016/j.bcab.2023.102990>

Witasari, L. D., Nisrina, S., Yani, A. I. T., Heryadi, A. A., & Pranoto, Y. (2024). Characterization of porous starch produced from arrowroot (*Maranta arundinacea* L.) by enzymatic hydrolysis with α -amylase and glucoamylase. *Carbohydrate Polymer Technologies and Applications*, 7. <https://doi.org/10.1016/j.carpta.2024.100445>

Xavier dos Santos, D., Casazza, A. A., Aliakbarian, B., Bedani, R., Saad, S. M. I., & Perego, P. (2019). Improved probiotic survival to in vitro gastrointestinal stress in a mousse containing *Lactobacillus acidophilus* La-5 microencapsulated with inulin by spray drying. *LWT*, 99, 404–410. <https://doi.org/10.1016/j.lwt.2018.10.010>

Xing, Y., Xu, Q., Ma, Y., Che, Z., Cai, Y., & Jiang, L. (2014). Effect of porous starch concentrations on the microbiological characteristics of microencapsulated *Lactobacillus acidophilus*. *Food and Function*, 5(5), 972–983. <https://doi.org/10.1039/c3fo60438a>

Yasmin, I., Saeed, M., Pasha, I., & Zia, M. A. (2019). Development of Whey Protein Concentrate-Pectin-Alginate Based Delivery System to Improve Survival of *B. longum* BL-05 in Simulated Gastrointestinal Conditions. *Probiotics and Antimicrobial Proteins*, 11(2), 413–426. <https://doi.org/10.1007/s12602-018-9407-x>

Yin, M., Chen, M., Yuan, Y., Liu, F., & Zhong, F. (2024). Encapsulation of *Lactobacillus rhamnosus* GG in whey protein isolate-shortening oil and gum Arabic by complex coacervation: Enhanced the viability of probiotics during spray drying and storage. *Food Hydrocolloids*, 146. <https://doi.org/10.1016/j.foodhyd.2023.109252>

