

DAFTAR PUSTAKA

- Aulia, R., Windarwati, Sukorini, U., (2014). TyG-Index untuk diagnosis resistensi insulin pada karyawan RSUP Dr. Sardjito Yogyakarta, Universitas Gadjah Mada.
- Aljuraiban, G., Alharbi, F., Aljohi, A., Almeshari, A., Al-Musharraf, S., Aldhwayan, M., Alshaikh, F., & Abulmeaty, M. (2024). Triglyceride–Glucose Index (TyG Index) in Association with Blood Pressure in Adults: A Retrospective Study. *International Journal of General Medicine*, Volume 17, 3395–3402. <https://doi.org/10.2147/IJGM.S469147>
- Baral, S., Pokhrel, A., B K, S. K., Kshetri, R., Regmi, P., & Gyawali, P. (2022). Dyslipidemia among Patients with Ischemic Stroke in the Department of Medicine of a Tertiary Care Centre: A Descriptive Cross-sectional Study. *JNMA; journal of the Nepal Medical Association*, 60(250), 511–516. <https://doi.org/10.31729/jnma.7491>
- Beghi, E., Carpio, A., Forsgren, L., Hesdorffer, D. C., Malmgren, K., Sander, J. W., Tomson, T., & Hauser, W. A. (2010). Recommendation for a definition of acute symptomatic seizure. *Epilepsia*, 51(4), 671–675. <https://doi.org/10.1111/j.1528-1167.2009.02285.x>
- Belkina, A. C., & Denis, G. V. (2010). Obesity genes and insulin resistance. *Current opinion in endocrinology, diabetes, and obesity*, 17(5), 472–477. <https://doi.org/10.1097/MED.0b013e32833c5c48>
- Billi, Akbar, M., Umbas, D. G., Hamid, F., Bintang, A. K., & Lotisna, M. (2023). Estimated Glomerular Filtration Rate (eGFR) as a Predictor of 1-Month Clinical Outcome in First-Ever Acute Ischemic Stroke Patients. *Journal of Society Medicine*, 2(12), Article 12. <https://doi.org/10.47353/jsocmed.v2i12.110>
- Bisht, M. K., Dahiya, P., Ghosh, S., & Mukhopadhyay, S. (2023). The cause–effect relation of tuberculosis on incidence of diabetes mellitus. *Frontiers in Cellular and Infection Microbiology*, 13, 1134036. <https://doi.org/10.3389/fcimb.2023.1134036>
- Buvarp, D., Rafsten, L., Abzhandadze, T., & Sunnerhagen, K. S. (2022). A cohort study on longitudinal changes in postural balance during the first year after stroke. *BMC neurology*, 22(1), 324. <https://doi.org/10.1186/s12883-022-02851-7>
- Canavan, M., & O'Donnell, M. J. (2022). Hypertension and Cognitive Impairment: A Review of Mechanisms and Key Concepts. *Frontiers in Neurology*, 13, 821135. <https://doi.org/10.3389/fneur.2022.821135>
- Candelario-Jalil, E., & Paul, S. (2020). Impact of Aging and Comorbidities on Ischemic Stroke Outcomes in Preclinical Animal Models: A Translational Perspective. *Experimental Neurology*, 335, 113494. <https://doi.org/10.1016/j.expneurol.2020.113494>
- Carbone, S., Del Buono, M. G., Ozemek, C., & Lavie, C. J. (2019). Obesity, risk of diabetes and role of physical activity, exercise training and

- cardiorespiratory fitness. *Progress in cardiovascular diseases*, 62(4), 327–333. <https://doi.org/10.1016/j.pcad.2019.08.004>
- Chang, Y., Kim, C. K., Kim, M. K., Seo, W. K., & Oh, K. (2021). Insulin resistance is associated with poor functional outcome after acute ischemic stroke in non-diabetic patients. *Scientific reports*, 11(1), 1229. <https://doi.org/10.1038/s41598-020-80315-z>
- Chang, K. C., Lin, C. H., & Huang, J. A. (2024). Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Is Associated With a Reduced Risk of Poststroke Epilepsy in Patients With Ischemic Stroke. *Journal of the American Heart Association*, 13(17), e035438. <https://doi.org/10.1161/JAHA.124.035438>
- Chen, R., Ovbiagele, B., & Feng, W. (2016). Diabetes and Stroke: Epidemiology, Pathophysiology, Pharmaceuticals and Outcomes. *The American Journal of the Medical Sciences*, 351(4), 380–386. <https://doi.org/10.1016/j.amjms.2016.01.011>
- Chen, J., Li, S., Zheng, K., Wang, H., Xie, Y., Xu, P., ... Xu, G. (2019). Impact of Smoking Status on Stroke Recurrence. *Journal of the American Heart Association*, 8(8). doi:10.1161/jaha.118.011696
- Cheng, S., Rhee, E. P., Larson, M. G., Lewis, G. D., McCabe, E. L., Shen, D., Palma, M. J., Roberts, L. D., Dejam, A., Souza, A. L., Deik, A. A., Magnusson, M., Fox, C. S., O'Donnell, C. J., Vasan, R. S., Melander, O., Clish, C. B., Gerszten, R. E., & Wang, T. J. (2012). Metabolite profiling identifies pathways associated with metabolic risk in humans. *Circulation*, 125(18), 2222–2231. <https://doi.org/10.1161/CIRCULATIONAHA.111.067827>
- Cheng, Y., Zhu, H., Sun, D., Li, L., Liu, C., Sun, S., Guo, Y., Gu, C., Gao, Y., He, G., & Xue, S. (2024). High triglyceride-glucose index at admission is a predictor of post-stroke cognitive impairment in patients with acute ischemic stroke. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association*, 33(1), 107510. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2023.107510>
- Choi, E. Y., Nieves, G. A., & Jones, D. E. (2022). Acute Stroke Diagnosis. *American Family Physician*, 105(6), 616–624.
- Choi, W., Park, J. Y., Hong, A. R., Yoon, J. H., Kim, H. K., & Kang, H.-C. (2021). Association between triglyceride-glucose index and thyroid function in euthyroid adults: The Korea National Health and Nutritional Examination Survey 2015. *PLOS ONE*, 16(7), e0254630. <https://doi.org/10.1371/journal.pone.0254630>
- Cicek, M., Buckley, J., Pearson-Stuttard, J., & Gregg, E. W. (2021). Characterizing Multimorbidity from Type 2 Diabetes: Insights from Clustering Approaches. *Endocrinology and metabolism clinics of North America*, 50(3), 531–558. <https://doi.org/10.1016/j.ecl.2021.05.012>
- Coull A.J & Rothwell P.M. (2004). Underestimation of the Early Risk of Recurrent Stroke Evidence of the Need for a Standard Definition. *Stroke*;35(8):1925-9. doi: 10.1161/01.STR.0000133129.58126.67.
- Dai Z, Cao H, Wang F, Li L, Guo H, Zhang X, Jiang H, Zhu J, Jiang Y, Liu D and

- Xu G (2023) Impacts of stress hyperglycemia ratio on early neurological deterioration and functional outcome after endovascular treatment in patients with acute ischemic stroke. *Front. Endocrinol.* 14:1094353. doi: 10.3389/fendo.2023.1094353 Abstract TMP25: Major Adverse Brain Events: Incidence Rates Of A Novel Composite Vascular Neurologic Outcome
- de Havenon, A., *et al.* (2023). Abstract TMP25: Major Adverse Brain Events: Incidence Rates Of A Novel Composite Vascular Neurologic Outcome. *Stroke*;54:ATMP25 https://doi.org/10.1161/str.54.suppl_1.TMP25
- Demidova, T. Y., *et al.* (2023). The role of triglyceride-glucose index in predicting cardiovascular and metabolic outcomes in patients with type 2 diabetes mellitus. *Meditinskiy sovet = Medical Council.* 2023;17(9):47-57. (In Russ.) <https://doi.org/10.21518/ms2023-172>
- El Hussein, N., Katzan, I. L., Rost, N. S., Blake, M. L., Byun, E., Pendlebury, S. T., Aparicio, H. J., Marquine, M. J., Gottesman, R. F., Smith, E. E., & American Heart Association Stroke Council; Council on Cardiovascular and Stroke Nursing; Council on Cardiovascular Radiology and Intervention; Council on Hypertension; and Council on Lifestyle and Cardiometabolic Health (2023). Cognitive Impairment After Ischemic and Hemorrhagic Stroke: A Scientific Statement From the American Heart Association/American Stroke Association. *Stroke*, 54(6), e272–e291. <https://doi.org/10.1161/STR.0000000000000430>
- ElSayed, N. A., Aleppo, G., Aroda, V. R., Bannuru, R. R., Brown, F. M., Bruemmer, D., Collins, B. S., Hilliard, M. E., Isaacs, D., Johnson, E. L., Kahan, S., Khunti, K., Leon, J., Lyons, S. K., Perry, M. L., Prahalad, P., Pratley, R. E., Seley, J. J., Stanton, R. C., Gabbay, R. A., ... on behalf of the American Diabetes Association (2023). 2. Classification and Diagnosis of Diabetes: Standards of Care in Diabetes-2023. *Diabetes care*, 46(Suppl 1), S19–S40. <https://doi.org/10.2337/dc23-S002>.
- Esse, K., Fossati-Bellani, M., Traylor, A., & Martin-Schild, S. (2011). Epidemic of illicit drug use, mechanisms of action/addiction and stroke as a health hazard. *Brain and Behavior*, 1(1), 44–54. <https://doi.org/10.1002/brb3.7>
- Fan, J., Li, X., Yu, X., Liu, Z., Jiang, Y., Fang, Y., Zong, M., Suo, C., Man, Q., & Xiong, L. (2023). Global Burden, Risk Factor Analysis, and Prediction Study of Ischemic Stroke, 1990–2030. *Neurology*, 101(2), e137–e150. <https://doi.org/10.1212/WNL.0000000000207387>
- Feigin, V. L., Nguyen, G., Cercy, K., Johnson, C. O., Alam, T., Parmar, P. G., Abajobir, A. A., Abate, K. H., Abd-Allah, F., Abejie, A. N., Abyu, G. Y., Ademi, Z., Agarwal, G., Ahmed, M. B., Akinyemi, R. O., Al-Raddadi, R., Aminde, L. N., Amlie-Lefond, C., Ansari, H., ... Roth, G. A. (2018). Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. *The New England journal of medicine*, 379(25), 2429–2437. <https://doi.org/10.1056/NEJMoa1804492>
- Feigin, V. L., Stark, B. A., Johnson, C. O., Roth, G. A., Bisignano, C., Abady, G. G., ... & Hamidi, S. (2021). Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global

- Burden of Disease Study 2019. *The Lancet Neurology*, 20(10), 795-820.
- Feng, Q., Yang, S., Ye, S., Wan, C., Wang, H., & You, J. (2024). Mediation of depressive symptoms in the association between blood urea nitrogen to creatinine ratio and cognition among middle-aged and elderly adults: Evidence from a national longitudinal cohort study. *BMC Psychiatry*, 24(1), 515. <https://doi.org/10.1186/s12888-024-05941-7>
- Galovic, M., Ferreira-Atuesta, C., Abaira, L., Döhler, N., Sinka, L., Brigo, F., Bentes, C., Zelano, J., & Koepp, M. J. (2021). Seizures and Epilepsy After Stroke: Epidemiology, Biomarkers and Management. *Drugs & aging*, 38(4), 285–299. <https://doi.org/10.1007/s40266-021-00837-7>
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of Type 2 Diabetes Mellitus. *International journal of molecular sciences*, 21(17), 6275. <https://doi.org/10.3390/ijms21176275>
- GBD 2021 Diabetes Collaborators (2023). Global, regional, and national burden of diabetes from 1990 to 2021, with projections of prevalence to 2050: a systematic analysis for the Global Burden of Disease Study 2021. *Lancet (London, England)*, 402(10397), 203–234. [https://doi.org/10.1016/S0140-6736\(23\)01301-6](https://doi.org/10.1016/S0140-6736(23)01301-6).
- Guo, J., Guo, J., Li, J., Zhou, M., Qin, F., Zhang, S., Wu, B., He, L., & Zhou, D. (2015). Statin treatment reduces the risk of poststroke seizures. *Neurology*, 85(8), 701–707. <https://doi.org/10.1212/WNL.0000000000001814>
- Guo, W., Zhao, L., Mo, F., Peng, C., Li, L., Xu, Y., Guo, W., Sun, A., Yan, H., & Wang, L. (2021). The prognostic value of the triglyceride glucose index in patients with chronic heart failure and type 2 diabetes: A retrospective cohort study. *Diabetes research and clinical practice*, 177, 108786. <https://doi.org/10.1016/j.diabres.2021.108786>
- Gyamfi, J., Kim, J., & Choi, J. (2022). Cancer as a Metabolic Disorder. *International Journal of Molecular Sciences*, 23(3), Article 3. <https://doi.org/10.3390/ijms23031155>
- Halmi, Z., Stone, T. W., Dinya R., Mally J., (2020). *Postural instability years after stroke. Journal of Stroke and Cerebrovascular Diseases*, 29(9), 105038–. doi:10.1016/j.jstrokecerebrovasdis.2020.10503
- Han, J., Mao, W., Ni, J., Wu, Y., Liu, J., Bai, L., Shi, M., Tu, J., Ning, X., & Wang, J. (2020). Rate and Determinants of Recurrence at 1 Year and 5 Years After Stroke in a Low-Income Population in Rural China. *Frontiers in neurology*, 11, 2. <https://doi.org/10.3389/fneur.2020.00002>
- Hong S, Han K, Park CY. (2020). The triglyceride glucose index is a simple and low-cost marker associated with atherosclerotic cardiovascular disease: a population-based study. *BMC Med* 18:361. doi: 10.1186/s12916-020-01824-2
- Hong, S., Han, K., & Park, C. Y. (2021). The insulin resistance by triglyceride glucose index and risk for dementia: population-based study. *Alzheimer's research & therapy*, 13(1), 9. <https://doi.org/10.1186/s13195-020-00758-4>
- Huang, R., Wang, Z., Chen, J., Bao, X., Xu, N., Guo, S., Gu, R., Wang, W., Wei, Z., Wang, L., (2022). Prognostic value of triglyceride glucose (TyG) index

- in patients with acute decompensated heart failure, *Cardiovascular Diabetology*, 21 (88): 1-14, doi.org/ 10.1186/ s12933-022-01507-7.
- Huang, K., Liu, F., Han, X., Huang, C., Huang, J., Gu, D., & Yang, X. (2016). Association of BMI with total mortality and recurrent stroke among stroke patients: A meta-analysis of cohort studies. *Atherosclerosis*, 253, 94–101. <https://doi.org/10.1016/j.atherosclerosis.2016.08.042>
- Indonesian Society of Hypertension (InaSH), 2021, Konsensus penatalaksanaan hipertensi 2021: Update Konsensus Perhimpunan Dokter Hipertensi Indonesia 2019, PERHI.
- Jebari-Benslaiman, S., Galicia-García, U., Larrea-Sebal, A., Olaetxea, J. R., Alloza, I., Vandenbroeck, K., Benito-Vicente, A., & Martín, C. (2022). Pathophysiology of Atherosclerosis. *International journal of molecular sciences*, 23(6), 3346. <https://doi.org/10.3390/ijms23063346>
- Jeong, J., Park, J. K., Koh, Y. H., Park, J.-M., Bae, H.-J., & Yun, S.-M. (2023). Association of HbA1c with functional outcome by ischemic stroke subtypes and age. *Frontiers in Neurology*, 14, 1247693. <https://doi.org/10.3389/fneur.2023.1247693>
- Jia, Q., Zhao, X., Wang, C., Wang, Y., Yan, Y., Li, H., Zhong, L., Liu, L., Zheng, H., Zhou, Y., & Wang, Y. (2011). Diabetes and poor outcomes within 6 months after acute ischemic stroke: the China National Stroke Registry. *Stroke*, 42(10), 2758–2762. <https://doi.org/10.1161/STROKEAHA.111.621649>
- Jihong, S., Xiaojie, C., He, L., & Yifan, Z. (2024). Association between the triglyceride glucose index and atherosclerotic cardiovascular disease in the general population: analysis of the national health and nutrition examination survey 1999-2004. *Frontiers in endocrinology*, 15, 1376357. <https://doi.org/10.3389/fendo.2024.1376357>
- Johnston, K. C., Li, J. Y., Lyden, P. D., Hanson, S. K., Feasby, T. E., Adams, R. J., Faught, R. E., Jr, & Haley, E. C., Jr (1998). Medical and neurological complications of ischemic stroke: experience from the RANTTAS trial. RANTTAS Investigators. *Stroke*, 29(2), 447–453. <https://doi.org/10.1161/01.str.29.2.447>
- Joshi D., Maroof M., Joshi S. C., Satyawali V. (2022). Study of clinical profile and pattern of stroke in diabetic and non-diabetic patients in a hospital of Kumaon region. *Asian Journal of Medical Sciences*.13(12):111-116. DOI: 10.3126/ajms.v13i12.46668.
- Kheloui, S., Brouillard, A., Rossi, M., Marin, M.-F., Mendrek, A., Paquette, D., & Juster, R.-P. (2021). Exploring the sex and gender correlates of cognitive sex differences. *Acta Psychologica*, 221, 103452. <https://doi.org/10.1016/j.actpsy.2021.103452>
- Kelly, D. M., Ademi, Z., Doehner, W., Lip, G. Y. H., Mark, P., Toyoda, K., Wong, C. X., Sarnak, M., Cheung, M., Herzog, C. A., Johansen, K. L., Reinecke, H., & Sood, M. M. (2021). Chronic Kidney Disease and Cerebrovascular Disease: Consensus and Guidance From a KDIGO Controversies Conference. *Stroke*, 52(7), e328–e346. <https://doi.org/10.1161/STROKEAHA.120.029680>

- Kemenkes RI. (2023). Laporan Tematik Survei Kesehatan Indonesia (SKI) Tahun 2023. Jakarta : Badan Kebijakan Pembangunan Kesehatan
- Khan, M. A. B., Hashim, M. J., King, J. K., Govender, R. D., Mustafa, H., & Al Kaabi, J. (2020). Epidemiology of Type 2 Diabetes - Global Burden of Disease and Forecasted Trends. *Journal of epidemiology and global health*, 10(1), 107–111. <https://doi.org/10.2991/jegh.k.191028.001>
- Khoury, J. C., Kleindorfer, D., Alwell, K., Moomaw, C. J., Woo, D., Adeoye, O., Flaherty, M. L., Khatri, P., Ferioli, S., Broderick, J. P., & Kissela, B. M. (2013). Diabetes mellitus: a risk factor for ischemic stroke in a large biracial population. *Stroke*, 44(6), 1500–1504. <https://doi.org/10.1161/STROKEAHA.113.001318>
- Kim, J., Gall, S. L., Dewey, H. M., Macdonell, R. A., Sturm, J. W., & Thrift, A. G. (2012). Baseline smoking status and the long-term risk of death or nonfatal vascular event in people with stroke: a 10-year survival analysis. *Stroke*, 43(12), 3173–3178. <https://doi.org/10.1161/STROKEAHA.112.668905>
- Kinguchi, S., & Tamura, K. (2024). Triglyceride-glucose index is a good indicator for early prediction of future chronic kidney disease development in all blood pressure subtypes. *Hypertension Research*, s41440-023-01577-4. <https://doi.org/10.1038/s41440-023-01577-4>
- Kissela, B. M., Khoury, J., Kleindorfer, D., Woo, D., Schneider, A., Alwell, K., Miller, R., Ewing, I., Moomaw, C. J., Szaflarski, J. P., Gebel, J., Shukla, R., & Broderick, J. P. (2005). Epidemiology of ischemic stroke in patients with diabetes: the greater Cincinnati/Northern Kentucky Stroke Study. *Diabetes care*, 28(2), 355–359. <https://doi.org/10.2337/diacare.28.2.355>
- Kleindorfer, D. O., Towfighi, A., Chaturvedi, S., Cockcroft, K. M., Gutierrez, J., Lombardi-Hill, D., Kamel, H., Kernan, W. N., Kittner, S. J., Leira, E. C., Lennon, O., Meschia, J. F., Nguyen, T. N., Pollak, P. M., Santangeli, P., Sharrief, A. Z., Smith, S. C., Turan, T. N., & Williams, L. S. (2021). 2021 Guideline for the Prevention of Stroke in Patients With Stroke and Transient Ischemic Attack: A Guideline From the American Heart Association/American Stroke Association. *Stroke*, 52(7), e364–e467. <https://doi.org/10.1161/STR.0000000000000375>
- Klop, B., Elte, J. W., & Cabezas, M. C. (2013). Dyslipidemia in obesity: mechanisms and potential targets. *Nutrients*, 5(4), 1218–1240. <https://doi.org/10.3390/nu5041218>
- Kourtidou, C., *et al.* (2022). Reviews in Cardiovascular Medicine, Vol. 23, No. 12.
- Koliaki, C., Liatis, S., & Kokkinos, A. (2019). Obesity and cardiovascular disease: revisiting an old relationship. *Metabolism: clinical and experimental*, 92, 98–107. <https://doi.org/10.1016/j.metabol.2018.10.011>
- Kumral, E., Evyapan, D., Gökçay, F., Karaman, B., & Orman, M. (2014). Association of baseline dyslipidemia with stroke recurrence within five-years after ischemic stroke. *International journal of stroke : official journal of the International Stroke Society*, 9 Suppl A100, 119–126. <https://doi.org/10.1111/ijs.12341>
- Kuriakose, D., & Xiao, Z. (2020). Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives. *International Journal of Molecular*

- Sciences*, 21(20), 7609. <https://doi.org/10.3390/ijms21207609>
- Lettow, I., Jensen, M., Schlemm, E., Boutitie, F., Quandt, F., Cheng, B., Ebinger, M., Endres, M., Fiebach, J. B., Thijs, V., Lemmens, R., Muir, K. W., Nighoghossian, N., Pedraza, S., Simonsen, C. Z., Gerloff, C., Thomalla, G., & WAKE-UP Investigators (2021). Serious Adverse Events and Their Impact on Functional Outcome in Acute Ischemic Stroke in the WAKE-UP Trial. *Stroke*, 52(12), 3768–3776. <https://doi.org/10.1161/STROKEAHA.120.033425>.
- Li, B., Li, D., Liu, J. F., Wang, L., Li, B. Z., Yan, X. J., Liu, W., Wu, K., & Xiang, R. L. (2021). "Smoking paradox" is not true in patients with ischemic stroke: a systematic review and meta-analysis. *Journal of neurology*, 268(6), 2042–2054. <https://doi.org/10.1007/s00415-019-09596-3>
- Li, R-T, Li Y, Wang B-W, Gao X-Q, Zhang J-X, Li F, Zhang X-Y and Fang Z-Z (2023) Relationship between plasma glutamate and cardiovascular disease risk in Chinese patients with type 2 diabetes mellitus by gender. *Front. Endocrinol.* 14:1095550. doi: 10.3389/fendo.2023.1095550
- Li, S., Deng, X., & Zhang, Y. (2022). The Triglyceride-Glucose Index Is Associated with Longitudinal Cognitive Decline in a Middle-Aged to Elderly Population: A Cohort Study. *Journal of Clinical Medicine*, 11(23), 7153. <https://doi.org/10.3390/jcm11237153>
- Li, X., Wang, L., Zhou, H., & Xu, H. (2024). Association between triglyceride-glucose index and chronic kidney disease: Results from NHANES 1999–2020. *International Urology and Nephrology*. <https://doi.org/10.1007/s11255-024-04103-8>
- Liu, D., Yang, K., Gu, H., Li, Z., Wang, Y., & Wang, Y. (2022). Predictive effect of triglyceride-glucose index on clinical events in patients with acute ischemic stroke and type 2 diabetes mellitus. *Cardiovascular Diabetology*, 21, 280. <https://doi.org/10.1186/s12933-022-01704-4>
- Liu, H., Chen, Y., Zhou, Q., Guo, G., Hu, B., Wan, F., & Wen, J. (2024). Association between the blood urea nitrogen-to-creatinine ratio and 3-month outcomes in patients with acute ischemic stroke: A secondary analysis based on a prospective cohort study. *Frontiers in Neurology*, 15. <https://doi.org/10.3389/fneur.2024.1350116>
- Liu, L., Zhao, B., Yu, Y., Gao, W., Liu, W., Chen, L., Xia, Z., & Cao, Q. (2024). Vascular Aging in Ischemic Stroke. *Journal of the American Heart Association*, 13(15), e033341. <https://doi.org/10.1161/JAHA.123.033341>
- Liu, Y., et al. (2022). *Cardiovascular Diabetology*, Vol. 21, No. 1.
- Lin, X., Li, Q., Zhao, D., Liu, J., & Fan, Q. (2023). A high triglyceride-glucose index associated with adverse cardiovascular events in patients with type 2 diabetes mellitus and chronic total occlusion after percutaneous coronary intervention. *Journal of Investigative Medicine*, 71(5), 471-481.
- Lovett, J. K., Coull, A. J., & Rothwell, P. M. (2004). Early risk of recurrence by subtype of ischemic stroke in population-based incidence studies. *Neurology*, 62(4), 569–573. <https://doi.org/10.1212/01.wnl.0000110311.09970.83>
- Ma, X., et al. (2022). *Hormone and Metabolic Research*, Vol. 54, No. 6.

- Maida, C. D., Daidone, M., Pacinella, G., Norrito, R. L., Pinto, A., & Tuttolomondo, A. (2022). Diabetes and Ischemic Stroke: An Old and New Relationship an Overview of the Close Interaction between These Diseases. *International Journal of Molecular Sciences*, 23(4), Article 4. <https://doi.org/10.3390/ijms23042397>
- Man, J. J., Beckman, J. A., & Jaffe, I. Z. (2020). Sex as a Biological Variable in Atherosclerosis. *Circulation research*, 126(9), 1297–1319. <https://doi.org/10.1161/CIRCRESAHA.120.315930>
- Matarin, M., Brown, W. M., Singleton, A., Hardy, J. A., & Meschia, J. F. (2008). Whole Genome Analyses Suggest Ischemic Stroke and Heart Disease Share an Association With Polymorphisms on Chromosome 9p21. *Stroke*, 39(5), 1586–1589. <https://doi.org/10.1161/STROKEAHA.107.502963>
- Miao, M., *et al.* (2022). Nutrition Metabolism and Cardiovascular Diseases, Vol. 33, No. 2.
- Middleton, E. T., & Morice, A. H. (2000). Breath carbon monoxide as an indication of smoking habit. *Chest*, 117(3), 758–763. <https://doi.org/10.1378/chest.117.3.758>
- Mijangos-Trejo, A., Gómez-Mendoza, R., Ramos-Ostos, M. H., Castro-Narro, G., Uribe, M., Juárez-Hernández, E., & López-Méndez, I. (2024). Diagnostic Accuracy of the Triglyceride–Glucose Index (TyG), TyG Body Mass Index, and TyG Waist Circumference Index for Liver Steatosis Detection. *Diagnostics*, 14(7), Article 7. <https://doi.org/10.3390/diagnostics14070762>
- Megherbi, S. E., Milan, C., Minier, D., Couvreur, G., Osseby, G. V., Tilling, K., Di Carlo, A., Inzitari, D., Wolfe, C. D., Moreau, T., Giroud, M., & European BIOMED Study of Stroke Care Group (2003). Association between diabetes and stroke subtype on survival and functional outcome 3 months after stroke: data from the European BIOMED Stroke Project. *Stroke*, 34(3), 688–694. <https://doi.org/10.1161/01.STR.0000057975.15221.40>
- Mohamad, N. W., & Ismail, I. S. (2020). Dietary Strategies for Metabolic Syndrome: A Comprehensive Review. *Nutrients*, 12(10), 2983.
- Moon, S., Park, J. S., & Ahn, Y. (2017). The Cut-off Values of Triglycerides and Glucose Index for Metabolic Syndrome in American and Korean Adolescents. *Journal of Korean medical science*, 32(3), 427–433. <https://doi.org/10.3346/jkms.2017.32.3.427>
- Moskowitz, M. A., Lo, E. H., & Iadecola, C. (2010). The science of stroke: mechanisms in search of treatments. *Neuron*, 67(2), 181–198. <https://doi.org/10.1016/j.neuron.2010.07.002>
- Murman, D. L. (2015). The Impact of Age on Cognition. *Seminars in Hearing*, 36(3), 111–121. <https://doi.org/10.1055/s-0035-1555115>
- Nadeem, M. D., Memon, S., Qureshi, K., Farooq, U., Memon, U. A., Aparna, F., Kachhadia, M. P., Shahzeen, F., Ali, S., Varrassi, G., Kumar, L., Kumar, S., Kumar, S., & Khatri, M. (2023). Seizing the Connection: Exploring the Interplay Between Epilepsy and Glycemic Control in Diabetes Management. *Cureus*, 15(9), e45606. <https://doi.org/10.7759/cureus.45606>
- Nam, K.-W., Kwon, H.-M., & Lee, Y.-S. (2021). High triglyceride-glucose index is associated with early recurrent ischemic lesion in acute ischemic stroke.

- Scientific Reports*, 11(1), 15335.
<https://doi.org/10.1038/s41598-021-94631-5>
- Navas-Carretero, S., *et al.* (2021). Appraisal of triglyceride-related markers as early predictors of metabolic outcomes in the previu lifestyle intervention: a controlled post-hoc trial. *Frontiers in Nutrition*, 8.
- Nevárez-Sida, A., & Guerrero-Romero, F. (2023). The Triglycerides and Glucose Index: A Cost-Effectiveness Analysis Compared With the Homeostatic Model Assessment for Insulin Resistance. *Value in health regional issues*, 37, 49–52. <https://doi.org/10.1016/j.vhri.2023.05.001>
- Niu, M., *et al.* (2023). BMC Geriatrics, Vol. 23, No. 1.
- Norrving, B., & Kissela, B. (2013). The global burden of stroke and need for a continuum of care. *Neurology*, 80(3 Suppl 2), S5–S12. <https://doi.org/10.1212/WNL.0b013e3182762397>
- Ovbiagele, B., Bath, P. M., Cotton, D., Sha, N., & Diener, H.-C. (2013). Low Glomerular Filtration Rate, Recurrent Stroke Risk and Effect of Renin Angiotensin System Modulation. *Stroke; a Journal of Cerebral Circulation*, 44(11), 3223–3225. <https://doi.org/10.1161/STROKEAHA.113.002463>
- O'Donnell, M. J., Xavier, D., Liu, L., Zhang, H., Chin, S. L., Rao-Melacini, P., Rangarajan, S., Islam, S., Pais, P., McQueen, M. J., Mondo, C., Damasceno, A., Lopez-Jaramillo, P., Hankey, G. J., Dans, A. L., Yusuf, K., Truelsen, T., Diener, H. C., Sacco, R. L., Ryglewicz, D., ... INTERSTROKE investigators (2010). Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet (London, England)*, 376(9735), 112–123. [https://doi.org/10.1016/S0140-6736\(10\)60834-3](https://doi.org/10.1016/S0140-6736(10)60834-3)
- Pacholko, A., & Iadecola, C. (2024). Hypertension, Neurodegeneration, and Cognitive Decline. *Hypertension*, 81(5), 991–1007. <https://doi.org/10.1161/HYPERTENSIONAHA.123.21356>
- Pandian, J. D., Padma Srivastava, M. V., Aaron, S., Ranawaka, U. K., Venketasubramanian, N., Sebastian, I. A., Injety, R. J., Gandhi, D. B. C., Chawla, N. S., Vijayanand, P. J., Rangamani, S., & Kalkonde, Y. V. (2023). The burden, risk factors and unique etiologies of stroke in South-East Asia Region (SEAR). *The Lancet regional health. Southeast Asia*, 17, 100290. <https://doi.org/10.1016/j.lansea.2023.100290>
- Paterson, E. N., Maxwell, A. P., Kee, F., Cruise, S., Young, I. S., McGuinness, B., & McKay, G. J. (2021). Association of renal impairment with cognitive dysfunction in the Northern Ireland Cohort for the Longitudinal Study of Ageing (NICOLA). *Nephrology Dialysis Transplantation*, 36(8), 1492–1499. <https://doi.org/10.1093/ndt/gfab182>
- Pearson-Stuttard, J., Holloway, S., Polya, R., Sloan, R., Zhang, L., Gregg, E. W., Harrison, K., Elvidge, J., Jonsson, P., & Porter, T. (2022). Variations in comorbidity burden in people with type 2 diabetes over disease duration: A population-based analysis of real world evidence. *EClinicalMedicine*, 52, 101584. <https://doi.org/10.1016/j.eclinm.2022.101584>
- Pedoman Nasional Pelayanan Kedokteran Tatalaksana Stroke. Keputusan Menteri

- Kesehatan Republik Indonesia Nomor HK.01.07/Menkes/394/2019.
Jakarta: Kemenkes RI.
- Perkumpulan Endokrinologi Indonesia (Perkeni). (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia, PB Perkeni.
- Perkumpulan Endokrinologi Indonesia (Perkeni). (2021). Panduan Pengelolaan Dislipidemia di Indonesia, PB Perkeni.
- Pu, L., Wang, L., Zhang, R., Zhao, T., Jiang, Y., & Han, L. (2023). Projected Global Trends in Ischemic Stroke Incidence, Deaths and Disability-Adjusted Life Years From 2020 to 2030. *Stroke*, 54(5), 1330–1339. <https://doi.org/10.1161/STROKEAHA.122.040073>
- Putri, T., Rahayu, L., & Agustina, E. (2019). Stroke recurrence based on stroke prognosis instrument ii (spi-ii) and the attack number of stroke. *Kne Life Sciences*. Shimoda, T., *et al.* (2023). Influence of antidiabetic medications on predictive aptitude of tyg index for hfpef. *Clinical Cardiology*, 46(3), 345-345.
- Powers, W. J., Rabinstein, A. A., Ackerson, T., Adeoye, O. M., Bambakidis, N. C., Becker, K., Biller, J., Brown, M., Demaerschalk, B. M., Hoh, B., Jauch, E. C., Kidwell, C. S., Leslie-Mazwi, T. M., Ovbiagele, B., Scott, P. A., Sheth, K. N., Southerland, A. M., Summers, D. V., & Tirschwell, D. L. (2019). Guidelines for the Early Management of Patients With Acute Ischemic Stroke: 2019 Update to the 2018 Guidelines for the Early Management of Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*, 50(12), e344–e418. <https://doi.org/10.1161/STR.0000000000000211>
- Rader D.J. (2022). Disorders of lipoprotein metabolism. Loscalzo J, & Fauci A, & Kasper D, & Hauser S, & Longo D, & Jameson J(Eds.), Harrison's Principles of Internal Medicine, 21e. McGraw-Hill Education
- Roy-O'Reilly, M., & McCullough, L. D. (2018). Age and Sex Are Critical Factors in Ischemic Stroke Pathology. *Endocrinology*, 159(8), 3120–3131. <https://doi.org/10.1210/en.2018-00465>
- Ruan, H., Ran, X., Li, S. S., & Zhang, Q. (2024). Dyslipidemia versus obesity as predictors of ischemic stroke prognosis: a multi-center study in China. *Lipids in health and disease*, 23(1), 72. <https://doi.org/10.1186/s12944-024-02061-9>
- Sacco, R. L., Kasner, S. E., Broderick, J. P., Caplan, L. R., Connors, J. J., Culebras, A., Elkind, M. S., George, M. G., Hamdan, A. D., Higashida, R. T., Hoh, B. L., Janis, L. S., Kase, C. S., Kleindorfer, D. O., Lee, J. M., Moseley, M. E., Peterson, E. D., Turan, T. N., Valderrama, A. L., Vinters, H. V., ... Council on Nutrition, Physical Activity and Metabolism (2013). An updated definition of stroke for the 21st century: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 44(7), 2064–2089. <https://doi.org/10.1161/STR.0b013e318296aeca>
- Salaudeen, M. A., Bello, N., Danraka, R. N., & Ammani, M. L. (2024).

- Understanding the Pathophysiology of Ischemic Stroke: The Basis of Current Therapies and Opportunity for New Ones. *Biomolecules*, 14(3), 305. <https://doi.org/10.3390/biom14030305>
- Sarwar, N., Gao, P., Seshasai, S. R., Gobin, R., Kaptoge, S., Di Angelantonio, E., Ingelsson, E., Lawlor, D. A., Selvin, E., Stampfer, M., Stehouwer, C. D., Lewington, S., Pennells, L., Thompson, A., Sattar, N., White, I. R., Ray, K. K., & Danesh, J. (2010). Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. *Lancet (London, England)*, 375(9733), 2215–2222. [https://doi.org/10.1016/S0140-6736\(10\)60484-9](https://doi.org/10.1016/S0140-6736(10)60484-9)
- Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F., Gavin, J. R., 3rd, & Aguilar, R. B. (2016). The Time Is Right for a New Classification System for Diabetes: Rationale and Implications of the β -Cell-Centric Classification Schema. *Diabetes care*, 39(2), 179–186. <https://doi.org/10.2337/dc15-1585>
- Sebastian, I. A., Gandhi, D. B. C., Sylaja, P. N., Paudel, R., Kalkonde, Y. V., Yangchen, Y., Gunasekara, H., Injety, R. J., Vijayanand, P. J., Chawla, N. S., Oo, S., Hla, K. M., Tenzin, T., & Pandian, J. D. (2023). Stroke systems of care in South-East Asia Region (SEAR): commonalities and diversities. *The Lancet regional health. Southeast Asia*, 17, 100289. <https://doi.org/10.1016/j.lansea.2023.100289>
- Seshadri, S., & Wolf, P. A. (2007). Lifetime risk of stroke and dementia: current concepts, and estimates from the Framingham Study. *The Lancet. Neurology*, 6(12), 1106–1114. [https://doi.org/10.1016/S1474-4422\(07\)70291-0](https://doi.org/10.1016/S1474-4422(07)70291-0)
- Shukla, V., Shakya, A. K., Perez-Pinzon, M. A., & Dave, K. R. (2017). Cerebral ischemic damage in diabetes: an inflammatory perspective. *Journal of neuroinflammation*, 14(1), 21. <https://doi.org/10.1186/s12974-016-0774-5>
- Singh, A. K., Singh, R., & Misra, A. (2021). Global, regional, and country estimates of metabolic syndrome burden in children and adolescents in 2020: a systematic review and modelling analysis. *The Lancet Child & Adolescent Health*, 5(1), 46–56.
- Soegondo, S., Purnamasari, D. (2015). Buku Ajar Ilmu Penyakit Dalam FK UI jilid II. Edisi VI. Jakarta: InternaPublishing, 2537-2545.
- Sojitra, M. H., Garg, V. S., Shah, K., Joshi, S., Vадnagara, H., Gandhi, S. K., & Patel, P. (2023). Exploring the Role of Insulin Resistance in Fueling Stroke Vulnerability and Worsening Post-stroke Prognosis: A Narrative Review of Current Literature. *Cureus*, 15(10), e48034. <https://doi.org/10.7759/cureus.48034>
- Son, D. H., Lee, H. S., Lee, Y. J., Lee, J. H., & Han, J. H. (2022). Comparison of triglyceride-glucose index and HOMA-IR for predicting prevalence and incidence of metabolic syndrome. *Nutrition, metabolism, and cardiovascular diseases : NMCD*, 32(3), 596–604. <https://doi.org/10.1016/j.numecd.2021.11.017>
- Sun, J. H., Tan, L., & Yu, J. T. (2014). Post-stroke cognitive impairment: epidemiology, mechanisms and management. *Annals of translational*

- medicine*, 2(8), 80. <https://doi.org/10.3978/j.issn.2305-5839.2014.08.05>
- Sun, T., *et al.* (2023). Prognostic significance of the triglyceride-glucose index for patients with ischemic heart failure after percutaneous coronary intervention. *Frontiers in Endocrinology*, 14.
- Sun, X., Lv, J., Wu, Z., Shi, J., & Huang, H. (2022). Serum Uric Acid to Serum Creatinine Ratio and Risk of Stroke Recurrence in Young Adults with Ischemic Stroke. *Neuropsychiatric Disease and Treatment, Volume 18*, 2031–2039. <https://doi.org/10.2147/NDT.S378576>
- Szczurkowska, P. J., Polonis, K., Becari, C., Hoffmann, M., Narkiewicz, K., & Chrostowska, M. (2021). Epilepsy and hypertension: The possible link for sudden unexpected death in epilepsy?. *Cardiology journal*, 28(2), 330–335. <https://doi.org/10.5603/CJ.a2019.0095>
- Tahapary, D. L., Pratisthita, L. B., Fitri, N. A., Marcella, C., Wafa, S., Kurniawan, F., Rizka, A., Tarigan, T. J. E., Harbuwono, D. S., Purnamasari, D., & Soewondo, P. (2022). Challenges in the diagnosis of insulin resistance: Focusing on the role of HOMA-IR and Tryglyceride/glucose index. *Diabetes & metabolic syndrome*, 16(8), 102581. <https://doi.org/10.1016/j.dsx.2022.102581>
- Tamez-Pérez, H. E., Quintanilla-Flores, D. L., Rodríguez-Gutiérrez, R., González-González, J. G., & Tamez-Peña, A. L. (2015). Steroid hyperglycemia: Prevalence, early detection and therapeutic recommendations: A narrative review. *World Journal of Diabetes*, 6(8), 1073–1081. <https://doi.org/10.4239/wjd.v6.i8.1073>
- Tanaka, T., Ihara, M., Fukuma, K., Mishra, N. K., Koepp, M. J., Guekht, A., & Ikeda, A. (2024). Pathophysiology, Diagnosis, Prognosis, and Prevention of Poststroke Epilepsy: Clinical and Research Implications. *Neurology*, 102(11), e209450. <https://doi.org/10.1212/WNL.0000000000209450>
- Tang X, Zhang L, Li Y, Zhou Y, Cai X, Yao Y and Fang Q (2022) Relationship between triglyceride–glucose index and carotid plaques in a high-stroke risk population in southeast china: A population-based cross-Sectional Survey. *Front. Endocrinol.* 13:1023867. doi: 10.3389/fendo.2022.1023867
- Tchekalarova, J., Loyens, E., & Smolders, I. (2015). Effects of AT1 receptor antagonism on kainate-induced seizures and concomitant changes in hippocampal extracellular noradrenaline, serotonin, and dopamine levels in Wistar-Kyoto and spontaneously hypertensive rats. *Epilepsy & behavior : E&B*, 46, 66–71. <https://doi.org/10.1016/j.yebeh.2015.03.021>
- Tchekalarova, J. D., Ivanova, N., Atanasova, D., Pechlivanova, D. M., Lazarov, N., Kortenska, L., Mitreva, R., Lozanov, V., & Stoynev, A. (2016). Long-Term Treatment with Losartan Attenuates Seizure Activity and Neuronal Damage Without Affecting Behavioral Changes in a Model of Co-morbid Hypertension and Epilepsy. *Cellular and molecular neurobiology*, 36(6), 927–941. <https://doi.org/10.1007/s10571-015-0278-3>
- Teng, Z., Feng, J., Dong, Y., Xu, J., Jiang, X., Chen, H., Qi, Q., Li, R., Chen, W., & Lv, P. (2022). Triglyceride glucose index is associated with cerebral small vessel disease burden and cognitive impairment in elderly patients with type 2 diabetes mellitus. *Frontiers in endocrinology*, 13, 970122.

- <https://doi.org/10.3389/fendo.2022.970122>
- The, E. Z., Ng, M. Y., Ng, G. J., Er, B. G., Quek, A. M., Paliwal, P., Yeo, L. L., Chan, B. P. L., Sharma, V. K., Teoh, H. L., Khoo, E. Y., & Seet, R. C. (2021). Long-term outcomes of ischaemic stroke patients with diabetes in a multi-ethnic cohort in Singapore. *Annals of the Academy of Medicine, Singapore*, 50(1), 16–25. <https://doi.org/10.47102/annals-acadmedsg.2020105>
- Timalsina, S., Mahato, S., & Nepal, S. (2021). Utility of triglyceride-glucose index in predicting glycemic control in type 2 diabetes mellitus. *Birat Journal of Health Sciences*, 6(2), 1444-1448.
- Toh, E., *et al.* (2022). Association of triglyceride-glucose index with clinical outcomes in patients with acute ischemic stroke receiving intravenous thrombolysis. *Scientific Reports*, 12(1).
- Towfighi, A., Saver, J. L., Engelhardt, R., & Ovbiagele, B. (2007). A midlife stroke surge among women in the United States. *Neurology*, 69(20), 1898–1904. <https://doi.org/10.1212/01.wnl.0000268491.89956.c2>
- Undas, A., Topór-Madry, R., Tracz, W., & Pasowicz, M. (2009). Effect of cigarette smoking on plasma fibrin clot permeability and susceptibility to lysis. *Thrombosis and haemostasis*, 102(6), 1289–1291. <https://doi.org/10.1160/TH09-03-0187>
- Unger, G., Benozzi, S. F., Perruzza, F., & Pennacchiotti, G. L. (2014). Triglycerides and glucose index: a useful indicator of insulin resistance. *Endocrinologia y nutricion : organo de la Sociedad Espanola de Endocrinologia y Nutricion*, 61(10), 533–540. <https://doi.org/10.1016/j.endonu.2014.06.009>
- Ussher, J. R., Elmariah, S., Gerszten, R. E., & Dyck, J. R. (2016). The Emerging Role of Metabolomics in the Diagnosis and Prognosis of Cardiovascular Disease. *Journal of the American College of Cardiology*, 68(25), 2850–2870. <https://doi.org/10.1016/j.jacc.2016.09.972>
- von Martial R, Gralla J, Mordasini P, El Koussy M, Bellwald S, Volbers B, Kurmann R, Jung S, Fischer U, Arnold M *et al* (2018) Impact of smoking on stroke outcome after endovascular treatment. *PLoS ONE* 13(5):e0194652. <https://doi.org/10.1371/journal.pone.0194652>.
- Waafi, A.K., Husna, M., Damayanti, R., Setijowati, N., (2023). Clinical risk factors related to post-stroke epilepsy patients in Indonesia: a hospital-based study. *Egypt J Neurol Psychiatry Neurosurg* 59, 39. <https://doi.org/10.1186/s41983-023-00637-3>
- Wang, H., Ling, Q., Wu, Y., & Zhang, M. (2023). Association between the triglyceride glucose index and cognitive impairment and dementia: A meta-analysis. *Frontiers in Aging Neuroscience*, 15, 1278730. <https://doi.org/10.3389/fnagi.2023.1278730>
- Wang, L., Zhu, X., Li, H., Jia, B., Xie, W., Zhang, Y., Wang, L., Liu, L., & Li, M. (2024). Association between blood urea nitrogen to creatinine ratio and 3-month outcome in patients with acute ischaemic stroke: A retrospective cohort study from a large healthcare system. *BMJ Open*, 14(7), e085912. <https://doi.org/10.1136/bmjopen-2024-085912>

- Wang, Y., Xu, J., Zhao, X., Wang, D., Wang, C., Liu, L., Wang, A., Meng, X., Li, H., & Wang, Y. (2013). Association of hypertension with stroke recurrence depends on ischemic stroke subtype. *Stroke*, 44(5), 1232–1237. <https://doi.org/10.1161/STROKEAHA.111.000302>
- Wang, F., Wang, J., Han, Y., Shi, X., Xu, X., Hou, C., Gao, J., Zhu, S., & Liu, X. (2022). Triglyceride-glucose index and stroke recurrence in elderly patients with ischemic stroke. *Frontiers in endocrinology*, 13, 1005614. <https://doi.org/10.3389/fendo.2022.1005614>
- Wang, J., *et al.* (2023). *Diabetology & Metabolic Syndrome*, Vol. 15, No. 1.
- Wang, Y., Jiang, G., Zhang, J., Wang, J., You, W., & Zhu, J. (2023). Blood glucose level affects prognosis of patients who received intravenous thrombolysis after acute ischemic stroke? A meta-analysis. *Frontiers in endocrinology*, 14, 1120779. <https://doi.org/10.3389/fendo.2023.1120779>
- Wee, J., Sukdom, S., Bhat, S., Marklund, M., Peiris, N. J., Hoyos, C. M., Patel, S., Naismith, S. L., Dwivedi, G., & Misra, A. (2023). The relationship between midlife dyslipidemia and lifetime incidence of dementia: A systematic review and meta-analysis of cohort studies. *Alzheimer's & dementia (Amsterdam, Netherlands)*, 15(1), e12395. <https://doi.org/10.1002/dad2.12395>
- Wei, Z., *et al.* (2021). Triglyceride–glucose index independently predicts new-onset atrial fibrillation after septal myectomy for hypertrophic obstructive cardiomyopathy beyond the traditional risk factors. *Frontiers in Cardiovascular Medicine*, 8.
- Wen, J., Wei, C., Giri, M., Zhuang, R., & Shuliang, G. (2023). Association between serum uric acid/serum creatinine ratios and lung function in the general American population: National Health and Nutrition Examination Survey (NHANES), 2007–2012. *BMJ Open Respiratory Research*, 10(1). <https://doi.org/10.1136/bmjresp-2022-001513>
- Wibowo, A., & Susanto, H. (2019). Prevalence of Stroke and Associated Risk Factors in Sleman District of Yogyakarta Special Region, Indonesia. *Journal of epidemiology and global health*, 9(2), 97-102.
- World Health Organization. Noncommunicable Diseases and Mental Health Cluster. (2005). WHO STEPS stroke manual : the WHO STEPwise approach to stroke surveillance / Noncommunicable Diseases and Mental Health, World Health Organization. World Health Organization
- Wolf, P. A., Kannel, W. B., & Verter, J. (1983). Current status of risk factors for stroke. *Neurologic clinics*, 1(1), 317–343.
- Wu, L., Zhu, J., Li, C., Zhu, J., Dai, Z., & Jiang, Y. (2022). Association of triglyceride-glucose index with ischemic stroke recurrence in nondiabetic patients with small vessel occlusion: a multicenter hospital-based prospective cohort study. *Cardiovascular diabetology*, 21(1), 250. <https://doi.org/10.1186/s12933-022-01693-4>
- Wu, Y., Ding, Y., Tanaka, Y., & Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International journal of medical sciences*, 11(11), 1185–1200. <https://doi.org/10.7150/ijms.10001>

- .Xiao, Y., Devakumar, V., Xu, L., Liu, L., Mo, H., & Hong, X. (2023). Elevated serum creatinine levels and risk of cognitive impairment in older adults with diabetes: A NHANES study from 2011-2014. *Frontiers in Endocrinology*, 14, 1149084. <https://doi.org/10.3389/fendo.2023.1149084>
- Xu, L., Xiong, Q., Du, Y., Huang, L., & Yu, M. (2023). Nonlinear relationship between glycated hemoglobin and cognitive impairment after acute mild ischemic stroke. *BMC Neurology*, 23(1), 116. <https://doi.org/10.1186/s12883-023-03158-x>
- Yan, X., Ren, Z., Wen, Q., Jin, X., Wang, Y., & Zhang, W. (2022). Uric Acid and Cognitive Impairment in Patients with Acute Ischemic Stroke: A Meta-Analysis. *Hormone and Metabolic Research = Hormon- Und Stoffwechselforschung = Hormones Et Metabolisme*, 54(5), 316–324. <https://doi.org/10.1055/a-1798-0387>
- Yang, Y., Huang, X., Wang, Y., Leng, L., Xu, J., Feng, L., Jiang, S., Wang, J., Yang, Y., Pan, G., Jiang, B., Wang, Y., & Chen, L. (2023). The impact of triglyceride-glucose index on ischemic stroke: A systematic review and meta-analysis. *Cardiovascular Diabetology*, 22(1), 2. <https://doi.org/10.1186/s12933-022-01732-0>
- Zhang, B., Lei, H., Ambler, G., Werring, D.J., Fang, S., Li, H., Chen, R., Wei, J., Chen, G., Liu, N., and Du, H. (2023) ‘Association between Triglyceride-Glucose Index and Early Neurological Outcomes after Thrombolysis in Patients with Acute Ischemic Stroke’, *J. Clin. Med.*, 12(10), pp. 3471. <https://doi.org/10.3390/jcm12103471>.
- Zhang, C., Wang, H., Li, Y., Wang, X., Han, Y., Gao, X., Lai, Y., Wang, C., Teng, W., & Shan, Z. (2024). Association between the triglyceride-glucose index and thyroid disorders: A cross-sectional survey and Mendelian randomization analysis. *Endocrine*. <https://doi.org/10.1007/s12020-024-03858-5>
- Zhou, Y., Pan, Y., Yan, H., Wang, Y., Li, Z., Zhao, X., Li, H., Meng, X., Wang, C., Liu, L., & Wang, Y. (2020). Triglyceride Glucose Index and Prognosis of Patients With Ischemic Stroke. *Frontiers in Neurology*, 11, 456. <https://doi.org/10.3389/fneur.2020.00456>
- Zhu, H.-Y., Zhao, S.-Z., Zhang, M.-L., Wang, Y., Pan, Z.-M., Cheng, H.-R., Zhao, K., & Wang, Z. (2022). Elevated Serum Uric Acid Increases the Risk of Ischemic Stroke Recurrence and Its Inflammatory Mechanism in Older Adults. *Frontiers in Aging Neuroscience*, 14, 822350. <https://doi.org/10.3389/fnagi.2022.822350>
- Zhu, J., & Jiang, Y. (2023). Editorial: the role of diabetes in the pathophysiology and prognosis of ischemic stroke. *Frontiers in endocrinology*, 14, 1207537. <https://doi.org/10.3389/fendo.2023.1207537>
- Zhu, Y., et al. (2021). Triglyceride-glucose index is associated with in-stent restenosis in patients with acute coronary syndrome after percutaneous coronary intervention with drug-eluting stents. *Cardiovascular Diabetology*, 20(1).