

BIBLIOGRAPHY

- Armini, N.K.A., Ni'mah, L. and Silviani, B.S., 2018. Complaints in menopausal women and its correlation with lifestyle and stress. *Jurnal Ners* 13(2), pp.167-174. Available at: <http://dx.doi.org/10.20473/jn.v13i2.7753>.
- Altman, D., Ekström, A., Forsman, M., & Falconer, C. (2006). Clinical and demographic factors influencing long-term vaginal morbidity after vaginal delivery. *Obstetrics & Gynecology*, 108(2), 277-284.
- Australia's mothers and babies, method of birth (no date) Australian Institute of Health and Welfare. Available at: <https://www.aihw.gov.au/reports/mothers-babies/australias-mothers-babies/contents/labour-and-birth/method-of-birth> (Accessed: 05 October 2024).
- Avis, N.E., Crawford, S.L., Green, R., 2018. Vasomotor Symptoms Across the Menopause Transition: Differences Among Women. *Obstet Gynecol Clin North Am.* <https://doi.org/10.1016/j.ogc.2018.07.005>
- Avis, N.E., Crawford, S.L., Greendale, G., Bromberger, J.T., Everson-Rose, S.A., Gold, E.B., Hess, R., Joffe, H., Kravitz, H.M., Tepper, P.G., Thurston, R.C., 2015. Duration of menopausal vasomotor symptoms over the menopause transition. *JAMA Intern Med* 175, 531–539. <https://doi.org/10.1001/jamainternmed.2014.8063>
- Bacon, J.L., 2017. The menopausal transition. *Obstetrics and Gynecology Clinics of North America*, 44(2), pp.285-296. <https://doi.org/10.1016/j.ogc.2017.02.008>.
- Badan Pusat Statistik Kabupaten Kediri (2020) *Kecamatan Ngasem dalam Angka 2020*, Badan Pusat Statistik Kabupaten Kediri. Available at: <https://kadirikab.bps.go.id/id> (Accessed: 10 January 2024).
- Barasinski, C., Debost-Legrand, A., Savary, D., Bouchet, P., Curinier, S., Vendittelli, F., 2023. Does the type of pushing at delivery influence pelvic floor function at 2 months postpartum? A pragmatic randomized trial—The EOLE study. *Acta Obstet Gynecol Scand* 102, 67–75. <https://doi.org/10.1111/aogs.14461>
- Bergendahl, S., Sandström, A., Spasojevic, A., Brismar Wendel, S., 2022. Anal incontinence after a prolonged second stage of labor in primiparous women. *Sci Rep* 12. <https://doi.org/10.1038/s41598-022-11346-x>
- Bertacini, D. M. M., Beleza, A. C. S., & Driusso, P. (2020). The effect of parity on the function of pelvic floor musculature in the long term: cross-sectional study. *Obstetrics & Gynecology Science*, 63(5), 577–585. <https://doi.org/10.5468/ogs.19236>
- Blomquist, J.L., Muñoz, A., Carroll, M., & Handa, V.L. (2018). Association of delivery mode with pelvic floor disorders after childbirth. *JAMA*, 320(23), pp. 2438–2447

- Bodner-Adler, B., Kimberger, O., Laml, T., Halpern, K., Beitzl, C., Umek, W., Bodner, K., 2019. Prevalence and risk factors for pelvic floor disorders during early and late pregnancy in a cohort of Austrian women. *Arch Gynecol Obstet* 300, 1325–1330. <https://doi.org/10.1007/s00404-019-05311-9>
- Boyles, S. H., Li, H., Mori, T., & Osterweil, P. (2009). Pelvic floor disorders: Impact of mode of delivery on the long-term risk. *American Journal of Obstetrics and Gynecology*, 200(5), 500.e1-500.e7.
- Burnett, L.A., Cook, M., Shah, S., Michelle Wong, M., Kado, D.M., Alperin, M., 2020. Age associated changes in the mechanical properties of human cadaveric pelvic floor muscles. *J Biomech* 98. <https://doi.org/10.1016/j.jbiomech.2019.109436>
- Cano, A., 2017. Menopause: A Comprehensive Approach, Menopause: A Comprehensive Approach. Springer International Publishing. <https://doi.org/10.1007/978-3-319-59318-0>
- Ceylan, B., Özerdoğan, N., 2015. Menopoza girme yaşını etkileyen faktörler ve menopozda yaşam kalitesinin belirlenmesi. *Türk Jinekoloji ve Obstetrik Dernegi Dergisi*. <https://doi.org/10.4274/tjod.79836>
- Chambers, G.M., Venetis, C.A., Jorm, L.R., Stavrou, E.P. & Vajdic, C.M., 2020. Parity: A key measure of confounding in data-linkage studies of outcomes after medically assisted reproduction. *International Journal of Population Data Science*, 5(1), p.1119. Available at: <https://doi.org/10.23889/ijpds.v5i1.1119>.
- Cheung, A.M., Chaudhry, R., Kapral, M., Jackevicius, C., Robinson, G., 2004. Perimenopausal and Postmenopausal Health. *BMC Womens Health* 4, S23. <https://doi.org/10.1186/1472-6874-4-s1-s23>
- Dalal, P.K., Agarwal, M., 2015. Postmenopausal syndrome. *Indian J Psychiatry*. <https://doi.org/10.4103/0019-5545.161483>
- de Arruda, G.T., de Andrade, D.F., Virtuoso, J.F., 2022. Internal structure and classification of pelvic floor dysfunction distress by PFDI-20 total score. *J Patient Rep Outcomes* 6. <https://doi.org/10.1186/s41687-022-00459-6>
- De Vries, E., Den Tonkelaar, I., Van Noord, P.A.H., Van Der Schouw, Y.T., Te Velde, E.R., Peeters, P.H.M., 2001. Oral contraceptive use in relation to age at menopause in the DOM cohort, *Human Reproduction*.
- Dietz, H.P. and Simpson, J.M. (2008). Levator trauma is associated with pelvic organ prolapse. *BJOG: An International Journal of Obstetrics and Gynaecology*, 115(8), pp. 979-984.
- Dölleman, M., Depmann, M., Eijkemans, M.J.C., Heimensem, J., Broer, S.L., Van Der Stroom, E.M., Laven, J.S.E., Van Rooij, I.A.J., Scheffer, G.J., Peeters, P.H.M., Van Der Schouw, Y.T., Lambalk, C.B., Broekmans, F.J.M., 2014. Anti-Müllerian hormone is a more accurate

predictor of individual time to menopause than mother's age at menopause. Human Reproduction 29, 584–591. <https://doi.org/10.1093/humrep/det446>

Eden, K.J., Wylie, K.R., 2009. Quality of sexual life and menopause. Women's Health. <https://doi.org/10.2217/whe.09.24>

Eftekhar, T., Ghanbari, Z., Kalantari, F., Shariat, M., 2012. The Frequency of Pelvic Floor Dysfunctions and their Risk Factors in Women aged 40-55, Journal of Family and Reproductive Health.

Elizabeth Farrel AM, 2017. Genitourinary syndrome of menopause. AFP 46.

Fang, J., Ye, J., Huang, Q., Lin, Y., Weng, Y., Wang, M., Chen, Y., Lu, Y., Zhang, R., 2022. Risk factors of pelvic floor muscle strength in south Chinese women: a retrospective study. BMC Pregnancy Childbirth 22. <https://doi.org/10.1186/s12884-022-04952-0>

Harlow, S.D. et al. (2012) 'Executive summary of the stages of reproductive aging workshop +10: Addressing the unfinished agenda of staging reproductive aging', Climacteric, 15(2), pp. 105–114. doi:10.3109/13697137.2011.650656.

Hendrix, S.L., Clark, A., Nygaard, I., Aragaki, A., Barnabei, V., McTiernan, A., 2002. Pelvic organ prolapse in the Women's Health Initiative: Gravity and gravidity, in: American Journal of Obstetrics and Gynecology. Mosby Inc., pp. 1160–1166. <https://doi.org/10.1067/mob.2002.123819>

Holt PR, Altayar O, Alpers DH. Height with Age Affects Body Mass Index (BMI) Assessment of Chronic Disease Risk. Nutrients. 2023 Nov 6;15(21):4694. doi: 10.3390/nu15214694. PMID: 37960347; PMCID: PMC10649148.

Jurnal Keperawatan Komprehensif. 2023. 'Knowledge and Compliance in Iron Tablet Consumption Among Pregnant Women', *Jurnal Keperawatan Komprehensif*, vol. 9, no. 2, April, pp. 183-184. doi: 10.33755/jkk

Kenne, K.A., Wendt, L., Brooks Jackson, J., 2022. Prevalence of pelvic floor disorders in adult women being seen in a primary care setting and associated risk factors. Sci Rep 12. <https://doi.org/10.1038/s41598-022-13501-w>

Komariah, S. and Nugroho, H. (2019) 'Hubungan Pengetahuan, Usia Dan Paritas Dengan Kejadian Komplikasi Kehamilan Pada Ibu Hamil Trimester Iii Di Rumah Sakit Ibu Dan Anak Aisyiyah Samarinda', KESMAS UWIGAMA: Jurnal Kesehatan Masyarakat, 5(2).

Laven, J.S.E., 2015. Genetics of Early and Normal Menopause. Semin Reprod Med 33, 377–383. <https://doi.org/10.1055/s-0035-1567825>

Letouzey, V., Mercier, G., Adjoussou, S., Bohoussou, E., Mares, P., & de Tayrac, R. (2013). Can

- the PFDI or PFIQ be used to predict outcome in pelvic reconstructive surgery? *Progrès en Urologie*, 23(11), 940–945. <https://doi.org/10.1016/j.purol.2013.04.010>
- Lim, V.F., Khoo, J.K., Wong, V., Moore, K.H., 2014. Recent studies of genetic dysfunction in pelvic organ prolapse: The role of collagen defects. *Australian and New Zealand Journal of Obstetrics and Gynaecology*. <https://doi.org/10.1111/ajo.12169>
- Lince, S.L., Van Kempen, L.C., Vierhout, M.E., Kluivers, K.B., 2012. A systematic review of clinical studies on hereditary factors in pelvic organ prolapse. *Int Urogynecol J*. <https://doi.org/10.1007/s00192-012-1704-4>
- Louwers, Y. V., Visser, J.A., 2021. Shared Genetics Between Age at Menopause, Early Menopause, POI and Other Traits. *Front Genet*. <https://doi.org/10.3389/fgene.2021.676546>
- Miller, J.M., Rosenberg, M.T., & McGowan, J.C. (2008). Hormonal influences on pelvic floor dysfunction: a review. *International Urogynecology Journal*, 19(5), 649-657.
- Murti Bhisma, (2006). *Desain dan ukuran sampel untuk penelitian kuantitatif dan kualitatif di bidang kesehatan*. Yogyakarta, Gadjah Mada University Press, Cetakan pertama.
- National Institute for Health and Care Excellence (Great Britain), n.d. Pelvic floor dysfunction : prevention and non-surgical management.
- Neels, H. et al. (2016) ‘Knowledge of the pelvic floor in menopausal women and in peripartum women’, *Journal of Physical Therapy Science*, 28(11), pp. 3020–3029. doi:10.1589/jpts.28.3020.
- Nurjayanti, P. D. (2018) Hubungan paritas dan umur kehamilan dengan kejadian asfiksia pada bayi baru lahir di RSUD Wonosari tahun 2016.
- Peacock, K., Ketvertis, K.M., 2022. *Menopause Continuing Education Activity*. Florida.
- Pelvic floor dysfunction: prevention and non-surgical management NICE guideline, 2021.
- Peinado-Molina, R.A. et al. (2023) ‘Pelvic floor dysfunction: Prevalence and associated factors’, *BMC Public Health*, 23(1). doi:10.1186/s12889-023-16901-3.
- Putri, S., Corniawati, I., & Imamah, I. N. 2023. *Humantech: Jurnal Ilmiah Multi Disiplin Indonesia*, vol. 2, no. 4, 15 February. E-ISSN: 2809-1612, P-ISSN: 2809-1620.
- Pomian, A., Lisik, W., Kosieradzki, M., & Barcz, E. (2016). Obesity and Pelvic Floor Disorders: A Review of the Literature. *Medical Science Monitor*, 22, 1880–1886. <https://doi.org/10.12659/msm.896331>
- Rahmatyah, R., Hardiyanto, G., Susanti, D., 2017. View of Correlation between Pelvic Organ Prolapse Symptoms and Age of Menopause. *Majalah Obstetri & Ginekologi* 25.

- Raizada, V., Mittal, R.K., 2008. Pelvic Floor Anatomy and Applied Physiology. Gastroenterol Clin North Am. <https://doi.org/10.1016/j.gtc.2008.06.003>
- Rocha, F., Carvalho, J., Jorge Natal, R., Viana, R., 2018. Evaluation of the pelvic floor muscles training in older women with urinary incontinence: a systematic review. Porto Biomed J 3, e9. <https://doi.org/10.1016/j.pbj.0000000000000009>
- Rogers, R.G., Leeman, L.M., Borders, N., Qualls, C., Fullilove, A.M., Teaf, D., Hall, R.J., Bedrick, E., Albers, L.L., 2014. Contribution of the second stage of labour to pelvic floor dysfunction: A prospective cohort comparison of nulliparous women. BJOG 121, 1145–1154. <https://doi.org/10.1111/1471-0528.12571>
- Rubin, R. (2018). Postmenopausal Women With a “Normal” BMI Might Be Overweight or Even Obese. *JAMA*, 319(12), 1185. <https://doi.org/10.1001/jama.2018.0423>
- Santoro, N., Epperson, C.N., Mathews, S.B., 2015. Menopausal Symptoms and Their Management. Endocrinol Metab Clin North Am. <https://doi.org/10.1016/j.ecl.2015.05.001>
- Santoso, B.I. and Fauziah, N.R. (2017) ‘Prevalence and characteristics of pelvic floor dysfunction in a tertiary care center in Indonesia’, Indonesian Journal of Obstetrics and Gynecology, p. 168. doi:10.32771/inajog.v5i3.546.
- Sastroasmoro, S. (2014) Dasar-Dasar Metodologi Penelitian Klinis. 5th edn. Jakarta, Indonesia: Bagian Ilmu Kesehatan Anak, Fakultas Kedokteran, Universitas Indonesia.
- Schoenaker, D.A.J.M., Jackson, C.A., Rowlands, J. V., Mishra, G.D., 2014. Socioeconomic position, lifestyle factors and age at natural menopause: A systematic review and meta-analyses of studies across six continents. Int J Epidemiol. <https://doi.org/10.1093/ije/dyu094>
- Sjöberg, B., Wentz, E., & Altman, D. (2020). Risk factors for pelvic floor dysfunction in nulliparous women. *International Urogynecology Journal*, 31(2), pp. 207–213
- Smith, A. R. B., Hosker, G. L., & Warrell, D. W. (2020). Risk factors for pelvic floor dysfunction in nulliparous women. *Journal of Obstetrics and Gynaecology Research*, 46(6), 1050-1060.
- Stær-Jensen, J., Siafarikas, F., Hilde, G., Bø, K., & Engh, M. E. (2015). Pelvic floor muscle function and risk of pelvic organ prolapse 20 years after childbirth. *Obstetrics & Gynecology*, 125(5), 1221-1227.
- Sullivan, M.P., Hohmann, M.S., & Schaffer, J.I. (2013). Hormonal changes during menopause and their impact on pelvic floor disorders. *Menopause*, 20(3), 309-314.
- Sultan, A. H., Kamm, M. A., Hudson, C. N., Thomas, J. M., & Bartram, C. I. (1994). Anal-sphincter disruption during vaginal delivery. *New England Journal of Medicine*, 329(26), 1905-1911. <https://doi.org/10.1056/NEJM199412293312601>

- Sun, X., Zhang, R., Wang, Lirong, Shen, X., Lu, Y., An, J., Wang, Liyan, Wang, Y., Luo, X., Zhu, H., Zhang, X., 2021. Association Between Parity and the Age at Menopause and Menopausal Syndrome in Northwest China. *Asia Pac J Public Health* 33, 60–66. <https://doi.org/10.1177/1010539520960987>
- Susetiati, D., Yulinvia, A., Pudjiati, S., & Damayanti, N. (2023). *View of A The role of body mass index and age on pelvic floor muscle strength*. *Journal of Pakistan Association of Dermatologists*. <https://www.jpapd.com.pk/index.php/jpad/article/view/2010/1873>
- Swenson, C.W., Masteling, M., DeLancey, J.O., Nandikanti, L., Schmidt, P., Chen, L., 2020. Aging effects on pelvic floor support: a pilot study comparing young versus older nulliparous women. *Int Urogynecol J* 31, 535–543. <https://doi.org/10.1007/s00192-019-04063-z>
- Tunn, R., Baessler, K., Knüpfer, S., Hampel, C., 2023. Urinary Incontinence and Pelvic Organ Prolapse in Women. *Dtsch Arztebl Int*. <https://doi.org/10.3238/arztebl.m2022.0406>
- Utian, W.H. (2004) ‘Menopause-related definitions’, *International Congress Series*, 1266, pp. 133–138. doi:10.1016/j.ics.2004.01.102.
- Van Geelen, J. M., Dwyer, P. L., & Tejero, M. E. (2008). Managing complications of pelvic floor surgery. *Obstetrics and Gynecology Clinics of North America*, 35(3), 503-519. <https://doi.org/10.1016/j.ogc.2008.09.001>
- WHO. Research on Menopause: World Health Organization, Geneva 1981
- WHO. Pusat Informasi Data Kesehatan. 2015
- WHO. “Item.” Who. int, 2021, www.who.int/news-room/questions-and-answers/item/mental-health-neurological-disorders
- World Health Organization. “Body Mass Index - BMI.” Wwww.euro.who.int, 2021, www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi.
- World Health Organization (WHO). (1995). Malnutrition in women. Retrieved November 14, 2024, from <https://www.who.int/data/nutrition/nlis/info/malnutrition-in-women>
- WHO (2022) Ageing and health, World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health#:~:text=Common%20health%20conditions%20associated%20with,%2C%20diabetes%2C%20depression%20and%20dementia> (Accessed: 10 January 2024).
- Yohay, D., Weintraub, A. Y., Mauer-Perry, N., Peri, C., Kafri, R., Yohay, Z., & Bashiri, A. 2016.



UNIVERSITAS
GADJAH MADA

Understanding the Impact of Menopause on Pelvic Floor Dysfunction: A Localized Perspective in Ngasem

District, Kediri Regency, East Java

Fihimatika Jauhar Magnun, Dr. dr. Shinta Prawitasari, M.Kes, Sp. OG, Subsp. Obginsos; Dr. dr. Muhammad Nurhadi F

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Prevalence and trends of pelvic floor disorders in late pregnancy and 3 months after delivery in a cohort of Israeli women using the PFDI-20. *European Journal of Obstetrics & Gynecology*. <http://dx.doi.org/10.1016/j.ejogrb.2016.02.037>

Zhuo, Z., Wang, C., Yu, H., Li, J., 2021. The Relationship Between Pelvic Floor Function and Sexual Function in Perimenopausal Women. *Sex Med* 9. <https://doi.org/10.1016/j.esxm.2021.100441>