

DAFTAR PUSTAKA

- Acharya, S., Hu, Y., Moussa, H. & Abidi, N. (2017) Preparation and characterization of transparent cellulose films using an improved cellulose dissolution process. *Journal of Applied Polymer Science*. 134 (21). doi:10.1002/app.44871.
- Badan Pusat Statistika. (2023). Statistik Kelapa Sawit Indonesia. Jakarta : Badan Pusat Statistik Vol.16 ISSN 1978-9947.
- British Pharmacopoeia (2009). Microcrystalline cellulose. London.
- Casanova, F., Ricardo F., Carla F.P., Alessandra B.R., Eduardo M.C., Manuela E.P., Oscar L.R. (2023) *Polymers*, 15(1251), 1-19. <https://doi.org/10.3390/polym15051251>.
- Cheong, Y.T., Chua, A.S.M & Ngoh, G.C. (2022) Optimization of Deep Eutectic Solvent Pretreatment of Oil Palm Empty Fruit Bunch Incorporated Assistive Heating Methods. *AIJR Proceedings*, 116-122. doi: 10.21467/proceedings.141
- Chesson, A. (1981) Effects of Sodium Hydroxide on Cereal Straws in Relation to the Enhanced Degradation of Structural Polysaccharides by Rumen Microorganisms. *J. Sci. Food Agric*, Volume 32, pp. 745-758.
- Dalimin, Mohd Noh. (1995). Renewable energy update: Malaysia. *Jurnal Renewable Energy* Vol.6, No.4, 435-439.
- Dewanti, Dian Purwitasari. (2018) Potensi Selulosa dari Limbah Tandan Kosong Kelapa Sawit untuk Bahan Baku Bioplastik Ramah Lingkungan. *Jurnal Teknologi Lingkungan* Vol. 19, No 1, Januari 2018.
- Fang, C., Thomsen, M.H., Frankær, C.G., Brudecki, G.P., Schmidt, J.E. & Alnashef, I.M. (2017) Reviving Pretreatment Effectiveness of Deep Eutectic Solvents on Lignocellulosic Date Palm Residues by Prior Recalcitrance Reduction. *Industrial and Engineering Chemistry Research*. 56 (12), 3167–3174. doi:10.1021/acs.iecr.6b04733.
- Fatriasari, W., Masruchin, N. & Hermiati, E. (2019). *Selulosa Karakteristik dan Pemanfaatannya*. LIPI Press: Jakarta.
- Francisco, M., Van Den Bruinhorst, A. & Kroon, M.C. (2012) New natural and renewable low transition temperature mixtures (LTTMs): Screening as solvents for lignocellulosic biomass processing. *Green Chemistry*. 14 (8), 2153–2157. doi:10.1039/c2gc35660k.
- Guo, Y., Zhang, Y., Zheng, D., Li, M. & Yue, J. (2020) Isolation and characterization of nanocellulose crystals via acid hydrolysis from agricultural waste-tea stalk. *International Journal of Biological Macromolecules*. 163, 927–933. doi.org/10.1016/j.ijbiomac.2020.07.009.

- Hatta, Muhammad., Jafri & Dadan Permana. (2014) Pemanfaatan Tandan Kosong Sawit Untuk Pupuk Organik Pada Intercropping Kelapa Sawit Dan Jagung. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian* Vol. 17, No.1, Maret 2014: 27-35.
- Hernandez, I., Perez-Pimienta, J. A. & Messina, S., (2012). Dilute sulfuric acid hydrolysis of tropical region biomass. *JOURNAL OF RENEWABLE AND SUSTAINABLE ENERGY*, Volume 4.
- Hidayat, M.S., Hasibuan, A., Harahap, B & Nasution, S.P. (2022) Pemanfaatan Tandan Kosong Kelapa Sawit Sebagai Bahan Pupuk di PT. Karya Hevea Indonesia. *Factory Jurnal Industri, Manajemen Dan Rekayasa Sistem Industri - Vol. 1 No. 2* (2022) Edisi Desember. doi.org/10.56211/factory.v1i2.172.
- Hidayat, W., Rani, I.T., Yulianto, T., Febryano, I.G., Iryani, D.A., Hasanudin, U., Lee, S., Kim, S., Yoo, J & Haryanto, A. (2020) Peningkatan Kualitas Pelet Tandan Kosong Kelapa Sawit melalui Torefaksi Menggunakan Reaktor Counter-Flow Multi Baffle (COMB). *Jurnal Rekayasa Proses* Vol. 14, No. 2, 2020, Hlm. 169-181.
- Hou, X.D., Li, A.L., Lin, K.P., Wang, Y.Y., Kuang, Z.Y. & Cao, S.L. (2018) Insight into the structure-function relationships of deep eutectic solvents during rice straw pretreatment. *Bioresour. Technol.* 249, 261–267. doi:10.1016/j.biortech.2017.10.019.
- Kim, U.-J., Eom, S. H. & Wada, M., (2010). Thermal decomposition of native cellulose: Influence on crystallite size. *Polymer Degradation and Stability*, pp. 778-781.
- Kumar, A.K., Parikh, B.S. & Pravakar, M. (2016) Natural deep eutectic solvent mediated pretreatment of rice straw: bioanalytical characterization of lignin extract and enzymatic hydrolysis of pretreated biomass residue. *Environmental Science and Pollution Research*. 23 (10), 9265–9275. doi:10.1007/s11356-015-4780-4.
- Lee, K.M., Quek, J.D., Tey, W.Y., Lim, S., Kang, H., Quen, L.K., Mahmood, W.A.W., Jamaludin, S.I.S., Teng, K.H & Khoo, K.S. (2022) Biomass Valorization By Integrating Ultrasonication And Deep Eutectic Solvents: Delignification, Cellulose Digestibility And Solvent Reuse. *Biochemical Engineering Journal* 187 (2022) 108587. doi.org/10.1016/j.bej.2022.108587.
- Li, A.L., Hou, X.D., Lin, K.P., Zhang, X. & Fu, M.H. (2018) Rice straw pretreatment using deep eutectic solvents with different constituents molar ratios: Biomass fractionation, polysaccharides enzymatic digestion and solvent reuse. *Journal of Bioscience and Bioengineering*. 126 (3), 346–354. doi:10.1016/j.jbiosc.2018.03.011.
- Liu, C., Li, Bin, Du, H., Lv, D., Zhang, Y., Yu, Guang, Mu, X., & Peng, H. (2016) Properties of nanocellulose isolated from corncob residue using sulfuric acid, formic acid, oxidative and mechanical methods. *Carbohydrate Polymers*, pp. 716-724.

- Liu, Y., Gao, L., Chen, L., Zhou, W., Wang, C. & Ma, L. (2023) Exploring carbohydrate extraction from biomass using deep eutectic solvents: Factors and mechanisms. *iScience*.26 (9). doi:10.1016/j.isci.2023.107671.
- Maibam, P.D. & Goyal, A. (2022) Approach to an efficient pretreatment method for rice straw by deep eutectic solvent for high saccharification efficiency. *Bioresource Technology*. 351. doi:10.1016/j.biortech.2022.127057.
- Mamilla, J. L., Novak, U., Grilc, M. & Likozar, B., (2019) Natural deep eutectic solvents (DES) for fractionation of waste lignocellulosic biomass and its cascade conversion to value-added bio-based chemicals. *Biomass and Bioenergy*, pp. 417-425.
- Meraj, A., Jawaid, M., Singh, S.P., Nasef, M.M., Ariffin, H., & Haafiz, M.K.M. (2023) Effect of natural deep eutectic solvents on properties of micro crystalline cellulose isolated from kenaf fibre. *Industrial Crops & Product*.
- Moran, J.I., Alvares, V.A., Cyras, V.P. & Vazquez, A. (2008) Extraction of cellulose and preparation of nanocellulose from sisal fibers. *Cellulose*. 15, 149-159. DOI 10.1007/s10570-007-9145-9.
- Niu, Fuge., Li, M., Huang, Q., Zhang, X., Pan, W., Yang, J. & Li, J. (2015) The characteristic and dispersion stability of nanocellulose produced by mixed acid hydrolysis and ultrasonic assistance. *Carbohydrate Polymers*. 165, 197-204. dx.doi.org/10.1016/j.carbpol.2017.02.048.
- Nor, N.A.M., Mustapha, W.A.W. & Hassan, O. (2016) Deep Eutectic Solvent (DES) as a Pretreatment for Oil Palm Empty Fruit Bunch (OPEFB) in Sugar Production. *Procedia Chemistry*. 18, 147–154. doi:10.1016/j.proche.2016.01.023.
- Nurwahdah, Arofatus Naini, A., Nadia, A., Yuli Lestari, R., Sunardi. (2018). Pretreatment Lignoselulosa dari Jerami Padi dengan Deep Eutectic Solvent untuk Meningkatkan Produksi Bioetanol Generasi Dua. *Jurnal Riset Industri Hasil Hutan* Vol.10, No.1, Jun 2018: 43 54.
- Pan, M., Zhao, G., Ding, C., Wu, B., Lian, Z. & Lian, H. (2017) Physicochemical transformation of rice straw after pretreatment with a deep eutectic solvent of choline chloride/urea. *Carbohydrate Polymers*. 176, 307–314. doi:10.1016/j.carbpol.2017.08.088.
- Pranolo, S.H., Waluyo, J., Ikbar, R., Damayanthi, R.A., Lestary, S & Qadarusman, M.L. (2023) Application of Nanocrystal Cellulose Based on Empty Palm Oil Fruit Bunch as Glucose Biosensing. *ASEAN Journal of Chemical Engineering* 2023, Vol. 23, No. 3, 360 – 369. doi: 10.22146/ajche.83422.
- Poletto, M., Pistor, V., Zeni, M. & Zattera, A. J. (2011) Crystalline properties and decomposition kinetics of cellulose fibers in wood pulp obtained by two pulping processes. *Polymer Degradation and Stability*, pp. 679-685.

Procentese, A., Johnson E., Orr V., Campanile A. G., Wood J. A., Rehmann L., 2015, Deep Eutectic Solvent Pretreatment and Subsequent Saccharification of Corncob, *Bioresource Technology*, 192, 31-36. <https://doi.org/10.1016/j.biortech.2015.05.053>.

Quek, J.D., Lee, K.M., Lim, S., Tey, W.Y., Kang, H & Quen L.K. (2019) Delignification Of Oil Palm Empty Fruit Bunch Via Ultrasound Assisted Deep Eutectic Solvent Pretreatment. *IOP Conf. Series: Earth and Environmental Science* 463 (2020) 012007. doi:10.1088/1755-1315/463/1/012007.

Raudhatussyarifah, R., Sediawan, W.B., Azis, M.M. & Hartati, I. (2022) Microcrystalline cellulose production by acid hydrolysis of hydrotropic rice straw pulp. In: *IOP Conference Series: Earth and Environmental Science*. 19 January 2022 IOP Publishing Ltd. p. doi:10.1088/1755-1315/963/1/012055.

Ren, M., Fakayode, O.A., Kong, F., Zhou, Cunshan, Chen, Li, Fan, X., Liang, J., & Li, H. (2023) Characterization of cellulose nanocrystals prepared by different delignification methods and application of ultra-light, hydrophobic aerogels as oil absorbent in food systems. *Industrial Crops & Products*.

Rotaru, R., Savin, M., Tudorachi, N., Peptu, C., Samoila, P., Sacarescu, L., & Harabagiu, V. (2018) Ferromagnetic iron oxide–cellulose nanocomposites prepared by ultrasonication. *Polymer Chemistry*, Volume 9, pp. 860-868.

Salim, R. M., Asik, J. & Sarjadi, M. S. (2021) Chemical functional groups of extractives, cellulose and lignin extracted from native *Leucaena leucocephala* bark. *Wood Science and Technology*, Volume 55, pp. 295-313.

Sarmad, S., Xie, Y., Mikkola, J.P. & Ji, X. (2016) Screening of deep eutectic solvents (DESs) as green CO₂ sorbents: from solubility to viscosity. *New Journal of Chemistry*. 41 (1), 290–301. doi:10.1039/c6nj03140d.

Satlewal, A., Agrawal, R., Bhagia, S., Sangoro, J. & Ragauskas, A.J. (2018) Natural deep eutectic solvents for lignocellulosic biomass pretreatment: Recent developments, challenges and novel opportunities. *Biotechnology Advances*. 36 (8) pp.2032–2050. doi:10.1016/j.biotechadv.2018.08.009.

Shahnaz, T., Priyan, V.V., Jayakumar, A. & Narayanasamy, S. (2022) Magnetic nanocellulose from *Cyperus rotundas* grass in the absorptive removal of rare earth element cerium (III): Toxicity studies and interpretation. *Chemosphere*. 287, 131912.

Shekaari, H., Zafarani-Moattar, M.T., Shayanfar, A. & Mokhtarpour, M. (2018) Effect of choline chloride/ethylene glycol or glycerol as deep eutectic solvents on the solubility and thermodynamic properties of acetaminophen. *Journal of Molecular Liquids*. 249, 1222–1235. doi:10.1016/j.molliq.2017.11.057.

Silvério, H. A., Neto, W. P. F., Dantas, N. O. & Pasquini, D. (2013) Extraction and characterization of cellulose nanocrystals from corncob for application as reinforcing agent in nanocomposites. *Industrial Crops and Products*, Volume 44, pp. 427-436.

- Smith, E.L., Abbott, A.P. & Ryder, K.S. (2014) Deep Eutectic Solvents (DESs) and Their Applications. *Chemical Reviews*.114 (21) pp.11060–11082. doi:10.1021/cr300162p.
- Sudiyani, Y., Styarini, D., Triwahyuni, E., Sudiyarmanto., Sembiring, K.C., Aristiawan, Y., Abimanyu, H. & Han M.H. (2013) Utilization of Biomass Waste Empty Fruit Bunch Fiber of Palm Oil Bioethanol Production Using Pilot – Scale Unit. *Energy Procedia*. 32, 31-38. doi: 10.1016/j.egypro.2013.05.005.
- Sudiyani, Y., Waluyo, J., Riandy A.P., Primandaru, P. & Novia. (2015) Pengaruh Temperatur Dan Waktu Tinggal Pada Perlakuan Awal Bagas Sorgum Dengan Metode Steam Explosion. *Jurnal Teknik Kimia*. No 4 Vol 21, 48-57.
- Suksong, W., Tukaghan, W., Promnuan, K., Kongjan, P., Reungsang, A., Insam, H., & O-Thong, S. (2020) Biogas production from palm oil mill effluent and empty fruit bunches by coupled liquid and solid-state anaerobic digestion. *Bioresource Technology*.
- Susanti, R. & Fibriana F. (2017). *Teknologi Enzim*. Penerbit Andi: Yogyakarta. <https://opac.perpusnas.go.id/DetailOpac.aspx?id=1167319>.
- Tan, Y.T., Chua, A.S.M. & Ngoh, G.C. (2020) Evaluation on the properties of deep eutectic solvent-extracted lignin for potential aromatic bio-products conversion. *Bioresource Technology*. 154, 112729. doi.org/10.1016/j.biortech.2019.02.010.
- Thi, Shiki & Lee, Kiat Moon. (2019) Comparison of deep eutectic solvents (DES) on pretreatment of oil palm empty fruit bunch (OPEFB): Cellulose digestibility, structural and morphology changes. *Bioresource Technology* 282 (2019) 525–529. doi.org/10.1016/j.biortech.2019.03.065.
- Tiwari, Amid & Sanjog, J. (2023) Nanocellulose from Agricultural waste–A Concise Insight Into Extraction and Applications. *Orient. J. Chem.*, Vol. 39(5), 1279-1286 (2023). doi.org/10.13005/ojc/390522.
- Trache, D., Hussin, M.H., Chuin, C.T.H., Sabar, S., Fazita, M.R.N., Taiwo, O.F.A., Hassan, T.M. & Haafiz, M.K.M. (2016) Microcrystalline cellulose: Isolation, characterization and bio-composites application - A review. *International Journal of Biological Macromolecules*. 93, 789-804. dx.doi.org/10.1016/j.ijbiomac.2016.09.056.
- Trache, D., Donnot, A., Khimeche, K., Benelmir, R. & Brosse, N. (2014). Physico-chemical properties and thermal stability of microcrystalline cellulose isolated from Alfa fibres. *Carbohydrate Polymers*, Volume 104, pp. 223-230.
- Usman, M., Cheng, S., Boonyubol, S. & Cross, J.S. (2023) Evaluating Green Solvents for Bio-Oil Extraction: Advancements, Challenges, and Future Perspectives. *Energies*.16 (15). doi:10.3390/en16155852.

- Widia, I. & Wathoni, N. (2017). Review Artikel Selulosa Mikrokrystal: Isolasi, Karakterisasi, dan Aplikasi dalam Bidang Farmasetik. *Jurnal Farmaka*. 15 (02): 127-143.
- Xia, Q., Chen, C., Yao, Y., Li, J., He, S., Zhou, Y., Li, T., Pan, X., Yao, Y. & Hu, L. (2021) A strong, biodegradable and recyclable lignocellulosic bioplastic. *Nature Sustainability*. 4 (7), 627–635. doi:10.1038/s41893-021-00702-w.
- Yang, H., Yan, R., Chen, H., Lee, D.H., & Zheng, C. (2007) Characteristics of hemicellulose, cellulose and lignin pyrolysis. *Fuel*, Volume 86, pp. 1781-1788.
- Yu, H., Zhimin X., Ruifen S., Fengyi Z., Tiancheng M. (2022) Lignin Dissolution and Lignocellulose Pretreatment by Carboxylic Acid Based, Industrial Crops and Products., 184, 1-9. <https://doi.org/10.1016/j.indcrop.2022.115049>.
- Yue, X., Cao, Y., Wang, Y., Bao, H. & Xu, Y. (2022) Optimization of Deep Eutectic Solvents Extraction of Effective Components from Phellodendron chinense Schneid by Response Surface Methodology. *International Journal of Chemical Engineering*. 2022. doi:10.1155/2022/3881551.
- Zhang, C.W., Xia, S.Q. & Ma, P.S. (2016) Facile pretreatment of lignocellulosic biomass using deep eutectic solvents. *Bioresource Technology*. 219, 1–5. doi:10.1016/j.biortech.2016.07.026.
- Zhang, Q., De Oliveira Vigier, K., Royer, S. & Jérôme, F. (2012) Deep eutectic solvents: Syntheses, properties and applications. *Chemical Society Reviews*. 41 (21), 7108–7146. doi:10.1039/c2cs35178a.
- Zhou, M., Fakayode O.A., Ahmed Yagoub, A.E., Ji Q., Zhou C., 2022, Lignin Fractionation from Lignocellulosic Biomass Using Deep Eutectic Solvents and Its Valorization, *Renew. Sustain. Energy Rev*, 156, 111986.
- Zulnazri, Lestari, D., Hakim, L., Dewi, R., & Sulhatun (2022) Study on the Extraction of Cellulose from Areca Peel with Using NaOH Solution. *Jurnal Teknologi Kimia Unimal*, pp. 193-206.