

DAFTAR PUSTAKA

- Afifah, D. N., Ayustaningwarno, F., Rahmawati, A., Cantikatkama, D. N., Wigati, N., Noer, E. R., Widyastuti, N., Wijayanti, H. S., Sugianto, D. N., Ningrum, Y. P. A., & Hastuti, V. N. (2023). Characteristics of wood apple (*Limonia acidissima* L.) and soybean powder jelly for emergency food alternatives. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-42140-y>
- Akçura, S., Cakmakci, R., & Urusan, Z. (2023). Changes in the essential oil content and composition of pelargonium graveolens l'her with different drying methods. *Grasas y Aceites*, 74(1). <https://doi.org/10.3989/gya.0226221>
- Alibas, I., Zia, M. P., & Yilmaz, A. (2019). The Effect of Drying Methods on Color and Chlorophyll Content of Parsley Leaves. *Turkish Journal of Agriculture - Food Science and Technology*, 7(6). <https://doi.org/https://doi.org/10.24925/turjaf.v7i6.919-926.2548>
- Al-Khayri, J. M., Banadka, A., Nandhini, M., Nagella, P., Al-Mssallem, M. Q., & Alessa, F. M. (2023). Essential Oil from *Coriandrum sativum*: A review on Its Phytochemistry and Biological Activity. In *Molecules* (Vol. 28, Issue 2). MDPI. <https://doi.org/10.3390/molecules28020696>
- Amalia, R. R., Hairiyah, N., & Nuryati. (2022). Pendugaan Umur Simpan Bumbu Bubuk Gangan Asam Khas Banjar Menggunakan Metode ASLT Shelf Life Estimation Powder Seasoning Banjar's Typical Gangan Asam using the ASLT Method. *Jurnal Teknologi Agro-Industri*, 9(2).
- Aradwad, P. P., T V, A. K., Sahoo, P. K., & Mani, I. (2021). Key issues and challenges in spice grinding. In *Cleaner Engineering and Technology* (Vol. 5). Elsevier Ltd. <https://doi.org/10.1016/j.clet.2021.100347>
- Argyropoulos, D., & Müller, J. (2014). Changes of essential oil content and composition during convective drying of lemon balm (*Melissa officinalis* L.). *Industrial Crops and Products*, 52, 118–124. <https://doi.org/10.1016/j.indcrop.2013.10.020>
- Astuti, I. P., Palupi, K. D., & Damayanti, F. (2022). Essential Oils Composition of Kaffir Lime (*Citrus hystrix* DC.) Collection of Bogor Botanic Gardens from Central Java and East Sumba. *Journal of Tropical Biodiversity and Biotechnology*, 7(1). <https://doi.org/10.22146/JTBB.66061>
- Bastarrachea, L., Dhawan, S., & Sablani, S. S. (2011). Engineering Properties of Polymeric-Based Antimicrobial Films for Food Packaging. In *Food Engineering Reviews* (Vol. 3, Issue 2, pp. 79–93). <https://doi.org/10.1007/s12393-011-9034-8>
- Bin Arif, A. (2016). Metode Accelerated Shelf Life Test (ASLT) dengan Pendekatan Arrhenius dalam Pendugaan Umur Simpan Sari Buah Nanas, Pepaya, dan Cempedak. *Informatika Pertanian*, 25(2), 189–198.
- Budiarto, R., Poerwanto, R., Santosa, E., Efendi, D., Agusta, A., & Rofiq, M. A. (2024). Yield and Physicochemical Characteristics of Kaffir Lime Leaf

- Essential Oils Subjected to Different Post-Harvest Treatment. *Journal of Tropical Crop Science*, 11(2), 97–104. <https://doi.org/10.29244/jtcs.11.02.97-104>
- Budiarto, R., Santosa, E., Efendi, D., & Agusta, A. (2021). Sensory Evaluation of the Quality of Kaffir Lime (*Citrus hystrix* DC.) Leaves Sensory Evaluation of the Quality of Kaffir Lime (*Citrus hystrix* DC.) Leaves Exposed to Different Postharvest Treatments. *Journal of Tropical Crop Science*, 8(2), 71–79. <https://doi.org/https://doi.org/10.29244/jtcs.8.02.71-79>
- Calligaris, S., Manzocco, L., Anese, M., & Nicoli, M. C. (2019). Accelerated shelf life testing. In *Food Quality and Shelf Life* (pp. 359–392). Elsevier. <https://doi.org/10.1016/B978-0-12-817190-5.00012-4>
- Catalano, A., Mariconda, A., D'Amato, A., Iacopetta, D., Ceramella, J., Marra, M., Saturnino, C., Sinicropi, M. S., & Longo, P. (2024). Aldehydes: What We Should Know About Them. *Organics*, 5(4), 395–428. <https://doi.org/10.3390/org5040021>
- Chang, H.-T., Lin, C.-Y., Hsu, L.-S., & Chang, S.-T. (2021). Thermal Degradation of Linalool-Chemotype *Cinnamomum osmophloeum* Leaf Essential Oil and Its Stabilization by Microencapsulation with β -Cyclodextrin. *Molecules*, 26(409). <https://doi.org/10.3390/molecules>
- Chen, J., Wang, J., Ge, Y., Ping, H., & Liu, W. (2023). Difference in Quality and Volatile Flavor Compounds of *Zingiber officinale* Roscoe with Different Drying Methods. *Journal of Food Quality*, 2023. <https://doi.org/10.1155/2023/5560410>
- Chetti, M. B., Deepa, G. T., Antony, R. T., Khetagoudar, M. C., Uppar, D. S., & Navalgatti, C. M. (2014). Influence of vacuum packaging and long term storage on quality of whole chilli (*Capsicum annuum* L.). *Journal of Food Science and Technology*, 51(10), 2827–2832. <https://doi.org/10.1007/s13197-012-0763-3>
- Chizzola, R. (2013). Regular monoterpenes and sesquiterpenes (essential oils). In *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes* (pp. 2973–3008). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-22144-6_130
- Day, B. P. F. (2008). Modified atmosphere and active packaging of chilled foods. In *Chilled Foods: A Comprehensive Guide* (pp. 158–187). Elsevier. <https://doi.org/10.1533/9781845694883.1.158>
- Díaz-Maroto, M. C., Alañón Pardo, E., Castillo-Muñoz, N., Díaz-Maroto, I. J., & Pérez-Coello, M. S. (2009). Effect of storage conditions on volatile composition of dried rosemary (*Rosmarinus officinalis* L.) leaves. *Flavour and Fragrance Journal*, 24(5), 245–250. <https://doi.org/10.1002/ffj.1937>
- Díaz-Maroto, M. C., Palomo, E. S., Castro, L., González Viñas, M. A., & Pérez-Coello, M. S. (2004). Changes produced in the aroma compounds and structural integrity of basil (*Ocimum basilicum* L) during drying. *Journal of*

- the Science of Food and Agriculture*, 84(15), 2070–2076.
<https://doi.org/10.1002/jsfa.1921>
- Díaz-Maroto, M. C., Pérez-Coello, M. S., & Cabezudo, M. D. (2002a). Effect of different drying methods on the volatile components of parsley (*Petroselinum crispum* L.). *European Food Research and Technology*, 215(3), 227–230.
<https://doi.org/10.1007/s00217-002-0529-7>
- Díaz-Maroto, M. C., Pérez-Coello, M. S., & Cabezudo, M. D. (2002b). Effect of drying method on the volatiles in bay leaf (*Laurus nobilis* L.). *Journal of Agricultural and Food Chemistry*, 50(16), 4520–4524.
<https://doi.org/10.1021/jf011573d>
- Duncan, S. E., Moberg, K., Amin, K. N., Wright, M., Newkirk, J. J., Ponder, M. A., Acuff, G. R., & Dickson, J. S. (2017). Processes to Preserve Spice and Herb Quality and Sensory Integrity During Pathogen Inactivation. *Journal of Food Science*, 82(5), 1208–1215. <https://doi.org/10.1111/1750-3841.13702>
- Emblem, A. (2013). Modified atmosphere packaging and other active packaging systems for food, beverages and other fast-moving consumer goods. In *Trends in Packaging of Food, Beverages and Other Fast-Moving Consumer Goods (FMCG)* (pp. 22–34). Elsevier Inc.
<https://doi.org/10.1533/9780857098979.22>
- Ernstgård, L., Iregren, A., Sjögren, B., Svedberg, U., & Johanson, G. (2006). Acute effects of exposure to hexanal vapors in humans. *Journal of Occupational and Environmental Medicine*, 48(6), 573–580.
<https://doi.org/10.1097/01.jom.0000215235.42071.68>
- Esmaili, S., Khanniri, E., Berengi Ardestani, S., Barzegar, M., & Sahari, M. A. (2023). What are the effects of gamma irradiation, modified atmosphere packaging, and storage on different properties of turmeric essential oil? *Radiation Physics and Chemistry*, 204.
<https://doi.org/10.1016/j.radphyschem.2022.110677>
- Fang, W., Cao, A., Yan, D., Han, D., Li, J., Liu, X., Li, Y., Ouyang, C., & Wang, Q. (2017). Effect of environmental conditions on the permeability of low density polyethylene film and totally impermeable film to methyl isothiocyanate fumigant. In *Science of the Total Environment* (Vols. 599–600, pp. 1–8). Elsevier B.V. <https://doi.org/10.1016/j.scitotenv.2017.03.002>
- Farooq, U., Pov, S., Suwansri, S., Thanasukarn, P., Jarunrattanasri, A., Mansour Abu-ali, J., & Ratanatriwong, P. (2018). *ENHANCEMENT OF APPEARANCE AND FLAVOR RETENTION OF DRIED KAFFIR LIME (CITRUS HYSTRIX D.C.) LEAVES BY LOW IMPACT DRYING PROCESS* (Vol. 42, Issue 2).
- Ferron, L., Milanese, C., Colombo, R., & Papetti, A. (2021). Development of an accelerated stability model to estimate purple corn cob extract powder (Moradyn) shelf-life. *Foods*, 10(7). <https://doi.org/10.3390/foods10071617>
- Francomano, F., Caruso, A., Barbarossa, A., Fazio, A., Torre, C. La, Ceramella, J., Mallamaci, R., Saturnino, C., Iacopetta, D., & Sinicropi, M. S. (2019). β-

- caryophyllene: A sesquiterpene with countless biological properties. In *Applied Sciences (Switzerland)* (Vol. 9, Issue 24). MDPI AG. <https://doi.org/10.3390/app9245420>
- Ganjewala, D. (2009). Cymbopogon essential oils: Chemical compositions and bioactivities. *International Journal of Essential Oil Therapeutics*, 3, 56–65.
- Hariyadi, P. (2019). *Masa Simpan dan Batas Kadaluwarsa Produk Pangan: Pendugaan, Pengelolaan, dan Penandaannya* (1st ed.). PT. Gramedia Pustaka Utama.
- Hasani, F. J., & Damayanti, R. (2022). *Journal Review : Vacuum Packaging on the Quality and Shelf-Life of Fishery Products*. <https://www.researchgate.net/publication/366604097>
- Herath, H. M. W., Iruthayathas, E. E., & Ormrod, D. P. (1979). Temperature Effects on Essential Oil Composition of Citronella Selections. *Economy Botany*, 33(4), 425–430.
- Herawati, H. (2008). Penentuan Umur Simpan pada Produk Pangan. *Jurnal Litbang Pertanian*, 27(4), 124–130.
- Human, C., de Beer, D., Tredoux, A., de Villiers, A., & Joubert, E. (2023). Stability of labile xanthenes and dihydrochalcones in a ready-to-drink honeybush beverage during storage. *Journal of the Science of Food and Agriculture*, 103(12), 5697–5708. <https://doi.org/10.1002/jsfa.12646>
- Jirapakkul, W., Tinchai, P., & Chaiseri, S. (2013). Effect of drying temperature on key odourants in kaffir lime (*Citrus hystrix* D.C., Rutaceae) leaves. *International Journal of Food Science and Technology*, 48(1), 143–149. <https://doi.org/10.1111/j.1365-2621.2012.03170.x>
- Johnson, H. E., Merry, R. J., Davies, D. R., Kell, D. B., Theodorou, M. K., & Griffith, G. W. (2005). Vacuum packing: A model system for laboratory-scale silage fermentations. *Journal of Applied Microbiology*, 98(1), 106–113. <https://doi.org/10.1111/j.1365-2672.2004.02444.x>
- Juhari, N. H., Lasekan, O., Kharidah, M., & Ab Karim, S. (2005). *Effect of hot-air drying on the physicochemical properties of kaffir lime leaves-Citrus hystrix* Article in *Journal of Food Agriculture and Environment* · November 2013 CITATIONS 0 READS 687. www.world-food.net
- King, K. (2006). Packaging and storage of herbs and spices. In *Handbook of Herbs and Spices* (Vol. 3, pp. 86–102). Elsevier Ltd. <https://doi.org/10.1533/9781845691717.1.86>
- Kirkin, C., & Gunes, G. (2018). Modified atmosphere packaging and gamma-irradiation of some herbs and spices: Effects on antioxidant and antimicrobial properties. *Journal of Food Processing and Preservation*, 42(8). <https://doi.org/10.1111/jfpp.13678>
- Kurita, N., Miyaji, M., Kuraney, R., Takahara, Y., & Ichimura, K. (1979). Antifungal activity and molecular orbital energies of aldehyde compounds from oils of higher plants. *Agricultural and Biological Chemistry*, 43(11), 2365–2371. <https://doi.org/10.1080/00021369.1979.10863805>

- Kusuma, H. S., Nasution, R. A., & Permatasari, D. (2023). Drying process on kaffir lime leaves using microwave: Evaluation of the drying performance and energy analysis of different microwave powers and sizes of leaves. *Applied Food Research*, 3(2). <https://doi.org/10.1016/j.afres.2023.100317>
- Labuza, T. P., & Schmidl, M. K. (1985). Accelerated shelf-life testing of foods. *Food Technology*, 39(9), 57–62.
- Lee, H. Y., & Ko, M. J. (2021). Thermal decomposition and oxidation of β -caryophyllene in black pepper during subcritical water extraction. *Food Science and Biotechnology*, 30(12), 1527–1533. <https://doi.org/10.1007/s10068-021-00983-z>
- Lomeli-martín, A., Martínez, L. M., Welte-chanes, J., & Escobedo-avellaneda, Z. (2021). Induced changes in aroma compounds of foods treated with high hydrostatic pressure: A review. In *Foods* (Vol. 10, Issue 4). MDPI AG. <https://doi.org/10.3390/foods10040878>
- Mäki-Arvela, P., Tiainen, L.-P., Lindblad, M., Demirkan, K., Kumar, N., Sjöholm, R., Ollonqvist, T., Väyrynen, J., Salmi, T., & Murzin, D. Y. (2003). Liquid-phase hydrogenation of citral for production of citronellol: catalyst selection. In *Applied Catalysis A: General*.
- Malpass, D. B. (2010). Introduction to Polymers of Ethylene. In J. E. Couper, R. Islam, V. Kulkarni, P. Martin, A. Y. Nee, J. G. Speight, R. Erdlac, P. Khaladkar, N. Lieberman, W. K. Muhlbauer, & S. Sherif (Eds.), *Introduction to Industrial Polyethylene: Properties, Catalysts, Processes* (pp. 1–22). Scrivener Publishing LLC.
- Man, C. M. D. (2004). Shelf-life testing. In *Understanding and Measuring the Shelf-Life of Food* (pp. 340–356). Elsevier. <https://doi.org/10.1533/9781855739024.2.340>
- Mathlouthi, M. (2001). Water content, water activity, water structure and the stability of foodstuffs. *Food Control*, 12, 409–417. www.elsevier.com/locate/foodcont
- Melo, A. S., Leite, W. R. M., Kato, M. T., & Barros, K. K. (2021). Essential oil and linalool contents in basil (*Ocimum basilicum*) irrigated with reclaimed water. *Annals of Laparoscopic and Endoscopic Surgery*, 70(5), 773–782. <https://doi.org/10.2166/aqua.2021.057>
- Miladi, M., Martins, A. A., Mata, T. M., Vegara, M., Pérez-Infantes, M., Remmani, R., Ruiz-Canales, A., & Núñez-Gómez, D. (2021). Optimization of Ultrasound-Assisted Extraction of Spent Coffee Grounds Oil Using Response Surface Methodology. *Processes*, 9(11). <https://doi.org/10.3390/PR9112085>
- Moreira-Leite, B., Antunes, R., Cotas, J., Martins, N., Costa, N., Noronha, J. P., Mata, P., & Diniz, M. (2023). Modified Atmosphere Packaging (MAP) for Seaweed Conservation: Impact on Physicochemical Characteristics and Microbiological Activity. *Foods*, 12(14). <https://doi.org/10.3390/foods12142736>

- Müller, J., & Heindl, A. (2006). Chapter 17 Drying of Medicinal Plants. In R. J. Bogers, L. E. Craker, & D. Lange (Eds.), *Medicinal and Aromatic Plants: Agricultural, Commercial, Ecological, Legal, Pharmacological and Social Aspects* (Vol. 17, pp. 237–252).
- Murakami, A., Nakamura, Y., Koshimizu, K., & Ohigashi, H. (1995). Glyceroglycolipids from *Citrus hystrix*, a Traditional Herb in Thailand, Potently Inhibit the Tumor-Promoting Activity of 12-O-Tetradecanoylphorbol 13-Acetate in Mouse Skin. In *J. Agric. Food Chem* (Vol. 43).
- Naibaho, N. M., Safitri, A. S. M., Rudito, Popang, E. P., Syauqi, A., Saragih, B., Amirta, R., & Arung, E. T. (2024). Chemical composition and antibacterial activity of essential oil kaffir lime (*Citrus hystrix* DC) leaves from East Borneo. *Food Research*, 8(1), 250–256. [https://doi.org/10.26656/fr.2017.8\(1\).100](https://doi.org/10.26656/fr.2017.8(1).100)
- Ng, M., Lawlor, J. B., Chandra, S., Chaya, C., Hewson, L., & Hort, J. (2012). Using quantitative descriptive analysis and temporal dominance of sensations analysis as complementary methods for profiling commercial blackcurrant squashes. *Food Quality and Preference*, 25(2), 121–134. <https://doi.org/10.1016/j.foodqual.2012.02.004>
- Östbring, K., Sjöholm, I., Rayner, M., & Erlanson-Albertsson, C. (2020). Effects of storage conditions on degradation of chlorophyll and emulsifying capacity of thylakoid powders produced by different drying methods. *Foods*, 9(5). <https://doi.org/10.3390/foods9050669>
- Paxton, N. C., Allenby, M. C., Lewis, P. M., & Woodruff, M. A. (2019). Biomedical applications of polyethylene. In *European Polymer Journal* (Vol. 118, pp. 412–428). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2019.05.037>
- Phahom, T., Kerr, W. L., Pegg, R. B., & Phoungchandang, S. (2017). Effect of packaging types and storage conditions on quality aspects of dried *Thunbergia laurifolia* leaves and degradation kinetics of bioactive compounds. *Journal of Food Science and Technology*, 54(13), 4405–4415. <https://doi.org/10.1007/s13197-017-2917-9>
- Pirbalouti, A. G., Salehi, S., & Craker, L. (2017). Effect of drying methods on qualitative and quantitative properties of essential oil from the aerial parts of coriander. *Journal of Applied Research on Medicinal and Aromatic Plants*, 4, 35–40. <https://doi.org/10.1016/j.jarmap.2016.07.006>
- Prabowo, U. S., Winarti, S., & SP, B. (2020). The effect of temperature and drying time on rujak cingur spices powder properties and its change during storage. *Anjoro: International Journal of Agriculture and Business*, 1(2), 30–36. <https://doi.org/10.31605/anjoro.v1i2.778>
- Raitio, R., Orlén, V., & Skibsted, L. H. (2011). Storage stability of cauliflower soup powder: The effect of lipid oxidation and protein degradation reactions. *Food Chemistry*, 128(2), 371–379. <https://doi.org/10.1016/j.foodchem.2011.03.038>

- Raksakantong, P., Siriamornpun, S., & Meeso, N. (2012). Effect of drying methods on volatile compounds, fatty acids and antioxidant property of Thai kaffir lime (*Citrus hystrix* D.C.). *International Journal of Food Science and Technology*, 47(3), 603–612. <https://doi.org/10.1111/j.1365-2621.2011.02883.x>
- Ramachandra, C. T., & Rao, P. S. (2013). Shelf-life and colour change kinetics of Aloe vera gel powder under accelerated storage in three different packaging materials. *Journal of Food Science and Technology*, 50(4), 747–754. <https://doi.org/10.1007/s13197-011-0398-9>
- Rao, B. R. R., Rajput, D. K., & Patel, R. P. (2011). Storage of essential oils: Influence of presence of water for short periods on the composition of major constituents of the essential oils of four economically important aromatic crops. *Journal of Essential Oil-Bearing Plants*, 14(6), 673–678. <https://doi.org/10.1080/0972060X.2011.10643988>
- Ratti, C. (2013). Freeze drying for food powder production. In *Handbook of Food Powders: Processes and Properties* (pp. 57–84). Elsevier Inc. <https://doi.org/10.1533/9780857098672.1.57>
- Razak, N. A., Hamid, N. A., & Shaari, A. R. (2018a). Effect of storage temperature on moisture content of encapsulated Orthosiphon stamineus spray-dried powder. *AIP Conference Proceedings*, 2030. <https://doi.org/10.1063/1.5066835>
- Razak, N. A., Hamid, N. A., & Shaari, A. R. (2018b). Effect of vacuum and non-vacuum packaging on total phenolic content of encapsulated orthosiphon stamineus spray-dried powder during storage. *Solid State Phenomena*, 280 SSP, 330–334. <https://doi.org/10.4028/www.scientific.net/SSP.280.330>
- Saxena, V., Patel, B. B., Sutar, R. F., & Joshi, D. C. (2018). Improving quality of cumin powder through cryogenic grinding technology. *Journal of Food Processing and Preservation*, 42(1). <https://doi.org/10.1111/jfpp.13371>
- Setiyoningrum, F., Lioe, H. N., Apriyantono, A., & Abbas, A. (2018). Drying and pulverization processes affect the physico-chemical properties of kaffir lime leaves (*Citrus hystrix* DC). In *International Food Research Journal* (Vol. 25, Issue 6).
- Sköld, M., Karlberg, A. T., Matura, M., & Börje, A. (2006). The fragrance chemical β -caryophyllene - Air oxidation and skin sensitization. *Food and Chemical Toxicology*, 44(4), 538–545. <https://doi.org/10.1016/j.fct.2005.08.028>
- Somala, N., Laosinwattana, C., & Teerarak, M. (2022). Formulation process, physical stability and herbicidal activities of Cymbopogon nardus essential oil-based nanoemulsion. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-14591-2>
- Surburg, H., & Panten, J. (2016). Common Fragrance and Flavor Materials. In *Common Fragrance and Flavor Materials* (6th ed.). Wiley. <https://doi.org/10.1002/9783527693153.fmatter>
- Tabari, M. A., Youssefi, M. R., Esfandiari, A., & Benelli, G. (2017). Toxicity of β -citronellol, geraniol and linalool from Pelargonium roseum essential oil

- against the West Nile and filariasis vector *Culex pipiens* (Diptera: Culicidae). *Research in Veterinary Science*, *114*, 36–40. <https://doi.org/10.1016/j.rvsc.2017.03.001>
- Tasirin, S. M., Puspasari, I., Lun, A. W., Chai, P. V., & Lee, W. T. (2014). Drying of kaffir lime leaves in a fluidized bed dryer with inert particles: Kinetics and quality determination. *Industrial Crops and Products*, *61*, 193–201. <https://doi.org/10.1016/j.indcrop.2014.07.004>
- Tsai, M. J., Chang, W. Y., Chiu, I. H., Lin, I. L., & Wu, P. C. (2023). Improvement in Skin Penetration Capacity of Linalool by Using Microemulsion as a Delivery Carrier: Formulation Optimization and In Vitro Evaluation. *Pharmaceutics*, *15*(5). <https://doi.org/10.3390/pharmaceutics15051446>
- Tsigoriyna, L., Sango, C., & Batovska, D. (2024). An Update on Microbial Biosynthesis of β -Caryophyllene, a Sesquiterpene with Multi-Pharmacological Properties. In *Fermentation* (Vol. 10, Issue 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/fermentation10010060>
- Tuasamu, Y. (2018). *Karakterisasi Morfologi Daun dan Anatomi Stomata pada Beberapa Species Tanaman Jeruk (Citrus sp) (Characterization of Stomato Leaf And Anatomic Morphology in Several Species of Orange Plants (Citrus sp))*. *11*(2), 85–90. <https://doi.org/10.29239/j.agrikan.11.2.85>
- Ughetti, A., D'Eusano, V., Strani, L., Russo, A. L., & Roncaglia, F. (2024). Influence of Drying and Storage Conditions on the Volatile Organic Compounds Profile of *Spirulina Platensis*. *Separations*, *11*(6). <https://doi.org/10.3390/separations11060180>
- Waikedre, J., Dugay, A., Barrachina, I., Herrenknecht, C., Cabalion, P., & Fournet, A. (2010). Chemical composition and antimicrobial activity of the essential oils from New Caledonian *Citrus macroptera* and *Citrus hystrix*. *Chemistry and Biodiversity*, *7*(4), 871–877. <https://doi.org/10.1002/cbdv.200900196>
- Warsito, Noorhamdani, Sukardi, & Suratmo. (2017). Aktivitas Antioksidan dan Antimikroba Minyak Jeruk Purut dan Komponen Utamanya. *Journal of Environmental Engineering & Sustainable Technology*, *4*, 1318.
- Wartini, N. M., Ina, P. T., & Putra, G. (2010). Perbedaan Kandungan Senyawa Volatil Daun Salam (*Eugenia polyantha* Wight) pada Beberapa Proses Curing. In *AGRITECH* (Vol. 30, Issue 4).
- Wijaya, C. H. (1995). Oriental natural flavor: Liquid and spray-dried flavor of “Jeruk Purut” (*Citrus hystrix* DC) leaves. *Developments in Food Science*, *37*, 235–248. [https://doi.org/10.1016/S0167-4501\(06\)80159-7](https://doi.org/10.1016/S0167-4501(06)80159-7)
- Wulandari, Y. W., Anwar, C., & Supriyadi, S. (2019). Effects of drying time on essential oil production of kaffir lime (*Citrus hystrix* DC) leaves at ambient temperature. *IOP Conference Series: Materials Science and Engineering*, *633*(1). <https://doi.org/10.1088/1757-899X/633/1/012011>
- Wungsintaweeikul, J., Sitthithaworn, W., Putalun, W., Pfeifhoffer, H. W., & Brantner, A. (2010). Antimicrobial, antioxidant activities and chemical

composition of selected Thai spices. In / *Songklanakarin J. Sci. Technol* (Vol. 32, Issue 6). <https://www.researchgate.net/publication/287599296>

Yu, J., Jing, N., Yang, F., Wang, S., Yan, J., Ma, Y., & Wei, A. (2023). Effects of packaging and storage temperatures on the bioactive compounds and antioxidant capacity of dried *Zanthoxylum bungeanum* Maxim. During long-term storage. *Scientia Horticulturae*, 321. <https://doi.org/10.1016/j.scienta.2023.112231>

Zang, J., Qing, M., Chi, Y., & Chi, Y. (2024). Extending the shelf-life of whole egg powder with different packaging: Based on the multivariate accelerated shelf-life test model. *Food Chemistry*, 460. <https://doi.org/10.1016/j.foodchem.2024.140602>