



DAFTAR PUSTAKA

- Bohn, G. *et al.* (2016) ‘Ovine-Based Collagen Matrix Dressing: Next-Generation Collagen Dressing for Wound Care’, *Advances in Wound Care*, 5(1), pp. 1–10. doi: 10.1089/wound.2015.0660.
- Budiyanto, A. *et al.* (2023) *Aktivitas Antioksidan Ekstrak Etanol Kayu Secang (Caesalpinia sappan L.) dan Ekstrak Etanol Daun Kumis Kucing (Orthosiphon aristatus) Dibandingkan dengan Ekstrak Bunga Artemisia capillaris 0,6% serta Pengaruhnya dalam Pembentukan Reactive Oxygen Species*. Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada.
- Chen, B. *et al.* (2022) ‘Antioxidant mechanisms and products of four 4',5,7-trihydroxyflavonoids with different structural types’, *RSC Medicinal Chemistry*, 14(1), pp. 173–182. doi: 10.1039/d2md00333c.
- Chen, C. *et al.* (2013) ‘In vitro sirius red collagen assay measures the pattern shift from soluble to deposited collagen’, *Advances in Experimental Medicine and Biology*, 765, pp. 47–53. doi: 10.1007/978-1-4614-4989-8_7.
- Coats, J. G. *et al.* (2021) ‘Blue Light Protection, Part I—Effects of blue light on the skin’, *Journal of Cosmetic Dermatology*, 20(3), pp. 714–717. doi: 10.1111/jocd.13837.
- Dungel, P. *et al.* (2008) ‘Illumination with blue light reactivates respiratory activity of mitochondria inhibited by nitric oxide, but not by glycerol trinitrate’, *Archives of Biochemistry and Biophysics*, 471(2), pp. 109–115. doi: 10.1016/j.abb.2008.01.009.
- Fisher, G. J., Varani, J. and Voorhees, J. J. (2008) ‘Looking older: Fibroblast collapse and therapeutic implications’, *Archives of Dermatology*, 144(5), pp. 666–672. doi: 10.1001/archderm.144.5.666.
- Francenia Santos-Sánchez, N. *et al.* (2019) ‘Antioxidant Compounds and Their Antioxidant Mechanism’, *Antioxidants*, pp. 1–28. doi: 10.5772/intechopen.85270.
- Freitas-Rodríguez, S., Folgueras, A. R. and López-Otín, C. (2017) ‘The role of matrix metalloproteinases in aging: Tissue remodeling and beyond’, *Biochimica et Biophysica Acta - Molecular Cell Research*, 1864(11), pp. 2015–2025. doi: 10.1016/j.bbamcr.2017.05.007.
- Garza, L. (2019) ‘Development Biology of the Skin’, in Kang, S. *et al.* (eds) *Fitzpatrick’s Dermatology 9th Edition*. 9th edn. New York: McGraw Hill Education, pp. 49–61.
- Ge, G. *et al.* (2023) ‘Induced skin aging by blue-light irradiation in human skin fibroblasts via TGF-β, JNK and EGFR pathways’, *Journal of Dermatological Science*, 111(2), pp. 52–59. doi: 10.1016/j.jdermsci.2023.06.007.
- Hafshah, M., Rohmah, A. and Mardliyah, A. (2022) ‘Potential of Secang Wood (Caesalpinia sappan L.) Ethanol Extract as Anti-Oxidant and Sun-Protection’, *Al-Kimia*, 10(2), pp. 126–132. doi: 10.24252/al-kimia.v10i2.28619.
- Hartiadi, L. Y. and Sahamastuti, A. A. T. (2020) ‘Protective effect of Caesalpinia sappan L. extract against H₂O₂-induced oxidative stress on hactat and its formulation as antioxidant cream’, *Journal of Research in Pharmacy*, 24(4),



- pp. 508–517. doi: 10.35333/jrp.2020.199.
- Hassanpour, S. H. and Doroudi, A. (2023) ‘Review of the antioxidant potential of flavonoids as a subgroup of polyphenols and partial substitute for synthetic antioxidants’, *Avicenna Journal of Phytomedicine*, 13(4), pp. 354–376. doi: 10.22038/AJP.2023.21774.
- Hastuti, H. E. A. et al. (2022) ‘Revealing the Potential of Compounds in Sappan Wood as Cervical Cancer Metastasis Chemopreventive Agent With MMP9 Target’, *Indonesian Journal of Cancer Chemoprevention*, 13(1), p. 22. doi: 10.14499/indonesianjccchemoprev13iss1pp22-32.
- Health, H. F. et al. (2021) ‘Henry Ford Health Scholarly Commons Effects of visible light on mechanisms of skin photoaging’.
- Il, J. et al. (2022) ‘Protective role of Caesalpinia sappan extract and its main component brazilin against blue light – induced damage in human fibroblasts’, (September), pp. 1–10. doi: 10.1111/jocd.15354.
- Jin, S. et al. (2023) ‘Hallmarks of Skin Aging: Update’, *Aging and Disease*, 14(6), pp. 2167–2176. doi: 10.14336/AD.2023.0321.
- Kedare, S. B. and Singh, R. P. (2011) ‘Genesis and development of DPPH method of antioxidant assay’, *Journal of Food Science and Technology*, 48(4), pp. 412–422. doi: 10.1007/s13197-011-0251-1.
- Kumari, J. et al. (2023) ‘The impact of blue light and digital screens on the skin’, *Journal of Cosmetic Dermatology*, 22(4), pp. 1185–1190. doi: 10.1111/jocd.15576.
- Laksmani, N. P. L. et al. (2022) ‘Secang wood (Caesalpinia sappan L.) nanoemulgel activity as antiaging through suppressing the MMP-1 expression and the collagen degradation’, *Journal of Pharmacy and Pharmacognosy Research*, 10(5), pp. 922–937. doi: 10.56499/jppres22.1456_10.5.922.
- Lee, H., Hong, Y. and Kim, M. (2021) ‘Structural and functional changes and possible molecular mechanisms in aged skin’, *International Journal of Molecular Sciences*, 22(22). doi: 10.3390/ijms222212489.
- Lee, J. H., Park, J. and Shin, D. W. (2022) ‘The Molecular Mechanism of Polyphenols with Anti-Aging Activity in Aged Human Dermal Fibroblasts’, *Molecules*, 27(14), pp. 1–16. doi: 10.3390/molecules27144351.
- Li, F. et al. (2024) ‘Discovery of matrix metalloproteinase inhibitors as anti-skin photoaging agents’, *European Journal of Medicinal Chemistry*, 267(December 2023), p. 116152. doi: 10.1016/j.ejmech.2024.116152.
- Liu, H. et al. (2024) ‘Collagen study advances for photoaging skin’, *Photodermatology Photoimmunology and Photomedicine*, 40(1), pp. 1–7. doi: 10.1111/phpp.12931.
- Magalhães, S. et al. (2022) ‘The Long-Term Culture of Human Fibroblasts Reveals a Spectroscopic Signature of Senescence’, *International Journal of Molecular Sciences*, 23(10). doi: 10.3390/ijms23105830.
- Meiyanto, E. et al. (2019) ‘Caesalpinia sappan L. heartwood ethanolic extract exerts genotoxic inhibitory and cytotoxic effects’, *Oriental Pharmacy and Experimental Medicine*, 19(1), pp. 27–36. doi: 10.1007/s13596-018-0351-9.
- Michalak, M. (2022) ‘Plant-Derived Antioxidants: Significance in Skin Health and the Ageing Process’, *International Journal of Molecular Sciences*, 23(2), pp.



- 8–12. doi: 10.3390/ijms23020585.
- Murlistyarini, S. and Amalia Dani, A. (2022) ‘Peran Matriks Metaloproteinase (Mmp) Pada Proses Photoaging’, *Journal of Dermatology, Venereology and Aesthetic*, pp. 13–21. Available at: <http://jdva.ub.ac.id>.
- Ngibad, K. et al. (2023) ‘In Vitro Antioxidant Activity, Flavonoid and Phenolic Contents of 70% Methanol Extract from Purple and Yellow Passion Fruit Peel’, *Indonesian Journal of Chemistry and Environment*, 6(2), pp. 54–62. doi: 10.52711/0974-360X.2023.00206.
- Nirmal, N. P. et al. (2015) ‘Brazilin from Caesalpinia sappan heartwood and its pharmacological activities: A review’, *Asian Pacific Journal of Tropical Medicine*, 8(6), pp. 421–430. doi: 10.1016/j.apjtm.2015.05.014.
- Nurullita, U. and Irawati, E. (2022) ‘Perbandingan Aktivitas Antioksidan Bahan Alami Dan Bahan Sintetis (Study Pada Kayu Secang dan Vitamin C)’, *Jurnal MIPA*, 11(2), p. 51. doi: 10.35799/jm.v11i2.40089.
- Opländer, C. et al. (2011) ‘Effects of blue light irradiation on human dermal fibroblasts’, *Journal of Photochemistry and Photobiology B: Biology*, 103(2), pp. 118–125. doi: 10.1016/j.jphotobiol.2011.02.018.
- Papaccio, F. et al. (2022) ‘Focus on the Contribution of Oxidative Stress in Skin Aging’, *Antioxidants*, 11(6). doi: 10.3390/antiox11061121.
- Park, J. Il et al. (2022) ‘Protective role of Caesalpinia sappan extract and its main component brazilin against blue light-induced damage in human fibroblasts’, *Journal of Cosmetic Dermatology*, 21(12), pp. 7025–7034. doi: 10.1111/jocd.15354.
- Pedić, L., Pondeljak, N. and Šitum, M. (2020) ‘Recent information on photoaging mechanisms and the preventive role of topical sunscreen products’, *Acta Dermatovenerologica Alpina, Pannonica et Adriatica*, 25(4), pp. 201–207. doi: 10.15570/actaapa.2020.40.
- Phillips, C. L., Combs, S. B. and Pinnel, S. R. (1994) ‘Effects of Ascorbic Acid on Proliferation and Collagen Synthesis in Relation to the Donor Age of Human Dermal Fibroblast’, *The Journal of Investigative Dermatology*, 103(2), pp. 228–232.
- Pourang, A. et al. (2022) ‘Effects of visible light on mechanisms of skin photoaging’, *Photodermatology Photoimmunology and Photomedicine*, 38(3), pp. 191–196. doi: 10.1111/phpp.12736.
- Purnama, M. T. E., Fikri, F. and Purnomo, A. (2021) ‘Sediaan topikal ekstrak etanol kayu secang (caesalpinia sappan l.) terhadap kepadatan kolagen tikus albino dengan luka insisi’, *Acta Veterinaria Indonesiana*, 9(3), pp. 195–200. Available at: <http://www.journal.ipb.ac.id/indeks.php/actavetindones>.
- Putri, B. M. et al. (2021) ‘Antioxidant Activity of Ethanol Extract of Secang Wood (Caesalpinia sappan L.), Gotu Kola (Centella asiatica L.), and Their Combinations with DPPH Assay’, *2nd International Conference of Health, Science and Technology*, pp. 45–49.
- Regazzetti, C. et al. (2018) ‘Melanocytes Sense Blue Light and Regulate Pigmentation through Opsin-3’, *Journal of Investigative Dermatology*, 138(1), pp. 171–178. doi: 10.1016/j.jid.2017.07.833.
- S. Liu, S. Mohri, Y. Manabe, A. Ejima, K. Sato, T. S. (2022) ‘Gly-Pro protects



- normal human dermal fibroblasts from UVA-induced damages via MAPK-NF- κ B signaling pathway', *J Photochem Photobiol*, B 237. doi: <https://doi.org/10.1016/j.jphotobiol.2022.112601>.
- Sadowska, M., Narbutt, J. and Lesiak, A. (2021) 'Blue light in dermatology', *Life*, 11(7). doi: 10.3390/life11070670.
- Speisky, H. et al. (2022) 'Revisiting the Oxidation of Flavonoids: Loss, Conservation or Enhancement of Their Antioxidant Properties', *Antioxidants*, 11(1), pp. 1–28. doi: 10.3390/antiox11010133.
- Sprangers, S. and Everts, V. (2019) 'Molecular pathways of cell-mediated degradation of fibrillar collagen', *Matrix Biology*, 75–76, pp. 190–200. doi: 10.1016/j.matbio.2017.11.008.
- Sucita, R. E. et al. (2019) 'Ekstrak Etanol Kayu Secang (Caesalpinia sappan L.) Secara Topikal Efektif pada Kepadatan Kolagen Masa Penyembuhan Luka Insisi Tikus Putih', *Jurnal Medik Veteriner*, 2(2), p. 119. doi: 10.20473/jmv.vol2.iss2.2019.119-126.
- Suitthimeathegorn, O. et al. (2022) 'Direct and Indirect Effects of Blue Light Exposure on Skin: A Review of Published Literature', *Skin Pharmacology and Physiology*, 35(6), pp. 305–318. doi: 10.1159/000526720.
- Taguchi, T. and Razzaque, M. S. (2007) 'The collagen-specific molecular chaperone HSP47: is there a role in fibrosis?', *Trends in Molecular Medicine*, 13(2), pp. 45–53. doi: 10.1016/j.molmed.2006.12.001.
- Tanaka, K. et al. (2005) 'Prevention of the ultraviolet B-mediated skin photoaging by a nuclear factor κ B inhibitor, parthenolide', *Journal of Pharmacology and Experimental Therapeutics*, 315(2), pp. 624–630. doi: 10.1124/jpet.105.088674.
- Theocharidis, G. and Connelly, J. T. (2019) 'Minor collagens of the skin with not so minor functions', *Journal of Anatomy*, 235(2), pp. 418–429. doi: 10.1111/joa.12584.
- Vardhani, A. K. (2019) 'Proceedings of International Conference on Applied Science and Health ICASH-A042 Caesalpinia sappan L: REVIEW ARTICLE Proceedings of International Conference on Applied Science and Health', *Proceedings of International Conference on Applied Science and Health*, (4), pp. 300–305.
- Wirohadidjojo, F. R. P. S. R. P. Y. W. (2011) 'Collagen synthesis on ultraviolet A irradiated human skin fibroblast treated with insulin', *Journal of the Medical Sciences*, 43(01), pp. 20–25. Available at: <http://www.jurnal.ugm.ac.id/bik/article/view/4131>.
- X. Chen, C. Yang, G. J. (2021) 'Research progress on skin photoaging and oxidative stress', *Postepy Dermatol Alergol.*, 38. doi: <https://doi.org/10.5114/ada.2021.112275>.